

```

1  <?xml version="1.0" encoding="utf-8"?>
2  <using></using> <System;></System>'using <System.Collections.Generic;></
   System.Collections.Generic>
3  <using>
4  <System.Linq;>
5  <using>
6  <System.Text;></System.Text>
7  <using>
8  <System.Threading.Tasks;></System.Threading.Tasks>
9  <using>
10 <System.Windows;></System.Windows>
11 <using>
12 <System.Windows.Controls;></System.Windows.Controls>
13 <using>
14 <System.Windows.Data;></System.Windows.Data>
15 <using>
16 <System.Windows.Documents;></System.Windows.Documents>
17 <using>
18 <System.Windows.Input;></System.Windows.Input>
19 <using>
20 <System.Windows.Media;></System.Windows.Media>
21 <using>
22 <System.Windows.Media.Imaging;></
   System.Windows.Media.Imaging>
23 <using>
24 <System.Windows.Navigation;></System.Windows.Navigation>
25 <using>
26 <System.Windows.Shapes;></System.Windows.Shapes>
27
28 <namespace>
29 <WpfApp1>
30 {
31 /// <summary>
32 /// Interaction logic for MainWindow.xaml
33 ///
34 </summary>
35 <public>
36 " <public_html>
37 "' <root>'
38
39 </public_html>"
40
41 </public>
42 <partial></partial>
43 <class></class>
44 <MainWindow></MainWindow> :
45 <Window></Window>
46 {
47 <public MainWindow=""()>
48 {
49 <InitializeComponent()>
50 ;
51 }

```

```

51         }
52     }
53
54     <html>
55     [% <include table=""></include> %]
56     [% <Block table="">
57         %]
58
59         [% <title></title> %
60
61     </table>
62     <connect>
63         <https: xmlns:https=""/><{http://
abwonline.ca}>
64         <{:}>
65             {http://mail.template-toolkit.org/
mailman/listinfo/templates}
66             {http://mail.template-toolkit.org/
mailman/listinfo/templates-announce/}
67             {http://mail.template-toolkit.org/
mailman/listinfo/templates-announce/}
68         <mail>
69             <title>
70                 [% <e-mail cloud=""></e-mail> %]
71             </title>
72             </Html>
73         </mail>
74         <redirect>
75             <mail>
76                 <:><redirect>
77                     {https://mail.abwonline.ca}>
78                     <:> <redirect:>
79                         <https://"mail.abwonline.ca">
80                         <:><inbox>
81                             <https.inbox.abwonline.ca>
82                             <:><https: xmlns:https="inbox"/
83                             </mail.abwonline.ca.inbox>
84                             <https.inbox.abwonline.ca>
85             </inbox><redirect>
86                 [% </https://["<user
namespace=""></user>"<:>{'<username></username>' }]
<.abwonline.ca>
87                 " <.inbox>
88                 "'<inbox></inbox>'>]
89                 <:></
ftp sinbox.abwonline.ca>
90             </redirect>
91         </connect>
92 <?xml version="1.0" encoding="utf-8"?>
93 <Project ToolsVersion="15.0" xmlns="http://schemas.microsoft.com/developer/
msbuild/2003">
94     <Import Project="$(MSBuildExtensionsPath)\$(MSBuildToolsVersion)

```

```

    \\Microsoft.Common.props" Condition="Exists('$(MSBuildExtensionsPath)\\
    $(MSBuildToolsVersion)\\Microsoft.Common.props')" />
95 <PropertyGroup>
96   <Configuration Condition=" '$(Configuration)' == '' ">Debug</Configuration>
97   <Platform Condition=" '$(Platform)' == '' ">AnyCPU</Platform>
98   <ProjectGuid>{A382D358-4D91-4DA7-A540-EBE717AD2753}</ProjectGuid>
99   <OutputType>Exe</OutputType>
100  <RootNamespace>ConsoleApp2</RootNamespace>
101  <AssemblyName>ConsoleApp2</AssemblyName>
102  <TargetFrameworkVersion>v4.6.1</TargetFrameworkVersion>
103  <FileAlignment>512</FileAlignment>
104  <AutoGenerateBindingRedirects>true</AutoGenerateBindingRedirects>
105  <Deterministic>true</Deterministic>
106 </PropertyGroup>
107 <PropertyGroup Condition=" '$(Configuration)|$(Platform)' == 'Debug|AnyCPU' ">
108   <PlatformTarget>AnyCPU</PlatformTarget>
109   <DebugSymbols>true</DebugSymbols>
110   <DebugType>full</DebugType>
111   <Optimize>false</Optimize>
112   <OutputPath>bin\\Debug\\</OutputPath>
113   <DefineConstants>DEBUG;TRACE</DefineConstants>
114   <ErrorReport>prompt</ErrorReport>
115   <WarningLevel>4</WarningLevel>
116 </PropertyGroup>
117 <PropertyGroup Condition=" '$(Configuration)|$(Platform)' == 'Release|AnyCPU'
    ">
118   <PlatformTarget>AnyCPU</PlatformTarget>
119   <DebugType>pdbonly</DebugType>
120   <Optimize>true</Optimize>
121   <OutputPath>bin\\Release\\</OutputPath>
122   <DefineConstants>TRACE</DefineConstants>
123   <ErrorReport>prompt</ErrorReport>
124   <WarningLevel>4</WarningLevel>
125 </PropertyGroup>
126 <ItemGroup>
127   <Reference Include="System" />
128   <Reference Include="System.Core" />
129   <Reference Include="System.Xml.Linq" />
130   <Reference Include="System.Data.DataSetExtensions" />
131   <Reference Include="Microsoft.CSharp" />
132   <Reference Include="System.Data" />
133   <Reference Include="System.Net.Http" />
134   <Reference Include="System.Xml" />
135 </ItemGroup>
136 <ItemGroup>
137   <Compile Include="F:\\sql server projects\\abwonline.ca\\abwonline.ca\\abwonline
    compileations projects\\gem b ox e-mail.cs"OPEN/>
138   <Compile Include="F:\\sql server projects\\abwonline.ca\\abwonline.ca\\abwonline
    compileations projects\\AssemblyInfo.cs"OPEN>
139     <Link>Properties\\AssemblyInfo.cs</Link>
140   </Compile>
141 </ItemGroup>

```

```

142     <ItemGroup>
143         <None Include="App.config" />
144     </ItemGroup>
145     <Import Project="$(MSBuildToolsPath)\\Microsoft.CSharp.targets" />
146 </Project><?xml version="1.0" encoding="UTF-8"?>
147 <rows>
148     <head>
149         <afterInit>
150             <call command="setColumnHidden">
151                 <param>1</param>
152                 <param>true</param>
153             </call>
154         </afterInit>
155         <column width="70" type="dyn" align="right" sort="str">Sales</column>
156         <column width="150" type="ed" align="left" sort="str">Book Title</column>
157         <column width="*" type="ed" align="left" sort="str">Author</column>
158         <column width="80" type="price" align="right" sort="str">Price</column>
159         <column width="80" type="ch" align="center" sort="str">In Store</column>
160         <column width="80" type="co" align="left" sort="str">
161             Shipping
162             <option value="1">1</option>
163             <option value="2">2</option>
164             <option value="3">3</option>
165             <option value="4">10</option>
166             <option value="5">20</option>
167             <option value="6">30</option>
168         </column>
169         <column width="80" type="ra" align="center" sort="str">Bestseller</column>
170         <column width="100" type="ro" align="center" sort="str">Date of Publication</
171         <settings>
172             <colwidth>px</colwidth>
173         </settings>
174     </head>
175     <row id="1">
176         <cell>-1500</cell>
177         <cell>A Time to Kill</cell>
178         <cell>John Grisham</cell>
179         <cell>12.99</cell>
180         <cell>1</cell>
181         <cell>24</cell>
182         <cell>0</cell>
183         <cell>05/01/1998</cell>
184     </row>
185     <row id="2">
186         <cell>1000</cell>
187         <cell>Blood and Smoke</cell>
188         <cell>Stephen King</cell>
189         <cell>0</cell>
190         <cell>1</cell>
191         <cell>24</cell>
192         <cell>0</cell>

```

```

193     <cell>01/01/2000</cell>
194 </row>
195 <row id="3">
196     <cell>-200</cell>
197     <cell>The Rainmaker</cell>
198     <cell>John Grisham</cell>
199     <cell>7.99</cell>
200     <cell>0</cell>
201     <cell>48</cell>
202     <cell>0</cell>
203     <cell>12/01/2001</cell>
204 </row>
205 </rows>
206 <!DOCTYPE html>
207 <!--pro-->
208 <html>
209     <head>
210         <title>Run commands from XML</title>
211         <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
212         <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
213         <link rel="stylesheet" type="text/css" href="../../codebase/fonts/
214             font_roboto/roboto.css"/>
215         <link rel="stylesheet" type="text/css" href="../../codebase/dhtmlx.css"/>
216         <script src="../../codebase/dhtmlx.js"></script>
217         <script>
218             function loadGridFromString(){
219                 myGrid = new dhtmlXGridObject('gridbox');
220                 myGrid.setDelimiter("|");
221                 //myGrid.setStyle("text-align:center", "", "", "");
222                 myGrid.setImagePath("../../codebase/imgs/");
223                 myGrid.parse(document.getElementById("gridcont1").value);
224             }
225             function loadGridFromString2(){
226                 myGrid2 = new dhtmlXGridObject('gridbox2');
227                 myGrid2.setImagePath("../../codebase/imgs/");
228                 myGrid2.parse(document.getElementById("gridcont2").value);
229             }
230         </script>
231     </head>
232     <body>
233         <h1>Run grid methods from XML</h1>
234         <p>You are allowed to use methods before grid intialization:</p>
235         <div>
236             <li>
237                 Example: <a href="javascript:void(0)" onClick="loadGridFromString
238                     ()">Load grid with web skin</a> set from XML by calling setSkin method
239                     before grid initialization
240             </li>
241         </div>
242         <br>
243         <div id="gridbox" style="width:650px; height:165px; background-
244             color:white;"></div>

```

```

241 The same as with script:<br/>
242 <textarea id="gridcont1" style="width:650px;height:150px;"><?xml
    version="1.0" encoding="UTF-8"?>
243     <rows>
244         <head>
245             <beforeInit>
246                 <call command="setSkin">
247                     <param>material</param>
248                 </call>
249                 <call command="setStyle">
250                     <param>text-align:center;</param>
251                 </call>
252             </beforeInit>
253             <column width="70" type="dyn" align="right" sort="str">Sales</
                column>
254             <column width="150" type="ed" align="left" sort="str">Book Title</
                column>
255             <column width="100" type="ed" align="left" sort="str">Author</
                column>
256             <column width="80" type="price" align="right" sort="str">Price</
                column>
257             <column width="80" type="ch" align="center" sort="str">In Store</
                column>
258             <column width="80" type="co" align="left" sort="str">
259                 Shipping
260                 <option value="1">1</option>
261                 <option value="2">2</option>
262                 <option value="3">3</option>
263                 <option value="4">10</option>
264                 <option value="5">20</option>
265                 <option value="6">30</option>
266             </column>
267             <column width="80" type="ra" align="center" sort="str">Bestseller</
                column>
268             <column width="100" type="ro" align="center" sort="str">Date of
                Publication</column>
269             <settings>
270                 <colwidth>px</colwidth>
271             </settings>
272         </head>
273         <row id="1">
274             <cell>-1500</cell>
275             <cell>A Time to Kill</cell>
276             <cell>John Grisham</cell>
277             <cell>12.99</cell>
278             <cell>1</cell>
279             <cell>24</cell>
280             <cell>0</cell>
281             <cell>05/01/1998</cell>
282         </row>
283         <row id="2">
284             <cell>1000</cell>

```

```

285         <cell>Blood and Smoke</cell>
286         <cell>Stephen King</cell>
287         <cell>0</cell>
288         <cell>1</cell>
289         <cell>24</cell>
290         <cell>0</cell>
291         <cell>01/01/2000</cell>
292     </row>
293     <row id="3">
294         <cell>-200</cell>
295         <cell>The Rainmaker</cell>
296         <cell>John Grisham</cell>
297         <cell>7.99</cell>
298         <cell>0</cell>
299         <cell>48</cell>
300         <cell>0</cell>
301         <cell>12/01/2001</cell>
302     </row>
303 </rows>
304 </textarea>
305 <p>Also, you can run methods after grid initialization</p>
306 <div>
307     <li>
308         Example: <a href="javascript:void(0)" onClick="loadGridFromString2
309             ()">Load grid and set the 2nd column hidden</a> by calling
310             setColumnHidden method from xml after grid initialization
311     </li>
312 </div><br>
313 <div id="gridbox2" style="width:650px;height:150px;background-
314     color:white;"></div>
315 The same as with script:<br>
316 <textarea id="gridcont2" style="width:650px;height:150px;"><?xml
317     version="1.0" encoding="UTF-8"?>
318     <rows>
319     <head>
320     <afterInit>
321         <call command="setColumnHidden">
322             <param>1</param>
323             <param>true</param>
324         </call>
325     </afterInit>
326     <column width="70" type="dyn" align="right" sort="str">Sales</
327         column>
328     <column width="150" type="ed" align="left" sort="str">Book Title</
329         column>
330     <column width="*" type="ed" align="left" sort="str">Author</
331         column>
332     <column width="80" type="price" align="right" sort="str">Price</
333         column>
334     <column width="80" type="ch" align="center" sort="str">In Store</
335         column>
336     <column width="80" type="co" align="left" sort="str">

```

```

328         Shipping
329         <option value="1">1</option>
330         <option value="2">2</option>
331         <option value="3">3</option>
332         <option value="4">10</option>
333         <option value="5">20</option>
334         <option value="6">30</option>
335     </column>
336     <column width="80" type="ra" align="center" sort="str">Bestseller</
column>
337     <column width="100" type="ro" align="center" sort="str">Date of
Publication</column>
338     <settings>
339         <colwidth>px</colwidth>
340     </settings>
341 </head>
342 <row id="1">
343     <cell>-1500</cell>
344     <cell>A Time to Kill</cell>
345     <cell>John Grisham</cell>
346     <cell>12.99</cell>
347     <cell>1</cell>
348     <cell>24</cell>
349     <cell>0</cell>
350     <cell>05/01/1998</cell>
351 </row>
352 <row id="2">
353     <cell>1000</cell>
354     <cell>Blood and Smoke</cell>
355     <cell>Stephen King</cell>
356     <cell>0</cell>
357     <cell>1</cell>
358     <cell>24</cell>
359     <cell>0</cell>
360     <cell>01/01/2000</cell>
361 </row>
362 <row id="3">
363     <cell>-200</cell>
364     <cell>The Rainmaker</cell>
365     <cell>John Grisham</cell>
366     <cell>7.99</cell>
367     <cell>0</cell>
368     <cell>48</cell>
369     <cell>0</cell>
370     <cell>12/01/2001</cell>
371 </row>
372 </rows>
373 </textarea>
374 </body>
375 </html>

```