```
1 <?xml version="1.0" encoding="utf-8"?>
2 <using></using> <System;></System>'using <System.Collections.Generic;></</pre>
                                                                              P
    System.Collections.Generic>
 3 <using> <System.Linq;>
4 <using> <System.Text;></System.Text>
5 <using> <System.Threading.Tasks;></System.Threading.Tasks>
6 <using> <System.Windows;></System.Windows>
7 <using> <System.Windows.Controls;></System.Windows.Controls>
8 <using> <System.Windows.Data;></System.Windows.Data>
9 <using> <System.Windows.Documents;></System.Windows.Documents>
10 <using> <System.Windows.Input;></System.Windows.Input>
11 <using> <System.Windows.Media;></System.Windows.Media>
14 <using> <System.Windows.Shapes;></System.Windows.Shapes>
15
16 <namespace> <WpfApp1>
17 {
18 /// <summary>
19
   /// Interaction logic for MainWindow.xaml
20
   ///
21 </summary>
     <public>"<public html>"'<root>'
22
23
24
   </public html>"</public>
25
        <partial></partial>
26
            <class></class>
                <MainWindow></MainWindow> :
27
28
                   <Window></Window>
29 {
30 <public MainWindow()>
31 {
32 <InitializeComponent()>;
33 }
34 }
35 }
36
37 <html>
38
       [% <include table=""></include> %]
39
       [% <Block table> %]
40
41
       [% <title></title> %
42
     43
44
     <connect>
45
     <https: xmlns:https=""/<{http://abwonline.ca}>
46
47
     {http://mail.template-toolkit.org/mailman/listinfo/templates}
48
     {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
49
     {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
50
       <title> [% <e-mail cloud=""></e-mail> %]</title>
51
```

```
52
        </Html>
53
          </mail>
54
        <redirect>
55
          <mail> <:>
56
             <redirect>{https://mail.abwonline.ca}>
57
                   <:> <redirect:><ftps://"mail.abwonline.ca">
58
                     <:><inbox>
59
                       <ftps.inbox.abwonline.ca>
60
                         <:><ftps: xmlns:ftps="inbox"/</mail.abwonline.ca.inbox>
61
                       <ftps.inbox.abwonline.ca>
                         <?xml version="1.0" encoding="utf-8"?>
62
63
                         <using></using> <System;></System>'using
                          <System.Collections.Generic;></System.Collections.Generic>
64
                         <using>
65
                           <System.Linq;>
66
                             <using>
                               <System.Text;></System.Text>
67
68
                               <using>
69
                                  <System.Threading.Tasks;></System.Threading.Tasks>
70
71
                                    <System.Windows;></System.Windows>
72
                                    <using>
73
                                      <System.Windows.Controls;></
                                                                                           P
                          System.Windows.Controls>
74
                                      <using>
75
                                        <System.Windows.Data;></System.Windows.Data>
76
77
                                          <System.Windows.Documents;></</pre>
                                                                                           P
                          System.Windows.Documents>
78
                                          <using>
79
                                            <System.Windows.Input;></
                          System.Windows.Input>
80
                                            <using>
81
                                              <System.Windows.Media;></
                          System.Windows.Media>
82
                                              <using>
83
                                                 <System.Windows.Media.Imaging;></</pre>
                          System.Windows.Media.Imaging>
84
                                                 <using>
85
                                                   <System.Windows.Navigation;></</pre>
                          System.Windows.Navigation>
86
                                                   <using>
87
                                                     <System.Windows.Shapes;></</pre>
                                                                                           P
                          System.Windows.Shapes>
88
                                                     <namespace>
89
90
                                                       <WpfApp1>
91
                                                         {
92
                                                         /// <summary>
93
                                                           /// Interaction logic for
                                                                                           P
                          MainWindow.xaml
94
                                                           ///
```

```
...ry2\HTML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFile1.xml
                                                                                          3
 95
                                                         </summary>
 96
                                                         <public>
                                                           "<public_html>
 97
                                                             "'<root>'
 98
 99
100
       </public_html>"
101
                                                         </public>
102
                                                         <partial></partial>
103
                                                         <class></class>
104
                                                         <MainWindow></MainWindow> :
105
                                                         <Window></Window>
106
107
                                                         <public MainWindow=""()>
108
                                                           {
109
                                                           <InitializeComponent()>
110
111
                                                             }
112
                                                             }
113
                                                             }
114
                                                             <html>
115
                                                               [% <include table="">
116
                          include> %]
117
                                                               [% <Block table="">
                                                                 %]
118
119
120
                                                                 [% <title></title> %
121
122
                                                                 123
                                                                 <connect>
124
                                                                   <https:
                                                                                          P
                          xmlns:https=""/<{http://abwonline.ca}>
125
                                                                    <{:}>
126
                                                                   {http://
                          mail.template-toolkit.org/mailman/listinfo/templates}
127
                                                                   {http://
                          mail.template-toolkit.org/mailman/listinfo/templates-
                          announce/}
128
                                                                   {http://
                                                                                          P
                          mail.template-toolkit.org/mailman/listinfo/templates-
                          announce/}
129
                                                                    <mail>
130
                                                                      <title>
131
                                                                       [% <e-mail
                                                                                          P
                          cloud=""></e-mail> %]
132
                                                                      </title>
133
                                                                      </Html>
134
                                                                   </mail>
135
                                                                   <redirect>
136
                                                                      <mail>
137
                                                                        <:><redirect>
138
                                                                          {https://
                                                                                          P
```

r	y2\HTML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFile1.xml	5
165		P
	<pre><autogeneratebindingredirects>true</autogeneratebindingredirects></pre> /AutoGenerateBindingRedirects>	
166		P
	<pre><deterministic>true</deterministic></pre>	
167		
168	<pre><propertygroup< pre=""></propertygroup<></pre>	P
	<pre>Condition=" '\$(Configuration) \$(Platform)' == 'Debug AnyCPU'</pre>	P
	">	
169		P
	<platformtarget>AnyCPU</platformtarget>	
170		P
171	<pre><debugsymbols>true</debugsymbols></pre>	_
171	<pre>Company company c</pre>	P
172	<pre>DebugType&gt;</pre>	P
1/2	Optimize>	
173	<pre><outputpath>bin</outputpath></pre>	₽
_,,	\Debug\	
174	( said ( ) s	P
	<pre><defineconstants>DEBUG;TRACE</defineconstants></pre>	
175		P
	<errorreport>prompt</errorreport>	
176	<warninglevel>4<!--</td--><td>P</td></warninglevel>	P
	WarningLevel>	
177		
178	<pre><propertygroup< pre=""></propertygroup<></pre>	7
	<pre>Condition=" '\$(Configuration) \$(Platform)' == 'Release  AnyCPU' "&gt;</pre>	P
179	AffyCPU >	P
1/3	<platformtarget>AnyCPU</platformtarget>	
180	Tactor intal geezhary et ovyt zaetor intal geez	₽
	<debugtype>pdbonly</debugtype>	
181	<pre><optimize>true</optimize></pre>	P
	Optimize>	
182	<outputpath>bin</outputpath>	P
	\Release\	
183		P
104	<pre><defineconstants>TRACE</defineconstants></pre>	
184	(Finney Deposits in normal ( / Finney Deposits)	P
185	<pre><errorreport>prompt</errorreport></pre>	P
100	WarningLevel>	
186		
187	<pre><itemgroup></itemgroup></pre>	
188	<pre><reference< pre=""></reference<></pre>	P
	<pre>Include="System" /&gt;</pre>	
189	<reference< td=""><td>₽</td></reference<>	₽
	<pre>Include="System.Core" /&gt;</pre>	
190	<pre><reference< pre=""></reference<></pre>	7
401	<pre>Include="System.Xml.Linq" /&gt;</pre>	
191	<pre></pre>	7
	<pre>Include="System.Data.DataSetExtensions" /&gt;</pre>	

ry2\HTML	BASIC SETUP XML	SCRIPT FOR ABWONLINEXMLFile1.xml	6
192		<reference< th=""><th>7</th></reference<>	7
	Inc	<pre>clude="Microsoft.CSharp" /&gt;</pre>	
193		<reference< td=""><td>₽</td></reference<>	₽
	Inc	clude="System.Data" />	
194		<reference< td=""><td>7</td></reference<>	7
	Inc	clude="System.Net.Http" />	
195		<reference< td=""><td>P</td></reference<>	P
	Ind	clude="System.Xml" />	
196			
197		<itemgroup></itemgroup>	
198		<compile< td=""><td>P</td></compile<>	P
		<pre>clude="F:\sql server projects\abwonline.ca\abwonline.ca</pre>	P
	\al	owonline compileations projects\gem b ox e-mail.cs" <mark>OPEN=</mark>	-""/⊋
	>		
199		<compile< td=""><td>7</td></compile<>	7
		<pre>clude="F:\sql server projects\abwonline.ca\abwonline.ca</pre>	7
	\al	owonline compileations projects\AssemblyInfo.cs" <mark>OPEN=""</mark> >	
200		<link/> Propertie	es 🏲
	\A:	ssemblyInfo.cs <u Link>	
201			
202			
203		<itemgroup></itemgroup>	
204		<none< td=""><td>7</td></none<>	7
	Inc	clude="App.config" />	
205			
206		mport</td <td>7</td>	7
	Pro	<pre>oject="\$(MSBuildToolsPath)\Microsoft.CSharp.targets" /&gt;</pre>	
207		<pre><?xml</pre></pre>	7
	vei	rsion="1.0" encoding="UTF-8"?>	
208		<pre><rows></rows></pre>	
209		<head></head>	
210		<afterinit></afterinit>	
211		<call< td=""><td>7</td></call<>	7
242	COI	nmand="setColumnHidden">	
212		<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	₽
242	pai	ram>	, -
213		<pre><pre><pre><pre></pre></pre></pre></pre>	/ 7
214	ра	am>	
214		<pre></pre>	
215		<pre><td>a" –</td></pre>	a" –
216	+	oe="dyn" align="right" sort="str">Sales	9 4
217	Ly	column width="15"	EQ" -
217	+.	/pe="ed" align="left" sort="str">Book Title	<b>30</b> ₽
218	C)	/pe= ed align= left sort= str >book fitte	" <sub>P</sub>
210	+10	pe="ed" align="left" sort="str">Author	-
219	cyl	column width="80"	a" =
<b>4 1 9</b>	+10	oe="price" align="right" sort="str">Price	ب ر
220	Ly	column width="86">ce= price align= right sort= str >price	a" -
220	+10	pe="ch" align="center" sort="str">In Store	<i>5</i>
221	Lyl	column width="86	a" -
<b></b>	+10	pe="co" align="left" sort="str">	<i>,</i> +
	cyl	70- 00 UIIBII- ICIC 301 C- 3C1 /	

ry2\HTML BASIC SETUP	XML SCRIPT FOR ABWONLINEXMLFile1.xml		7
222		Shipping	_
223		<pre><option< pre=""></option<></pre>	P
	value="1">1		
224	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	<option <<="" td=""><td>P</td></option>	P
	value="2">2		
225	_ , _ , , op o=o	<option <<="" td=""><td>P</td></option>	P
	value="3">3		
226		<option <<="" td=""><td>P</td></option>	P
	value="4">10		
227	, , , , , , , , , , , , , , , , , , ,	<option <<="" td=""><td>P</td></option>	P
	value="5">20		
228		<option <<="" td=""><td>P</td></option>	P
	value="6">30		
229	and the second s		
230		<pre><column <="" pre="" width="80"></column></pre>	P
	<pre>type="ra" align="center" sort="str"&gt;Best</pre>		
231	y <sub>1</sub>	<pre><column <="" pre="" width="100"></column></pre>	7
	<pre>type="ro" align="center" sort="str"&gt;Dat</pre>		P
	column>		
232		<settings></settings>	
233		<colwidth>px<!--</td--><td>P</td></colwidth>	P
	colwidth>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
234	001111111111111111111111111111111111111		
235			
236		<pre><row id="1"></row></pre>	
237		<cell>-1500</cell>	
238		<pre><cell>A Time to</cell></pre>	P
	Kill		
239		<cell>John</cell>	P
	Grisham		
240	S. 25.15	<cell>12.99</cell>	
241		<cell>1</cell>	
242		<cell>24</cell>	
243		<cell>0</cell>	
244		<cell>05/01/1998<!--</td--><td>P</td></cell>	P
	cell>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
245			
246		<pre><row id="2"></row></pre>	
247		<cell>1000</cell>	
248		<cell>Blood and</cell>	P
	Smoke		
249		<cell>Stephen</cell>	P
	King		
250	<b>3</b>	<cell>0</cell>	
251		<cell>1</cell>	
252		<cell>24</cell>	
253		<cell>0</cell>	
254		<cell>01/01/2000<!--</td--><td>P</td></cell>	P
	cell>	,,,	
255			
256		<pre><row id="3"></row></pre>	
257		<cell>-200</cell>	

```
...ry2\HTML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFile1.xml
                                                                                         8
258
                                                                    <cell>The
                          Rainmaker</cell>
                                                                    <cell>John
259
                          Grisham</cell>
260
                                                                    <cell>7.99</cell>
261
                                                                    <cell>0</cell>
262
                                                                    <cell>48</cell>
                                                                    <cell>0</cell>
263
264
                                                                    <cell>12/01/2001</
                          cell>
265
                                                                  </row>
266
                                                                </rows>
267
                                                                <!DOCTYPE html>
268
                                                                <!--pro-->
269
                                                                <html>
270
                                                                  <head>
                                                                    <title>Run commands →
271
                          from XML</title>
272
                                                                    <meta http-
                          equiv="Content-Type" content="text/html; charset=UTF-8"/>
                                                                    <meta http-
273
                                                                                        P
                          equiv="X-UA-Compatible" content="IE=edge"/>
274
                                                                    link
                          rel="stylesheet" type="text/css" href="../../codebase/
                                                                                        P
                          fonts/font roboto/roboto.css"/>
275
                          rel="stylesheet" type="text/css" href="../../codebase/
                          dhtmlx.css"/>
276
                                                                    <script
                          src="../../codebase/dhtmlx.js"></script>
                                                                    <script>
277
                                                                      function
278
                                                                                        P
                          loadGridFromString(){
279
                                                                      myGrid = new
                          dhtmlXGridObject('gridbox');
280
                                                                                        P
    myGrid.setDelimiter("|");
281
                                                                      //myGrid.setStyle →
                          ("text-align:center", "", "", "");
282
    myGrid.setImagePath("../../codebase/imgs/");
283
                                                                      myGrid.parse
                          (document.getElementById("gridcont1").value);
284
                                                                      function
285
                                                                                        P
                          loadGridFromString2(){
                                                                      myGrid2 = new
286
                          dhtmlXGridObject('gridbox2');
287
    myGrid2.setImagePath("../../codebase/imgs/");
288
                                                                      myGrid2.parse
                          (document.getElementById("gridcont2").value);
```

```
...ry2\HTML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFile1.xml
                                                                                         9
289
290
                                                                    </script>
                                                                  </head>
291
292
                                                                  <body>
293
                                                                    <h1>Run grid
                         methods from XML</h1>
294
                                                                    You are allowed >>
                         to use methods before grid intialization:
295
296
                                                                      <
297
                                                                        Example: <a
                         href="javascript:void(0)" onClick="loadGridFromString()">Load →
                          grid with web skin</a> set from XML by calling setSkin
                         method before grid initialization
298
                                                                      299
                                                                    </div>
300
                                                                    <br>
301
                                                                      <div id="gridbox" →
                          style="width:650px; height:165px; background-
                         color:white;"></div>
302
                                                                      The same as with →
                         script:<br/>>
303
                                                                      <textarea
                                                                                        P
                         id="gridcont1" style="width:650px;height:150px;"><?xml</pre>
                                                                                        P
                         version="1.0" encoding="UTF-8"?>
304
                                                                        305
                                                                          <head>
306
                                                                                        P
    <beforeInit>
307
                                                                              <call
                                                                                        P
                         command="setSkin">
308
                                                                                        P
    <param>material</param>
309
                                                                              </call>
310
                                                                              <call
                                                                                        P
                         command="setStyle">
311
                                                                                        P
    <param>text-align:center;</param>
                                                                               </call>
312
313
                                                                                        P
                         beforeInit>
314
                                                                            <column
                                                                                        P
                         width="70" type="dyn" align="right" sort="str">Sales</
                                                                                        P
                         column>
315
                                                                            <column
                                                                                        P
                         width="150" type="ed" align="left" sort="str">Book Title/
                                                                                        P
316
                                                                            <column
                                                                                        P
                         width="100" type="ed" align="left"
                                                              sort="str">Author
                         column>
317
                                                                                        P
                         width="80" type="price" align="right" sort="str">Price/
                                                                                        P
```

r	y2\HTML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFile1.xml		11
346	•	<cell>Blood</cell>	7
	and Smoke		
347			P
	<cell>Stephen King</cell>		
348		<cell>0<!--</td--><td>P</td></cell>	P
	cell>		
349		<cell>1<!--</td--><td>P</td></cell>	P
250	cell>	11.24.4	
350	cell>	<cell>24<!--</td--><td>P</td></cell>	P
351	Cell>	<cell>0<!--</td--><td>P</td></cell>	P
221	cell>	((61170()	
352	CCII/		P
332	<cell>01/01/2000</cell>		
353			
354		<row id="3"></row>	
355			P
	<cell>-200</cell>		
356		<cell>The</cell>	P
	Rainmaker		
357		<cell>John</cell>	P
	Grisham		
358	11.7.00./ 11.		P
250	<cell>7.99</cell>	40011204/	
359	cell>	<cell>0<!--</td--><td>7</td></cell>	7
360	CELLY	<cell>48<!--</td--><td>P</td></cell>	P
300	cell>	(001174017	
361		<cell>0<!--</td--><td>P</td></cell>	P
	cell>	,	
362			7
	<cell>12/01/2001</cell>		
363			
364			
365			
366		Also, you can	7
267	run methods after grid intialization	<div></div>	
367 368		<li><li><li></li></li></li>	
369		Example: <a< td=""><td>P</td></a<>	P
303	<pre>href="javascript:void(0)" onClick="loadGr</pre>	•	P
	()">Load grid and set the 2nd column hidd		, P
	setColumnHidden method from xml after gri		
370	· ·		
371			
372		<div< td=""><td>P</td></div<>	P
	<pre>id="gridbox2" style="width:650px;height:1 color:white;"&gt;</pre>	50px;background-	P
373		The same as	P
	with script: 		
374		<textarea< td=""><td>P</td></textarea<>	P
	<pre>id="gridcont2" style="width:650px;height:</pre>	150px;"> xml</td <td>P</td>	P

```
version="1.0" encoding="UTF-8"?>
375
                                                                            <rows>
376
                                                                              <head>
377
                                                                                          P
     <afterInit>
378
                                                                                  <call
                                                                                          P
                          command="setColumnHidden">
379
                                                                                          P
     <param>1</param>
380
                                                                                          P
     <param>true</param>
381
                                                                                  </call>
382
                                                                                </
                          afterInit>
383
                                                                               <column
                                                                                          P
                          width="70" type="dyn" align="right" sort="str">Sales/
                          column>
384
                          width="150" type="ed" align="left" sort="str">Book Title
                          column>
385
                                                                                <column
                          width="*" type="ed" align="left" sort="str">Author</column>
386
                                                                                          P
                          width="80" type="price" align="right" sort="str">Price/
                                                                                          P
                          column>
387
                          width="80" type="ch" align="center" sort="str">In Store/
                          column>
388
                                                                                <column
                          width="80" type="co" align="left" sort="str">
389
    Shipping
390
                                                                                  coption →
                           value="1">1</option>
391
                                                                                  <option →</pre>
                           value="2">2</option>
392
                                                                                  coption →
                           value="3">3</option>
393
                                                                                  coption →
                           value="4">10</option>
394
                                                                                  coption →
                           value="5">20</option>
395
                                                                                  coption →
                           value="6">30</option>
396
                                                                                </column>
397
                                                                                <column
                          width="80" type="ra" align="center" sort="str">Bestseller/
                          column>
398
                          width="100" type="ro" align="center" sort="str">Date of
                                                                                          P
                          Publication</column>
399
                                                                                          P
```

r	ry2\HTML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFile1.xml	1	.3
400	<settings></settings>		
400	<colwidth>px</colwidth>		₽
401		</td <td>P</td>	P
402	settings>		
403			P
404	id="1">		P
	<cell>-1500</cell>		
405	Time to Kill	<cell>A</cell>	₽
406			P
407	<cell>John Grisham</cell>		P
400	<cell>12.99</cell>	(22]])1(/)	
408	cell>	<cell>1<!--</td--><td>P</td></cell>	P
409	(coll) 24 (coll)		P
410	<cell>24</cell>	<cell>0<!--</td--><td>P</td></cell>	P
411	cell>		P
711	<cell>05/01/1998</cell>		
412 413			P
	id="2">	VI OW	
414	<cell>1000</cell>	•	₽
415			P
416	<cell>Blood and Smoke</cell>		P
	<cell>Stephen King</cell>	11.0.4	
417	cell>	<cell>0<!--</td--><td>₽</td></cell>	₽
418	11	<cell>1<!--</td--><td>P</td></cell>	P
419	cell>		P
120	<cell>24</cell>	/coll>0//	
420	cell>	<cell>0<!--</td--><td>-</td></cell>	-
421	<cell>01/01/2000</cell>		P
422	(Cell)01/01/2000(/Cell)		
423	id="3">	<re></re>	P
424			P
425	<cell>-200</cell>	<cell>The</cell>	P
	Rainmaker	XXXIII IIIC	•
426	<cell>John Grisham</cell>	•	P

r	2\HIML BASIC SETUP XML SCRIPT FOR ABWONLINEXMLFILE1.xml 14
427	\$
	<cell>7.99</cell>
428	<cell>0<!-- →</td--></cell>
	cell>
429	ج
	<cell>48</cell>
430	<cell>0<!-- →</td--></cell>
	cell>
431	٩
	<cell>12/01/2001</cell>
432	
433	
434	
435	
436	
437	<redirect></redirect>
438	<pre>["&lt;:&gt;{'<username><!-- username-->'}]&lt;.abwonline.ca&gt;"&lt;.inbox&gt;"'<inbox></inbox>'&gt;]</username></pre>
439	<:>

440 </connect>