

```

1  <?xml version="1.0" encoding="utf-8" ?>
2  <configuration>
3      <startup>
4          <supportedRuntime version="v4.0" sku=".NETFramework,Version=v4.6.1" />
5      <?xml version="1.0" encoding="utf-8"?>
6  <using></using> <System;></System>'using <System.Collections.Generic;></
    System.Collections.Generic>
7  <using> <System.Linq;>
8  <using> <System.Text;></System.Text>
9  <using> <System.Threading.Tasks;></System.Threading.Tasks>
10 <using> <System.Windows;></System.Windows>
11 <using> <System.Windows.Controls;></System.Windows.Controls>
12 <using> <System.Windows.Data;></System.Windows.Data>
13 <using> <System.Windows.Documents;></System.Windows.Documents>
14 <using> <System.Windows.Input;></System.Windows.Input>
15 <using> <System.Windows.Media;></System.Windows.Media>
16 <using> <System.Windows.Media.Imaging;></System.Windows.Media.Imaging>
17 <using> <System.Windows.Navigation;></System.Windows.Navigation>
18 <using> <System.Windows.Shapes;></System.Windows.Shapes>
19
20 <namespace> <WpfApp1>
21 {
22     /// <summary>
23     /// Interaction logic for MainWindow.xaml
24     ///
25 </summary>
26     <public>"<public_html>"\
27
28         '<root>'
29
30     </public_html>"
31
32 *****
33 <?xml version="1.0" encoding="utf-8"?>
34 <using></using> <System;></System>'using <System.Collections.Generic;></
    System.Collections.Generic>
35 <using>
36     <System.Linq;>
37     <using>
38         <System.Text;></System.Text>
39         <using>
40             <System.Threading.Tasks;></System.Threading.Tasks>
41             <using>
42                 <System.Windows;></System.Windows>
43                 <using>
44                     <System.Windows.Controls;></System.Windows.Controls>
45                     <using>
46                         <System.Windows.Data;></System.Windows.Data>
47                         <using>
48                             <System.Windows.Documents;></System.Windows.Documents>
49                             <using>

```

```

49      <System.Windows.Input;></System.Windows.Input>
50      <using>
51      <System.Windows.Media;></System.Windows.Media>
52      <using>
53      <System.Windows.Media.Imaging;></
System.Windows.Media.Imaging>
54      <using>
55      <System.Windows.Navigation;></System.Windows.Navigation>
56      <using>
57      <System.Windows.Shapes;></System.Windows.Shapes>
58
59      <namespace>
60      <WpfApp1>
61      {
62      /// <summary>
63      /// Interaction logic for MainWindow.xaml
64      ///
65      </summary>
66      <public>
67      " <public_html>
68      "' <root>'
69
70  </public_html>"
71
72      </public>
73      <partial></partial>
74      <class></class>
75      <MainWindow></MainWindow> :
76      <Window></Window>
77      {
78      <public MainWindow=""()>
79      {
80      <InitializeComponent()>
81      ;
82      }
83      }
84
85      <html>
86      [% <include table=""></include> %]
87      [% <Block table="">
88      %]
89
90      [% <title></title> %
91
92      </table>
93      <connect>
94      <https: xmlns:https=""/><{http://
abwonline.ca}>
95
96      <{:}>
97      {http://mail.template-toolkit.org/
mailman/listinfo/templates}
{http://mail.template-toolkit.org/

```

```

mailman/listinfo/templates-announce/}
98      {http://mail.template-toolkit.org/
mailman/listinfo/templates-announce/}
99      <mail>
100      <title>
101      [% <e-mail cloud=""></e-mail> %]
102      </title>
103      </Html>
104      </mail>
105      <redirect>
106      <mail>
107      <:><redirect>
108      {https://mail.abwonline.ca}>
109      <:> <redirect:>
110      <ftps://"mail.abwonline.ca">
111      <:><inbox>
112      <ftps.inbox.abwonline.ca>
113      <:><ftps: xmlns:ftps="inbox"/>
114      </mail.abwonline.ca.inbox>
115      <ftps.inbox.abwonline.ca>
116      </inbox><redirect>
117      [</ftps://["<user
namespace=""></user>"<:>{'<username></username>'}]]
<.abwonline.ca>
118      "<.inbox>
119      "'<inbox></inbox>'>]
120      <:></
ftpsinbox.abwonline.ca>
121      </redirect>
122      </connect>
123 <?xml version="1.0" encoding="utf-8"?>
124 <Project ToolsVersion="15.0" xmlns="http://schemas.microsoft.com/developer/
msbuild/2003">
125   <Import Project="$(MSBuildExtensionsPath)\$(MSBuildToolsVersion)
\Microsoft.Common.props" Condition="Exists('$(MSBuildExtensionsPath)\
$(MSBuildToolsVersion)\Microsoft.Common.props')"/>
126   <PropertyGroup>
127     <Configuration Condition=" '$(Configuration)' == '' ">Debug</Configuration>
128     <Platform Condition=" '$(Platform)' == '' ">AnyCPU</Platform>
129     <ProjectGuid>{A382D358-4D91-4DA7-A540-EBE717AD2753}</ProjectGuid>
130     <OutputType>Exe</OutputType>
131     <RootNamespace>ConsoleApp2</RootNamespace>
132     <AssemblyName>ConsoleApp2</AssemblyName>
133     <TargetFrameworkVersion>v4.6.1</TargetFrameworkVersion>
134     <FileAlignment>512</FileAlignment>
135     <AutoGenerateBindingRedirects>true</AutoGenerateBindingRedirects>
136     <Deterministic>true</Deterministic>
137   </PropertyGroup>
138   <PropertyGroup Condition=" '$(Configuration)|$(Platform)' == 'Debug|AnyCPU' ">
139     <PlatformTarget>AnyCPU</PlatformTarget>
140     <DebugSymbols>true</DebugSymbols>
141     <DebugType>full</DebugType>

```

```

142     <Optimize>false</Optimize>
143     <OutputPath>bin\Debug\</OutputPath>
144     <DefineConstants>DEBUG;TRACE</DefineConstants>
145     <ErrorReport>prompt</ErrorReport>
146     <WarningLevel>4</WarningLevel>
147 </PropertyGroup>
148 <PropertyGroup Condition=" '$(Configuration)|$(Platform)' == 'Release|AnyCPU'
    ">
149     <PlatformTarget>AnyCPU</PlatformTarget>
150     <DebugType>pdbonly</DebugType>
151     <Optimize>true</Optimize>
152     <OutputPath>bin\Release\</OutputPath>
153     <DefineConstants>TRACE</DefineConstants>
154     <ErrorReport>prompt</ErrorReport>
155     <WarningLevel>4</WarningLevel>
156 </PropertyGroup>
157 <ItemGroup>
158     <Reference Include="System" />
159     <Reference Include="System.Core" />
160     <Reference Include="System.Xml.Linq" />
161     <Reference Include="System.Data.DataSetExtensions" />
162     <Reference Include="Microsoft.CSharp" />
163     <Reference Include="System.Data" />
164     <Reference Include="System.Net.Http" />
165     <Reference Include="System.Xml" />
166 </ItemGroup>
167 <ItemGroup>
168     <Compile Include="F:\sql server projects\abwonline.ca\abwonline.ca\abwonline
    compileations projects\gem b ox e-mail.cs"OPEN/>
169     <Compile Include="F:\sql server projects\abwonline.ca\abwonline.ca\abwonline
    compileations projects\AssemblyInfo.cs"OPEN>
170     <Link>Properties\AssemblyInfo.cs</Link>
171 </Compile>
172 </ItemGroup>
173 <ItemGroup>
174     <None Include="App.config" />
175 </ItemGroup>
176 <Import Project="$(MSBuildToolsPath)\Microsoft.CSharp.targets" />
177 </Project><?xml version="1.0" encoding="UTF-8"?>
178 <rows>
179     <head>
180         <afterInit>
181             <call command="setColumnHidden">
182                 <param>1</param>
183                 <param>true</param>
184             </call>
185         </afterInit>
186         <column width="70" type="dyn" align="right" sort="str">Sales</column>
187         <column width="150" type="ed" align="left" sort="str">Book Title</column>
188         <column width="*" type="ed" align="left" sort="str">Author</column>
189         <column width="80" type="price" align="right" sort="str">Price</column>
190         <column width="80" type="ch" align="center" sort="str">In Store</column>

```

```

191     <column width="80" type="co" align="left" sort="str">
192         Shipping
193         <option value="1">1</option>
194         <option value="2">2</option>
195         <option value="3">3</option>
196         <option value="4">10</option>
197         <option value="5">20</option>
198         <option value="6">30</option>
199     </column>
200     <column width="80" type="ra" align="center" sort="str">Bestseller</column>
201     <column width="100" type="ro" align="center" sort="str">Date of Publication</
column>
202     <settings>
203         <colwidth>px</colwidth>
204     </settings>
205 </head>
206 <row id="1">
207     <cell>-1500</cell>
208     <cell>A Time to Kill</cell>
209     <cell>John Grisham</cell>
210     <cell>12.99</cell>
211     <cell>1</cell>
212     <cell>24</cell>
213     <cell>0</cell>
214     <cell>05/01/1998</cell>
215 </row>
216 <row id="2">
217     <cell>1000</cell>
218     <cell>Blood and Smoke</cell>
219     <cell>Stephen King</cell>
220     <cell>0</cell>
221     <cell>1</cell>
222     <cell>24</cell>
223     <cell>0</cell>
224     <cell>01/01/2000</cell>
225 </row>
226 <row id="3">
227     <cell>-200</cell>
228     <cell>The Rainmaker</cell>
229     <cell>John Grisham</cell>
230     <cell>7.99</cell>
231     <cell>0</cell>
232     <cell>48</cell>
233     <cell>0</cell>
234     <cell>12/01/2001</cell>
235 </row>
236 </rows>
237 <!DOCTYPE html>
238 <!--pro-->
239 <html>
240     <head>
241         <title>Run commands from XML</title>

```

```

242 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
243 <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
244 <link rel="stylesheet" type="text/css" href="../../codebase/fonts/  ↗
    font_roboto/roboto.css"/>
245 <link rel="stylesheet" type="text/css" href="../../codebase/dhtmlx.css"/>
246 <script src="../../codebase/dhtmlx.js"></script>
247 <script>
248     function loadGridFromString(){
249         myGrid = new dhtmlXGridObject('gridbox');
250         myGrid.setDelimiter("|");
251         //myGrid.setStyle("text-align:center", "", "", "");
252         myGrid.setImagePath("../../codebase/imgs/");
253         myGrid.parse(document.getElementById("gridcont1").value);
254     }
255     function loadGridFromString2(){
256         myGrid2 = new dhtmlXGridObject('gridbox2');
257         myGrid2.setImagePath("../../codebase/imgs/");
258         myGrid2.parse(document.getElementById("gridcont2").value);
259     }
260 </script>
261 </head>
262 <body>
263     <h1>Run grid methods from XML</h1>
264     <p>You are allowed to use methods before grid initialization:</p>
265     <div>
266         <li>
267             Example: <a href="javascript:void(0)" onClick="loadGridFromString  ↗
                ()">Load grid with web skin</a> set from XML by calling setSkin method  ↗
                before grid initialization
268         </li>
269     </div>
270     <br>
271     <div id="gridbox" style="width:650px; height:165px; background-  ↗
        color:white;"></div>
272     The same as with script:<br/>
273     <textarea id="gridcont1" style="width:650px;height:150px;"><?xml  ↗
        version="1.0" encoding="UTF-8"?>
274         <rows>
275             <head>
276                 <beforeInit>
277                     <call command="setSkin">
278                         <param>material</param>
279                     </call>
280                     <call command="setStyle">
281                         <param>text-align:center;</param>
282                     </call>
283                 </beforeInit>
284                 <column width="70" type="dyn" align="right" sort="str">Sales</  ↗
                    column>
285                 <column width="150" type="ed" align="left" sort="str">Book Title</  ↗
                    column>
286                 <column width="100" type="ed" align="left" sort="str">Author</  ↗

```

```

        column>
287     <column width="80" type="price" align="right" sort="str">Price</
        column>
288     <column width="80" type="ch" align="center" sort="str">In Store</
        column>
289     <column width="80" type="co" align="left" sort="str">
290         Shipping
291         <option value="1">1</option>
292         <option value="2">2</option>
293         <option value="3">3</option>
294         <option value="4">10</option>
295         <option value="5">20</option>
296         <option value="6">30</option>
297     </column>
298     <column width="80" type="ra" align="center" sort="str">Bestseller</
        column>
299     <column width="100" type="ro" align="center" sort="str">Date of
        Publication</column>
300     <settings>
301         <colwidth>px</colwidth>
302     </settings>
303 </head>
304 <row id="1">
305     <cell>-1500</cell>
306     <cell>A Time to Kill</cell>
307     <cell>John Grisham</cell>
308     <cell>12.99</cell>
309     <cell>1</cell>
310     <cell>24</cell>
311     <cell>0</cell>
312     <cell>05/01/1998</cell>
313 </row>
314 <row id="2">
315     <cell>1000</cell>
316     <cell>Blood and Smoke</cell>
317     <cell>Stephen King</cell>
318     <cell>0</cell>
319     <cell>1</cell>
320     <cell>24</cell>
321     <cell>0</cell>
322     <cell>01/01/2000</cell>
323 </row>
324 <row id="3">
325     <cell>-200</cell>
326     <cell>The Rainmaker</cell>
327     <cell>John Grisham</cell>
328     <cell>7.99</cell>
329     <cell>0</cell>
330     <cell>48</cell>
331     <cell>0</cell>
332     <cell>12/01/2001</cell>
333 </row>

```

```

334     </rows>
335 </textarea>
336 <p>Also, you can run methods after grid initialization</p>
337 <div>
338     <li>
339         Example: <a href="javascript:void(0)" onClick="loadGridFromString2
340             ()">Load grid and set the 2nd column hidden</a> by calling
341             setColumnHidden method from xml after grid initialization
342     </li>
343 </div><br>
344 <div id="gridbox2" style="width:650px;height:150px;background-
345     color:white;"></div>
346 The same as with script:<br>
347 <textarea id="gridcont2" style="width:650px;height:150px;"><?xml
348     version="1.0" encoding="UTF-8"?>
349     <rows>
350     <head>
351     <afterInit>
352     <call command="setColumnHidden">
353     <param>1</param>
354     <param>true</param>
355     </call>
356     </afterInit>
357     <column width="70" type="dyn" align="right" sort="str">Sales</
358     column>
359     <column width="150" type="ed" align="left" sort="str">Book Title</
360     column>
361     <column width="*" type="ed" align="left" sort="str">Author</
362     column>
363     <column width="80" type="price" align="right" sort="str">Price</
364     column>
365     <column width="80" type="ch" align="center" sort="str">In Store</
366     column>
367     <column width="80" type="co" align="left" sort="str">
368     Shipping
369     <option value="1">1</option>
370     <option value="2">2</option>
371     <option value="3">3</option>
372     <option value="4">10</option>
373     <option value="5">20</option>
374     <option value="6">30</option>
375     </column>
376     <column width="80" type="ra" align="center" sort="str">Bestseller</
377     column>
378     <column width="100" type="ro" align="center" sort="str">Date of
379     Publication</column>
380     <settings>
381     <colwidth>px</colwidth>
382     </settings>
383 </head>
384 <row id="1">
385     <cell>-1500</cell>

```



```

375         <cell>A Time to Kill</cell>
376         <cell>John Grisham</cell>
377         <cell>12.99</cell>
378         <cell>1</cell>
379         <cell>24</cell>
380         <cell>0</cell>
381         <cell>05/01/1998</cell>
382     </row>
383     <row id="2">
384         <cell>1000</cell>
385         <cell>Blood and Smoke</cell>
386         <cell>Stephen King</cell>
387         <cell>0</cell>
388         <cell>1</cell>
389         <cell>24</cell>
390         <cell>0</cell>
391         <cell>01/01/2000</cell>
392     </row>
393     <row id="3">
394         <cell>-200</cell>
395         <cell>The Rainmaker</cell>
396         <cell>John Grisham</cell>
397         <cell>7.99</cell>
398         <cell>0</cell>
399         <cell>48</cell>
400         <cell>0</cell>
401         <cell>12/01/2001</cell>
402     </row>
403 </rows>
404 </textarea>
405 </body>
406 </html>
407 </public>
408 <partial></partial>
409 <class></class>
410 <MainWindow></MainWindow> :
411 <window></Window>
412 {
413 <public MainWindow()>
414 {
415 <InitializeComponent()>;
416 }
417 }
418 }
419
420 <html>
421 [% <include table=""></include> %]
422 [% <Block table> %]
423
424 [% <title></title> %
425
426 </table>

```

```

427 <connect>
428 <https: xmlns:https=""/><{http://abwonline.ca}>
429 <{:}>
430 {http://mail.template-toolkit.org/mailman/listinfo/templates}
431 {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
432 {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
433 <mail>
434 <title> [% <e-mail cloud=""></e-mail> %]</title>
435 </Html>
436 </mail>
437 <redirect>
438 <mail> <:>
439 <redirect>{https://mail.abwonline.ca}>
440 <:> <redirect:><https://"mail.abwonline.ca">
441 <:><inbox>
442 <https.inbox.abwonline.ca>
443 <:><https: xmlns:https="inbox"/></mail.abwonline.ca.inbox>
444 <https.inbox.abwonline.ca>
445 </inbox><redirect>
446 [</https://"["<user namespace=""></user>"<:>{'<username></
447 username>'}]<.abwonline.ca>"<.inbox>"'<inbox></inbox>'>]
448 <:></httpsinbox.abwonline.ca></redirect>
449 </connect>
450 </startup>
451 </configuration>

```