Sources

- W3Schools.com
- DataQuest.io

SQL CHEATSHEET

CONSIDER SUPPORTING ME

@AbzAaron



Commands / Clauses

SELECT	Select data from database
FROM	Specify table we're pulling from
WHERE	Filter query to match a condition
AS	Rename column or table with alias
JOIN	Combine rows from 2 or more tables
AND	Combine query conditions. All must be met
OR	Combine query conditions. One must be met
LIMIT	Limit rows returned. See also FETCH & TOP
IN	Specify multiple values when using WHERE
CASE	Return value on a specified condition
IS NULL	Return only rows with a NULL value
LIKE	Search for patterns in column
COMMIT	Write transaction to database
ROLLBACK	Undo a transaction block
ALTER TABLE	Add/Remove columns from table
UPDATE	Update table data
CREATE	Create TABLE, DATABASE, INDEX or VIEW
DELETE	Delete rows from table
INSERT	Add single row to table
DROP	Delete TABLE, DATABASE, or INDEX
GROUP BY	Group data into logical sets
ORDER BY	Set order of result. Use DESC to reverse order
HAVING	Same as WHERE but filters groups
COUNT	Count number of rows
SUM	Return sum of column
AVG	Return average of column
MIN	Return min value of column
MAX	Return max value of column

Joins



a INNER JOIN b



a LEFT JOIN b



a RIGHT JOIN b



a FULL OUTER JOIN b

Examples

Select all columns with filter applied

```
SELECT * FROM tbl
WHERE col > 5;
```

Select first 10 rows for two columns

```
SELECT col1, col2
FROM tbl LIMIT 10;
```

Select all columns with multiple filters

```
SELECT * FROM tbl
WHERE col1 > 5 OR col2 < 2;
```

Select all rows from col1 & col2 ordering by col1

```
SELECT col1, col2
FROM tbl ORDER BY 1;
```

Return count of rows in table

```
SELECT COUNT(*)
FROM tbl;
```

Return sum of col1

```
SELECT SUM(col1)
FROM tbl;
```

Return max value for col1

```
SELECT MAX(col1)
FROM tbl;
```

Compute summary stats by grouping col2

```
SELECT AVG(col1) FROM tbl
GROUP BY col2;
```

Combine data from 2 tables using left join

```
SELECT * FROM tbl1 AS t1 LEFT JOIN
tbl2 AS t2 ON t2.col1 = t1.col1;
```

Aggregate and filter result

```
SELECT col1,
       COUNT(*) AS total
FROM tbl
GROUP BY col1
HAVING COUNT(*) > 10;
```

Implementation of CASE statement

```
SELECT col1,
CASE
    WHEN col1 > 10 THEN 'more than 10'
    WHEN col1 < 10 THEN 'less than 10'
    ELSE '10'
END AS NewColumnName
FROM tbl;
```

Data Definition Language

CREATE

```
CREATE DATABASE MyDatabase;

CREATE TABLE MyTable (
    id int,
    name varchar(10));

CREATE INDEX IndexName
ON TableName(col1);
```

ALTER

```
ALTER TABLE MyTable
DROP COLUMN col5;

ALTER TABLE MyTable
ADD col5 int;
```

DROP

```
DROP DATABASE MyDatabase;
DROP TABLE MyTable;
```

Data Manipulation Language

UPDATE

```
UPDATE MyTable
SET col1 = 56
WHERE col2 = 'something';
```

INSERT

```
INSERT INTO MyTable (col1, col2)
VALUES ('value1', 'value2');
```

DELETE

```
DELETE FROM MyTable
WHERE col1 = 'something';
```

SELECT

```
SELECT col1, col2
FROM MyTable;
```

Order Of Execution

1. FROM
2. WHERE
3. GROUP BY
4. HAVING
5. SELECT
6. ORDER BY
7. LIMIT