

Department of Physics and Astronomy
Heidelberg University

Bachelor Thesis in Physics
submitted by

Ansel Beucker

born in Stuttgart (Germany)

20XX

About ...

This Bachelor Thesis has been carried out by XYZ at the
ABC Institute in Heidelberg
under the supervision of
Prof. Max Mustermann

Contents

1	Introduction	3
1.1	Theoretical Background	4
2	Simulations	9
3	Information Theory and Neural Estimators	10
3.1	Some Basic Measures in Information Theory	10
3.2	Mutual Information Estimation	12
4	Basic Neural Networks	13
4.1	Convolutional Neural Networks	14
4.2	Normalizing Flows	15
4.3	Specific Architectures	17
5	Implementation	17
6	Results	19
7	Interpretation	25
8	Outlook	26
A	Network Implementation	28

Nomenclature

Physical nomenclature:

- SKA: Square Kilometer Array
- EoR: Epoch of Reionization
- SM: Standard Model
- WDM: Warm Dark Matter
- Λ CDM: Lambda Cold Dark Matter
- IGM: Intergalactic Medium
- FRW: Friedmann-Robertson-Walker

Mathematical/statistical nomenclature:

- SBI: Simulation-Based Inference
- CNN: Convolutional Neural Network
- MLP: Multilayer Perceptron
- KL: Kullback–Leibler divergence
- CLT: Central Limit Theorem
- MI: Mutual Information
- CE: Conditional Entropy

Notation

Standard probability theory notation is adopted. In particular, the following notations are used:

- X for random variables with sample space $\mathcal{X}$
- $\mathcal{P}(\mathcal{X})$ for the set of all probability measures on the Borel σ -algebra over $\mathcal{X}$
- $P \in \mathcal{P}(\mathcal{X})$ for probability measures
- p_X for the density function of a probability measure P , index might be dropped if notation is clear
- $X \sim p$ for a random variable X whose distribution is described by p

When discussing neural networks, the symbol q or q_θ will be used for the model of a true distribution p .

1 Introduction

I am currently still fighting with the citations, that will hopefully soon be resolved.

The current cosmological standard model predicts the epoch of Cosmic Dawn (CD) and the subsequent Epoch of Reionization (EoR) as mechanisms for star and structure formation and the following ionization of the intergalactic medium (IGM) at a redshift range of roughly $z \sim [5 - 20]$. A number of sources from multi-messenger astronomer have contributed to this current model: Scattering of CMB photons on free electrons during and after reionization can be detected once IGM became ionized significantly enough. This places the beginning of EoR at $z \sim 8$, though with a large uncertainty Lyman-alpha forests in the spectra of distant quasars and galaxies are used to estimate the neutral hydrogen fraction at low redshifts, placing the end of the EoR at around [add here citation](#). The JWST with an observational range of $z \sim \dots$ measures earliest galaxies and will be able to additionally constrain the speed of galaxy evolution.

A comparatively new probe is that of the 21 cm hyperfine transition line of neutral hydrogen, which constitutes a background spectrum similar to that of the CMB. It is the only known probe with which the Dark Ages could be studied and also the one to study CD to the highest redshifts. First experiments have measured [reionization profiles in terms of power spectra and signals of possible dark matter presence cite](#). Much better results are expected from the Square Kilometer Array (SKA) Observatory, which is a radio telescope currently in construction which will image the 21 cm line of the IGM at a redshift range of $z \sim [6 - 30]$ with unprecedented accuracy. Hopes are that this signal can be used to significantly improve the current understanding of the reionization history and structure formation and possibly act as a new dark matter probe.

There are multiple difficulties in interpreting the 21 cm signal. Traditional Gaussian summary statistics do not capture enough of the signal's structure, reflecting the fact that the processes being observed are highly nonlinear. This also entails that the likelihood of the 21 cm signal is intractible. Additionally, the foreground contamination for ground-based observatories such as the SKA will be significant.

These challenges of non-Gaussianity and foreground noise motivate the use of neural networks for the analysis of SKA data. [Another sentence on NNs here](#). Neural networks are nowadays commonly used in Bayesian inference, which attempts to reconcile prior knowledge and empirical data in order to find optimal parameters describing, for example, our universe.

The issue of an intractible likelihood is tackled with so-called simulation-based inference. The

idea behind SBI is to train a NN on simulated data, where the inference parameters are known. Once the model is trained, inference is amortized: the model can perform inference on real data with the pre-trained model inexpensively. The prerequisite is, of course, that the model generalizes well from the training data to the real data. This approach has successfully been implemented in [ergänzen](#).

Not all models are equally good for a given problem and as a consequence, the choice of model introduces bias to the inference. In an attempt to find a principled way to choose a model, one can use methods developed in information theory, which can here be used to quantify the quality of a model.

In this thesis, a model typically used in parameter inference for simulated SKA-data will be analyzed with the methods of information theory.

1.1 Theoretical Background

Still need some more subsections to explain the other parameters being examined

The Cosmological Setting

For the purposes of this thesis, a flat Λ CDM cosmology with an additional warm dark matter parameter is assumed. The Λ CDM-model is based on the Friedmann-Robertson-Walker metric:

$$ds^2 = -dt^2 + a^2(t) \left(\frac{dr^2}{1 - kr^2} + r^2(d\theta^2 + \sin^2 \theta d\phi^2) \right). \quad (1)$$

where $a(t)$ is the dimensionless scale factor and k is the curvature constant.

Combined with Einstein's field equations and the assumption that the universe may be described as a perfect fluid, the dynamics of this universe are described by the Friedmann equations:

$$\left(\frac{\dot{a}}{a} \right)^2 = \frac{8\pi G}{3} \rho + \frac{\Lambda}{3} - \frac{k}{a^2}, \quad (2)$$

$$\frac{\ddot{a}}{a} = -\frac{4\pi G}{3}(\rho + 3p) + \frac{\Lambda}{3}. \quad (3)$$

where G is Newton's constant, Λ is the cosmological constant and ρ is the energy density of the universe. The scale factor as well as the energy density are time-dependent quantities.

Given the equation of state, $p = \omega\rho$, one finds for the density of different matter species:

$$\rho \sim \frac{\rho_0}{a^{3(1+\omega)}} \quad (4)$$

which yields the behavior of densities of

1. Radiation: $\rho_r \sim 1/a^4$
2. Matter: $\rho_m \sim 1/a^3$
3. Vacuum energy: $\rho_\Lambda \sim \text{const}$

Allowing matter, radiation and the cosmological constant to all be present, the Friedmann equation becomes

$$\left(\frac{\dot{a}}{a}\right)^2 + \frac{\kappa}{a^2} = \frac{8\pi G}{3}(\rho_m + \rho_r) + \frac{\Lambda}{3}. \quad (5)$$

By defining the Hubble parameter

$$H = \frac{\dot{a}}{a} \quad (6)$$

and dividing equation (5) by H^2 , one can identify the three terms on the r.h.s with energy densities:

$$1 + \frac{\kappa}{H^2 a^2} = \Omega_m + \Omega_r + \Omega_\Lambda \quad (7)$$

Knowledge of these density parameters therefore allows to determine the evolution of the scale factor a . **Refer to conservation laws etc that allow to fix the densities**

The ratio $H = \dot{a}/a$ is called the Hubble parameter and measures how fast the universe is expanding in the following sense: given two observers at $(t_1, r_1), (t_2, r_2)$ in a FRW-universe, where observer 1 emits a signal of duration Δt_1 , observer 2 seeds a scale-factor dependent dilation of the signal duration, as measured by the cosmological redshift:

$$z = \frac{\Delta t_2}{\Delta t_1} - 1 = \frac{a(t_2) - a(t_1)}{a(t_1)} > 0 \quad \text{if universe expanding} \quad (8)$$

In the limit of $t_2 \rightarrow t_1$, if d is the instantaneous distance between the observers, one then has

$$z \approx \left. \frac{\dot{a}}{a} \right|_{t_1} d + \mathcal{O}((t_1 - t_2)^2) \quad (9)$$

such that H measures the expansion rate at a given time in units 1/s.

The Friedmann equations describe the global expansion history of the universe under strong

symmetry assumptions. Their results match observations very well: [citation](#) They act as an effective theory though, since, for example, they contain no information about specific particles and their interactions with each other [ausführen](#). Cosmology draws on other areas of physics to answer these questions. The following gives a short summary of the history of the universe when considering these as well.

[Maybe just have a nice image of this long text below, it's taking up lots of space.](#)

The first phase of the universe is marked by *radiation domination*. Immediately after the Big Bang, the universe underwent a period of rapid expansion called *inflation*, during which space expanded by approximately an order of 10^{26} . This inflation was driven by the so-called inflaton field. During the following process of reheating, the energy of the inflaton field was converted to SM particles, which enabled subsequent *baryogenesis*, i.e. the creation of matter and antimatter particles. In the subsequent annihilation of matter-antimatter pairs, a small excess of matter particles survived, composing the matter content of the universe today. There have been many proposed mechanisms for both reheating and baryogenesis, and both are active fields of research. [Insert sources here](#) In the following time scale of $20 \cdot 10^{-12}\text{s} - 1000\text{s}$, particles acquired mass and coalesced into hadrons. Neutrinos decoupled from baryons and thus the cosmic neutrino background was formed. What followed was an epoch named *big bang nucleosynthesis*, during which mostly protons and neutrons bound to primordial nuclei, consisting mostly of hydrogen, Helium-4 and traces of deuterium, Helium-3 and lithium.

The second phase of the universe is marked by *matter domination*. During *recombination*, electrons and nuclei were bound to neutral atoms. Photons were no longer in thermal equilibrium with matter and thus "decouple", forming the cosmic microwave background (CMB). Measurements of the CMB today provide one of the most crucial constraints on cosmological parameters.

After recombinations, most photons propagate freely and are quickly redshifted, such that the universe becomes dark. This period is therefore called the *dark ages*. Matter has not yet coalesced into stars and galaxies. The main source of photons [visible photons?](#) is the 21 cm emission line of neutral hydrogen.

Once first stars and galaxies have formed, they emit photons energetic enough to ionize the surrounding hydrogen. This period is called the *epoch of reionization* (EoR). By the end of the EoR, most of the IGM is ionized and continues to be so today.

[Some important cosmological params with definitions and their values nowadays, cite PDG](#)

[Cite a few papers that give the current status of cosmology in \$\Lambda\$ CDM, e.g. Planck 2018, etc.](#)

Table 1: Parameters of Λ CDM with estimated values

Name	Symbole	Value	Unit	Source
Hubble constant	H_0	67.4	$\text{km s}^{-1} \text{Mpc}^{-1}$	Planck 2018
Matter density	Ω_m	0.315 ± 0.007		Planck 2018
Dark energy density	Ω_Λ	0.685		Planck 2018
Spectral index	n_s	0.965		Planck 2018
Matter fluctuation amplitude	σ_8	0.811 ± 0.006		Planck 2018
Equation of state	w	-1		Planck 2018

Cite current values for all params that will be inferred

Need small intro on warm dark matter

How other cosmological models can be tested with the EorFlow setup, maybe also put this somewhere else.

What is matter distribution at the redshift when beginning study?

Small overview of existing studies of timeline of universe, why there is a gap in EoR

Maybe cite more recent paper that explains why studying this exact regime of redshifts

The Astrophysical Setting

Might just leave this section away, but could write something on basic astro here

On the Origin of the 21 cm Signal

The two possible electron spin states of neutral hydrogen in the $1s$ state have slightly different energy levels. The transition is forbidden, the excited state having a mean lifetime of $\sim 11 \cdot 10^6$ yr. The parallel state carries slightly more energy, the offset being approximately $\Delta E \approx 10^{-6}$ eV, which corresponds to $\nu \approx 1.42$ GHz, or $\lambda = 21$ cm.

Maybe some more details on ISM at these redshifts?

Measuring the 21 cm Signal

The 21 cm signal at redshift ranges $z \sim [6 - 30]$ corresponds to a frequency range of $\nu \sim [46 - 200]$ MHz.

This range is covered by the SKA-Low setup, which is sensitive in the $\nu \sim (50 - 350)$ MHz

range. <https://www.skao.int/en/science-users/118/ska-telescope-specifications>

Start by explaining this formula:

$$\delta T_B = \frac{T_S - T_\gamma}{1 + z} (1 - \exp^{-\tau}) \quad (10)$$

Then go into details with the following section, which still has to be fixed:

This range belongs to the regime of radio astronomy. Various background signals disturb the measurement of the 21 cm line in this frequency range:

- The CMB spectrum
- Astrophysical sources
- Foreground noise

In the following, the singlet state is denoted with index 0 and the triplet state with index 1. Then the index 01 denotes excitation, and 10 de-excitation.

The relative number densities of neutral hydrogen are given by Boltzmann statistics:

$$\frac{n_1}{n_0} = \frac{g_1}{g_0} \exp\left(-\frac{\Delta E_{10}}{k_B T_S}\right) \equiv \frac{g_1}{g_0} \exp\left(-\frac{T_\star}{T_S}\right), \quad (11)$$

an expression which defines the excitation temperature, in this context also called spin-temperature T_S . Define spin temp in words.... In thermal equilibrium, this is equal to the thermodynamic temperature of the system.

Physical processes which lead to (de-)excitation of the neutral hydrogen spin state are:

1. Interactions with CMB photons
2. Collisions with other particles
3. Wouthuysen-Field effect

More on these interactions? Maybe it's also too much...

The Einstein coefficients for each of these processes will be denoted A for spontaneous emission, B for emission/absorption from interaction with CMB, and two effective coefficients C for collision interactions and P for Lyman- α interactions.

About thermal equilibrium: quote from 21 cm text: Note that the relevant timescales are all much shorter than the expansion time, so equilibrium is an excellent approximation.

Equilibrium and Rayleigh-Jeans approximation yield:

While coefficients A and B are given by quantum mechanics, the other two...




Figure 1: A map of the 21 cm signal of neutral hydrogen

The exact estimation of T_S is achieved through numerics.

$$T_S^{-1} = \frac{T_\gamma^{-1} + x_c T_K^{-1} + x_\alpha T_C^{-1}}{1 + x_c + x_\alpha} \quad (12)$$

$$x_c = \frac{C_{10}}{A_{10}} \frac{h\nu}{k_B T_\gamma} \quad (13)$$

$$x_\alpha = \frac{P_{10}}{A_{10}} \frac{h\nu}{k_B T_\gamma} \quad (14)$$

Now, τ has to be estimated:

Will still have some comments on the figure

2 Simulations

Will explain remaining physical quantities being inferred here

21 cm fast

The parameters used, and the priors on them. Why these parameters? What do they mean physically?

The six parameters and their priors chosen for the simulations in this project are summarized in table 2. The priors are chosen to be uniform and constrained to a range motivated by

multimessenger observations.

Table 2: Parameters used for the simulations

Name	Symbol	Prior
Matter density	Ω_m	$\mathcal{U}(0.2, 0.4)$
Warm dark matter mass	ω_{WDM}	$\mathcal{U}(0.3, 10)$ keV
Minimum virial temperature	T_{vir}	$\mathcal{U}(10^4, 10^{5.3})$ K
Ionization efficiency	ζ	$\mathcal{U}(10, 250)$
Specific X-ray luminosity	σ_8	$\mathcal{U}(10^{38}, 10^{42})$ erg/s/ $M_{\odot} \times \text{yr}$
X-ray energy threshold for self-absorption by host galaxies	E_0	$\mathcal{U}(100, 1500)$ eV

interpretation of data

Noise simulations

How reionization history is calculated

3 Information Theory and Neural Estimators

Information theory: - Entropy, KL divergence, mutual information - Interpretation of these quantities, maybe expectation?

Information geometry: - Fisher information metric, geodesic distance, curvature - Interpretation of these quantities, maybe expectation?

3.1 Some Basic Measures in Information Theory

Given a random variable $X \sim p$, the *entropy* of X is defined as:

$$\mathbb{H}(X) = -\mathbb{E}_X [\log p(X)] \geq 0. \quad (15)$$

If the logarithm is chosen as with base 2, one defines the unit of this quantity as bits. If one uses the natural logarithm, the entropy is measured in units of nats.

Entropy is a measure of the uncertainty of a random variable. A high entropy corresponds to a lack of predictability of the random variable's outcome. As an example, the entropy of the uniform distribution is maximal, while that of the delta distribution is zero. One therefore considers entropy to be a measure of the amount of information contained in the random variable's distribution.

The generalization to conditional entropy is:

$$\mathbb{H}(X|Y) = -\mathbb{E}_{X,Y} [\log p(X|Y)] \quad (16)$$

Another important metric in information theory is the *Kullback-Leibler divergence*. Let $X \sim p$ and $Y \sim q$ be two random variables over the same sample space. The KL-divergence between p and q is defined as:

$$\mathbb{D}_{\text{KL}}(p||q) = \mathbb{E}_X [\log p(X) - \log q(X)] \geq 0 \quad (17)$$

The KL-divergence satisfies the identity axiom, $\mathbb{D}_{\text{KL}}(p||q) = 0 \Leftrightarrow p = q$. It is not symmetric and does not satisfy the triangle inequality and as such is not a metric. However, it does still carry an interpretation as a distance between two probability distributions: from the above expression it is clear that the more q resembles p , the smaller the measured KL-divergence becomes. A smaller the KL-divergence between the two distributions means there is less information loss by using q to approximate p .

Maybe a word about consequence of asymmetry of D KL

Minimizing the forwards KL-divergence between the data distribution and the model distribution is equivalent to maximizing the negative log-likelihood, because

$$\mathbb{D}_{\text{KL}}(p_{\text{data}}||q_{\theta}) = -\mathbb{H}(p_{\text{data}}) - \mathbb{E}_{x \sim p_{\text{data}}} [\log q_{\theta}] = \text{NLL} + \text{const} \quad (18)$$

Lastly, the *mutual information* between two random variables X and Y is defined as:

$$\mathbb{I}(X; Y) = \mathbb{D}_{\text{KL}}(p(X, Y)||p_X(X)p_Y(Y)) \geq 0. \quad (19)$$

An alternative formulation in terms of entropy is:

$$\mathbb{I}(X; Y) = \mathbb{H}(X) - \mathbb{H}(X|Y) = \mathbb{H}(Y) - \mathbb{H}(Y|X). \quad (20)$$

Mutual information is symmetric and nonnegative. It is zero iff X and Y are independent and becomes maximal iff $X = Y$. One interprets it's value as the amount of information obtained about one random variable while observing another.

3.2 Mutual Information Estimation

In the context of representation learning, mutual information can be used as a measure of model quality. This is motivated by the *data processing inequality*, which in this context can be phrased as follows:

Let X , Y and Z be random variables where X is the original data, Y is a learned summary of X and Z is a label associated with X . These form a Markov chain $X \rightarrow Y \rightarrow Z$, where Z is only inferred from Y . Then Z cannot contain more information about X than Y , so

$$\mathbb{I}(X; Y) \geq \mathbb{I}(X; Z) \quad (21)$$

A good representation keeps as much information about the original data as possible, subject to the constraint that it should contain less total information than the data itself, i.e. summarize it in some way. **Mit Formel unterstützen**

It also captures more information than just covariance!

Something on summary statistics?

In practice, this necessitates an estimation of mutual information between the representation and the target distribution.

In the setting of variational inference, one can use the learned posterior to estimate mutual information in a natural way, described in the following:

$$\mathbb{I}(X; Y) = \int_{\mathcal{X} \times \mathcal{Y}} p(x, y) \log \frac{p(x|y)}{p(x)} \, , \quad (22)$$

where the distribution $p(x|y)$ is estimated by a learned $q_\theta(x|y)$, the optimization objective being to minimize the KL-divergence $\mathbb{D}_{\text{KL}}(p||q_\theta)$. The Monte-Carlo approximation of equation (22) using this distribution is referred to as the *Barber-Agakov estimate*

$$\hat{\mathbb{I}}(X; Y) = \mathbb{I}_{\text{BA}}(X; Y) = \mathbb{E}_{P(X, Y)} [\log q_\theta(x|y) - \log p(x)] \quad (23)$$

This is computable, because the distribution of the prior $p(x)$ can in practice either be ignored as a constant factor, or in case of SBI is chosen and therefore known. If this is not the case, $p(x)$ can also be estimated separately, which introduces more uncertainty in the above estimate.

Because the KL-divergence is non-zero, the BA-estimate yields a lower bound on the true

mutual information:

$$\mathbb{I}(X; Y) \geq \mathbb{I}_{\text{BA}}(X; Y) \quad (24)$$

Maybe something about the bias of the estimator oder so...

Why estimating MI in high dimensions is hard, and quantify!

Also another method of approximation, maybe Donsker-Varadhan (MINE) ?

Maybe something on limitations on the interpretation of these metrics. Could also tease limitations in high dimensions, or give intuition for amount of data needed.

4 Basic Neural Networks

Need some intro here

Also clean up notation, still a bit all over the place

Traditionally, data as complex as those expected from SKA are analyzed using physics-inspired summary statistics, which map the data to a lower-dimensional space with known interpretation. These will be denoted as $s_{\text{phys}}(\mathbf{D})$. An example is the power spectrum. Such a summary comes with the benefit of interpretability, but the caveat is a potentially large information loss. This motivates the use of a neural networks to learn a different summary $s_{\theta}(\mathbf{D})$, which is hopefully more informative, though less interpretable:

$$\mathbb{I}(\mathbf{L}; \mathbf{D}) \geq \mathbb{I}(\mathbf{L}; s_{\theta}(\mathbf{D})) > \mathbb{I}(\mathbf{L}; s_{\text{phys}}(\mathbf{D})) \quad (25)$$

In a Bayesian inference task, processing these data would typically be done by choosing:

1. a likelihood $p(\mathbf{D}|\mathbf{P})$ describing how observed data arised from a specific set of parameters,
2. a prior $p(\mathbf{P})$ describing beliefs about the parameter distribution before seeing data.

Given data $\mathbf{d}$, one then calculates the posterior distribution:

$$p(p|\mathbf{d}) \sim p(\mathbf{d}|p)p(p). \quad (26)$$

In many applied cases, an analytic shape of the likelihood is not available. An example is when the data come from a complex simulator. Then one can sample from this simulator and as such from the likelihood, but the expression $p(\mathbf{d}_{\text{obs}}|\theta)$ is not obtainable and as such,

the posterior cannot be calculated. In such setting, an alternative is to model the posterior directly. This is known as *likelihood-free inference*. When the posterior is approximated using a neural network, one also speaks of *neural posterior approximation*.

The disadvantage of this method is that one loses...

This doesn't work as well out-of-dataset

An advantage is that unlike with the traditional Bayesian method, the posterior does not have to be re-calculated given new data: the neural network simply has to be evaluated on the new dataset. In this way, the cost of obtaining the posterior was paid beforehand during training. This concept is known as *amortized inference*. A downside is the fact that one needs data to train the posterior, which is often not available.

As a solution, one can simulate data and train a posterior on this simulated data. This is known as *simulation-based inference* (SBI). Once trained, the posterior can be evaluated on the observed data. The downside is that the choice of the model as well as the choice of the simulator introduce bias to the final estimation and it is unclear whether the model generalizes to real-world data.

The summary model is chosen to be a CNN. The posterior model has to be chosen to be as flexible as possible. These two neural networks are discussed in the following.

A word about how architectures will be discussed, e.g. notation with h , z , x , etc.

4.1 Convolutional Neural Networks

CNNs are inspired by the task of implementing neural networks in image analysis, i.e. on data with 2D spatial structure. An early version was successfully implemented in 1983 with Fukushima's "Neocognitron" [Neocognitron citation](#). An architecture implementing backpropagation was LeCun's "LeNet" [LeNet citation](#).

To explain the novel concepts behind the CNN in comparison with a MLP, the CNN architecture will first be discussed in 1D. The generalization to higher dimensions will be discussed afterwards.

Let X denote the **data space** and Y the feature space.

Let the input have dimensions $x \in \mathbb{R}^{C \times H \times W}$ where C the channel dimension, H the height dimension and W the width dimension. In case of an RGB image, this channel dimension would be three.

The CNN learns a function $f_\theta : X \rightarrow Y$.

As opposed to a simple MLP, the CNN offers the following advantages:

Using summation convention

Not writing bias explicitly

A basic MLP consists of only one type of layer. If h is the output of the previous layer, the current layer is defined by

$$z_i = \phi(W_{ij}h_j), \quad (27)$$

The CNN implements additional layers.

A convolutional layer applies a convolution operator:

Talk abt convolution vs cross-correlation here

Is this def even correct? Not need different indices on h ?

$$z_i = \phi([w \otimes h]_i) = \phi\left(\sum_k w_k h_{i+k}\right) \quad (28)$$

where the dimensionality of the kernel $w \in \mathbb{R}^K$ is typically much lower than that of the data.

A pooling layer applies a pooling operation:

$$z_i = \text{pool } K_{ij}h_j \quad (29)$$

where K defines a pooling window for each index i . Typical choices for pool are maxpool, which chooses the maximum of all given values, or meanpool, which calculates their mean.

The purpose of a pooling layer is to...

Add normalization layers here

Add info on stride params etc here

Put it together here, potentially add image of total architecture.

4.2 Normalizing Flows

A normalizing flow is a model that learns to transform a simple (often Gaussian) distribution into a more complex one, the target distribution. The transformation is chosen to be invertible, such that the model becomes generative: once trained, it can be inverted and by transforming samples from the normal, one can sample from the approximated target

distribution.

Let $u \sim p_u = \mathcal{N}(0, I_n)$ with $n \in \mathbb{N}$ the base distribution and $x \sim p_x$ with p_x the n -dim. target distribution. Let $f : \mathbb{R}^n \rightarrow \mathbb{R}^n$ a diffeomorphism, with $g = f^{-1}$ its inverse. The training objective is to find g , such that

$$u = g(x) \sim p_u, \quad x \text{ sampled from } p_x. \quad (30)$$

The process of generating samples from the approximated distribution is the inverse of the above:

$$x = f(u) \sim p_x, \quad u \text{ sampled from } p_u. \quad (31)$$

For a given transformation, one computes $p_x(x)$ by applying the change of variables formula:

$$q_x(x) = p_u(g(x)) \left| \det \left(\frac{\partial g(x)}{\partial x} \right) \right| = p_u(u) \left| \det \left(\frac{\partial f(u)}{\partial u} \right) \right|^{-1}. \quad (32)$$

The NLL then becomes:

$$\mathcal{L}_{\text{NF}} = -\mathbb{E}_{x \sim p_x} \left[\frac{|g(x)|^2}{2} + \log \left| \det \left(\frac{\partial g(x)}{\partial x} \right) \right| \right] \quad (33)$$

where the first term is a regularization for the latent (in this case Gaussian) space and the second stems from the transformation. See [cite Plehns book](#) for more details.

The normalizing flow becomes expressive by allowing the transformation to be as complex as possible, while restricting it to a class of functions with efficiently computable Jacobian determinants makes it computationally tractable. In practice, one often models g as a composition of simple neural networks, e.g. multilayer perceptrons. [How these are invertible...](#)

[Next few lines could also just be skipped](#)

Let $g_\theta = g_1 \circ g_2 \circ \dots \circ g_k$ with $g_i : \mathbb{R}^n \rightarrow \mathbb{R}^n, x \mapsto g_i(x|\theta_i)$ and $k \in \mathbb{N}$.

Now the loss becomes

$$\text{NLL}_\theta = \sum_{i=1}^k \log |\det J(g_i)| - \log p_u(g_\theta(x)) \quad (34)$$

[How to ensure it is a probabilistic model?](#)

[Come up with nicer notation for \$g_i\(\cdot|\theta_i\)\$](#)

Now what this specific Freia flow does. Research on website!

Or maybe put exact architecture in appendix?

What about the B-INN in Plehns book?

4.3 Specific Architectures

Insert sentence introducing this section. Also, find better section title

A CNN learns a compression of lightcones to a much lower-dimensional latent space. A normalizing flow learns a mapping conditioned on this latent space to the target distribution.

Something about representation learning?

Examples for target distributions include the parameters used for the simulations, or a simple physical summary statistic of the image data.

Which construction is PIE-INN based on? Is it completely new?

One such construction is *21cmPIE-INN*, which consists of a CNN acting as a compressing network and a normalizing flow mapping its output to six parameters used for the original simulations. The architecture is visualized in figure 2a.

It is also possible to learn e.g. the reionization history with variable resolution from the CNN's summary, as is done with the *EoRFlow* architecture [Citation here](#). The flow implemented in EoRFlow is slightly more complex than the 21cmPIE-INN. Its architecture is visualized in figure 2b.

5 Implementation

All other cosmological parameters are fixed to the Planck measurements, assuming flatness and a cosmological constant. This means $\Omega_b = 0.04897$, $\sigma_8 = 0.8102$, $h = 0.6766$, and $n_s = 0.9665$.

Maybe put choice of priors here actually. Then say that label distribution is not uniform.

The dataset consists of 5000 lightcones simulated with *21cmFast*, [cite the paper somewhere!](#) and the calculated neutral hydrogen fraction as labels. It is split into a training, validation and test set with relative sizes 0.7, 0.2 and 0.1, respectively. Each lightcone is originally $140 \times 140 \times 2350$ voxels in size, corresponding to a redshift range of $z \sim [5, 12]$ [find out spacial dimensions](#). In preprocessing, the [temperature fluctuation values](#) are normalized individually for each lightcone [why is this better?](#) and the lightcone is truncated to $140 \times 140 \times 1916$




Figure 2: Overall caption for both figures

voxels. The labels are originally 92-dimensional and are first truncated to 75 dimensions and then binned to 15-dimensional vectors. This step reduces the dimensionality of the inference problem. An additional logit transformation is applied to the labels, which improves training performance of the flow. A sigmoid transform can be applied during inference to map the labels back to their physical state. The total dataset has a size of [insert current size](#).

In order to model the conditional distribution $p(x|y)$, the following steps are taken: An ensemble of models is trained for each bottleneck dimension. Each ensemble consists of multiple training runs at different weight initializations, i.e. different seeds. The CNN and flow are trained jointly. Both models were trained using an optimizer, a scheduler and a joint scaler. The optimization method is AdamW, the scheduler method is ReduceLROnPlateau and torch’s GradScaler ensures more stable backpropagation. A summary of all the hyperparameters and their chosen values can be found in [Cite Appendix](#). [Maybe talk about Optuna?](#). Training is performed on one NVIDIA A30 GPU.

Unlike the original distribution of simulation parameters, the distribution of reionization history vectors is not uniform. It is therefore modelled separately. It is also modelled with a flow of the same architecture as the one from the conditional distribution, without any conditional input. This choice of model a priori adds additional uncertainty to the mutual information estimation. The idea behind choosing the same architecture to model the label distribution is that an [artefact](#) of the flow $q_\theta(x|y)$ leading to high variance in the MI estimation

might be learned by $q_{\hat{\theta}}(x)$ as well, thus leading to smaller variance in the final MI estimation.

6 Results

I have recalculated my results and am currently rewriting this section. Results are much better. I see increase in mutual information, though not too significant. I was making mistakes in the error calculations though.

Procedure, while I am still rewriting this section:

For each model, get all values $\log p(\text{labels}|\text{summary})$ for the test set. Then calculate conditional entropy and error from the mean and std of these $\log p$ values.

I have trained separate models for $p(\text{labels})$, these can be subtracted from $\log p(\text{labels}|\text{summary})$ to get MI estimate, though introducing some bias. Still see increase in MI though

I will have results for CE and MI estimations for same seed, different bottlenecks

I will also have results for CE and MI estimations averaged across seeds and bottlenecks

As for error estimations, I will compare the CLT error estimate ($\text{np.std} \dots$) with a bootstrap estimate to get a feeling for whether CLT assumptions are fulfilled. Turns out this is the case.

Each model was trained for 250 epochs, with an average runtime of **insert average runtime**. Due to these training times, only specific bottleneck dimensions were analyzed. A number of bottleneck dimensions as well as a number of different weight initializations (seeds) were tested.

Updates on this to come, more models will be trained!

Two sources of error in the MI estimation will be discussed. The error from one training run, stemming from the variability of log probability values on the test set, will be referred to as the *model error*. The error of the MI estimation stemming from different seeds, will be referred to as the *seed error*.

Figures [3–6] show the training and validation losses for each ensemble the model was trained on. Vertical lines indicate the epoch with best validation performance.

Might be nice to evaluate some metric for inference performance that Yannic used as well, to show that I recovered the results.

More comments on training here

One observes a higher seed variance for models with smaller bottleneck dimensions. There




Figure 3: Train and Validation Losses for Bottleneck Dimension 4

is also a higher variability in their training and validation losses across seeds. This indicates a higher training instability for models with smaller bottleneck dimension. These results are summarized in table 3 *Ist noch quatsch, richtige Werte folgen.*

Table 3: Results on training stability

Bottleneck	Best epoch	Val loss	No. samples
4	38.81 ± 0.71	0.39	3
6	38.49 ± 0.95	0.83	4
15	39.90 ± 0.42	0.13	5
16	39.57 ± 0.46	0.13	4

Figures [7–10] show the estimated conditional entropy per epoch for each ensemble the model was trained on. Vertical lines again mark the epoch with best validation performance. All models reach a saturated estimate of the conditional entropy *in the epoch range...* The conditional entropy curves showcase a higher instability than the validation curves, which is attributed to the smaller size of the test set.

The model error on the conditional entropy estimate grows with increasing training steps. Some reionization histories are attributed with very low likelihood, such that the distribution of $\log q_\theta(\text{label}_i | \text{summary}_i)$ has a heavy left-sided tail. This is in parts because of the distribution of the labels themselves.




Figure 4: Train and Validation Losses for Bottleneck Dimension 4




Figure 5: Train and Validation Losses for Bottleneck Dimension 4




Figure 6: Train and Validation Losses for Bottleneck Dimension 4

A separate normalizing flow is trained on the label distribution. **Discuss other possible modelling choices and why not took them** The model with best validation performance is chosen for the following analysis. It's distribution of $\log \tilde{q}_\theta(\text{label}_i)$ also showcases a heavy left-sided tail.

As an example, a histogram plot of the distributions $\log q_\theta(\text{label}_i | \text{summary}_i)$ and $\log \tilde{q}_\theta(\text{label}_i)$ is shown in figure **insert figure**.

According to the CLT, one would estimate the model error by the standard deviation. The heavy kurtosis inflates the value of standard deviation. As an alternative estimate of error, a bootstrapping method is implemented. **Quote some source that cites this as best practice. The exact values used for bootstrapping for reproducibility. Something on interpretation of bootstrap results.**

For each bottleneck dimension, the final MI estimate is made by selecting the model with best validation loss from each seed and

averaging the conditional entropy for each of these models. The final error on the CE estimate is comprised of the model error and the seed error, stemming from the variability of results across different seeds. The final estimates with errors as shown in table 4 **Noch sind das conditional-entropy werte, die aktuellen Werte folgen gleich.** These results can be described as follows: One does observe a general trend of increasing mutual information for increased bottleneck dimension, though the increase is not monotonous. In all cases, the seed error is




Figure 7: Mutual Information per Epoch for Bottleneck Dimension 4




Figure 8: Mutual Information per Epoch for Bottleneck Dimension 4

Table 4: Final Estimation of CE per Bottleneck Dimension (all entropy values in nats)

Bottleneck	CE	Seed error	Model error	No. samples
4	38.81 ± 0.71	0.39	0.12	3
6	38.49 ± 0.95	0.83	0.06	4
15	39.90 ± 0.42	0.13	0.05	5
16	39.57 ± 0.46	0.13	0.09	4




Figure 9: Mutual Information per Epoch for Bottleneck Dimension 4




Figure 10: Mutual Information per Epoch for Bottleneck Dimension 4

larger than the model error, indicating training instability to be the largest source of error in this setup.

This indicates the seed error being overestimated? Maybe have to exclude some model. Talk about decision mechanisms and how this introduces bias

Results if including selection bias

7 Interpretation

Possible interpretations of the results:

The flow seems to be overconfident, because of the long negative tail in log probability plot. If choosing MI estimation from earlier epochs, get smaller error! This is due to observed overfitting and still improving performance.

Alternative interpretation:

The CNN learns the latent space. If the weights of the CNN aren't updated enough and the flow is doing too much of the heavy lifting, then the latent space structure might be hard to estimate, resulting in long negative tail.

Check to see whether the extreme models are the reason for this, or if this is a problem with the flow.

The seed uncertainty for this model is very high, given [some numbers here](#). The high sensitivity towards weight initialization points towards unstable training.

One possible explanation for this instability could be the choice of hyperparameters. For example, a large learning rate might magnify an initially chaotic training process, causing the model to end in different minima of the loss landscape.

Another possibility is the choice of architecture. For example, the flow might be too deep given the data. While one might expect the need for a deep architecture to infer 15-dimensional labels, these labels are likely highly correlated across dimensions [because of curve shape etc](#), making the problem easier than naively expected. The fact that one observes an early saturation in mutual information across bottleneck sizes supports the latter statement.

Of course, there is always the possibility of there being too little training data. Choosing larger parts of the training set for validation and testing indeed showed an increase in overfitting towards the end of training.



Figure 11: Joint loss after pretraining

Something about consistency of MI estimate, since e.g. CE estimate is not larger zero from beginning. Maybe cite from paper?

From paper: "In particular, higher estimated MI between observations and learned representations do not seem to indicate improved predictive performance when the representations are used for downstream supervised learning tasks (Tschannen et al., 2019)."

8 Outlook

Hi Caroline, in case you're already reading this, I finally got the CNN to train on the 6-param inference problem as well! It even works if I attach a small MLP head to the end, which means I am now running pretraining also on larger bottleneck dims (since pretraining needs MSE error with original 6 params, I needed to add a small network that changes bottleneck dim output -> six dim output). I hope smaller bottleneck dims will work as well! 😊

See 11 for an example of joint training loss after pretraining both models.

How one could incorporate information geometry for similar problems

Any idea how to numerically resolve F_{ij} for this flow?

Alternative choices than to model instead of $p(x|y)$ and $p(x)$?

The compressing network usually has a much heavier architecture. Once it has been trained,

one can learn different lighter networks to map its summary to different target distributions. This is only really true in the self-supervised case, see SKATR. So Maybe this should go in outlook

A Network Implementation

Network architecture, training details, losses