
QC after filtering


Generated: 2026−10−17 20:38:11.245633


Total cells before: 104758

Total cells after: 93185

Retention rate: 89 %



nFeature_RNA
10000
8000
6000
4000
2000
24h−blastoids
48h−blastoids
72h−blastoids
Identity


nCount_RNA
150000
100000
50000
0
24h−blastoids
48h−blastoids
72h−blastoids
Identity


pct_counts_mt
10.0
7.5
5.0
2.5
0.0
24h−blastoids
48h−blastoids
72h−blastoids
Identity

pct_counts_hb
0.3
0.2
0.1
0.0
24h−blastoids
48h−blastoids
72h−blastoids
Identity

pct_counts_ribo
0.050
0.025
0.000
−0.025
−0.050
24h−blastoids
48h−blastoids
72h−blastoids
Identity


nCount_RNA distribution per sample
72h−blastoids
48h−blastoids
24h−blastoids
0
50000
100000
150000
nCount_RNA

Mitochondrial % distribution per sample

72h−blastoids

48h−blastoids

24h−blastoids

0.0


2.5

5.0


7.5

10.0

pct_counts_mt



nFeature_RNA distribution per sample
72h−blastoids
48h−blastoids
24h−blastoids
2500
5000
7500
10000
nFeature_RNA

nFeature_RNA vs nCount_RNA



log10(nFeature_RNA) vs log10(nCount_RNA)

Exponential saturation fit: y = Asym + (R0 − Asym) * exp(−exp(lrc) * x)



24h−blastoids: Asym = 4.344, R0 = −12.489, lrc = −0.221 | 48h−blastoids: Asym = 4.356, R0 = −10.485, lrc = −0.265 | 72h−blastoids: Asym = 4.273, R0 = −14.338, lrc = −0.159