
QC before filtering


Generated: 2026−10−17 20:37:49.994164


Total cells before: 104758


Total cells after: 104758


Retention rate: 100 %



nFeature_RNA
12000
9000
6000
3000
0
24h−blastoids
48h−blastoids
72h−blastoids
Identity



nCount_RNA
4e+05
3e+05
2e+05
1e+05
0e+00
24h−blastoids
48h−blastoids
72h−blastoids
Identity



pct_counts_mt
80
60
40
20
0
24h−blastoids
48h−blastoids
72h−blastoids
Identity


pct_counts_hb
3
2
1
0
24h−blastoids
48h−blastoids
72h−blastoids
Identity



pct_counts_ribo
0.050
0.025
0.000
−0.025
−0.050
24h−blastoids
48h−blastoids
72h−blastoids
Identity


nCount_RNA distribution per sample
72h−blastoids
48h−blastoids
24h−blastoids
0e+00
1e+05
2e+05
3e+05
4e+05
nCount_RNA


Mitochondrial % distribution per sample
72h−blastoids
48h−blastoids
24h−blastoids
0
20
40
60
80
pct_counts_mt



nFeature_RNA distribution per sample
72h−blastoids
48h−blastoids
24h−blastoids
0
4000
8000
12000
nFeature_RNA

nFeature_RNA vs nCount_RNA



log10(nFeature_RNA) vs log10(nCount_RNA)

Exponential saturation fit: y = Asym + (R0 − Asym) * exp(−exp(lrc) * x)



24h−blastoids: Asym = 5.080, R0 = −4.362, lrc = −0.759 | 48h−blastoids: Asym = 4.638, R0 = −6.525, lrc = −0.499 | 72h−blastoids: Asym = 4.627, R0 = −5.873, lrc = −0.522