

Table S6. Causes and sources of relative risks and causality

Cause code	WHO Global Health Observatory Category		ICD-10 coding	Relative risk*	Causality
10	I. Communicable, maternal, perinatal, and nutritional conditions		A00–B99, D50–53, D64.9, E00–02, E40–46, E50–64, G00–04, G14, H65–66, J00–J22, N70–N73, O00–O99, P00–P96, U04		
20	A. Infectious and parasitic diseases		A00–B99, G00–04, G14, N70–73, P37.3, P37.4		
30 ¹		1 Tuberculosis	A15–19, B90	19	20
100		3 HIV/AIDS	B20–24	21	22,23
380 ¹	B. Respiratory infections		H65–66, J00–22, P23, U04		
390		1 Lower respiratory infections	J09–22, P23, U04	24	24–26
600	II. Noncommunicable diseases		C00–97, D00–48, D55–64 (minus D64.9), D65–89, E03–07, E10–34, E65–88, F01–99, G06–98 (minus G14), H00–61, H68–93, I00–99, J30–98, K00–92, L00–98, M00–99, N00–64, N75–98, Q00–99, X41–42, X44, X45, R95		
610	A. Malignant neoplasms		C00–97		
620		1 Mouth and oropharynx cancers	C00–14		
621		a. Lip and oral cavity	C00–08	27	28,29
623		c. Other pharyngeal cancers	C09–10, C12–14	27	28,29
630		2 Oesophagus cancer	C15	27	28,29
650		4 Colon and rectum cancers	C18–21	30	28,29
660		5 Liver cancer	C22	31	28,29
700		9 Breast cancer	C50	32	28,29
710		10. Cervix uteri cancer	C53	21	22,23
753		19 Larynx cancer	C32	27	28,29
800	C. Diabetes mellitus		E10–14 (minus E10.2–10.29, E11.2–11.29, E12.2, E13.2–13.29, E14.2)	33	34,35
820	E. Mental and substance use disorders		F04–99, G72.1, Q86.0, X41–42, X44, X45		
860		4 Alcohol use disorders	F10, G72.1, Q86.0, X45		
940	F. Neurological conditions		F01–03, G06–98 (minus G14, G72.1)		
970		3 Epilepsy	G40–41	36	37–39
1100	H. Cardiovascular diseases		I00–99		
1120		2 Hypertensive heart disease	I10–15	40	41,42
1130 ¹		3 Ischaemic heart disease	I20–25	43–45	46–48
1140		4 Stroke	I60–69		
1141 ¹		a. Ischaemic stroke	G45–46.8, I63–63.9, I65–66.9, I67.2–67.848, I69.3–69.4	43,49	48,50,51
1142 ¹		b. Haemorrhagic stroke	I60–62.9, I67.0–67.1, I69.0–69.298	52	48,50,51
1150		5 Cardiomyopathy, myocarditis, endocarditis	I30–33, I38, I40, I42		
1210	J. Digestive diseases		K20–92		
1230*		2 Cirrhosis of the liver	K70**, K74	53	54
1248*		8 Pancreatitis	K85–86	55	54,56–59
1510	III. Injuries				
1520	A. Unintentional injuries		V01–X40, X43, X46–59, Y40–86, Y88, Y89		
1530*		1 Road injury	V01–V04, V06, V09–V80, V87, V89, V99	60	61
1540*		2 Poisonings	X40, X43, X46–48, X49	60	61
1550*		3 Falls	W00–19	60	61
1560*		4 Fire, heat and hot substances	X00–19	60	61
1570*		5 Drowning	W65–74	60	61
1575*		6 Exposure to mechanical forces	W20–38, W40–43, W45, W46, W49–52, W75, W76	60	61
1590*		8 Other unintentional injuries	Rest of V, W39, W44, W53–64, W77–99, X20–29, X50–59, Y40–86, Y88, Y89	60	61
1600	B. Intentional injuries				
1610*		1 Self-harm	X60–84, Y870	60	61
1620*		2 Interpersonal violence	X85–Y09, Y871	60	61

* For Belarus, Estonia, Latvia, Lithuania, Moldova, Russia, and Ukraine, RRs from the Russian cohort study by Zaridze and colleagues were used to model mortality and morbidity from tuberculosis, lower respiratory infections, ischaemic heart disease, ischaemic stroke, haemorrhagic stroke, liver cirrhosis, pancreatitis, road injuries, other unintentional injuries, self-harm, and interpersonal violence attributable to alcohol consumption.^{62,63}

** Includes ICD-10 code: K70 (alcoholic liver disease), and ICD-10 code: K74 (fibrosis and cirrhosis of the liver)