The ACCESS Simulation and Modelling Service: Status







WP1: Goals



- Library of supported and documented standard experiments
 - Including climate, NWP, idealised
- Improved user interface for the coupled model
 - Experiment configuration database for coupled model
- BOM research and operational NWP configurations available
- Adoption of new Met Office technical infrastructure
- Integration with archiving and analysis services
- Better access to BOM data (forecasts, analyses, initial conditions)
- Goal is to improve ease of use, reproducibility, support and sharing of code, data and experiments





Revised milestone dates



- Initial release of the ACCESS modelling infrastructure. Initial experiment library set up and documented. 31 Mar 2013
- Initial release of coupled model user interface. Workflow scheduling working at NCI. NWP suite installed. 1 Jun 2013
- Coupled modelling suite and user interface complete. Workflow scheduling working at NCI. NWP suite installed. Experiment database for coupled model complete. 1 Aug 2013
- Release of latest Met Office infrastructure used in NWP configurations. Modelling simulation service available for general users. 1 Dec 2013
- Release of model infrastructure for prototype "ACCESS2". 1 Dec 2013
- Final release 31 Mar 2014





Progress



- accessdev and other infrastructure
- Coupled model UI
- NWP
- IRIS
- Issues





New infrastructure




- Rose, cylc etc running on vayu
- Accessdev machine almost working
 - Simpler job submission
- /g/data/access on vayu
 - Aim is to unify /data/projects/access and ~access
 - Also make solar2 structure the same
 - Access module environment
 - Use of file access control lists
- Access wiki moved from access-svn to trac.nci.org.au for better accessibility





Coupled model UI: Rosie







Coupled model UI: Rose edit




<u>F</u> ile <u>E</u> dit <u>V</u> iew <u>A</u> ction <u>M</u> acro <u>H</u> elp				
Index		≜ au	auscom_ice_nml 💥	
	suite info	5°C	Mstress	5.0
Þ	suite conf	3/1/	1430 633	
Þ	accessCICEColdStart	{Ç	Tmelt	-1.0
Þ	accessCICEcfg	ĘĞ	aice_cutoff	0.15
Þ	accessMOMColdStart			'and
∇	accessMOMcfg	₹Ç	do_ice_once	□ false
	command	ξĞ	dt_cpl	3600
	env	₹ <u>′</u>	fixmeltT	□ false
Þ	file	3/1/	HATTIER	
~	namelist	ĘĞ	frazil_factor	1.0
	auscom_ice_nml	ĘĞ	iceform_adj_salt	□ false
	bg_diff_lat_dependence			
	data_override_nml	₹Ç	icemlt_factor	1.0
	diag_manager_nml	€0	ige ige	341
	fms_io_nml	₹ <u>′</u>	igs	328
	fms_nml			
	mom_oasis3_interface_	ĘĢ	ire2	328
	ocean_adv_vel_diag_nn	{ <u>~</u>	irs2	325
	ocean_advection_veloc	▼ .85	Impuiso	
4	NATURAL PARTIES	▼	kmxice	





Coupled model UI: cylc run





UMUI & post-processing



- Say working on making UMUI work with rose for job submission, rosie for storing basis files
- Peter working on integrating CMIP5 post-processing into model runs
 - Considering use of IRIS
 - Still problems with getting standard names and other metadata for all variables





NWP transition



- APS2 global (N512) candidate running on vayu, controlled by cylc (Xiao)
- APS1 city systems running on vayu, controlled by cylc or SMS (Wenming)





IRIS



- New Met Office analysis and visualisation package (python based)
 - Uses matplotlib but includes own basemap replacement
- Now installed on vayu
- Promising but still has gaps
 - Can be a big haphazard on merging fields to 3 and 4D variables
 - No variable grid support
 - Incomplete mapping of STASH codes to standard names
- Developers are quick to respond





Issues



- accessdev and raijin delays
- Raijin and solar2 transitions at the same time
- No real progress on data and integration yet







The Centre for Australian Weather and Climate Research A partnership between CSIRO and the Bureau of Meteorology



Presenter's name Presenter's title

Phone: XX XXXX XXXX

Email: name.name@csiro.au

Web: www.cawcr.gov.au

Thank you

www.cawcr.gov.au

