

Statement -1: View

- **Create table Employees and Departments as shown below:**
(Use emp_id as primary key for employees table and dept_id as a primary key for departments table)

emp_id	emp_name	salary	dept_id
1	Ethan Hunt	5000	4
2	Tony Montana	6500	1
3	Sarah Connor	8000	5
4	Rick Deckard	7200	3
5	Martin Blank	5600	NULL

dept_id	Dept_name
1	Administration
2	Customer Service
3	Finance
4	Human Resources
5	Sales

- **Execute the following queries in MySQL:**
 1. Retrieve the id and name of the employees along with their department name (Use Left Join)


```
SELECT t1.emp_id, t1.emp_name, t2.dept_name
FROM employees AS t1 LEFT JOIN departments AS t2
ON t1.dept_id = t2.dept_id;
```
 2. Create View for the above query.
 3. Retrieve records from the above created view.
 4. Replace the above view to show emp_id, emp_name, dept_name salary also.
 5. Create another view using salary, emp_id and dept_id.
 6. Insert 3 more records in above created view.
 7. Update the above view to set salary =6000 for the employee having emp_id 1.
 8. Retrieve the record from view where dept_id of employees is NULL.
 9. Delete those records from view where employee salary is 8000.
 10. Drop the above created view.

Statement -2: Triggers

Write a database trigger on Library table. The System should keep track of the records that are being updated or deleted. The old value of updated or deleted records should be added in Library_Audit table.

Statement -1: Joins

- **Create following tables**

Pack_grades(grade_id, grade_name ,min_price,max_price)

Sectors(sector_id,sector_name)

Packages(pack_id,speed,strt_date,monthly_payment,sector_id)

Customers(cust_id, name, start_date,,city, phone_num, , monthly_discount, pack_id)

Inner Join

1. Customers and internet packages (*Customers & Packages* tables) –
 - a. Write a query to display name, package id and internet speed for all customers with similar package id.
 - b. Write a query to display name, package id and internet speed for all customers whose package id equals 22 or 27. Order the query in ascending order by name.
2. Internet packages and sectors –
 - a. Display the package id, internet speed, monthly payment and sector name for all packages with similar sector id. (*Packages and Sectors* tables).
 - b. Display the customer name, package id, internet speed, monthly payment and sector name for all customers with similar package id and sector id (*Customers, Packages and Sectors* tables).
 - c. Display the customer name, package id, internet speed, monthly payment and sector name for all customers in the business sector with similar package id and sector id (*Customers, Packages and Sectors* tables).

Outer Join

Customers and internet packages (Customers and Packages tables)

- a. Modify 1(a) query to display all customers, including those without any internet package.
- c. Modify 1(a) query to display all packages, including those without any customers.
- d. Modify 1(a) query to display all packages and all customers.

Non Equi Join

Display the package number, internet speed, monthly payment and package grade for all packages whose monthly payment is between min_price and max_price(*Packages and Pack_Grades* tables).

Statement -1: Use of stored procedure and trigger

Unnamed PL/SQL code block: Use of Control structure and Exception handling is mandatory. Write a PL/SQL block of code for the following requirements:- Schema:

1. Borrower(Roll_no, Name, DateofIssue, NameofBook, Status)
2. Fine(Roll_no, Date, Amount)
 - Accept roll_no & name of book from user
 - Check the number of days (from date of issue); if days are between 15 to 30 then fine amounts will be Rs 5per day
 - If no. of days>30, per day fine will be Rs 50 per day & for days less than 30, Rs. 5 per day.
 - After submitting the book, status will change from I to R
 - If condition of fine is true, then details will be stored into fine table

Statement-2: JSON Encoding and Decoding

Encode and Decode JSON Objects using Java/PHP/Python

Statement- 1: Map-Reduce

1. Create collection Bank
2. Insert following documents into it.

Sr. No.	Cust_Id	Cust_Name	Bank	Balance	Location
1.	C001	Amit	SBI	3000	Pune
2.	C002	Amol	AXIS	4000	Pune
3.	C002	Amit	AXIS	5000	Mumbai
4.	C003	Amit	AXIS	5000	Nagpur
5.	C004	Amay	AXIS	6000	Nashik
6.	C005	Amar	HDFC	7000	Pune
7.	C006	Vijay	HDFC	8000	Mumbai

3. Perform aggregation using Map-Reduce to display bank wise balance
4. Display the result of new collection bankMR
5. Display the balance of HDFC bank only from bankMR collection
6. Display the balance of SBI bank only from bankMR collection
7. Display the balance of AXIS bank only from bankMR collection

Statement- 2:

Encode and Decode JSON Objects using Java//PHP/Python

Statement -1: Nested Cursor

Write a PL/SQL block of code using Nested Cursor, that will merge the data available in the newly created table N_RollCall with the data available in the table O_RollCall. If the data in the first table already exist in the second table then that data should be skipped.

Statement-2: MongoDB Aggregation

1. Create Collection Employee and insert following documents into it
2. Insert following records into it.

custID	Amount	status
A123	500	A
A123	250	A
B212	200	A
A123	300	D

3. Find out maximum amount for individual customer ID having status 'A'
4. Find out minimum amount for individual customer ID having status 'A'
5. Find out average amount for individual customer ID having status 'A'
6. Find out total amount for individual customer ID having status 'A'
7. Find out amount of first record for individual customer ID having status 'A'
8. Find out amount of last record for individual customer ID having status 'A'
9. Create array of amount for individual customer ID having status 'A'
10. After sorting record find out total amount for individual customer ID

Statement -1: Use of stored procedure

Create Procedure and use cursor to check stock of items whose quantity is less than particular number and display result in temporary table 'stock check' and drop temp table after display.

Statement-2: MongoDB Aggregation

1. Create Collection Employee and insert following documents into it
2. Insert following records into it.

custID	Amount	Status
A123	500	A
A123	250	A
B212	200	A
A123	300	D

3. After sorting record find out average amount for individual customer ID
4. After sorting record find out minimum amount for individual customer ID
5. After sorting record Find out maximum amount for individual customer ID
6. After sorting record find out amount of First record for individual customer ID
7. After sorting record find out amount of last record for individual customer ID
8. After sorting record create array of amount for individual customer ID
9. Without considering first record Find out total amount for individual customer ID
10. Without considering first record Find out average amount for individual customer ID

Statement -1: PL/SQL block

Write a PL/SQL code block that will accept an account number from the user. Check if the users balance is less than the minimum balance, only then deduct Rs. 100/- from the balance. The process is fired on the Account Master table.

(Use conditional control- If-Else If-Else-End If)

Statement-2: MongoDB Aggregation

1. Create Collection Employee and insert following documents into it
2. Insert following records into it.

custID	Amount	Status
A123	500	A
A123	250	A
B212	200	A
A123	300	D

3. Without considering first record create array of amount for individual customer ID
4. Without considering first record Find out amount of First record for individual customer ID
5. Without considering first record Find out amount of last record for individual customer ID
6. Just by considering first 2 records Find out total amount for individual customer ID
7. Just by considering first 2 records Find out Average amount for individual customer ID
8. Just by considering first 2 records Find out minimum amount for individual customer ID
9. Just by considering first 2 records Find out maximum amount for individual
10. Just by considering first 2 records Find out amount of First record for individual customer ID
11. Just by considering first 2 records Find out amount of last record for individual customer ID
12. Just by considering first 2 records create array of amount for individual customer ID

Statement -1: PL/SQL block

Write a PL/SQL code block to calculate the area of a circle for a value of radius varying from 3 to 7, consisting of two columns Radius & Area.(Use Iterative control- the While loop).

Statement- 2: Map-Reduce

1. Create collection Bank
2. Insert following documents into it.

Sr. No.	Cust_Id	Cust_Name	Bank	Balance	Location
13.	C001	Amit	SBI	3000	Pune
14.	C002	Amol	AXIS	4000	Pune
15.	C002	Amit	AXIS	5000	Mumbai
16.	C003	Amit	AXIS	5000	Nagpur'
17.	C004	Amay	AXIS	6000	Nashik
18.	C005	Amar	HDFC	7000	Pune
19.	C006	Vijay	HDFC	8000	'Mumbai

3. Perform aggregation using Map-Reduce to display bank wise balance
4. Display the result of new collection bankMR
5. Display the balance of HDFC bank only from bankMR collection
6. Display the balance of SBI bank only from bankMR collection
7. Display the balance of AXIS bank only from bankMR collection

Statement -1: PL/SQL block for bank

Write a PL/SQL block of code to achieve the following:

If there are no transactions taken place in the last 365 days then mark the account status as inactive, and then record the account number, the opening date & the type of account in the Inactive Acct_Master table.

Statement- 2: SQL Queries

- Create Employee table, Project table and add rows shown below

Eid	ENAME	Address	Salary	Commission	PrNo	Addr
1	Amit	Pune	35000	5000	10	Mumbai
2	Sneha	Pune	25000		20	Pune
3	Savita	Nasik	28000	2000	30	Jalgoan
4	Pooja	Mumbai	19000		40	Nagpur
5	Sagar	Mumbai	25000	3000	50	Delhi
6	Rohit	Jaipur	40000		60	Kochi
7	Poonam	Patana	45000	2000	70	Pune
8	Arjun	Delhi	20000	900	80	Nasik
9	Rahul	Nagpur	60000	5000		
10	Dulquer	Kochi	30000	1000		

- Execute the following queries in MySQL:
 1. What are maximum, minimum salary, average salary and sum of all salaries?
 2. Display the content of employee table according to the ascending order of salary amount.
 3. Find the name of employee who lived in Nasik or Pune city.
 4. Find the name of employees who does not get commission.
 5. Change the city of Amit to Nashik.
 6. Find the count of staff from each city
 7. Find the address from where employees are belonging as well as where projects are going on.
(Use union operator)
 8. Find city wise maximum salary having maximum salary greater than 26000
 9. Delete the employee who is having salary greater than 30,000.
 10. Display all the employees from Pune alphabetically.

Statement -1:

Write a Stored Procedure namely proc_Grade for the categorization of student. If marks scored by students in examination is ≤ 1500 and marks ≥ 990 then student will be placed in distinction category. If marks scored are between 989 and 900 category is first class, if marks 899 and 825 category is Higher Second Class.

Write a PL/SQL block for using procedure created with above requirement.

Stud_Marks(name, total_marks)

Result(Roll,Name, Class)

Statement- 2:

1. Consider a collection "Inventory" with the following documents:

- i. "_id" : 1, "item" : "f1", type: "food", quantity: 500
- ii. "_id" : 2, "item" : "f2", type: "food", quantity: 100
- iii. "_id" : 3, "item" : "p1", type: "paper", quantity: 200
- iv. "_id" : 4, "item" : "p2", type: "paper", quantity: 150
- v. "_id" : 5, "item" : "f3", type: "snacks", quantity: 300
- vi. "_id" : 6, "item" : "t1", type: "toys", quantity: 500
- vii. "_id" : 7, "item" : "a1", type: "apparel", quantity: 250
- viii. "_id" : 8, "item" : "a2", type: "apparel", quantity: 400
- ix. "_id" : 9, "item" : "t2", type: "toys", quantity: 50
- x. "_id" : 10, "item" : "f4", type: "snacks", quantity: 75

2. Find all documents where the type field has the value snacks
3. Update a document
4. Remove a single document where type is toys and qty is 50
5. All documents where the type field has the value 'food' and the value of the price field is less than 9.9
6. All documents in the collection where the field qty has a value greater than 100 or the value of the price field is less than 9.95:
7. Find all documents in the collection where the value of the type field is 'food' and either the qty has a value greater than 100 or the value of the price field is less than 9.95:
8. Return food only with item and qty fields from the documents.
9. Sort documents on qty in descending order
10. Create Index on item field
11. Remove Index on item field

Statement -1: Triggers

Write a database trigger on Library table. The System should keep track of the records that are being updated or deleted. The old value of updated or deleted records should be added in Library_Audit table.

Statement- 2:

1. Create a collection having name "student" with following documents:

```
{
  "roll_no": 1,
  "name": "amit",
  "addr": "Loni"
}
{
  "roll_no": 2,
  "name": "shashir",
  "addr": {
    "At": "Loni",
    "Tal": "Rahata",
    "Dist": "Ahemadnagar"
  }
}
{
  "roll_no": 11,
  "name": "sachin",
  "percent_marks": 60.23
  "addr": "Pune"
}
{
  "name": "Rahul",
  "Address": "Kolhar"
}
```

2. Insert new documents into a collection named "student".
3. Retrieve all students' details.
4. Display only name field from student collection.
5. Display first 5 student details.
6. Fetch the remaining documents after first 5 documents.
7. Find the details of student whose roll_no is between 5 and 10.
8. Display the student details whose address is "Loni" or "Pune".
9. Sort the documents of student collection in ascending order of roll_no.
10. Remove all those documents having roll_no less than 8 and greater than 3.
11. Remove all those documents whose address is "Loni".
12. Add these details to a document where _id=10 (Use save())
Name ="Ram" Roll _no = 60
Address ="Pune"
13. Update the address of roll_no 1. Change the address as
At: "Sangamner" Tal:"Sangamner" Dist: "Ahemadnagar"
14. Create Index on roll_no field
15. Remove collection "student".

Statement -1:

Implement MYSQL database connectivity with PHP/ Python/Java

Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Student Registration System

Statement -1:

Implement MYSQL database connectivity with PHP/ Python/Java

Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Library Information System

Statement -1:

Implement MYSQL database connectivity with PHP/ Python/Java

Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Employee Information System

Statement -1:

Write a program to implement MongoDB database connectivity with PHP/ Python/Java
Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Library Information System

Statement -1:

Write a program to implement MongoDB database connectivity with PHP/ Python/Java
Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Bank Information System

Statement -1:

Write a program to implement MongoDB database connectivity with PHP/ Python/Java
Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Bus Reservation System

Statement -1:

Write a program to implement MongoDB database connectivity with PHP/ Python/Java
Implement Database navigation operations (Insert, Delete, Update, Display) using ODBC/JDBC.

Example: Hospital Management System

Statement -1: Joins

- **Create following tables**

Pack_grades(grade_id, grade_name ,min_price,max_price)

Sectors(sector_id,sector_name)

Packages(pack_id,speed,strt_date,monthly_payment,sector_id)

Customers(cust_id, name, start_date,,city, phone_num, , monthly_discount, pack_id)

Inner Join

3. Customers and internet packages (*Customers* & *Packages* tables) –
 - a. Write a query to display name, package id and internet speed for all customers with similar package id.
 - b. Write a query to display name, package id and internet speed for all customers whose package id equals 22 or 27. Order the query in ascending order by name.
4. Internet packages and sectors –
 - a. Display the package id, internet speed, monthly payment and sector name for all packages with similar sector id. (*Packages* and *Sectors* tables).
 - b. Display the customer name, package id, internet speed, monthly payment and sector name for all customers with similar package id and sector id (*Customers*, *Packages* and *Sectors* tables).
 - c. Display the customer name, package id, internet speed, monthly payment and sector name for all customers in the business sector with similar package id and sector id (*Customers*, *Packages* and *Sectors* tables).

Outer Join

Customers and internet packages (Customers and Packages tables)

- a. Modify 1(a) query to display all customers, including those without any internet package.
- c. Modify 1(a) query to display all packages, including those without any customers.
- d. Modify 1(a) query to display all packages and all customers.

Non Equi Join

Display the package number, internet speed, monthly payment and package grade for all packages whose monthly payment is between min_price and max_price(*Packages* and *Pack_Grades* tables).

Statement -1:

Write a PL/SQL code block to calculate the area of a circle for a value of radius varying from 3 to 7, consisting of two columns Radius & Area.(Use Iterative control- the While loop).

Statement- 2:

1. Create a collection having name “student” with following documents:

```
{
  "roll_no" : 1,
  "name" : "amit",
  "addr" : "Loni"
}
{
  "roll_no" : 2,
  "name" : "shashir",
  "addr" : {
    "At" : "Loni",
    "Tal" : "Rahata",
    "Dist" : "Ahemadnagar"
  }
}
{
  "roll_no" : 11,
  "name" : "sachin",
  "percent_marks" : 60.23
  "addr" : "Pune"
}
{
  "name" : "Rahul",
  "Address": "Kolhar"
}
```

2. Insert new documents into a collection named “student”.
3. Retrieve all students’ details.
4. Display only name field from student collection.
5. Display first 5 student details.
6. Fetch the remaining documents after first 5 documents.
7. Find the details of student whose roll_no is between 5 and 10.
8. Display the student details whose address is “Loni” or “Pune”
9. Sort the documents of student collection in ascending order of roll_no.
10. Remove all those documents having roll_no less than 8 and greater than 3.
11. Remove all those documents whose address is “Loni”.
12. Add these details to a document where _id=10 (Use save())
Name =”Ram” Roll _no = 60
13. Update the address of roll_no 1. Change the address as
At: “Sangamner” Tal:”Sangamner” Dist: “Ahemadnagar”
Address =”Pune”
14. Create Index on roll_no field
15. Remove collection “student”.

Statement -1:

Write a Stored Procedure namely proc_Grade for the categorization of student. If marks scored by students in examination is ≤ 1500 and marks ≥ 990 then student will be placed in distinction category. If marks scored are between 989 and 900 category is first class, if marks 899 and 825 category is Higher Second Class.

Write a PL/SQL block for using procedure created with above requirement.

Statement- 2:

1. Consider a collection "Inventory" with the following documents:
 - a. "_id" : 1, "item" : "f1", type: "food", quantity: 500
 - b. "_id" : 2, "item" : "f2", type: "food", quantity: 100
 - c. "_id" : 3, "item" : "p1", type: "paper", quantity: 200
 - d. "_id" : 4, "item" : "p2", type: "paper", quantity: 150
 - e. "_id" : 5, "item" : "f3", type: "snacks", quantity: 300
 - f. "_id" : 6, "item" : "t1", type: "toys", quantity: 500
 - g. "_id" : 7, "item" : "a1", type: "apparel", quantity: 250
 - h. "_id" : 8, "item" : "a2", type: "apparel", quantity: 400
 - i. "_id" : 9, "item" : "t2", type: "toys", quantity: 50
 - j. "_id" : 10, "item" : "f4", type: "snacks", quantity: 75
2. Find all documents where the type field has the value snacks
3. Update a document
4. Remove a single document where type is toys and qty is 50
5. All documents where the type field has the value 'food' and the value of the price field is less than 9.9
6. All documents in the collection where the field qty has a value greater than 100 or the value of the price field is less than 9.95:
7. Find all documents in the collection where the value of the type field is 'food' and either the qty has a value greater than 100 or the value of the price field is less than 9.95:
8. Return food only with item and qty fields from the documents.
9. Sort documents on qty in descending order
10. Create Index on item field
11. Remove Index on item field

Statement -1: View

- **Create table Employees and Departments as shown below:**
(Use emp_id as primary key for employees table and dept_id as a primary key for departments table)

emp_id	emp_name	salary	dept_id
1	Ethan Hunt	5000	4
2	Tony Montana	6500	1
3	Sarah Connor	8000	5
4	Rick Deckard	7200	3
5	Martin Blank	5600	NULL

dept_id	Dept_name
1	Administration
2	Customer Service
3	Finance
4	Human Resources
5	Sales

- **Execute the following queries in MySQL:**
 1. Retrieve the id and name of the employees along with their department name (Use Left Join)

```
SELECT t1.emp_id, t1.emp_name, t2.dept_name  
FROM employees AS t1 LEFT JOIN departments AS t2  
ON t1.dept_id = t2.dept_id;
```
 2. Create View for the above query.
 3. Retrieve records from the above created view.
 4. Replace the above view to show emp_id, emp_name, dept_name salary also.
 5. Create another view using salary, emp_id and dept_id.
 6. Insert 3 more records in above created view.
 7. Update the above view to set salary =6000 for the employee having emp_id 1.
 8. Retrieve the record from view where dept_id of employees is NULL.
 9. Delete those records from view where employee salary is 8000.
 10. Drop the above created view.

Statement -2: JSON

Create simple objects and array objects using JSON