Cucumber Report

Start : Oct 13, 1:52:30.808 pm

End : Oct 13, 1:53:20.755 pm

Duration : 49.947 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 3
FAILED - 2	FAILED - 2	FAILED - 2
SKIPPED - 0	SKIPPED - 0	SKIPPED - 2

Features: 2

Scenarios: 2

Steps: 7

Pass % — 0 %

Pass % — 0 %

Pass % — 42 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
validation of Contact Us Page	*4.463 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*
Login Functionality	*45.454 s*	*1*	*0*	*1*	*0*	*4*	*3*	*1*	*0*

#	Feature Name	Scenario Name
1	*validation of Contact Us Page*	*Contact Us Form*
2	*Login Functionality*	*Successful login with valid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SOLO	2	0	2	0	2	0	2	0

| #	Feature Name	T	P	F	S	Duration
1	_validation of Contact Us Page_	1	0	1	0	4.463 s
2	_Login Functionality_	1	0	1	0	45.454 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	validation of Contact Us Page	Contact Us Form	3	0	1	2	4.460 s
2	Login Functionality	Successful login with valid credentials	4	3	1	0	45.454 s

validation of Contact Us Page

FAILED	DURATION - 4.463 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 1:52:30.808 pm // 1:52:35.271 pm /					

Contact Us Form

| FAILED	DURATION - 4.460 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 1:52:30.811 pm // 1:52:35.271 pm /				
validation of Contact Us Page				
@SOLO				

| #	Step / Hook Details	Status	Duration
1	Given User is on Contact Us page	FAILED	0.032 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h2[normalize-space()='Get In Touch']"} (Session info: MicrosoftEdge=117.0.2045.60) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [be8148fbd972f2debf1033fea3a2355e, findElement {using=xpath, value=//h2[normalize-space()='Get In Touch']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 117.0.2045.60, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61081}, msedge: {msedgedriverVersion: 117.0.2045.60 (a31cef5dc4c1..., userDataDir: C:\Users\ANGELI~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61081/devtoo..., se:cdpVersion: 117.0.2045.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be8148fbd972f2debf1033fea3a2355e
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at Pages.ContactUsPage.getcontactustitle(ContactUsPage.java:32) at stepsdefinitions.ContactUsSteps.user_is_on_contact_us_page(ContactUsSteps.java:19) at ?.User is on Contact Us page(file:///C:/Users/AngelicaEstanol/SeleniumCucumber/src/test/resources/AppFeatures/ContactUsPage.feature:8) * Not displayable characters are replaced by '?'.		
2	When Submit message	SKIPPED	0.001 s
3	Then Success message should be visible	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Contact Us Form	PASSED	0.136 s

Login Functionality

FAILED	DURATION - 45.454 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	4
/ 1:52:35.301 pm // 1:53:20.755 pm /					

Successful login with valid credentials

FAILED	*DURATION - 45.454 s*

/ 1:52:35.301 pm // 1:53:20.755 pm /

Login Functionality

@SOLO

Steps

Total - 4

Pass - 3

Fail - 1

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	3.481 s
2	When the user enters valid username "test02@yopmail.com"	PASSED	0.092 s
3	And the user enters valid password "pass123456"	PASSED	0.040 s
4	And the user clicks the login button	FAILED	39.158 s

org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer   (Session info: MicrosoftEdge=117.0.2045.60) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [67f3f1aae5fa6ab66f81e99eb1269541, clickElement {id=2DEA1FCADC241C1DF3C30E1E0BCB4CAA_element_32}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 117.0.2045.60, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61103}, msedge: {msedgedriverVersion: 117.0.2045.60 (a31cef5dc4c1..., userDataDir: C:\Users\ANGELI~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61103/devtoo..., se:cdpVersion: 117.0.2045.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on WINDOWS (67f3f1aae5fa6ab66f81e99eb1269541)] -> xpath: //button[normalize-space()='Login']] Session ID: 67f3f1aae5fa6ab66f81e99eb1269541
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)

#	Step / Hook Details	Status	Duration
	at Pages.login.clickOnLogin(login.java:44) at stepsdefinitions.LoginSteps.theUserClicksTheLoginButton(LoginSteps.java:45) at ?.the user clicks the login button(file:///C:/Users/AngelicaEstanol/SeleniumCucumber/src/test/resources/AppFeatures/login.feature:26) * Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.020 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: MicrosoftEdge=117.0.2045.60) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [67f3f1aae5fa6ab66f81e99eb1269541, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 117.0.2045.60, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61103}, msedge: {msedgedriverVersion: 117.0.2045.60 (a31cef5dc4c1..., userDataDir: C:\Users\ANGELI~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61103/devtoo..., se:cdpVersion: 117.0.2045.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67f3f1aae5fa6ab66f81e99eb1269541 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:48)		