

Cucumber Report

13 Oct 2023, 9:12:37 am

Start : Oct 13, 9:12:00.594 am

End : Oct 13, 9:12:37.326 am

Duration : 36.732 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	36.732 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>Login Functionality</u>	<u>Successful login with valid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SOLO	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	0	1	0	36.732 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Successful login with valid credentials	4	3	1	0	36.730 s

Login Functionality

FAILED	DURATION - 36.732 s	Scenarios		Steps	
/ 9:12:00.594 am // 9:12:37.326 am /		Total - 1		Total - 4	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Successful login with valid credentials

<div>FAILED</div> <div>DURATION - 36.730 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:12:00.596 am // 9:12:37.326 am /				
Login Functionality				
@SOLO				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	2.026 s
2	When the user enters valid username "test02@yopmail.com"	PASSED	0.084 s
3	And the user enters valid password "pass123456"	PASSED	0.113 s
4	And the user clicks the login button org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: MicrosoftEdge=117.0.2045.60) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b0cf10499cc06968af1f26ac92bac632, clickElement {id=494244201918B0815D56DCF08DB34E45_element_34}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 117.0.2045.60, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58375}, msedge: {msedgedriverVersion: 117.0.2045.60 (a31cef5dc4c1..., userDataDir: C:\Users\ANGELI~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58375/devtoo..., se:cdpVersion: 117.0.2045.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on WINDOWS (b0cf10499cc06968af1f26ac92bac632)] -> xpath: //button[normalize-space()='Login']] Session ID: b0cf10499cc06968af1f26ac92bac632 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	30.824 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at Pages.login.clickOnLogin(login.java:44) at stepsdefinitions.LoginSteps.theUserClicksTheLoginButton(LoginSteps.java:45) at ?.the user clicks the login button(file:///C:/Users/AngelicaEstanol/SeleniumCucumber/src/test/resources/AppFeatures/login.feature:26) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: MicrosoftEdge=117.0.2045.60) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b0cf10499cc06968af1f26ac92bac632, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 117.0.2045.60, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58375}, msedge: {msedgedriverVersion: 117.0.2045.60 (a31cef5dc4c1..., userDataDir: C:\Users\ANGELI~1\AppData\Local\Microsoft\EdgeDevToolsServer\117.0.2045.60)}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58375/devtools/page/1/b0cf10499cc06968af1f26ac92bac632, se:cdpVersion: 117.0.2045.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b0cf10499cc06968af1f26ac92bac632</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </p>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:48)		