
## **Cucumber Report**



<b>Feature</b>			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Functionality	7.004 s	1	0	1	0	4	2	1	1

FAIL & SKIP SCENARIOS -- 3 --

# <b>F</b>	Feature Name	Scenario Name
1 <u>L</u>	ogin Functionality	Successful login with valid credentials


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SOLO	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	0	1	0	7.004 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Successful login with valid credentials	4	2	1	1	7.000 s

DETAILED SECTION -- 7 -

## **Login Functionality**

FAILED	DURATION - 7.004 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:27:06.148 am // 9	0:27:13.152 am /	Pass - 0	1	Pass - 2	4
		Fail - 1		Fail - 1	🔼 ' 🏉
		Skip - 0		Skip - 1	

## Successful login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	2.621 s
2	When the user enters valid username "test02@yopmail.com"	PASSED	0.090 s
3	And the user enters valid password "pass123456"	FAILED	0.005 s
	java.lang.Error: Unresolved compilation problem: password cannot be resolved to a variable at stepsdefinitions.LoginSteps.theUserEntersValidPassword(LoginSteps.java:39) at ?.the user enters valid password "pass123456"(file:///C:/Users/AngelicaEstanol/SeleniumCucumber/src/test/resources/AppFeatures/login. feature:25)  * Not displayable characters are replaced by '?'.		
4	And the user clicks the login button	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.264 s
	Successful login with valid credentials		
	For Fund III.  For Fu		