

HEART Testing

```
$ curl http://35.167.110.150:8080/openid-connect-server-webapp/.well-known/openid-config
{
  "request_parameter_supported": true,
  "claims_parameter_supported": false,
  "introspection_endpoint": "http://35.167.110.150:8080/openid-connect-server-webapp/introspection",
  "scopes_supported": [
    "openid",
    "profile",
    "email",
    "address",
    "phone",
    "offline_access"
  ],
  "issuer": "http://35.167.110.150:8080/openid-connect-server-webapp/",
  "userinfo_encryption_enc_values_supported": [
    "A256CBC+HS512",
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512",
    "A128CBC+HS256"
  ],
  "id_token_encryption_enc_values_supported": [
    "A256CBC+HS512",
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512",
    "A128CBC+HS256"
  ],
  "authorization_endpoint": "http://35.167.110.150:8080/openid-connect-server-webapp/authorize",
  "service_documentation": "http://35.167.110.150:8080/openid-connect-server-webapp/about",
  "request_object_encryption_enc_values_supported": [
    "A256CBC+HS512",
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512",
    "A128CBC+HS256"
  ],
  "userinfo_signing_alg_values_supported": [
    "HS256",
    "HS384",
    "HS512",
    "RS256",
    "RS384",
    "RS512",
```

```
    "ES256",
    "ES384",
    "ES512",
    "PS256",
    "PS384",
    "PS512"
  ],
  "claims_supported": [
    "sub",
    "name",
    "preferred_username",
    "given_name",
    "family_name",
    "middle_name",
    "nickname",
    "profile",
    "picture",
    "website",
    "gender",
    "zoneinfo",
    "locale",
    "updated_at",
    "birthdate",
    "email",
    "email_verified",
    "phone_number",
    "phone_number_verified",
    "address"
  ],
  "claim_types_supported": [
    "normal"
  ],
  "op_policy_uri": "http://35.167.110.150:8080/openid-connect-server-webapp/about",
  "token_endpoint_auth_methods_supported": [
    "client_secret_post",
    "client_secret_basic",
    "client_secret_jwt",
    "private_key_jwt",
    "none"
  ],
  "token_endpoint": "http://35.167.110.150:8080/openid-connect-server-webapp/token",
  "response_types_supported": [
    "code",
    "token"
  ],
  "request_uri_parameter_supported": false,
  "userinfo_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
  ],
  "grant_types_supported": [
    "authorization_code",
    "implicit",
    "urn:iETF:params:oauth:grant-type:jwt-bearer",
    "client_credentials",
```

```
    "urn:ietf:params:oauth:grant_type:redelegate"
  ],
  "revocation_endpoint": "http://35.167.110.150:8080/openid-connect-server-webapp/revocation_endpoint",
  "userinfo_endpoint": "http://35.167.110.150:8080/openid-connect-server-webapp/userinfo_endpoint",
  "token_endpoint_auth_signing_alg_values_supported": [
    "HS256",
    "HS384",
    "HS512",
    "RS256",
    "RS384",
    "RS512",
    "ES256",
    "ES384",
    "ES512",
    "PS256",
    "PS384",
    "PS512"
  ],
  "op_tos_uri": "http://35.167.110.150:8080/openid-connect-server-webapp/about",
  "require_request_uri_registration": false,
  "code_challenge_methods_supported": [
    "plain",
    "S256"
  ],
  "id_token_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
  ],
  "jwks_uri": "http://35.167.110.150:8080/openid-connect-server-webapp/jwks",
  "subject_types_supported": [
    "public",
    "pairwise"
  ],
  "id_token_signing_alg_values_supported": [
    "HS256",
    "HS384",
    "HS512",
    "RS256",
    "RS384",
    "RS512",
    "ES256",
    "ES384",
    "ES512",
    "PS256",
    "PS384",
    "PS512",
    "none"
  ],
  "registration_endpoint": "http://35.167.110.150:8080/openid-connect-server-webapp/registration_endpoint",
  "request_object_signing_alg_values_supported": [
    "HS256",
    "HS384",
    "HS512",
    "RS256",
    "RS384",
```

```
    "RS512",
    "ES256",
    "ES384",
    "ES512",
    "PS256",
    "PS384",
    "PS512"
  ],
  "request_object_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
  ]
}
```