HEART Testing

```
curl https://llw.aclark.net/openid-connect-server-webapp/.well-known/openid-configuratio
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
100  3148  100  3148    0     0   8429      0 --:--:-- --:--:-- --:--:--  8439
{
  "request_parameter_supported": true,
  "claims_parameter_supported": false,
  "introspection_endpoint": "https://llw.aclark.net/openid-connect-server-webapp/introsp
  "scopes_supported": [
    "openid",
    "profile",
    "email",
    "address",
    "phone",
    "offline_access"
  ],
  "issuer": "https://llw.aclark.net/openid-connect-server-webapp/",
  "userinfo_encryption_enc_values_supported": [
    "A256CBC+HS512",
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512",
    "A128CBC+HS256"
  ],
  "id_token_encryption_enc_values_supported": [
    "A256CBC+HS512",
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512",
    "A128CBC+HS256"
  ],
  "authorization_endpoint": "https://llw.aclark.net/openid-connect-server-webapp/authori
  "service_documentation": "https://llw.aclark.net/openid-connect-server-webapp/about",
  "request_object_encryption_enc_values_supported": [
    "A256CBC+HS512",
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512",
    "A128CBC+HS256"
  ],
  "userinfo_signing_alg_values_supported": [
    "HS256",
    "HS384",
    "HS512",
```

```json
    "RS256",
    "RS384",
    "RS512",
    "ES256",
    "ES384",
    "ES512",
    "PS256",
    "PS384",
    "PS512"
  ],
  "claims_supported": [
    "sub",
    "name",
    "preferred_username",
    "given_name",
    "family_name",
    "middle_name",
    "nickname",
    "profile",
    "picture",
    "website",
    "gender",
    "zoneinfo",
    "locale",
    "updated_at",
    "birthdate",
    "email",
    "email_verified",
    "phone_number",
    "phone_number_verified",
    "address"
  ],
  "claim_types_supported": [
    "normal"
  ],
  "op_policy_uri": "https://llw.aclark.net/openid-connect-server-webapp/about",
  "token_endpoint_auth_methods_supported": [
    "client_secret_post",
    "client_secret_basic",
    "client_secret_jwt",
    "private_key_jwt",
    "none"
  ],
  "token_endpoint": "https://llw.aclark.net/openid-connect-server-webapp/token",
  "response_types_supported": [
    "code",
    "token"
  ],
  "request_uri_parameter_supported": false,
  "userinfo_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
  ],
  "grant_types_supported": [
    "authorization_code",
```

```
      "implicit",
      "urn:ietf:params:oauth:grant-type:jwt-bearer",
      "client_credentials",
      "urn:ietf:params:oauth:grant_type:redelegate"
    ],
    "revocation_endpoint": "https://llw.aclark.net/openid-connect-server-webapp/revoke",
    "userinfo_endpoint": "https://llw.aclark.net/openid-connect-server-webapp/userinfo",
    "token_endpoint_auth_signing_alg_values_supported": [
      "HS256",
      "HS384",
      "HS512",
      "RS256",
      "RS384",
      "RS512",
      "ES256",
      "ES384",
      "ES512",
      "PS256",
      "PS384",
      "PS512"
    ],
    "op_tos_uri": "https://llw.aclark.net/openid-connect-server-webapp/about",
    "require_request_uri_registration": false,
    "code_challenge_methods_supported": [
      "plain",
      "S256"
    ],
    "id_token_encryption_alg_values_supported": [
      "RSA-OAEP",
      "RSA-OAEP-256",
      "RSA1_5"
    ],
    "jwks_uri": "https://llw.aclark.net/openid-connect-server-webapp/jwk",
    "subject_types_supported": [
      "public",
      "pairwise"
    ],
    "id_token_signing_alg_values_supported": [
      "HS256",
      "HS384",
      "HS512",
      "RS256",
      "RS384",
      "RS512",
      "ES256",
      "ES384",
      "ES512",
      "PS256",
      "PS384",
      "PS512",
      "none"
    ],
    "registration_endpoint": "https://llw.aclark.net/openid-connect-server-webapp/register
    "request_object_signing_alg_values_supported": [
      "HS256",
      "HS384",
```

```
      "HS512",
      "RS256",
      "RS384",
      "RS512",
      "ES256",
      "ES384",
      "ES512",
      "PS256",
      "PS384",
      "PS512"
    ],
    "request_object_encryption_alg_values_supported": [
      "RSA-OAEP",
      "RSA-OAEP-256",
      "RSA1_5"
    ]
}
```