
1 · consumer
2 · oracle serving lookup
3 · the read
chooses target coverage
τ
audited anchors
0.68
0.85
0.95
0.99
τ
five-step lookup
frozen per-Friday artefact
1 regime $r \leftarrow$ pre-publish features
2 quantile $q_r(\tau)$ per regime
3 scale $\hat{\sigma}_s(t)$ per symbol
4 buffer $c(\tau)$
5 band $\hat{P} \pm c\, q_r\, \hat{\sigma}_s \cdot P_{\mathrm{Fri}}$
PricePoint(s, t, τ)
band $\hat{P},\ L,\ U$
calibration receipt
target_coverage τ
regime r
forecaster_used f
diagnostics.c_bump $c(\tau)$
diagnostics.q_regime_lwc $q_r(\tau)$
diagnostics.sigma_hat_sym_pre_fri $\hat{\sigma}_s(t)$
claimed_coverage_served $= \tau\ \ (\delta \equiv 0)$
sharpness_bps $10^4\, c(\tau)\, q_r(\tau)\, \hat{\sigma}_s(t)$
diagnostics.q_eff $c(\tau)\, q_r(\tau)$
echoed / derived
verification loop
third party re-derives the band to floating-point precision from receipt + public artefact (< 100 KB per symbol-year), and rebuilds the calibration surface itself from public data