

NTIRE 2025 Image Super-Resolution ($\times 4$) Challenge Factsheet-Team 25Chia-Ming Lee¹, Yu-Fan Lin¹, Chih-Chung Hsu^{1,2}Institute of Data Science, National Cheng Kung University¹Institute of Intelligent Systems, National Yang Ming Chiao Tung University²

zuw408421476@gmail.com, aas12as12as12tw@gmail.com, cchsu@gs.ncku.edu.tw




Figure 1. Perceptual Metrics. (Valid)

1. Team details

- Team name: ACVLAB
- Team id: 25
- Team leader name: Chia-Ming Lee
- Team leader address: No.1, University Road, Tainan City 701, Taiwan
- Team leader phone number: +886 6-275-7575#53641
- Team leader email: zuw408421476@gmail.com
- Rest of the team members: Yu-Fan Lin, Chih-Chung Hsu
- Team website: <https://cchsu.info/wordpress/>
- Affiliation: Institute of Data Science, National Cheng Kung University
- User names and entries on the NTIRE 2025 Codalab competitions: ming0531
- Best scoring in testing phase: 31.1766 / 0.86 (PSNR/SSIM)
- Link to the codes/executables of the solution(s):
- [Code \(Github\)](#)
- [Checkpoint \(GoogleDrive\)](#)
- [Input / Output file \(GoogleDrive\)](#)

2. Method details

Our solution is based on HAT [2] and several self-ensemble fusion approach for enhancement. For training strategy, we utilized the LSDIR dataset [3] and the DIV2K dataset [1]. The training process was structured into two distinct phases.

1	calyx	1	03/19/25	32.3508 (1)	0.87 (4)	-1.00 (1)	-1.00 (3)	-1.00 (1)
2	flyfr	2	03/21/25	31.9289 (2)	0.87 (3)	-1.00 (1)	-1.00 (3)	-1.00 (1)
3	UtraSR	2	03/22/25	31.8802 (3)	0.87 (2)	-1.00 (1)	-1.00 (3)	-1.00 (1)
4	eegt	2	03/22/25	31.7872 (4)	0.87 (5)	82.42 (8)	-1.00 (3)	-1.00 (1)
5	YYabcd	1	03/21/25	31.7455 (5)	0.87 (6)	-1.00 (1)	-1.00 (3)	-1.00 (1)
6	junle_jiu	2	03/21/25	31.7318 (6)	0.87 (7)	-1.00 (1)	-1.00 (3)	-1.00 (1)
7	yhy_gogo	3	03/20/25	31.7179 (7)	0.87 (9)	-1.00 (1)	-1.00 (3)	-1.00 (1)
8	Jasmine_o1	3	03/21/25	31.6810 (8)	0.87 (8)	-1.00 (1)	-1.00 (3)	-1.00 (1)
9	Champion	3	03/21/25	31.6639 (9)	0.87 (10)	-1.00 (1)	-1.00 (3)	-1.00 (1)
10	SR_F	3	03/20/25	31.4971 (10)	0.87 (12)	-1.00 (1)	-1.00 (3)	-1.00 (1)
11	SISR	3	03/20/25	31.4700 (11)	0.87 (13)	-1.00 (1)	-1.00 (3)	-1.00 (1)
12	ZD88B1024	3	03/20/25	31.4537 (12)	0.87 (14)	-1.00 (1)	-1.00 (3)	-1.00 (1)
13	Q_y	3	03/19/25	31.4032 (13)	0.87 (15)	-1.00 (1)	-1.00 (3)	-1.00 (1)
14	xiaozhazha	1	03/21/25	31.2389 (14)	0.86 (16)	10.43 (6)	1.00 (1)	1.00 (3)
15	siyuan_wang_1	3	03/16/25	31.2212 (15)	0.86 (19)	-1.00 (1)	-1.00 (3)	-1.00 (1)
16	OBS_t	3	03/15/25	31.2164 (16)	0.86 (20)	-1.00 (1)	-1.00 (3)	-1.00 (1)
17	hhhfccz	3	03/22/25	31.1771 (17)	0.86 (24)	-1.00 (1)	0.00 (2)	0.00 (2)
18	ming0531	1	03/18/25	31.1766 (18)	0.86 (23)	-1.00 (1)	-1.00 (3)	-1.00 (1)

Figure 2. Restoration Metrics on leaderboard. (Test)




Figure 3. The model architecture of HAT [2].

Throughout the training process, we use the Adam optimizer with $\beta_1 = 0.9$, and $\beta_2 = 0.999$ and train for 800000 iterations in each stage. The learning rate is set to $2e-4$, the multi-step learning scheduler is also used. The learning rate is halved at the [300000, 500000, 650000, 700000, 750000] iterations respectively. After convergence, we extend training process to obtain three different model. Weight decay

is not applied. In terms of data preparation, high-resolution (HR) patches with dimensions of 256×256 pixels were extracted from the HR images. To augment the data, we applied random horizontal flips and rotations. During the first phase of training, we optimized the model using L1 loss with a batch size of 16. For the second phase, we shifted to MSE loss to further enhance the model's performance. The model was implemented using Pytorch 1.13.1 and trained on two NVIDIA-GeForce-RTX-3090s.

References

- [1] Eirikur Agustsson and Radu Timofte. Ntire 2017 challenge on single image super-resolution: Dataset and study. In *2017 IEEE Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 1122–1131, 2017. [1](#)
- [2] Xiangyu Chen, Xintao Wang, Jiantao Zhou, Yu Qiao, and Chao Dong. Activating more pixels in image super-resolution transformer, 2023. [1](#)
- [3] Yawei Li, Kai Zhang, Jingyun Liang, Jiezhong Cao, Ce Liu, Rui Gong, Yulun Zhang, Hao Tang, Yun Liu, Denis Deman-dolx, Rakesh Ranjan, Radu Timofte, and Luc Van Gool. Lsdir: A large scale dataset for image restoration. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR) Workshops*, pages 1775–1787, 2023. [1](#)