#### 1

# Solution to Q11.16.3.17

## Mayank Gupta

Question: Determine the probability p, for each of the following events.

- (a) An odd number appears in a single toss of a fair die.
- (b) At least one head appears in two tosses of a fair coin.
- (c) A king, 9 of hearts, or 3 of spades appears in drawing a single card from a well shuffled ordinary deck of 52 cards.
- (d) The sum of 6 appears in a single toss of a pair of fair dice.

#### **Solution:**

| parameter         | value | description                              |
|-------------------|-------|--|
| Random Variable X | 0     | Odd number appears in the throw (1,3,5)  |
|                   | 1     | Even number appears in the throw (2,4,6) |

TABLE (a)
SINGLE TOSS OF DIE

(a)

$$p = p_X(0) = \frac{1}{2} \tag{1}$$

(b) Let the random variable X denote one single coin toss where obtaining a head is considered as sucess. Then,

$$X \sim \text{Ber}(p)$$
 (2)

Suppose  $X_i$ ,  $1 \le i \le n$  represent each of the n draws. Define Y as

$$Y = \sum_{i=1}^{n} X_i \tag{3}$$

Then, since the  $X_i$  are iid, the pmf of Y is given by

$$Y \sim \operatorname{Bin}(n, p) \tag{4}$$

The cdf of Y is given by

$$F_Y(k) = \Pr(Y \le k) \tag{5}$$

$$= \begin{cases} 0 & k < 0 \\ \sum_{i=1}^{k} {n \choose i} p^{i} (1-p)^{n-i} & 1 \le k \le n \\ 1 & k \ge n \end{cases}$$
 (6)

In this case,

$$p = \frac{1}{2}, \ n = 2 \tag{7}$$

We require  $Pr(Y \ge 1)$ . Since n = 2,

$$Pr(Y \ge 1) = 1 - Pr(Y < 1)$$
 (8)

$$= F_Y(2) - F_Y(0) \tag{9}$$

$$= \sum_{k=1}^{2} p_Y(k) \tag{10}$$

$$= \sum_{k=1}^{2} \binom{n}{k} p^k (1-p)^{n-k}$$
 (11)

$$=0.75\tag{12}$$

| parameter         | value            | description             |
|-------------------|------------------|-------------------------|
| Random Variable X | $1 \le X \le 13$ | Different cards in deck |
| Random Variable Y | 1                | Hearts of cards         |
|                   | 2                | Spades of cards         |
|                   | 3                | Clubs of cards          |
|                   | 4                | Diamonds of cards       |

TABLE (c)

DECK OF CARDS

(c)

$$p_X(13) = \frac{1}{13} \tag{13}$$

$$p_{XY}(9,1) = \frac{1}{52} \tag{14}$$

$$p_{XY}(3,2) = \frac{1}{52} \tag{15}$$

$$p = p_X(13) + p_{XY}(9,1) + p_{XY}(3,2)$$
 (16)

$$p = \frac{3}{26} \tag{17}$$

| description                           |  |
|---------------------------------------|--|
| number appearing on first dice        |  |
| number appearing on second dice       |  |
| Sum of numbers appearing on both dice |  |
|                                       |  |

TABLE (d) Sum of two dices

### (d) We know that

$$p_Z(n) = \begin{cases} 0 & n \le 1\\ \frac{n-1}{36} & 2 \le n \le 6\\ \frac{13-n}{36} & 7 \le n \le 12\\ 0 & n \ge 13 \end{cases}$$
 (18)

Hence, the probability,

$$p = p_Z(6) = \frac{5}{36} \tag{19}$$