CS 343 Fall 2012 – Assignment 6
Instructor: Martin Karsten
Due Date: Monday, Dec 3, 2012 at 23:55
Late Date: *NO LATE*

November 17, 2012

This assignment introduces tasks with public members, direct communication and high-level techniques for structuring complex interactions among tasks (versus monitor and semaphore structuring approaches). Use it to become familiar with these new facilities, and ensure you use these concepts in your assignment solution.

WATCola is renown for its famous line of healthy soda pop, which come in the dazzling array of flavours: Blues Black-Cherry, Classical Cream-Soda, Rock Root-Beer, and Jazz Lime. The company recently won the bid to provide soda to vending machines on campus. The vending machines are periodically restocked by a WATCola truck making deliveries from the local bottling plant.

This assignment simulates a simple concession service using the objects and relationships in Figure 1. (Not all possible communication paths are shown in the diagram.)


Figure 1: Concession Service

The following constants are used to configure the assignment, and are read from a text file:

SodaCost	1	# Manufacturer Suggested Retail Price (MSRP) per bottle
NumStudents	4	# number of students to create
MaxPurchases	10	# maximum number of bottles a student purchases
NumVendingMachines	3	# number of vending machines
MaxStockPerFlavour	5	# maximum number of bottles of each flavour in a vending machine
MaxShippedPerFlavour	6	# maximum number of bottles of each flavour generated by the bottling
		# plant per production run
TimeBetweenShipments	5	# length of time between shipment pickup
ParentalDelay	20	# length of time between new deposits of funds
NumCouriers	3	# maximum number of couriers in the pool

Comments in the file (from # to the end-of-line), as well as blank lines, are ignored. The constants may appear in any order. Any number of spaces/tabs may appear around a constant name, value or comment. You may assume each constant appears in the configuration file, is syntactically correct, its value is within an appropriate range (i.e., no error checking is required), and only one constant is defined per line. You may have to modify the values in the provided sample file to obtain interesting results when testing.

The following types and routines are required in the assignment (you may add only a public destructor and private/protected members):

1. **struct** ConfigParms {
       unsigned int sodaCost;   // MSRP per bottle
       unsigned int numStudents;   // number of students to create
       unsigned int maxPurchases;   // maximum number of bottles a student purchases
       unsigned int numVendingMachines;   // number of vending machines
       unsigned int maxStockPerFlavour;   // maximum number of bottles of each flavour stocked
       unsigned int maxShippedPerFlavour;   // number of bottles of each flavour in a shipment
       unsigned int timeBetweenShipments;   // length of time between shipment pickup
       unsigned int parentalDelay;   // length of time between cash deposits
       unsigned int numCouriers;   // number of couriers in the pool
   };

   void processConfigFile(**const char** *configFile, ConfigParms &cparms);

   Routine processConfigFile is called by the driver to read and parse the configuration file, and places the parsed values into the fields of the argument for parameter cparms.

2. **_Task** Student {
       void main();
     public:
       Student(Printer &prt, NameServer &nameServer, WATCardOffice &cardOffice, **unsigned int** id,
                 unsigned int maxPurchases);
   };

   A Student's function is to periodically buy some of their favourite soda from a vending machine (a bottle costs whatever the vending machine is charging). Each student is passed an id in the range [0, NumStudents) for identification. A student begins by selecting a random number of bottles to purchase [1, MaxPurchases], a random favourite flavour [0, 3], creates a WATCard via the WATCardOffice with a $5 balance, and obtains the location of a vending machine from the name server. A student terminates after purchasing all the soda initially selected. Before each attempt to buy a soda, a student yields a random number of times in the range [1, 10]. A student then attempts to buy a bottle of soda from the vending machine. Since the vending machine only takes "real" money, the student may have to block until the amount transfered from the WATCardOffice appears on their WATCard. If a courier has lost a student's WATCard during a transfer (see WATCardOffice::Courier), the exception WATCardOffice::Lost is raised when the future value is accessed. In this case, the student must create a new WATCard via the WATCardOffice with a $5 balance, and attempt to buy a soda again but without yielding as no call to buy has occurred. Note, a courier can lose a student's WATCard during the transfer for the new create so this issue can occur repeatedly. If the vending machine delivers a bottle of soda, the student drinks it and attempts another purchase. If the vending machine indicates there is insufficient funds, a student transfers the current vending-machine soda-cost plus $5 to their WATCard via the WATCard office. If the vending machine is out of the student's favourite flavour, the student must obtain a new vending machine from the name server. (Hence, a student may busy wait among vending machines until its specific soda appears from the bottling plant.)

3. ```
class WATCard {
    WATCard(const WATCard &);   // prevent copying
    WATCard &operator=(const WATCard &);
  public:
    WATCard();
    void deposit(unsigned int amount);
    void withdraw(unsigned int amount);
    unsigned int getBalance();
};
typedef Future_ISM<WATCard *> FWATCard;   // future WATCard pointer
```

The WATCard manages the money associated with a card. When a WATCard is created it has a $0 balance. The courier calls deposit after a funds transfer. A vending machine calls withdraw when a soda is purchased. A student and a vending machine call getBalance to determine the balance. FWATCard is a future pointer to a student's WATCard for synchronizing access to the WATCard between the student and the courier.

4. ```
_Task WATCardOffice {
    struct Job {                            // marshalled arguments and return future
        Args args;                          // call arguments (YOU DEFINE "Args")
        FWATCard result;                    // return future
        Job( Args args ) : args( args ) {}
    };
    _Task Courier { ... };                  // communicates with bank

    void main();
  public:
    _Event Lost {};                         // uC++ exception type, like "struct"
    WATCardOffice( Printer &prt, Bank &bank, unsigned int numCouriers );
    FWATCard create( unsigned int sid, unsigned int amount );
    FWATCard transfer( unsigned int sid, unsigned int amount, WATCard *card );
    Job *requestWork();
};
```

The WATCardOffice is an administrator task used by a student to transfer funds from its bank account to their WATCard to buy a soda. Initially, the WATCard office creates a fixed-sized courier pool with numCouriers courier tasks to communicate with the bank. (Additional couriers may not be created after the WATCardOffice begins.) A student performs an asynchronous call to create to create a "real" WATCard with an initial balance. A future WATCard is returned and sufficient funds are subsequently obtained from the bank (see Parent task) via a courier to satisfy the transfer request. A student performs an asynchronous call to transfer when its WATCard indicates there is insufficient funds to buy a soda. A future WATCard is returned and sufficient funds are subsequently obtained from the bank (see Parent task) via a courier to satisfy the transfer request. The WATCard office is empowered to transfer funds from a student's bank-account to its WATCard by sending a request through a courier to the bank. Each courier task calls requestWork, blocks until a Job request is ready, and then receives the next Job request as the result of the call. As soon as the request is satisfied (i.e., money is obtained from the bank), the courier updates the student's WATCard. There is a 1 in 6 chance a courier loses a student's WATCard after the update. When the card is lost, the exception WATCardOffice::Lost is inserted into the future, rather than making the future available, and the current WATCard is deleted.

5. ```
_Monitor Bank {
  public:
    Bank(unsigned int numStudents);
    void deposit(unsigned int id, unsigned int amount);
    void withdraw(unsigned int id, unsigned int amount);
};
```

The Bank is a monitor, which behaves like a server, that manages student-account information for all students. Each student's account initially starts with a balance of $0. The parent calls deposit to endow gifts to a specific student. A courier calls withdraw to transfer money on behalf of the WATCard office for a specific student. The courier waits until enough money has been deposited, which may require multiple deposits.

6. **_Task** Parent {
       **void** main();
     **public**:
       Parent( Printer &prt, Bank &bank, **unsigned int** numStudents, **unsigned int** parentalDelay );
   };

   The Parent task periodically gives a random amount of money [$1, $3] to a random student. Before each gift
   is transfered, the parent yields for parentalDelay times (not random). The parent must check for a call to its
   destructor to know when to terminate. Since it must not block on this call, it is necessary to use a terminating
   **else** on the accept statement. (Hence, the parent is busy waiting for the call to its destructor.)

7. **_Task** VendingMachine {
       **void** main();
     **public**:
       **enum** Flavours { ... };                         *// flavours of soda (YOU DEFINE)*
       **enum** Status { BUY, STOCK, FUNDS }; *// purchase status: successful buy, out of stock, insufficient funds*
       VendingMachine( Printer &prt, NameServer &nameServer, **unsigned int** id, **unsigned int** sodaCost,
                       **unsigned int** maxStockPerFlavour );
       Status buy( Flavours flavour, WATCard &card );
       **unsigned int** *inventory();
       **void** restocked();
       **_Nomutex unsigned int** cost();
       **_Nomutex unsigned int** getId();
   };

   A vending machine's function is to sell soda to students at some cost. Each vending machine is passed an id
   in the range [0, NumVendingMachines) for identification, MSRP price for a bottle of soda, and the maximum
   number of bottles of each flavour in a vending machine. A new vending machine is empty (no stock) and begins
   by registering with the name server. A student calls buy to obtain one of their favourite sodas. If the specified
   soda is unavailable or the student has insufficient funds to purchase the soda, buy returns STOCK or FUNDS,
   respectively; otherwise, the student's WATCard is debited by the cost of a soda and buy returns BUY.

   Periodically, the truck comes by to restock the vending machines with new soda from the bottling plant. Re-
   stocking is performed in two steps. The truck calls inventory to return a pointer to an array containing the amount
   of each kind of soda currently in the vending machine. The truck uses this information to transfer into each ma-
   chine as much of its stock of new soda as fits; for each kind of soda, no more than MaxStockPerFlavour per
   flavour can be added to a machine. If the truck cannot top-up a particular flavour, it transfers as many bottles as
   it has (which could be 0). After transferring new soda into the machine by directly modifying the array passed
   from inventory, the truck calls restocked to indicate the operation is complete. The vending machine cannot
   accept buy calls during restocking. The cost member returns the cost of purchasing a soda for this machine. The
   getId member returns the identification number of the vending machine. You define the public type Flavours to
   represent the different flavours of soda.

8. **_Task** NameServer {
       **void** main();
     **public**:
       NameServer( Printer &prt, **unsigned int** numVendingMachines, **unsigned int** numStudents );
       **void** VMregister( VendingMachine *vendingmachine );
       VendingMachine *getMachine( **unsigned int** id );
       VendingMachine **getMachineList();
   };

   The NameServer is an administrator task used to manage the vending-machine names. The name server is
   passed the number of vending machines, NumVendingMachines, and the number of students, NumStudents.
   It begins by logically distributing the students evenly across the vending machines in a round-robin fashion.
   That is, student id 0 is assigned to the first registered vending-machine, student id 1 is assigned to the second
   registered vending-machine, etc., until there are no more registered vending-machines, and then start again with
   the first registered vending-machine. Vending machines call VMregister to register themselves so students can
   subsequently locate them. A student calls getMachine to find a vending machine, and the name server must
   cycle through the vending machines *separately* for each student starting from the initial position via modulo

incrementing to ensure a student has a chance to visit every machine. The truck calls getMachineList to obtain an array of pointers to vending machines so it can visit each machine to deliver new soda.

9. **_Task** BottlingPlant {
       **void** main();
     **public**:
       BottlingPlant( Printer &prt, NameServer &nameServer, **unsigned int** numVendingMachines,
                 **unsigned int** maxShippedPerFlavour, **unsigned int** maxStockPerFlavour,
                 **unsigned int** timeBetweenShipments );
       **bool** getShipment( **unsigned int** cargo[] );
   };

The bottling plant periodically produces random new quantities of each flavour of soda, [0, MaxShippedPerFlavour] per flavour. The bottling plant is passed the number of vending machines, NumVendingMachines, the maximum number of bottles of each flavour generated during a production run and subsequently shipped, MaxShippedPerFlavour, the maximum number of bottles of each flavour in a vending machine MaxStockPerFlavour, and the length of time between shipment pickups by the truck, TimeBetweenShipments. It begins by creating a truck, performing a production run, and distributing these bottles to initialize the registered vending machines using the truck. To simulate a production run of soda, the bottling plant yields for TimeBetweenShipments times (not random). The truck calls getShipment to obtain a shipment from the plant (i.e., the production run), and the shipment is copied into the cargo array passed by the truck. getShipment returns **true** if the bottling plant is closing down and cargo is not changed, and **false** otherwise with the shipment copied into the cargo array passed by the truck. The bottling plant does not start another production run until the truck has picked up the current run.

10. **_Task** Truck {
        **void** main();
      **public**:
        Truck( Printer &prt, NameServer &nameServer, BottlingPlant &plant,
              **unsigned int** numVendingMachines, **unsigned int** maxStockPerFlavour );
    };

The truck moves soda from the bottling plant to the vending machines. The truck is passed the number of vending machines, numVendingMachines, and the maximum number of bottles of each flavour in a vending machine maxStockPerFlavour. The truck begins by obtaining the location of each vending machine from the name server. Before each shipment from the bottling plant, the truck yields a random number of times [1, 10] to get a coffee from Tom Hortons. The truck then calls BottlingPlant::getShipment to obtain a new shipment of soda; any soda still on the truck is thrown away as it is past its due date. If the bottling plant is closing down, the truck terminates. The vending machines are restocked in the order given by the name server, until there is no more soda on the truck or the truck has made a complete cycle of all the vending machines; so there is no guarantee each vending machine is completely restocked or the entire complement of vending machines is restocked or all the soda on the truck is used. The truck can only restock up to MaxStockPerFlavour for each flavour in each vending machine (see VendingMachine task).

11. **_Monitor** / **_Cormonitor** Printer {
      **public**:
        **enum** Kind { Parent, WATCardOffice, NameServer, Truck, BottlingPlant, Student, Vending, Courier };
        Printer( **unsigned int** numStudents, **unsigned int** numVendingMachines, **unsigned int** numCouriers );
        **void** print( Kind kind, **char** state );
        **void** print( Kind kind, **char** state, **int** value1 );
        **void** print( Kind kind, **char** state, **int** value1, **int** value2 );
        **void** print( Kind kind, **unsigned int** lid, **char** state );
        **void** print( Kind kind, **unsigned int** lid, **char** state, **int** value1 );
        **void** print( Kind kind, **unsigned int** lid, **char** state, **int** value1, **int** value2 );
    };

*All* output from the program is generated by calls to a printer, excluding error messages. The printer generates output like that in Figure 2. Each column is assigned to a particular kind of object. There are 8 kinds of objects: parent, WATCard office, name server, truck, bottling plant, student, vending machine, and courier. Student,

| Parent | WATOff | Names | Truck | Plant | Stud0 | Stud1 | Mach0 | Mach1 | Cour0 |
| ******* | ******* | ******* | ******* | ******* | ******* | ******* | ******* | ******* | ******* |
| S | S | S | | | | | | | S |
| D1,1 | | R0 | | | | | | S2 | |
| D1,1 | | R1 | | S | S0,1 | | | S2 | |
| D0,1 | C0,5 | N0,0 | S | G3 | V0 | S0,4 | | | t0,5 |
| D1,3 | W | | | | | V1 | | | |
| D0,1 | C1,5 | N1,1 | | | | | | | |
| D0,3 | | | | | V1 | | | | T0,5 |
| D0,3 | | | P3 | | | | | | t1,5 |
| | W | N0,1 | d0,3 | P | | L | | | T1,5 |
| | | | U0,17 | | | | | | |
| D1,3 | C1,5 | | D0,0 | | | | r | | |
| D0,3 | W | | | G4 | | | R | | t1,5 |
| D1,2 | | | | | V0 | L | | | T1,5 |
| D1,3 | C1,5 | N0,0 | | | | | | | t1,5 |
| D1,3 | W | | | | | V0 | | | T1,5 |
| D1,3 | | N1,0 | P4 | | | | | | |
| | | | d0,4 | | | | | | |
| | | | U0,13 | | | | | | |
| D0,2 | | | D0,0 | P | | | r | | |
| D0,1 | | | | G5 | B3 | | R | | |
| ... | ... | ... | ... | ... | F | ... | ... | ... | ... |
| D1,3 | | N1,1 | P5 | | | V1 | B0,0 | | |
| D1,3 | | | d0,5 | P | | | | | |
| | | | U0,11 | | | | | | |
| D1,3 | | | D0,2 | | | | r | | |
| | | | d1,2 | | | | | | |
| | | | U1,18 | | | | | | |
| D0,3 | | | D1,0 | G8 | | | R | r | |
| D0,3 | | | | | | V0 | | R | |
| D1,2 | | N1,0 | | | | B3 | | | |
| D0,2 | | | P8 | | | | B0,0 | | |
| | | | d0,8 | | | | | | |
| | | | U0,6 | | | | | | |
| D1,2 | | | D0,2 | P | | | r | | |
| | | | d1,2 | | | | | | |
| | | | U1,16 | | | | | | |
| D0,1 | | | D1,0 | G5 | | B1 | R | r | |
| D1,2 | T1,7 | | | | | | B0,2 | R | |
| D0,1 | | | | | | | | | t1,7 |
| | W | | | | | B6 | B0,1 | | T1,7 |
| | | | | | | B4 | | | |
| ... | ... | ... | ... | ... | ... | F | ... | ... | ... |
| D1,2 | | | | | | | B0,0 | | |
| D0,3 | | | | | | | | | |
| ... | ... | ... | F | ... | ... | ... | ... | ... | ... |
| D0,2 | | | | | | | | | |
| ... | ... | ... | ... | F | ... | ... | ... | ... | ... |
| D1,1 | | | | | | | | | |
| ... | ... | ... | ... | ... | ... | ... | F | ... | ... |
| D1,1 | | | | | | | | | |
| ... | ... | ... | ... | ... | ... | ... | ... | F | ... |
| D1,1 | | | | | | | | | |
| ... | ... | F | ... | ... | ... | ... | ... | ... | ... |
| D1,1 | | | | | | | | | |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | F |
| D0,2 | | | | | | | | | |
| ... | F | ... | ... | ... | ... | ... | ... | ... | ... |
| F | ... | ... | ... | ... | ... | ... | ... | ... | ... |

***********************

Figure 2: WATCola : Example Output

vending machine, and courier have multiple instances. For the objects with multiple instances, these objects pass in their local identifier [0,N) when printing. Each kind of object prints specific information in its column:

- The parent prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | |
| D | deposit gift | student receiving gift, amount of gift |
| F | finished | |

- The WATCard office prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | |
| W | courier rendezvous complete | |
| C | creation rendezvous complete | student id, transfer amount |
| T | transfer rendezvous complete | student id, transfer amount |
| F | finished | |

- The name server prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | |
| R | register vending machine | identifier of registering vending machine |
| N | new vending machine | student requesting vending machine, new vending machine |
| F | finished | |

- The truck prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | |
| P | picked up shipment | total amount of all sodas in the shipment |
| d | begin delivery to vending machine | vending machine id, total amount remaining in the shipment |
| U | unsuccessfully filled vending machine | vending machine id, total number of bottles not replenished |
| D | end delivery to vending machine | vending machine id, total amount remaining in the shipment |
| F | finished | |

States d and D are printed for each vending machine visited during restocking.

- The bottling plant prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | |
| G | generating soda | bottles generated in production run |
| P | shipment picked up by truck | |
| F | finished | |

- A student prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | favourite soda, number of bottles to purchase |
| V | selecting vending machine | identifier of selected vending machine |
| B | bought a soda | WATCard balance |
| L | WATCard lost | |
| F | finished | |

- A vending machine prints the following information:

| State | Meaning | Additional Information |
|-------|---------|------------------------|
| S | starting | cost per bottle |
| r | start reloading by truck | |
| R | complete reloading by truck | |
| B | student bought a soda | flavour of soda purchased, amount remaining of this flavour |
| F | finished | |

- A courier prints the following information:

| State | Meaning | Additional Information |
|-------|---------|----------------------|
| S | starting | |
| t | start funds transfer | student requesting transfer, amount of transfer |
| T | complete funds transfer | student requesting transfer, amount of transfer |
| F | finished | |

Information is buffered until a column is overwritten for a particular entry, which causes the buffered data to be flushed. If there is no new stored information for a column since the last buffer flush, an empty column is printed. When an object finishes, the buffer is flushed immediately, the state for that object is marked with F, and all other objects are marked with "...". After an object has finished, no further output appears in that column. All output spacing can be accomplished using the standard 8-space tabbing. Buffer any information necessary for printing in internal representation; **do not build and store strings of text for output**.

uMain::main starts by calling processConfigFile to read and parse the simulation configurations. It then creates in order the printer, bank, parent, WATCard office, name server, vending machines, bottling plant, and students. The truck is created by the bottling plant; the couriers are created by the WATCard office. The program terminates once all of the students have purchased their specified number of bottles. Note, there is one trick in closing down the system: delete the bottling plant *before* deleting the vending machines to allow the truck to complete its final deliveries to the vending machines; otherwise, a deadlock can occur.

The executable program is named soda and has the following shell interface:

    soda [ config-file [ random-seed ] ]

config-file is the text (formatted) file containing the configuration constants. If unspecified, use the file name soda.config. seed is the positive seed for the random-number generator. If unspecified, use getpid.
**Do not, under any circumstance, try to code this program all at once. Write each task separately and test it before putting the pieces together.** Play with the sample executable to familiarize yourself with the system before starting to write code.

Due to non-deterministic concurrent execution, it is impossible to generate perfectly repeatable execution. However, execution is mostly repeatable if the random numbers are generated the same, allowing some comparison with the sample solution for short simulations. Use the previously used random number generator monitor MPRNG to produce random numbers. The seed is set only once, in uMain::main, and the random-number generator is the only permitted global variable. All random rolls (1 in $N$ chance) are generated using mprng(N-1) == 0.

## Submission Guidelines

This assignment should be done by a team of two people because of its size. Both people receive the same grade (no exceptions). **Only one member of a team submits the assignment.** The instructor and/or instructional-coordinator will not arbitrate team disputes; team members must handle any and all problems.

Please follow these guidelines carefully. Review the Assignment Guidelines and C++ Coding Guidelines *before* starting each assignment. **Each text file, i.e., \*.\*txt file, must be ASCII text and not exceed $750$ lines in length, where a line is a maximum of 120 characters.** Use the submit command to electronically copy the following files to the course account.

1. \*.{h,cc,C,cpp} – code for the assignment. The program must be divided into separate compilation units, i.e., .h and \*.{cc,C,cpp} files. **Program documentation must be present in your submitted code. No user or system documentation is to be submitted for this question.**

2. soda.testtxt – test documentation for the assignment, which includes the input and output of your tests, documented by the use of script and after being formatted by scriptfix. **Poor documentation of how and/or what is tested can results in a loss of all marks allocated to testing.**

3. group.txt – give the userid of each group member, with one userid per line (i.e., 2 lines in this file), e.g.:

        sjholmes
        jjwatson

   Do not submit this file if you are working by yourself.

4. Makefile – construct a makefile with target soda, which creates the executable file soda from source code in the makefile directory when the command make soda is issued. This Makefile must be submitted with your assignment and is used to build the programs, so it must be correct. Use the web tool Request Test Compilation to ensure you have submitted the appropriate files, your makefile is correct, and your code compiles in the testing environment. **If the makefile fails or does not produce correctly named executables, or if a program does not compile, you receive zero for all "Testing" marks.**

**Follow these guidelines. Your grade depends on it!**