WEEK 5 LAB

Research Question 1	To what extent can the PatchTrack classification results (the distribution of Patch Applied / Patch Not Applied / No Patch Exists PRs, and the median integration rate) be reproduced from the authors' replication package, and how robust are they under an independent audit?
Source anchor	4.2 - The paper does a qualitative analysis of the sampled cases; they look at how much of the code is integrated into the codebase. The patches were classified into six different classes each describing how much of the AI generated code had to be changed
Target result	Reprod results uce the achieved in the research that AI-assisted code has a median 25% adoption rate.
Out of scope	Examining PR's that don't explicitly disclose AI usage.

Unit of analysis	Individual GitHub pull requests containing self-admitted ChatGPT usage.
Source/version	The dataset was released with the source study containing pull requests with self-admitted ChatGPT usage.
Size/range	80 pull requests from the released dataset.
Selection rule	the first 80 eligible items in stable order (chronological order)

Input (sample)	N selected pull requests from the study's released dataset containing self-admitted ChatGPT usage.
Procedure	• Examine each selected pull request. • Examine the review discussion/comments. • Use patch track tool to examine AI-code adoption rate per PR • Average across PR's

	• Compare average adoption rate with paper findings
Output	A comparison between paper findings and our independent findings.

REPRODUCED	The observed acceptance rate matches the source study's reported acceptance rate according to the predefined comparison criteria.
NOT REPRODUCED	The observed acceptance rate does not match the reported acceptance rate according to the predefined comparison criteria
INCONCLUSIVE/BLOCKED	BLOCKED