The Journal of Open Source Software

VIP: A Python package for high-contrast imaging

Valentin Christiaens[1], **Carlos Gomez Gonzalez**[2], **and friends**[3]

1 Space sciences, Technologies & Astrophysics Research (STAR) Institute, Université de Liège, Belgium **2** TO BE FILLED **3** More top-notch institutes

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: Open Journals

Reviewers:

- @openjournals

Submitted: 01 January 1970
Published: unpublished

Summary

Direct imaging of exoplanets and circumstellar disks at optical and infrared wavelengths requires reaching high contrasts at short angular separations. This can only be achieved through the synergy of different techniques, such as adaptive optics, coronagraphy, and a relevant combination of observing strategy and post-processing algorithms to model and subtract residual starlight. In this context, `VIP` is a Python package providing the tools to reduce, post-process and analyze high-contrast imaging datasets, enabling the detection and characterization of directly imaged exoplanets and circumstellar disks.

Statement of need

`VIP` stands for Vortex Image Processing. It is a collaborative project which started within the Vortex group at the University of Liège, and aiming to integrate open-source, efficient, easy-to-use and well-documented implementations of state-of-the-art algorithms used in the context of high-contrast imaging. The package follows a modular architecture, such that its routines cover a wide diversity of tasks, including:

- image pre-processing, such as sky subtraction, bad pixel correction, bad frames removal, or image alignment and star centering (`preproc` module);
- modeling and subtracting the stellar PSF using state-of-the-art algorithms leveraging angular differential imaging (ADI), reference star differential imaging (RDI), or spectral differential imaging (SDI) observing strategies (Marois et al., 2006; Racine et al., 1999; Sparks & Ford, 2002) for diversity between speckle and authentic circumstellar signals (`psfsub` module);
- characterizing either point sources or extended circumstellar signals through forward modeling (`fm` module);
- detecting and characterizing point sources through inverse approaches (`invprob` module);
- assessing the achieved contrast in PSF-subtracted images, automatically detecting point sources, and estimating their significance (`metrics` module).

The features implemented in `VIP` as of 2017 are described in (Gomez Gonzalez et al., 2017). Since then, the package has been widely used by the high-contrast imaging community, for the discovery of low-mass companions (Hirsch et al., 2019; Milli et al., 2017; Ubeira-Gabellini et al., 2020), their characterization (Christiaens et al., 2019, 2018; Delorme et al., 2017; Wertz et al., 2017), the study of planet formation (Maucó et al., 2020; Reggiani et al., 2018; Ruane et al., 2017; Toci et al., 2020), the study of high-mass star formation (Rainot et al., 2022, 2020), or the development of new high-contrast imaging algorithms (Dahlqvist et al., 2020, 2021; Gomez Gonzalez et al., 2018; Pairet et al., 2021). Nonetheless, given the steady expansion of `VIP`, a new publication is in order to summarize all novelties that were brought to the package over the past 5 years.

The rest of this manuscript summarizes all major changes since v0.7.0 (Gomez Gonzalez et al., 2017), that are included in the latest release of `VIP` (v1.3.0). At a structural level, `VIP` underwent a major change since version v1.1.0, which aimed to migrate towards a more streamlined and easy-to-use architecture. The package now revolves around five major modules (`fm`, `invprob`, `metrics`, `preproc` and `psfsub`, as described above) complemented by four additional modules containing different kinds of utility functions (`config`, `fits`, `stats` and `var`). New `Dataset` and `Frame` classes have also been implemented, enabling an object-oriented approach for processing high-contrast imaging datasets and analyzing final images, respectively. Similarly, a `HCIPostProcAlgo` class and different subclasses inheriting from it have been defined to facilitate an object-oriented use of `VIP` routines.

Some of the major changes in each module of `VIP` are summarized below:

- `fm`:
  - new routines were added to create parametrizable scattered-light disk models and extended signals in ADI cubes, in order to forward-model the effect of ADI post-processing (Christiaens et al., 2019; Milli et al., 2012);
  - the log-likelihood expression used in the negative fake companion (NEGFC) technique was updated, as well as the default convergence criterion for the NEGFC-MCMC method - it is now based on auto-correlation (Christiaens et al., 2021);
  - the NEGFC methods are now fully compatible with integral field spectrograph (IFS) input datacubes.
- `invprob`:
  - a Python implementation of the ANDROMEDA algorithm (Cantalloube et al., 2015) is now available as part of `VIP` ;
  - the FMMF algorithm (Pueyo, 2016) is now also available in the `invprob` module.
- `metrics`:
  - calculation of standardized trajectory maps (STIM) is now available (Pairet et al., 2019);
- `preproc`:
  - the module now boasts several new algorithms for (i) the identification of either isolated bad pixels or clumps of bad pixels, leveraging on iterative sigma filtering (`cube_fix_badpix_clump`), the circular symmetry of the PSF (`cube_fix_badpix_annuli`), or the radial expansion of the PSF with wavelength (`cube_fix_badpix_ifs`), and (ii) the correction of bad pixels based on either median replacement (default) or Gaussian kernel interpolation (`cube_fix_badpix_with_kernel`);
  - a new algorithm was added for the recentering of coronagraphic image cubes based on the cross-correlation of the speckle pattern, after appropriate filtering and log-scaling of pixel intensities **Gary: which paper should I cite?**
- `psfsub`:
  - all principal component analysis (PCA) based routines (Amara & Quanz, 2012; Soummer et al., 2012) have been re-written for improved efficiency, and are now also compatible with 4D IFS+ADI input cubes to apply SDI-based PSF modeling and subtraction algorithms;
  - an implementation of the Locally Optimal Combination of Images (Lafrenière et al., 2007) was added;
  - an annular version of the non-negative matrix factorization algorithm is now available (Gomez Gonzalez et al., 2017; Lee & Seung, 1999);
  - besides median-ADI, the `medsub` routine now also support median-SDI.

We refer the interested reader to release descriptions and announcements in the Discussion section of the GitHub for a more complete list of all changes, including improvements not mentioned in the above summary.

Two major convention updates are also to be noted in `VIP`. All image operations (rotation, scaling, resampling and sub-pixel shifts) are now performed using Fourier-Transform (FT) based methods by default. These have been implemented as low-level routines in the `preproc` module. FT-based methods significantly outperform interpolation-based methods in terms of flux conservation (Larkin et al., 1997). However, given the order of magnitude slower computation of FT-based image rotations, the option to use interpolation-based methods is still available in all relevant `VIP` functions. The second change of convention concerns the assumed center for even-size images, which is now defined as the top-right pixel among the four central pixels of the image - a change motivated by the new default FT-based methods for image operations. The center convention is unchanged for odd-size images (central pixel).

Finally, a total of nine jupyter notebook tutorials covering most of the available features in VIP were implemented. These tutorials illustrate (i) how to load and post-process an ADI dataset (quick-start tutorial); (ii) how to pre-process ADI and IFS datasets; (iii) how to model and subtract the stellar halo with ADI-based algorithms; (iv) how to calculate metrics such as the S/N ratio (Mawet et al., 2014), STIM map (Pairet et al., 2019) and contrast curves; (v) how to find the radial separation, azimuth and flux of a point source; (vi) how to create and forward model scattered-light disk models; (vii) how to post-process IFS data and infer the exact astro- and photometry of a given point source; (viii) how to use FT-based and interpolation-based methods for different image operations, and assess their respective performance; and (ix) how to use the new object-oriented framework for `VIP`.

Acknowledgements

An up-to-date list of contributors to VIP is available at VIP_contributors. VC acknowledges financial support from the Belgian F.R.S.-FNRS.

References

Amara, A., & Quanz, S. P. (2012). PYNPOINT: an image processing package for finding exoplanets. *MNRAS*, *427*, 948–955. https://doi.org/10.1111/j.1365-2966.2012.21918.x

Cantalloube, F., Mouillet, D., Mugnier, L. M., Milli, J., Absil, O., Gomez Gonzalez, C. A., Chauvin, G., Beuzit, J.-L., & Cornia, A. (2015). Direct exoplanet detection and characterization using the ANDROMEDA method: Performance on VLT/NaCo data. *Astronomy and Astrophysics*, *582*, A89. https://doi.org/10.1051/0004-6361/201425571

Christiaens, V., Casassus, S., Absil, O., Cantalloube, F., Gomez Gonzalez, C., Girard, J., Ramírez, R., Pairet, B., Salinas, V., Price, D. J., Pinte, C., Quanz, S. P., Jordán, A., Mawet, D., & Wahhaj, Z. (2019). Separating extended disc features from the protoplanet in PDS 70 using VLT/SINFONI. *MNRAS*, *486*(4), 5819–5837. https://doi.org/10.1093/mnras/stz1232

Christiaens, V., Casassus, S., Absil, O., Kimeswenger, S., Gonzalez, C. A. G., Girard, J., Ramírez, R., Wertz, O., Zurlo, A., Wahhaj, Z., Flores, C., Salinas, V., Jordán, A., & Mawet, D. (2018). Characterization of low-mass companion HD 142527 B. *Astronomy and Astrophysics*, *617*, A37. https://doi.org/10.1051/0004-6361/201629454

Christiaens, V., Ubeira-Gabellini, M.-G., Cánovas, H., Delorme, P., Pairet, B., Absil, O., Casassus, S., Girard, J. H., Zurlo, A., Aoyama, Y., Marleau, G.-D., Spina, L., van der Marel, N., Cieza, L., Lodato, G., Pérez, S., Pinte, C., Price, D. J., & Reggiani, M. (2021). A faint companion around CrA-9: protoplanet or obscured binary? *MNRAS*, *502*(4), 6117–6139. https://doi.org/10.1093/mnras/stab480

Dahlqvist, C.-H., Cantalloube, F., & Absil, O. (2020). Regime-switching model detection map for direct exoplanet detection in ADI sequences. *Astronomy and Astrophysics*, *633*, A95. https://doi.org/10.1051/0004-6361/201936421

Dahlqvist, C.-H., Cantalloube, F., & Absil, O. (2021). Auto-RSM: An automated parameter-selection algorithm for the RSM map exoplanet detection algorithm. *656*, A54. https:

//doi.org/10.1051/0004-6361/202141446

Delorme, P., Schmidt, T., Bonnefoy, M., Desidera, S., Ginski, C., Charnay, B., Lazzoni, C., Christiaens, V., Messina, S., D'Orazi, V., Milli, J., Schlieder, J. E., Gratton, R., Rodet, L., Lagrange, A.-M., Absil, O., Vigan, A., Galicher, R., Hagelberg, J., … Wildi, F. (2017). In-depth study of moderately young but extremely red, very dusty substellar companion HD 206893B. *Astronomy and Astrophysics*, *608*, A79. https://doi.org/10.1051/0004-6361/201731145

Gomez Gonzalez, C. A., Absil, O., & Van Droogenbroeck, M. (2018). Supervised detection of exoplanets in high-contrast imaging sequences. *Astronomy and Astrophysics*, *613*, A71. https://doi.org/10.1051/0004-6361/201731961

Gomez Gonzalez, C. A., Wertz, O., Absil, O., Christiaens, V., Defrère, D., Mawet, D., Milli, J., Absil, P.-A., Van Droogenbroeck, M., Cantalloube, F., Hinz, P. M., Skemer, A. J., Karlsson, M., & Surdej, J. (2017). VIP: Vortex Image Processing Package for High-contrast Direct Imaging. *The Astronomical Journal*, *154*, 7. https://doi.org/10.3847/1538-3881/aa73d7

Hirsch, L. A., Ciardi, D. R., Howard, A. W., Marcy, G. W., Ruane, G., Gonzalez, E., Blunt, S., Crepp, J. R., Fulton, B. J., Isaacson, H., Kosiarek, M., Mawet, D., Sinukoff, E., & Weiss, L. (2019). Discovery of a White Dwarf Companion to HD 159062. *The Astrophysical Journal*, *878*(1), 50. https://doi.org/10.3847/1538-4357/ab1b11

Lafrenière, D., Marois, C., Doyon, R., Nadeau, D., & Artigau, É. (2007). A New Algorithm for Point-Spread Function Subtraction in High-Contrast Imaging: A Demonstration with Angular Differential Imaging. *The Astrophysical Journal*, *660*, 770–780. https://doi.org/10.1086/513180

Larkin, K. G., Oldfield, M. A., & Klemm, H. (1997). Fast Fourier method for the accurate rotation of sampled images. *Optics Communications*, *139*(1-3), 99–106. https://doi.org/10.1016/S0030-4018(97)00097-7

Lee, D. D., & Seung, H. S. (1999). Learning the parts of objects by non-negative matrix factorization. *Nature*, *401*(6755), 788–791. https://doi.org/10.1038/44565

Marois, C., Lafrenière, D., Doyon, R., Macintosh, B., & Nadeau, D. (2006). Angular Differential Imaging: A Powerful High-Contrast Imaging Technique. *The Astrophysical Journal*, *641*, 556–564. https://doi.org/10.1086/500401

Maucó, K., Olofsson, J., Canovas, H., Schreiber, M. R., Christiaens, V., Bayo, A., Zurlo, A., Cáceres, C., Pinte, C., Villaver, E., Girard, J. H., Cieza, L., & Montesinos, M. (2020). NaCo polarimetric observations of Sz 91 transitional disc: a remarkable case of dust filtering. *MNRAS*, *492*(2), 1531–1542. https://doi.org/10.1093/mnras/stz3380

Mawet, D., Milli, J., Wahhaj, Z., Pelat, D., Absil, O., Delacroix, C., Boccaletti, A., Kasper, M., Kenworthy, M., Marois, C., Mennesson, B., & Pueyo, L. (2014). Fundamental Limitations of High Contrast Imaging Set by Small Sample Statistics. *The Astrophysical Journal*, *792*, 97. https://doi.org/10.1088/0004-637X/792/2/97

Milli, J., Hibon, P., Christiaens, V., Choquet, É., Bonnefoy, M., Kennedy, G. M., Wyatt, M. C., Absil, O., Gómez González, C. A., del Burgo, C., Matrà, L., Augereau, J.-C., Boccaletti, A., Delacroix, C., Ertel, S., Dent, W. R. F., Forsberg, P., Fusco, T., Girard, J. H., … Wahhaj, Z. (2017). Discovery of a low-mass companion inside the debris ring surrounding the F5V star HD 206893. *Astronomy and Astrophysics*, *597*, L2. https://doi.org/10.1051/0004-6361/201629908

Milli, J., Mouillet, D., Lagrange, A.-M., Boccaletti, A., Mawet, D., Chauvin, G., & Bonnefoy, M. (2012). Impact of angular differential imaging on circumstellar disk images. *Astronomy and Astrophysics*, *545*, A111. https://doi.org/10.1051/0004-6361/201219687

Pairet, B., Cantalloube, F., Gomez Gonzalez, C. A., Absil, O., & Jacques, L. (2019). STIM map: detection map for exoplanets imaging beyond asymptotic Gaussian residual speckle noise. *MNRAS*, *487*(2), 2262–2277. https://doi.org/10.1093/mnras/stz1350

Pairet, B., Cantalloube, F., & Jacques, L. (2021). MAYONNAISE: a morphological components analysis pipeline for circumstellar discs and exoplanets imaging in the near-infrared. *MNRAS*, *503*(3), 3724–3742. https://doi.org/10.1093/mnras/stab607

Pueyo, L. (2016). Detection and Characterization of Exoplanets using Projections on Karhunen Loeve Eigenimages: Forward Modeling. *824*(2), 117. https://doi.org/10.3847/0004-637X/824/2/117

Racine, R., Walker, G. A. H., Nadeau, D., Doyon, R., & Marois, C. (1999). Speckle Noise and the Detection of Faint Companions. *Publications of the Astronomical Society of the Pacific*, *111*, 587–594. https://doi.org/10.1086/316367

Rainot, A., Reggiani, M., Sana, H., Bodensteiner, J., & Absil, O. (2022). Carina High-contrast Imaging Project for massive Stars (CHIPS). II. O stars in Trumpler 14. *Astronomy and Astrophysics*, *658*, A198. https://doi.org/10.1051/0004-6361/202141562

Rainot, A., Reggiani, M., Sana, H., Bodensteiner, J., Gomez-Gonzalez, C. A., Absil, O., Christiaens, V., Delorme, P., Almeida, L. A., Caballero-Nieves, S., De Ridder, J., Kratter, K., Lacour, S., Le Bouquin, J.-B., Pueyo, L., & Zinnecker, H. (2020). Carina High-contrast Imaging Project for massive Stars (CHIPS). I. Methodology and proof of concept on QZ Car (≡ HD 93206). *Astronomy and Astrophysics*, *640*, A15. https://doi.org/10.1051/0004-6361/201936448

Reggiani, M., Christiaens, V., Absil, O., Mawet, D., Huby, E., Choquet, E., Gomez Gonzalez, C. A., Ruane, G., Femenia, B., Serabyn, E., Matthews, K., Barraza, M., Carlomagno, B., Defrère, D., Delacroix, C., Habraken, S., Jolivet, A., Karlsson, M., Orban de Xivry, G., … Wertz, O. (2018). Discovery of a point-like source and a third spiral arm in the transition disk around the Herbig Ae star MWC 758. *Astronomy and Astrophysics*, *611*, A74. https://doi.org/10.1051/0004-6361/201732016

Ruane, G., Mawet, D., Kastner, J., Meshkat, T., Bottom, M., Femenía Castellá, B., Absil, O., Gomez Gonzalez, C., Huby, E., Zhu, Z., Jensen-Clem, R., Choquet, É., & Serabyn, E. (2017). Deep Imaging Search for Planets Forming in the TW Hya Protoplanetary Disk with the Keck/NIRC2 Vortex Coronagraph. *The Astronomical Journal*, *154*, 73. https://doi.org/10.3847/1538-3881/aa7b81

Soummer, R., Pueyo, L., & Larkin, J. (2012). Detection and Characterization of Exoplanets and Disks Using Projections on Karhunen-Loève Eigenimages. *The Astrophysical Journal*, *755*(2), L28. https://doi.org/10.1088/2041-8205/755/2/L28

Sparks, W., & Ford, H. (2002). Imaging Spectroscopy for Extrasolar Planet Detection. *The Astrophysical Journal*, *578*, 543–564. https://doi.org/10.1086/342401

Toci, C., Lodato, G., Christiaens, V., Fedele, D., Pinte, C., Price, D. J., & Testi, L. (2020). Planet migration, resonant locking, and accretion streams in PDS 70: comparing models and data. *MNRAS*, *499*(2), 2015–2027. https://doi.org/10.1093/mnras/staa2933

Ubeira-Gabellini, M. G., Christiaens, V., Lodato, G., Ancker, M. van den, Fedele, D., Manara, C. F., & Price, D. J. (2020). Discovery of a Low-mass Companion Embedded in the Disk of the Young Massive Star MWC 297 with VLT/SPHERE. *The Astrophysical Journal*, *890*(1), L8. https://doi.org/10.3847/2041-8213/ab7019

Wertz, O., Absil, O., Gómez González, C. A., Milli, J., Girard, J. H., Mawet, D., & Pueyo, L. (2017). VLT/SPHERE robust astrometry of the HR8799 planets at milliarcsecond-level accuracy. Orbital architecture analysis with PyAstrOFit. *Astronomy and Astrophysics*, *598*, A83. https://doi.org/10.1051/0004-6361/201628730