



VIP: A Python package for high-contrast imaging

Valentin Christiaens¹, Carlos Alberto Gómez Gonzalez², Ralf Farkas³,
Carl-Henrik Dahlqvist¹, Evert Nasedkin⁴, Julien Milli⁵, Henry Ngo⁶,
Carles Cantero^{1,7}, Alan Rainot⁸, Olivier Absil¹, Iain Hammond⁹, and
Arthur Vigan¹⁰

¹ Space sciences, Technologies & Astrophysics Research Institute, Université de Liège, Belgium ²
Barcelona Supercomputing Center, Barcelona, Spain ³ Rheinische Friedrich-Wilhelms-Universität
Bonn, Germany ⁴ Max-Planck-Institut für Astronomie, Heidelberg, Germany ⁵ Univ. Grenoble Alpes,
CNRS, IPAG, F-38000 Grenoble, France ⁶ NRC Herzberg Astronomy and Astrophysics, Victoria, BC,
Canada ⁷ Montefiore Institute, Université de Liège, 4000 Liège, Belgium ⁸ Institute of Astronomy, KU
Leuven, Belgium ⁹ School of Physics and Astronomy, Monash University, Vic 3800, Australia ¹⁰ Aix
Marseille Univ, CNRS, CNES, LAM, Marseille, France

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain
copyright and release the work
under a Creative Commons
Attribution 4.0 International
License ([CC BY 4.0](#)).

Summary

Direct imaging of exoplanets and circumstellar disks at optical and infrared wavelengths requires reaching high contrasts at short angular separations. This can only be achieved through the synergy of advanced instrumentation, such as adaptive optics and coronagraphy, with a relevant combination of observing strategy and post-processing algorithms to model and subtract residual starlight. In this context, VIP is a Python package providing the tools to reduce, post-process and analyze high-contrast imaging datasets, enabling the detection and characterization of directly imaged exoplanets, circumstellar disks, and stellar environments.

Statement of need

VIP stands for Vortex Image Processing. It is a collaborative project which started at the University of Liège, aiming to integrate open-source, efficient, easy-to-use and well-documented implementations of state-of-the-art algorithms used in the context of high-contrast imaging. The package follows a modular architecture, such that its routines cover a wide diversity of tasks, including:

- image pre-processing, such as sky subtraction, bad pixel correction, bad frame removal, or image alignment and star centering (preproc module);
- modeling and subtracting the stellar point spread function (PSF) using state-of-the-art algorithms that leverage observing strategies such as angular differential imaging (ADI), spectral differential imaging (SDI) or reference star differential imaging ([Marois et al., 2006](#); [Ruane et al., 2019](#); [Sparks & Ford, 2002](#)), which induce diversity between speckle and authentic astrophysical signals (psfsub module);
- characterizing point sources and extended circumstellar signals through forward modeling (fm module);
- detecting and characterizing point sources through inverse approaches (invprob module);
- assessing the achieved contrast in PSF-subtracted images, automatically detecting point sources, and estimating their significance (metrics module).

The features implemented in VIP as of 2017 are described in Gomez Gonzalez et al. ([2017](#)). Since then, the package has been widely used by the high-contrast imaging community for

the discovery of low-mass companions (Hirsch et al., 2019; Milli, Hiben, et al., 2017; Ubeira-Gabellini et al., 2020), their characterization (Christiaens et al., 2019, 2018; Delorme et al., 2017; Wertz et al., 2017), the study of planet formation (Maucó et al., 2020; Reggiani et al., 2018; Ruane et al., 2017; Toci et al., 2020), the study of high-mass star formation (Rainot et al., 2022, 2020), the study of debris disks (Milli, Vigan, et al., 2017; Milli et al., 2019), or the development of new high-contrast imaging algorithms (Dahlqvist et al., 2020, 2021; Gomez Gonzalez et al., 2018; Pairet et al., 2021). Given the rapid expansion of VIP, we summarize here all novelties that were brought to the package over the past five years.

The rest of this manuscript summarizes all major changes since v0.7.0 (Gomez Gonzalez et al., 2017), that are included in the latest release of VIP (v1.3.0). At a structural level, VIP underwent a major change since version v1.1.0, which aimed to migrate towards a more streamlined and easy-to-use architecture. The package now revolves around five major modules (fm, invprob, metrics, preproc and psfsub, as described above) complemented by four additional modules containing various utility functions (config, fits, stats and var). New Dataset and Frame classes have also been implemented, enabling an object-oriented approach for processing high-contrast imaging datasets and analyzing final images, respectively. Similarly, a HCIPostProcAlgo class and different subclasses inheriting from it have been defined to facilitate an object-oriented use of VIP routines.

Some of the major changes in each module of VIP are summarized below:

- fm:
 - new routines were added to create parametrizable scattered-light disk models and extended signals in ADI cubes, in order to forward-model the effect of ADI post-processing (Christiaens et al., 2019; Milli et al., 2012);
 - the log-likelihood expression used in the negative fake companion (NEGFC) technique was updated, and the default convergence criterion for the NEGFC-MCMC method is now based on auto-correlation (Christiaens et al., 2021);
 - the NEGFC methods are now fully compatible with integral field spectrograph (IFS) input datacubes.
- invprob:
 - a Python implementation of the ANDROMEDA algorithm (Cantalloube et al., 2015) is now available as part of VIP;
 - the KLIP-FMMF and LOCI-FMMF algorithms (Dahlqvist et al., 2021; Pueyo, 2016; Ruffio et al., 2017) are now also available in the invprob module.
 - a Python implementation of the PACO algorithm (Flasseur et al., 2018) is now also available, including both the planet detection and flux estimation algorithms.
- metrics:
 - calculation of standardized trajectory maps (STIM) is now available (Pairet et al., 2019);
 - functions to calculate completeness-based contrast curves and completeness maps, inspired by the framework in Jensen-Clem et al. (2018) and implemented as in Dahlqvist et al. (2021), have now been added to the metrics module.
- preproc:
 - the module now boasts several new algorithms for (i) the identification of either isolated bad pixels or clumps of bad pixels, leveraging on iterative sigma filtering (cube_fix_badpix_clump), the circular symmetry of the PSF (cube_fix_badpix_a_nnull), or the radial expansion of the PSF with increasing wavelength (cube_fix_badpix_ifs), and (ii) the correction of bad pixels based on either median replacement (default) or Gaussian kernel interpolation (cube_fix_badpix_with_kernel);
 - a new algorithm was added for the recentering of coronagraphic image cubes based on the cross-correlation of the speckle pattern, after appropriate filtering and log-scaling of pixel intensities (Ruane et al., 2019).
- psfsub:
 - all principal component analysis (PCA) based routines (Amara & Quanz, 2012;

- 94 [Soummer et al., 2012](#)) have been re-written for improved efficiency, and are now
 95 also compatible with 4D IFS+ADI input cubes to apply SDI-based PSF modeling
 96 and subtraction algorithms;
 97 – an implementation of the Locally Optimal Combination of Images algorithm
 98 ([Lafrenière et al., 2007](#)) was added;
 99 – an annular version of the non-negative matrix factorization algorithm is now available
 100 ([Gomez Gonzalez et al., 2017](#); [Lee & Seung, 1999](#));
 101 – besides median-ADI, the medsub routine now also supports median-SDI.

102 We refer the interested reader to release descriptions and GitHub [announcements](#) for a more
 103 complete list of all changes, including improvements not mentioned in the above summary.

104 Two major convention updates are also to be noted in VIP. All image operations (rotation,
 105 scaling, resampling and sub-pixel shifts) are now performed using Fourier-Transform (FT)
 106 based methods by default. These have been implemented as low-level routines in the preproc
 107 module. FT-based methods significantly outperform interpolation-based methods in terms
 108 of flux conservation ([Larkin et al., 1997](#)). However, given the order of magnitude slower
 109 computation of FT-based image rotations, the option to use interpolation-based methods is
 110 still available in all relevant VIP functions. The second change of convention concerns the
 111 assumed center for even-size images, which is now defined as the top-right pixel among the
 112 four central pixels of the image - a change motivated by the new default FT-based methods
 113 for image operations. The center convention is unchanged for odd-size images (central pixel).

114 Finally, a total of nine jupyter notebook tutorials covering most of the available features in VIP
 115 were implemented. These tutorials illustrate how to (i) load and post-process an ADI dataset
 116 (quick-start tutorial); (ii) pre-process ADI and IFS datasets; (iii) model and subtract the stellar
 117 halo with ADI-based algorithms; (iv) calculate metrics such as the S/N ratio ([Mawet et al.,
 118 2014](#)), STIM maps ([Pairet et al., 2019](#)) and contrast curves; (v) find the radial separation,
 119 azimuth and flux of a point source; (vi) create and forward model scattered-light disk models;
 120 (vii) post-process IFS data and infer the exact astro- and photometry of a given point source;
 121 (viii) use FT-based and interpolation-based methods for different image operations, and assess
 122 their respective performance; and (ix) use the new object-oriented framework for VIP.

123 Acknowledgements

124 An up-to-date list of contributors to VIP is available [here](#). VC acknowledges financial support
 125 from the Belgian F.R.S.-FNRS. This project has received funding from the European Research
 126 Council (ERC) under the European Union's FP7 and Horizon 2020 research and innovation
 127 programmes (grant agreements No 337569 and 819155), and from the Wallonia-Brussels
 128 Federation (grant for Concerted Research Actions).

129 References

- 130 Amara, A., & Quanz, S. P. (2012). PYNPOINT: an image processing package for finding
 131 exoplanets. *MNRAS*, 427, 948–955. <https://doi.org/10.1111/j.1365-2966.2012.21918.x>
 132 Cantalloube, F., Mouillet, D., Mugnier, L. M., Milli, J., Absil, O., Gomez Gonzalez, C.
 133 A., Chauvin, G., Beuzit, J.-L., & Cornia, A. (2015). Direct exoplanet detection and
 134 characterization using the ANDROMEDA method: Performance on VLT/NaCo data.
 135 *Astronomy and Astrophysics*, 582, A89. <https://doi.org/10.1051/0004-6361/201425571>
 136 Christiaens, V., Casassus, S., Absil, O., Cantalloube, F., Gomez Gonzalez, C., Girard, J.,
 137 Ramírez, R., Pairet, B., Salinas, V., Price, D. J., Pinte, C., Quanz, S. P., Jordán, A.,
 138 Mawet, D., & Wahhaj, Z. (2019). Separating extended disc features from the protoplanet
 139 in PDS 70 using VLT/SINFONI. *MNRAS*, 486(4), 5819–5837. <https://doi.org/10.1093/mnras/stz1232>
 140

- 141 Christiaens, V., Casassus, S., Absil, O., Kimeswenger, S., Gonzalez, C. A. G., Girard, J.,
142 Ramírez, R., Wertz, O., Zurlo, A., Wahhaj, Z., Flores, C., Salinas, V., Jordán, A., &
143 Mawet, D. (2018). Characterization of low-mass companion HD 142527 B. *Astronomy*
144 *and Astrophysics*, 617, A37. <https://doi.org/10.1051/0004-6361/201629454>
- 145 Christiaens, V., Ubeira-Gabellini, M.-G., Cánovas, H., Delorme, P., Pairet, B., Absil, O.,
146 Casassus, S., Girard, J. H., Zurlo, A., Aoyama, Y., Marleau, G.-D., Spina, L., van der Marel,
147 N., Cieza, L., Lodato, G., Pérez, S., Pinte, C., Price, D. J., & Reggiani, M. (2021). A faint
148 companion around CrA-9: protoplanet or obscured binary? *MNRAS*, 502(4), 6117–6139.
149 <https://doi.org/10.1093/mnras/stab480>
- 150 Dahlqvist, C.-H., Cantalloube, F., & Absil, O. (2020). Regime-switching model detection map
151 for direct exoplanet detection in ADI sequences. *Astronomy and Astrophysics*, 633, A95.
152 <https://doi.org/10.1051/0004-6361/201936421>
- 153 Dahlqvist, C.-H., Cantalloube, F., & Absil, O. (2021). Auto-RSM: An automated parameter-
154 selection algorithm for the RSM map exoplanet detection algorithm. 656, A54. <https://doi.org/10.1051/0004-6361/202141446>
- 155
156 Delorme, P., Schmidt, T., Bonnefoy, M., Desidera, S., Ginski, C., Charnay, B., Lazzoni, C.,
157 Christiaens, V., Messina, S., D'Orazi, V., Milli, J., Schlieder, J. E., Gratton, R., Rodet,
158 L., Lagrange, A.-M., Absil, O., Vigan, A., Galicher, R., Hagelberg, J., ... Wildi, F. (2017).
159 In-depth study of moderately young but extremely red, very dusty substellar companion HD
160 206893B. *Astronomy and Astrophysics*, 608, A79. [https://doi.org/10.1051/0004-6361/](https://doi.org/10.1051/0004-6361/201731145)
161 [201731145](https://doi.org/10.1051/0004-6361/201731145)
- 162 Flasseur, O., Denis, L., Thiébaud, É., & Langlois, M. (2018). Exoplanet detection in angular
163 differential imaging by statistical learning of the nonstationary patch covariances. The
164 PACO algorithm. 618, A138. <https://doi.org/10.1051/0004-6361/201832745>
- 165 Gomez Gonzalez, C. A., Absil, O., & Van Droogenbroeck, M. (2018). Supervised detection
166 of exoplanets in high-contrast imaging sequences. *Astronomy and Astrophysics*, 613, A71.
167 <https://doi.org/10.1051/0004-6361/201731961>
- 168 Gomez Gonzalez, C. A., Wertz, O., Absil, O., Christiaens, V., Defrère, D., Mawet, D., Milli, J.,
169 Absil, P.-A., Van Droogenbroeck, M., Cantalloube, F., Hinz, P. M., Skemer, A. J., Karlsson,
170 M., & Surdej, J. (2017). VIP: Vortex Image Processing Package for High-contrast Direct
171 Imaging. *The Astronomical Journal*, 154, 7. <https://doi.org/10.3847/1538-3881/aa73d7>
- 172 Hirsch, L. A., Ciardi, D. R., Howard, A. W., Marcy, G. W., Ruane, G., Gonzalez, E., Blunt, S.,
173 Crepp, J. R., Fulton, B. J., Isaacson, H., Kosiarek, M., Mawet, D., Sinukoff, E., & Weiss,
174 L. (2019). Discovery of a White Dwarf Companion to HD 159062. *The Astrophysical*
175 *Journal*, 878(1), 50. <https://doi.org/10.3847/1538-4357/ab1b11>
- 176 Jensen-Clem, R., Mawet, D., Gomez Gonzalez, C. A., Absil, O., Belikov, R., Currie, T.,
177 Kenworthy, M. A., Marois, C., Mazoyer, J., Ruane, G., Tanner, A., & Cantalloube, F.
178 (2018). A New Standard for Assessing the Performance of High Contrast Imaging Systems.
179 155, 19. <https://doi.org/10.3847/1538-3881/aa97e4>
- 180 Lafrenière, D., Marois, C., Doyon, R., Nadeau, D., & Artigau, É. (2007). A New Algorithm
181 for Point-Spread Function Subtraction in High-Contrast Imaging: A Demonstration with
182 Angular Differential Imaging. *The Astrophysical Journal*, 660, 770–780. [https://doi.org/](https://doi.org/10.1086/513180)
183 [10.1086/513180](https://doi.org/10.1086/513180)
- 184 Larkin, K. G., Oldfield, M. A., & Klemm, H. (1997). Fast Fourier method for the accurate
185 rotation of sampled images. *Optics Communications*, 139(1-3), 99–106. [https://doi.org/](https://doi.org/10.1016/S0030-4018(97)00097-7)
186 [10.1016/S0030-4018\(97\)00097-7](https://doi.org/10.1016/S0030-4018(97)00097-7)
- 187 Lee, D. D., & Seung, H. S. (1999). Learning the parts of objects by non-negative matrix
188 factorization. *Nature*, 401(6755), 788–791. <https://doi.org/10.1038/44565>

- 189 Marois, C., Lafrenière, D., Doyon, R., Macintosh, B., & Nadeau, D. (2006). Angular Differential
190 Imaging: A Powerful High-Contrast Imaging Technique. *The Astrophysical Journal*, 641,
191 556–564. <https://doi.org/10.1086/500401>
- 192 Maucó, K., Olofsson, J., Canovas, H., Schreiber, M. R., Christiaens, V., Bayo, A., Zurlo, A.,
193 Cáceres, C., Pinte, C., Villaver, E., Girard, J. H., Cieza, L., & Montesinos, M. (2020). NaCo
194 polarimetric observations of Sz 91 transitional disc: a remarkable case of dust filtering.
195 *MNRAS*, 492(2), 1531–1542. <https://doi.org/10.1093/mnras/stz3380>
- 196 Mawet, D., Milli, J., Wahhaj, Z., Pelat, D., Absil, O., Delacroix, C., Boccaletti, A., Kasper, M.,
197 Kenworthy, M., Marois, C., Mennesson, B., & Pueyo, L. (2014). Fundamental Limitations
198 of High Contrast Imaging Set by Small Sample Statistics. *The Astrophysical Journal*, 792,
199 97. <https://doi.org/10.1088/0004-637X/792/2/97>
- 200 Milli, J., Engler, N., Schmid, H. M., Olofsson, J., Ménard, F., Kral, Q., Boccaletti, A.,
201 Thébault, P., Choquet, E., Mouillet, D., Lagrange, A.-M., Augereau, J.-C., Pinte, C.,
202 Chauvin, G., Dominik, C., Perrot, C., Zurlo, A., Henning, T., Beuzit, J.-L., ... Pragt,
203 J. (2019). Optical polarised phase function of the HR 4796A dust ring. 626, A54.
204 <https://doi.org/10.1051/0004-6361/201935363>
- 205 Milli, J., Hiben, P., Christiaens, V., Choquet, É., Bonnefoy, M., Kennedy, G. M., Wyatt,
206 M. C., Absil, O., Gómez González, C. A., del Burgo, C., Matrà, L., Augereau, J.-C.,
207 Boccaletti, A., Delacroix, C., Ertel, S., Dent, W. R. F., Forsberg, P., Fusco, T., Girard,
208 J. H., ... Wahhaj, Z. (2017). Discovery of a low-mass companion inside the debris ring
209 surrounding the F5V star HD 206893. *Astronomy and Astrophysics*, 597, L2. <https://doi.org/10.1051/0004-6361/201629908>
- 210 Milli, J., Mouillet, D., Lagrange, A.-M., Boccaletti, A., Mawet, D., Chauvin, G., & Bonnefoy,
211 M. (2012). Impact of angular differential imaging on circumstellar disk images. *Astronomy
212 and Astrophysics*, 545, A111. <https://doi.org/10.1051/0004-6361/201219687>
- 213 Milli, J., Vigan, A., Mouillet, D., Lagrange, A.-M., Augereau, J.-C., Pinte, C., Mawet, D.,
214 Schmid, H. M., Boccaletti, A., Matrà, L., Kral, Q., Ertel, S., Chauvin, G., Bazzon, A.,
215 Ménard, F., Beuzit, J.-L., Thalmann, C., Dominik, C., Feldt, M., ... SPHERE Consortium.
216 (2017). Near-infrared scattered light properties of the HR 4796 A dust ring. 599, A108.
217 <https://doi.org/10.1051/0004-6361/201527838>
- 218 Pairet, B., Cantalloube, F., Gomez Gonzalez, C. A., Absil, O., & Jacques, L. (2019). STIM
219 map: detection map for exoplanets imaging beyond asymptotic Gaussian residual speckle
220 noise. *MNRAS*, 487(2), 2262–2277. <https://doi.org/10.1093/mnras/stz1350>
- 221 Pairet, B., Cantalloube, F., & Jacques, L. (2021). MAYONNAISE: a morphological components
222 analysis pipeline for circumstellar discs and exoplanets imaging in the near-infrared. *MNRAS*,
223 503(3), 3724–3742. <https://doi.org/10.1093/mnras/stab607>
- 224 Pueyo, L. (2016). Detection and Characterization of Exoplanets using Projections on Karhunen
225 Loeve Eigenimages: Forward Modeling. 824(2), 117. <https://doi.org/10.3847/0004-637X/824/2/117>
- 226 Rainot, A., Reggiani, M., Sana, H., Bodensteiner, J., & Absil, O. (2022). Carina High-contrast
227 Imaging Project for massive Stars (CHIPS). II. O stars in Trumpler 14. *Astronomy and
228 Astrophysics*, 658, A198. <https://doi.org/10.1051/0004-6361/202141562>
- 229 Rainot, A., Reggiani, M., Sana, H., Bodensteiner, J., Gomez-Gonzalez, C. A., Absil, O.,
230 Christiaens, V., Delorme, P., Almeida, L. A., Caballero-Nieves, S., De Ridder, J., Kratter,
231 K., Lacour, S., Le Bouquin, J.-B., Pueyo, L., & Zinnecker, H. (2020). Carina High-contrast
232 Imaging Project for massive Stars (CHIPS). I. Methodology and proof of concept on QZ
233 Car (\equiv HD 93206). *Astronomy and Astrophysics*, 640, A15. <https://doi.org/10.1051/0004-6361/201936448>
- 234
235
236

- 237 Reggiani, M., Christiaens, V., Absil, O., Mawet, D., Huby, E., Choquet, E., Gomez Gonzalez,
238 C. A., Ruane, G., Femenia, B., Serabyn, E., Matthews, K., Barraza, M., Carlomagno,
239 B., Defrère, D., Delacroix, C., Habraken, S., Jolivet, A., Karlsson, M., Orban de Xivry,
240 G., ... Wertz, O. (2018). Discovery of a point-like source and a third spiral arm in the
241 transition disk around the Herbig Ae star MWC 758. *Astronomy and Astrophysics*, 611,
242 A74. <https://doi.org/10.1051/0004-6361/201732016>
- 243 Ruane, Mawet, D., Kastner, J., Meshkat, T., Bottom, M., Femenía Castellá, B., Absil,
244 O., Gomez Gonzalez, C., Huby, E., Zhu, Z., Jensen-Clem, R., Choquet, É., & Serabyn,
245 E. (2017). Deep Imaging Search for Planets Forming in the TW Hya Protoplanetary
246 Disk with the Keck/NIRC2 Vortex Coronagraph. *The Astronomical Journal*, 154, 73.
247 <https://doi.org/10.3847/1538-3881/aa7b81>
- 248 Ruane, Ngo, H., Mawet, D., Absil, O., Choquet, É., Cook, T., Gomez Gonzalez, C., Huby,
249 E., Matthews, K., Meshkat, T., Reggiani, M., Serabyn, E., Wallack, N., & Xuan, W. J.
250 (2019). Reference Star Differential Imaging of Close-in Companions and Circumstellar
251 Disks with the NIRC2 Vortex Coronagraph at the W. M. Keck Observatory. 157(3), 118.
252 <https://doi.org/10.3847/1538-3881/aafec2>
- 253 Ruffio, J.-B., Macintosh, B., Wang, J. J., Pueyo, L., Nielsen, E. L., De Rosa, R. J., Czekala,
254 I., Marley, M. S., Arriaga, P., Bailey, V. P., Barman, T., Bulger, J., Chilcote, J., Cotten,
255 T., Doyon, R., Duchêne, G., Fitzgerald, M. P., Follette, K. B., Gerard, B. L., ... Wolff, S.
256 (2017). Improving and Assessing Planet Sensitivity of the GPI Exoplanet Survey with a
257 Forward Model Matched Filter. 842, 14. <https://doi.org/10.3847/1538-4357/aa72dd>
- 258 Soummer, R., Pueyo, L., & Larkin, J. (2012). Detection and Characterization of Exoplanets
259 and Disks Using Projections on Karhunen-Loève Eigenimages. *The Astrophysical Journal*,
260 755(2), L28. <https://doi.org/10.1088/2041-8205/755/2/L28>
- 261 Sparks, W., & Ford, H. (2002). Imaging Spectroscopy for Extrasolar Planet Detection. *The*
262 *Astrophysical Journal*, 578, 543–564. <https://doi.org/10.1086/342401>
- 263 Toci, C., Lodato, G., Christiaens, V., Fedele, D., Pinte, C., Price, D. J., & Testi, L. (2020).
264 Planet migration, resonant locking, and accretion streams in PDS 70: comparing models
265 and data. *MNRAS*, 499(2), 2015–2027. <https://doi.org/10.1093/mnras/staa2933>
- 266 Ubeira-Gabellini, M. G., Christiaens, V., Lodato, G., Ancker, M. van den, Fedele, D., Manara,
267 C. F., & Price, D. J. (2020). Discovery of a Low-mass Companion Embedded in the Disk of
268 the Young Massive Star MWC 297 with VLT/SPHERE. *The Astrophysical Journal*, 890(1),
269 L8. <https://doi.org/10.3847/2041-8213/ab7019>
- 270 Wertz, O., Absil, O., Gómez González, C. A., Milli, J., Girard, J. H., Mawet, D., & Pueyo, L.
271 (2017). VLT/SPHERE robust astrometry of the HR8799 planets at milliarcsecond-level
272 accuracy. Orbital architecture analysis with PyAstrOFit. *Astronomy and Astrophysics*, 598,
273 A83. <https://doi.org/10.1051/0004-6361/201628730>