Stark (Muliple Sneam) screen + layout. (stack) Randonfo We "/about · /about. is. foldervare subfolde" create index is wrote that well be randered on this soute

To change and seen we do take help of start me add how street in stack => New snew m we do this using nonter pepest (" name of fite") muter back () Cito go I step back sensore west sheer from stack nouter separe ("sner addrew") remove arret scree from stack back buthon 3 south bade()

I sneen with Multiple tab Here we define of -layout jsx stack tablijsx tablijsx tabz.jsx 08 .00 02 App (tab) -layout jet tablijsx tabzijsx tabzijsx

- layout ije snemption here < Tab. Streen rame = "tabl ophors = < title = table ) <1 Tab Sugar Tab street do dones RSO on. </Tabs) there layout then if indexiex is there can then their bearing to their their bearing mounta tabl tak3

3 ll streem Stack worlig scon 2. jx s Snoon 2 You to add tabs in snew 3 · Sheen 3 7 Screen 2. jsx ongress, nouterpush "sneer 3 folder"

switching both tabs so we want loss any dates of variable of that too for going back to sesson: data at tabs get lost or reopen tab: newly they get whendered I layout, such, sucar, is successfolder +-layout - contains tab confr + Tabl. isx Tab 2 yx -> Tab3. isx. If any file is under is alse in tab-sere Top such =>man screen Ty : No need for Index: jsx mide Tabs alway Tabl. JSK Tab2·JSX
Tab3·JSX Screens Folder

Models are there also have toast for hassa for error 454ccess 8) Drawer let say some so has a documen (5) Create scream folder -layoutijex - write configuration for gestere controlled docul - uded 15x - 1 man snear 5 files. is x flez. is x