In [2]:
```
import numpy as np # linear algebradf.isnull()
import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)
```

In [3]:
```
import os
for dirname, _, filenames in os.walk('/kaggle/input'):
    for filename in filenames:
        print(os.path.join(dirname, filename))
```

In [4]:
```
import seaborn as sns
import matplotlib.pyplot as plt
import scipy.stats as st
%matplotlib inline

sns.set(style="whitegrid")
```

In [5]:
```
import warnings
warnings.filterwarnings('ignore')
```

In [6]:
```
df = pd.read_csv(r'C:\Users\Admin\Downloads\15th\15th\EDA\heart.csv')
```

In [7]:
```
df
```

Out[7]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	targe
0	63	1	3	145	233	1	0	150	0	2.3	0	0	1	
1	37	1	2	130	250	0	1	187	0	3.5	0	0	2	
2	41	0	1	130	204	0	0	172	0	1.4	2	0	2	
3	56	1	1	120	236	0	1	178	0	0.8	2	0	2	
4	57	0	0	120	354	0	1	163	1	0.6	2	0	2	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	
298	57	0	0	140	241	0	1	123	1	0.2	1	0	3	
299	45	1	3	110	264	0	1	132	0	1.2	1	0	3	
300	68	1	0	144	193	1	1	141	0	3.4	1	2	3	
301	57	1	0	130	131	0	1	115	1	1.2	1	1	3	
302	57	0	1	130	236	0	0	174	0	0.0	1	1	2	

303 rows × 14 columns

In [8]:
```
print('The shape of the dataset : ', df.shape)
```

```
The shape of the dataset :  (303, 14)
```

In [9]:
```
df.head()
```

Out[9]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
0	63	1	3	145	233	1	0	150	0	2.3	0	0	1	1
1	37	1	2	130	250	0	1	187	0	3.5	0	0	2	1
2	41	0	1	130	204	0	0	172	0	1.4	2	0	2	1
3	56	1	1	120	236	0	1	178	0	0.8	2	0	2	1
4	57	0	0	120	354	0	1	163	1	0.6	2	0	2	1

In [10]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 303 entries, 0 to 302
Data columns (total 14 columns):
 #   Column    Non-Null Count  Dtype  
---  ------    --------------  -----  
 0   age       303 non-null    int64  
 1   sex       303 non-null    int64  
 2   cp        303 non-null    int64  
 3   trestbps  303 non-null    int64  
 4   chol      303 non-null    int64  
 5   fbs       303 non-null    int64  
 6   restecg   303 non-null    int64  
 7   thalach   303 non-null    int64  
 8   exang     303 non-null    int64  
 9   oldpeak   303 non-null    float64
 10  slope     303 non-null    int64  
 11  ca        303 non-null    int64  
 12  thal      303 non-null    int64  
 13  target    303 non-null    int64  
dtypes: float64(1), int64(13)
memory usage: 33.3 KB
```

In [11]:
```
df.dtypes
```

Out[11]:
```
age           int64
sex           int64
cp            int64
trestbps      int64
chol          int64
fbs           int64
restecg       int64
thalach       int64
exang         int64
oldpeak     float64
slope         int64
ca            int64
thal          int64
target        int64
dtype: object
```

In [12]:
```
df.describe()
```

Out[12]:

	age	sex	cp	trestbps	chol	fbs	restecg	
count	303.000000	303.000000	303.000000	303.000000	303.000000	303.000000	303.000000	303
mean	54.366337	0.683168	0.966997	131.623762	246.264026	0.148515	0.528053	149
std	9.082101	0.466011	1.032052	17.538143	51.830751	0.356198	0.525860	22
min	29.000000	0.000000	0.000000	94.000000	126.000000	0.000000	0.000000	71
25%	47.500000	0.000000	0.000000	120.000000	211.000000	0.000000	0.000000	133
50%	55.000000	1.000000	1.000000	130.000000	240.000000	0.000000	1.000000	153
75%	61.000000	1.000000	2.000000	140.000000	274.500000	0.000000	1.000000	166
max	77.000000	1.000000	3.000000	200.000000	564.000000	1.000000	2.000000	202

In [13]:
```
df.describe(include='all')
```

Out[13]:

	age	sex	cp	trestbps	chol	fbs	restecg	
count	303.000000	303.000000	303.000000	303.000000	303.000000	303.000000	303.000000	303
mean	54.366337	0.683168	0.966997	131.623762	246.264026	0.148515	0.528053	149
std	9.082101	0.466011	1.032052	17.538143	51.830751	0.356198	0.525860	22
min	29.000000	0.000000	0.000000	94.000000	126.000000	0.000000	0.000000	71
25%	47.500000	0.000000	0.000000	120.000000	211.000000	0.000000	0.000000	133
50%	55.000000	1.000000	1.000000	130.000000	240.000000	0.000000	1.000000	153
75%	61.000000	1.000000	2.000000	140.000000	274.500000	0.000000	1.000000	166
max	77.000000	1.000000	3.000000	200.000000	564.000000	1.000000	2.000000	202

In [14]:
```
df.columns
```

Out[14]:
```
Index(['age', 'sex', 'cp', 'trestbps', 'chol', 'fbs', 'restecg', 'thalach',
       'exang', 'oldpeak', 'slope', 'ca', 'thal', 'target'],
      dtype='object')
```

In [15]:
```
df['target'].nunique()
```

Out[15]:
```
2
```

In [16]:
```
df['target'].unique()
```

Out[16]:
```
array([1, 0], dtype=int64)
```

In [17]:
```
df['target'].value_counts()
```

Out[17]:
```
1    165
0    138
Name: target, dtype: int64
```

In [18]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="target", data=df)
plt.show()
```



In [19]:
```
df.groupby('sex')['target'].value_counts()
```

Out[19]:
```
sex  target
0    1          72
     0          24
1    0         114
     1          93
Name: target, dtype: int64
```

In [20]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="sex", hue="target", data=df)
plt.show()
```



In [21]:
```
ax = sns.catplot(x="target", col="sex", data=df, kind="count", height=5, aspe
```



In [22]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(y="target", hue="sex", data=df)
plt.show()
```



In [23]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="target", data=df, palette="Set3")
plt.show()
```



In [24]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="target", data=df, facecolor=(0, 0, 0, 0), linewidth=5, 
plt.show()
```



In [25]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="target", hue="fbs", data=df)
plt.show()
```



In [26]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="target", hue="exang", data=df)
plt.show()
```



In [27]:
```
correlation = df.corr()
```

In [28]:
```
correlation['target'].sort_values(ascending=False)
```

Out[28]:
```
target      1.000000
cp          0.433798
thalach     0.421741
slope       0.345877
restecg     0.137230
fbs        -0.028046
chol       -0.085239
trestbps   -0.144931
age        -0.225439
sex        -0.280937
thal       -0.344029
ca         -0.391724
oldpeak    -0.430696
exang      -0.436757
Name: target, dtype: float64
```

In [29]:
```
df['cp'].nunique()
```

Out[29]:
```
4
```

In [30]:
```
df['cp'].value_counts()
```

Out[30]:
```
0    143
2     87
1     50
3     23
Name: cp, dtype: int64
```

In [31]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="cp", data=df)
plt.show()
```



In [32]:
```
df.groupby('cp')['target'].value_counts()
```

Out[32]:
```
cp  target
0   0         104
    1          39
1   1          41
    0           9
2   1          69
    0          18
3   1          16
    0           7
Name: target, dtype: int64
```

In [33]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.countplot(x="cp", hue="target", data=df)
plt.show()
```



In [37]:
```
ax = sns.catplot(x="target", col="cp", data=df, kind="count", height=8, aspec
```



In [38]:
```
df['thalach'].nunique()
```

Out[38]: 91

In [39]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['thalach']
ax = sns.distplot(x, bins=10)
plt.show()
```



In [40]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['thalach']
x = pd.Series(x, name="thalach variable")
ax = sns.distplot(x, bins=10)
plt.show()
```



In [41]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['thalach']
ax = sns.distplot(x, bins=10, vertical=True)
plt.show()
```



In [42]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['thalach']
x = pd.Series(x, name="thalach variable")
ax = sns.kdeplot(x)
plt.show()
```



In [43]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['thalach']
x = pd.Series(x, name="thalach variable")
ax = sns.kdeplot(x, shade=True, color='r')
plt.show()
```



In [44]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['thalach']
ax = sns.distplot(x, kde=False, rug=True, bins=10)
plt.show()
```



In [45]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="target", y="thalach", data=df)
plt.show()
```



In [48]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="target", y="thalach", data=df, jitter = 0.01)
plt.show()
```



In [49]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.boxplot(x="target", y="thalach", data=df)
plt.show()
```



In [55]:
```
plt.figure(figsize=(16,12))
plt.title('Correlation Heatmap of Heart Disease Dataset')
a = sns.heatmap(correlation, square=True, annot=True, fmt='.2f', linecolor='w
a.set_xticklabels(a.get_xticklabels(), rotation=90)
a.set_yticklabels(a.get_yticklabels(), rotation=30)
plt.show()
```



In [56]:
```
num_var = ['age', 'trestbps', 'chol', 'thalach', 'oldpeak', 'target' ]
sns.pairplot(df[num_var], kind='scatter', diag_kind='hist')
plt.show()
```



In [58]:
```
df['age'].nunique()
```

Out[58]: 41

In [59]:
```
df['age'].describe()
```

Out[59]:
```
count    303.000000
mean      54.366337
std        9.082101
min       29.000000
25%       47.500000
50%       55.000000
75%       61.000000
max       77.000000
Name: age, dtype: float64
```

In [60]:
```
f, ax = plt.subplots(figsize=(10,6))
x = df['age']
ax = sns.distplot(x, bins=10)
plt.show()
```



In [61]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="target", y="age", data=df)
plt.show()
```



In [62]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.boxplot(x="target", y="age", data=df)
plt.show()
```



In [63]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.scatterplot(x="age", y="trestbps", data=df)
plt.show()
```



In [64]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.regplot(x="age", y="trestbps", data=df)
plt.show()
```



In [65]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.scatterplot(x="age", y="chol", data=df)
plt.show()
```



In [66]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.regplot(x="age", y="chol", data=df)
plt.show()
```



In [67]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.scatterplot(x="chol", y = "thalach", data=df)
plt.show()
```



In [68]:
```
f, ax = plt.subplots(figsize=(8, 6))
ax = sns.regplot(x="chol", y="thalach", data=df)
plt.show()
```



In [69]:
```
df.isnull()
```

Out[69]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca
0	False	False	False	False	False	False	False	False	False	False	False	False
1	False	False	False	False	False	False	False	False	False	False	False	False
2	False	False	False	False	False	False	False	False	False	False	False	False
3	False	False	False	False	False	False	False	False	False	False	False	False
4	False	False	False	False	False	False	False	False	False	False	False	False
...	...	...	...	...	...	...	...	...	...	...	...	...
298	False	False	False	False	False	False	False	False	False	False	False	False
299	False	False	False	False	False	False	False	False	False	False	False	False
300	False	False	False	False	False	False	False	False	False	False	False	False
301	False	False	False	False	False	False	False	False	False	False	False	False
302	False	False	False	False	False	False	False	False	False	False	False	False

303 rows × 14 columns

In [70]:
```
df.isnull().sum()
```

Out[70]:
```
age         0
sex         0
cp          0
trestbps    0
chol        0
fbs         0
restecg     0
thalach     0
exang       0
oldpeak     0
slope       0
ca          0
thal        0
target      0
dtype: int64
```

In [71]:
```
df.isnull().sum().sum()
```

Out[71]:
```
0
```

In [73]:
```
df.isnull().values.any()
```

Out[73]:
```
False
```

In [74]:
```
assert pd.notnull(df).all().all()
```

In [76]:
```
assert (df >= 0).all().all()
```

In [77]:
```
df['age'].describe()
```

Out[77]:
```
count    303.000000
mean      54.366337
std        9.082101
min       29.000000
25%       47.500000
50%       55.000000
75%       61.000000
max       77.000000
Name: age, dtype: float64
```

In [78]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.boxplot(x=df["age"])
plt.show()
```



In [79]:
```
df['trestbps'].describe()
```

Out[79]:
```
count    303.000000
mean     131.623762
std       17.538143
min       94.000000
25%      120.000000
50%      130.000000
75%      140.000000
max      200.000000
Name: trestbps, dtype: float64
```

In [80]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.boxplot(x=df["trestbps"])
plt.show()
```



In [81]:
```
f, ax = plt.subplots(figsize=(8, 6))
sns.boxplot(x=df["chol"])
plt.show()
```



In [ ]: