

The Open Source CFD Toolbox

Programmer's Guide

 $\begin{array}{c} \text{Version } 2.2.0 \\ 22 \text{nd February } 2013 \end{array}$

Copyright © 2011-2013 OpenFOAM Foundation.

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

Typeset in LaTeX.

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

- a. "Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered an Adaptation for the purpose of this License.
- b. "Collection" means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.
- c. "Distribute" means to make available to the public the original and copies of the Work through sale or other transfer of ownership.
- d. "Licensor" means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.
- e. "Original Author" means, in the case of a literary or artistic work, the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians,

dancers, and other persons who act, sing, deliver, declaim, play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.

- f. "Work" means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.
- g. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.
- h. "Publicly Perform" means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.
- i. "Reproduce" means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.

2. Fair Dealing Rights.

Nothing in this License is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.

3. License Grant.

Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

a. to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections;

b. and, to Distribute and Publicly Perform the Work including as incorporated in Collections.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats, but otherwise you have no rights to make Adaptations. Subject to 8(f), all rights not expressly granted by Licensor are hereby reserved, including but not limited to the rights set forth in Section 4(d).

4. Restrictions.

The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

- a. You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, remove from the Collection any credit as required by Section 4(c), as requested.
- b. You may not exercise any of the rights granted to You in Section 3 above in any manner that is primarily intended for or directed toward commercial advantage or private monetary compensation. The exchange of the Work for other copyrighted works by means of digital file-sharing or otherwise shall not be considered to be intended for or directed toward commercial advantage or private monetary compensation, provided there is no payment of any monetary compensation in connection with the exchange of copyrighted works.
- c. If You Distribute, or Publicly Perform the Work or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution ("Attribution Parties") in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work. The credit required by this Section 4(c) may be implemented in any reasonable manner; provided, however, that in the case of a Collection, at a minimum such credit will appear, if a credit for all contributing authors of Collection appears, then as part of these credits and in a manner at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or

Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.

d. For the avoidance of doubt:

- i. Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;
- ii. Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License if Your exercise of such rights is for a purpose or use which is otherwise than noncommercial as permitted under Section 4(b) and otherwise waives the right to collect royalties through any statutory or compulsory licensing scheme; and,
- iii. Voluntary License Schemes. The Licensor reserves the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License that is for a purpose or use which is otherwise than noncommercial as permitted under Section 4(b).
- e. Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or Publicly Perform the Work either by itself or as part of any Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the Work which would be prejudicial to the Original Author's honor or reputation.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

a. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Collections

- from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.
- b. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

- a. Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.
- b. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
- c. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.
- d. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You.
- e. This License may not be modified without the mutual written agreement of the Licensor and You. The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.

Trademarks

ANSYS is a registered trademark of ANSYS Inc.

CFX is a registered trademark of Ansys Inc.

CHEMKIN is a registered trademark of Reaction Design Corporation

EnSight is a registered trademark of Computational Engineering International Ltd.

Fieldview is a registered trademark of Intelligent Light

Fluent is a registered trademark of Ansys Inc.

GAMBIT is a registered trademark of Ansys Inc.

Icem-CFD is a registered trademark of Ansys Inc.

I-DEAS is a registered trademark of Structural Dynamics Research Corporation

JAVA is a registered trademark of Sun Microsystems Inc.

Linux is a registered trademark of Linus Torvalds

OpenFOAM is a registered trademark of SGI Corp.

ParaView is a registered trademark of Kitware

STAR-CD is a registered trademark of Computational Dynamics Ltd.

UNIX is a registered trademark of The Open Group

Contents

\mathbf{C}	opyri	ght No	otice	P-2			
	1. D	efinition	ns	P-2			
 Fair Dealing Rights. License Grant. 							
							4. Restrictions
	5. R	epresen	tations, Warranties and Disclaimer	P-5			
	6. L	imitatic	on on Liability.	P-5			
	7. T	'erminat	ion	P-5			
	8. N	Iiscellan	leous	P-6			
Tr	ader	narks		P-7			
C	onter	nts		P-9			
1	Ten	sor ma	thematics	P-13			
	1.1	Coordi	inate system	P-13			
	1.2	Tensor	8	P-13			
		1.2.1	Tensor notation	P-15			
	1.3	Algebr	raic tensor operations	P-16			
		1.3.1	The inner product	P-16			
		1.3.2	The double inner product of two tensors	P-17			
		1.3.3	The triple inner product of two third rank tensors	P-17			
		1.3.4	The outer product	P-17			
		1.3.5	The cross product of two vectors	P-18			
		1.3.6	Other general tensor operations	P-18			
		1.3.7	Geometric transformation and the identity tensor	P-19			
		1.3.8	Useful tensor identities	P-19			
		1.3.9	Operations exclusive to tensors of rank 2	P-20			
		1.3.10	Operations exclusive to scalars	P-21			
	1.4	OpenF	OAM tensor classes	P-21			
		1.4.1	Algebraic tensor operations in OpenFOAM	P-22			
	1.5	Dimen	sional units	P-24			
2	Disc	cretisat	tion procedures	P-25			
	2.1	Differe	ntial operators	P-25			
		2.1.1	Gradient	P-25			
		2.1.2	Divergence	P-26			
		2 1 3	Curl	P-26			

P-10 Contents

		2.1.4 Laplacian
		2.1.5 Temporal derivative
	2.2	Overview of discretisation
		2.2.1 OpenFOAM lists and fields
	2.3	Discretisation of the solution domain
		2.3.1 Defining a mesh in OpenFOAM
		2.3.2 Defining a geometricField in OpenFOAM
	2.4	Equation discretisation
		2.4.1 The Laplacian term
		2.4.2 The convection term
		2.4.3 First time derivative
		2.4.4 Second time derivative
		2.4.5 Divergence
		2.4.6 Gradient
		2.4.7 Grad-grad squared
		2.4.8 Curl
		2.4.9 Source terms
		2.4.10 Other explicit discretisation schemes
	2.5	Temporal discretisation
		2.5.1 Treatment of temporal discretisation in OpenFOAM
	2.6	Boundary Conditions
		2.6.1 Physical boundary conditions
	T-3	
3	3.1	amples of the use of OpenFOAM Flow around a cylinder
	0.1	· · · · · · · · · · · · · · · · · · ·
		1
		· · · · · · · · · · · · · · · · · · ·
		3.1.3 Mesh generation
		3.1.5 Running the case
	3.2	· · · · · · · · · · · · · · · · · · ·
	3.2	v o
		•
		V
	3.3	
	ა.ა	
		3.3.1 Problem specification
		\circ
	9 1	
	3.4	1
		3.4.1 Problem specification
		3.4.2 Mesh Generation
		3.4.3 Preparing the Run
		3.4.4 Running the case
	0 -	3.4.5 Improving the solution by refining the mesh
	3.5	Magnetohydrodynamic flow of a liquid

Content	S		P-11
	3.5.1	Problem specification	P-67
	3.5.2	Mesh generation	P-69
	3.5.3	Running the case	P-70
Index			P-73

P-12 Contents

Chapter 1

Tensor mathematics

This Chapter describes tensors and their algebraic operations and how they are represented in mathematical text in this book. It then explains how tensors and tensor algebra are programmed in OpenFOAM.

1.1 Coordinate system

OpenFOAM is primarily designed to solve problems in continuum mechanics, *i.e.* the branch of mechanics concerned with the stresses in solids, liquids and gases and the deformation or flow of these materials. OpenFOAM is therefore based in 3 dimensional space and time and deals with physical entities described by tensors. The coordinate system used by OpenFOAM is the right-handed rectangular Cartesian axes as shown in Figure 1.1. This system of axes is constructed by defining an origin O from which three lines are drawn at right angles to each other, termed the Ox, Oy, Oz axes. A right-handed set of axes is defined such that to an observer looking down the Oz axis (with O nearest them), the arc from a point on the Ox axis to a point on the Oy axis is in a clockwise sense.




Figure 1.1: Right handed axes

1.2 Tensors

The term tensor describes an entity that belongs to a particular space and obeys certain mathematical rules. Briefly, tensors are represented by a set of *component values* relating

P-14 Tensor mathematics

to a set of unit base vectors; in OpenFOAM the unit base vectors \mathbf{i}_x , \mathbf{i}_y and \mathbf{i}_z are aligned with the right-handed rectangular Cartesian axes x, y and z respectively. The base vectors are therefore orthogonal, *i.e.* at right-angles to one another. Every tensor has the following attributes:

Dimension d of the particular space to which they belong, i.e. d = 3 in OpenFOAM;

Rank An integer $r \geq 0$, such that the number of component values $= d^r$.

While OpenFOAM 1.x is set to 3 dimensions, it offers tensors of ranks 0 to 3 as standard while being written in such a way to allow this basic set of ranks to be extended indefinitely. Tensors of rank 0 and 1, better known as scalars and vectors, should be familiar to readers; tensors of rank 2 and 3 may not be so familiar. For completeness all ranks of tensor offered as standard in OpenFOAM 1.x are reviewed below.

Rank 0 'scalar' Any property which can be represented by a single real number, denoted by characters in italics, e.g. mass m, volume V, pressure p and viscosity μ .

Rank 1 'vector' An entity which can be represented physically by both magnitude and direction. In component form, the vector $\mathbf{a} = (a_1, a_2, a_3)$ relates to a set of Cartesian axes x, y, z respectively. The *index notation* presents the same vector as a_i , i = 1, 2, 3, although the list of indices i = 1, 2, 3 will be omitted in this book, as it is intuitive since we are always dealing with 3 dimensions.

Rank 2 'tensor' or second rank tensor, T has 9 components which can be expressed in array notation as:

$$\mathbf{T} = T_{ij} = \begin{pmatrix} T_{11} & T_{12} & T_{13} \\ T_{21} & T_{22} & T_{23} \\ T_{31} & T_{32} & T_{33} \end{pmatrix}$$

$$\tag{1.1}$$

The components T_{ij} are now represented using 2 indices since r=2 and the list of indices i, j=1,2,3 is omitted as before. The components for which i=j are referred to as the diagonal components, and those for which $i \neq j$ are referred to as the off-diagonal components. The *transpose* of **T** is produced by exchanging components across the diagonal such that

$$\mathbf{T}^{\mathrm{T}} = T_{ji} = \begin{pmatrix} T_{11} & T_{21} & T_{31} \\ T_{12} & T_{22} & T_{32} \\ T_{13} & T_{23} & T_{33} \end{pmatrix}$$
(1.2)

Note: a rank 2 tensor is often colloquially termed 'tensor' since the occurrence of higher order tensors is fairly rare.

Symmetric rank 2 The term 'symmetric' refers to components being symmetric about the diagonal, i.e. $T_{ij} = T_{ji}$. In this case, there are only 6 independent components since $T_{12} = T_{21}$, $T_{13} = T_{31}$ and $T_{23} = T_{32}$. OpenFOAM distinguishes between symmetric and non-symmetric tensors to save memory by storing 6 components rather than 9 if the tensor is symmetric. Most tensors encountered in continuum mechanics are symmetric.

1.2 Tensors P-15

Rank 3 has 27 components and is represented in index notation as P_{ijk} which is too long to represent in array notation as in Equation 1.1.

Symmetric rank 3 Symmetry of a rank 3 tensor is defined in OpenFOAM to mean that $P_{ijk} = P_{ikj} = P_{jik} = P_{jki} = P_{kij} = P_{kji}$ and therefore has 10 independent components. More specifically, it is formed by the outer product of 3 identical vectors, where the outer product operation is described in Section 1.3.4.

1.2.1 Tensor notation

This is a book on computational continuum mechanics that deals with problems involving complex PDEs in 3 spatial dimensions and in time. It is vital from the beginning to adopt a notation for the equations which is compact yet unambiguous. To make the equations easy to follow, we must use a notation that encapsulates the idea of a tensor as an entity in the own right, rather than a list of scalar components. Additionally, any tensor operation should be perceived as an operation on the entire tensor entity rather than a series of operations on its components.

Consequently, in this book the *tensor notation* is preferred in which any tensor of rank 1 and above, *i.e.* all tensors other than scalars, are represented by letters in bold face, *e.g.* a. This actively promotes the concept of a tensor as a entity in its own right since it is denoted by a single symbol, and it is also extremely compact. The potential drawback is that the rank of a bold face symbol is not immediately apparent, although it is clearly not zero. However, in practice this presents no real problem since we are aware of the property each symbol represents and therefore intuitively know its rank, *e.g.* we know velocity U is a tensor of rank 1.

A further, more fundamental idea regarding the choice of notation is that the mathematical representation of a tensor should not change depending on our coordinate system, *i.e.* the vector ais the same vector irrespective of where we view it from. The tensor notation supports this concept as it implies nothing about the coordinate system. However, other notations, *e.g.* a_i , expose the individual components of the tensor which naturally implies the choice of coordinate system. The unsatisfactory consequence of this is that the tensor is then represented by a set of values which are not unique — they depend on the coordinate system.

That said, the index notation, introduced in Section 1.2, is adopted from time to time in this book mainly to expand tensor operations into the constituent components. When using the index notation, we adopt the *summation convention* which states that whenever the same letter subscript occurs twice in a term, the that subscript is to be given all values, *i.e.* 1, 2, 3, and the results added together, *e.g.*

$$a_i b_i = \sum_{i=1}^3 a_i b_i = a_1 b_1 + a_2 b_2 + a_3 b_3 \tag{1.3}$$

In the remainder of the book the symbol \sum is omitted since the repeated subscript indicates the summation.

P-16 Tensor mathematics

1.3 Algebraic tensor operations

This section describes all the algebraic operations for tensors that are available in Open-FOAM. Let us first review the most simple tensor operations: addition, subtraction, and scalar multiplication and division. Addition and subtraction are both commutative and associative and are only valid between tensors of the same rank. The operations are performed by addition/subtraction of respective components of the tensors, *e.g.* the subtraction of two vectors **a** and **b** is

$$\mathbf{a} - \mathbf{b} = a_i - b_i = (a_1 - b_1, a_2 - b_2, a_3 - b_3) \tag{1.4}$$

Multiplication of any tensor \mathbf{a} by a scalar s is also commutative and associative and is performed by multiplying all the tensor components by the scalar. For example,

$$s\mathbf{a} = sa_i = (sa_1, sa_2, sa_3)$$
 (1.5)

Division between a tensor \mathbf{a} and a scalar is only relevant when the scalar is the second argument of the operation, *i.e.*

$$\mathbf{a}/s = a_i/s = (a_1/s, a_2/s, a_3/s) \tag{1.6}$$

Following these operations are a set of more complex products between tensors of rank 1 and above, described in the following Sections.

1.3.1 The inner product

The inner product operates on any two tensors of rank r_1 and r_2 such that the rank of the result $r = r_1 + r_2 - 2$. Inner product operations with tensors up to rank 3 are described below:

• The inner product of two vectors \mathbf{a} and \mathbf{b} is commutative and produces a scalar $s = \mathbf{a} \cdot \mathbf{b}$ where

$$s = a_i b_i = a_1 b_1 + a_2 b_2 + a_3 b_3 \tag{1.7}$$

• The inner product of a tensor T and vector a produces a vector $b = T \cdot a$, represented below as a column array for convenience

$$b_{i} = T_{ij}a_{j} = \begin{pmatrix} T_{11}a_{1} + T_{12}a_{2} + T_{13}a_{3} \\ T_{21}a_{1} + T_{22}a_{2} + T_{23}a_{3} \\ T_{31}a_{1} + T_{32}a_{2} + T_{33}a_{3} \end{pmatrix}$$

$$(1.8)$$

It is non-commutative if **T** is non-symmetric such that $\mathbf{b} = \mathbf{a} \cdot \mathbf{T} = \mathbf{T}^{\mathrm{T}} \cdot \mathbf{a}$ is

$$b_{i} = a_{j}T_{ji} = \begin{pmatrix} a_{1}T_{11} + a_{2}T_{21} + a_{3}T_{31} \\ a_{1}T_{12} + a_{2}T_{22} + a_{3}T_{32} \\ a_{1}T_{13} + a_{2}T_{23} + a_{3}T_{33} \end{pmatrix}$$

$$(1.9)$$

• The inner product of two tensors T and S produces a tensor $P = T \cdot S$ whose components are evaluated as:

$$P_{ij} = T_{ik} S_{kj} (1.10)$$

It is non-commutative such that $\mathbf{T} \cdot \mathbf{S} = (\mathbf{S}^{\mathrm{T}} \cdot \mathbf{T}^{\mathrm{T}})^{\mathrm{T}}$

• The inner product of a vector \mathbf{a} and third rank tensor \mathbf{P} produces a second rank tensor $\mathbf{T} = \mathbf{a} \cdot \mathbf{P}$ whose components are

$$T_{ij} = a_k P_{kij} \tag{1.11}$$

Again this is non-commutative so that $T = P \cdot a$ is

$$T_{ij} = P_{ijk} a_k \tag{1.12}$$

• The inner product of a second rank tensor T and third rank tensor P produces a third rank tensor $Q = T \cdot P$ whose components are

$$Q_{ijk} = T_{il}P_{ljk} (1.13)$$

Again this is non-commutative so that $Q = P \cdot T$ is

$$Q_{ijk} = P_{ijl}T_{lk} (1.14)$$

1.3.2 The double inner product of two tensors

The double inner product of two second-rank tensors T and S produces a scalar $s = T \cdot S$ which can be evaluated as the sum of the 9 products of the tensor components

$$s = T_{ij}S_{ij} = T_{11}S_{11} + T_{12}S_{12} + T_{13}S_{13} + T_{21}S_{21} + T_{22}S_{22} + T_{23}S_{23} + T_{31}S_{31} + T_{32}S_{32} + T_{33}S_{33}$$

$$(1.15)$$

The double inner product between a second rank tensor T and third rank tensor P produces a vector $\mathbf{a} = T \colon P$ with components

$$a_i = T_{jk} P_{jki} (1.16)$$

This is non-commutative so that $\mathbf{a} = \mathbf{P} \cdot \mathbf{T}$ is

$$a_i = P_{ijk}T_{jk} (1.17)$$

1.3.3 The triple inner product of two third rank tensors

The triple inner product of two third rank tensors \mathbf{P} and \mathbf{Q} produces a scalar $s = \mathbf{P} \cdot \mathbf{Q}$ which can be evaluated as the sum of the 27 products of the tensor components

$$s = P_{ijk}Q_{ijk} \tag{1.18}$$

1.3.4 The outer product

The outer product operates between vectors and tensors as follows:

• The outer product of two vectors \mathbf{a} and \mathbf{b} is non-commutative and produces a tensor $\mathbf{T} = \mathbf{a}\mathbf{b} = (\mathbf{b}\mathbf{a})^{\mathrm{T}}$ whose components are evaluated as:

$$T_{ij} = a_i b_j = \begin{pmatrix} a_1 b_1 & a_1 b_2 & a_1 b_3 \\ a_2 b_1 & a_2 b_2 & a_2 b_3 \\ a_3 b_1 & a_3 b_2 & a_3 b_3 \end{pmatrix}$$

$$(1.19)$$

P-18 Tensor mathematics

• An outer product of a vector \mathbf{a} and second rank tensor \mathbf{T} produces a third rank tensor $\mathbf{P} = \mathbf{a}\mathbf{T}$ whose components are

$$P_{ijk} = a_i T_{jk} (1.20)$$

This is non-commutative so that P = Ta produces

$$P_{ijk} = T_{ij}a_k \tag{1.21}$$

1.3.5 The cross product of two vectors

The cross product operation is exclusive to vectors only. For two vectors \mathbf{a} with \mathbf{b} , it produces a vector $\mathbf{c} = \mathbf{a} \times \mathbf{b}$ whose components are

$$c_i = e_{ijk}a_ib_k = (a_2b_3 - a_3b_2, a_3b_1 - a_1b_3, a_1b_2 - a_2b_1)$$

$$(1.22)$$

where the *permutation symbol* is defined by

$$e_{ijk} = \begin{cases} 0 & \text{when any two indices are equal} \\ +1 & \text{when } i, j, k \text{ are an even permutation of } 1, 2, 3 \\ -1 & \text{when } i, j, k \text{ are an odd permutation of } 1, 2, 3 \end{cases}$$

$$(1.23)$$

in which the even permutations are 123, 231 and 312 and the odd permutations are 132, 213 and 321.

1.3.6 Other general tensor operations

Some less common tensor operations and terminology used by OpenFOAM are described below.

Square of a tensor is defined as the outer product of the tensor with itself, *e.g.* for a vector \mathbf{a} , the square $\mathbf{a}^2 = \mathbf{a}\mathbf{a}$.

nth power of a tensor is evaluated by n outer products of the tensor, e.g. for a vector \mathbf{a} , the 3rd power $\mathbf{a}^3 = \mathbf{a}\mathbf{a}\mathbf{a}$.

Magnitude squared of a tensor is the rth inner product of the tensor of rank r with itself, to produce a scalar. For example, for a second rank tensor \mathbf{T} , $|\mathbf{T}|^2 = \mathbf{T} \cdot \mathbf{T}$.

Magnitude is the square root of the magnitude squared, e.g. for a tensor \mathbf{T} , $|\mathbf{T}| = \sqrt{\mathbf{T} \cdot \mathbf{T}}$. Vectors of unit magnitude are referred to as unit vectors.

Component maximum is the component of the tensor with greatest value, inclusive of sign, *i.e.* not the largest magnitude.

Component minimum is the component of the tensor with smallest value.

Component average is the mean of all components of a tensor.

Scale As the name suggests, the scale function is a tool for scaling the components of one tensor by the components of another tensor of the same rank. It is evaluated as the product of corresponding components of 2 tensors, *e.g.*, scaling vector **a** by vector **b** would produce vector **c** whose components are

$$c_i = \text{scale}(\mathbf{a}, \mathbf{b}) = (a_1 b_1, a_2 b_2, a_3 b_3)$$
 (1.24)

1.3.7 Geometric transformation and the identity tensor

A second rank tensor **T** is strictly defined as a linear vector function, i.e. it is a function which associates an argument vector **a** to another vector **b** by the inner product $\mathbf{b} = \mathbf{T} \cdot \mathbf{a}$. The components of **T** can be chosen to perform a specific geometric transformation of a tensor from the x, y, z coordinate system to a new coordinate system x^*, y^*, z^* ; **T** is then referred to as the *transformation tensor*. While a scalar remains unchanged under a transformation, the vector **a** is transformed to \mathbf{a}^* by

$$\mathbf{a}^* = \mathbf{T} \cdot \mathbf{a} \tag{1.25}$$

A second rank tensor S is transformed to S^* according to

$$\mathbf{S}^* = \mathbf{T} \cdot \mathbf{S} \cdot \mathbf{T}^{\mathrm{T}} \tag{1.26}$$

The *identity tensor* \mathbf{I} is defined by the requirement that it transforms another tensor onto itself. For all vectors \mathbf{a}

$$\mathbf{a} = \mathbf{I} \cdot \mathbf{a} \tag{1.27}$$

and therefore

$$\mathbf{I} = \delta_{ij} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \tag{1.28}$$

where δ_{ij} is known as the Kronecker delta symbol.

1.3.8 Useful tensor identities

Several identities are listed below which can be verified by under the assumption that all the relevant derivatives exist and are continuous. The identities are expressed for scalar s and vector \mathbf{a} .

$$\nabla \cdot (\nabla \times \mathbf{a}) \equiv 0$$

$$\nabla \times (\nabla s) \equiv \mathbf{0}$$

$$\nabla \cdot (s\mathbf{a}) \equiv s \nabla \cdot \mathbf{a} + \mathbf{a} \cdot \nabla s$$

$$\nabla \times (s\mathbf{a}) \equiv s \nabla \times \mathbf{a} + \nabla s \times \mathbf{a}$$

$$\nabla (\mathbf{a} \cdot \mathbf{b}) \equiv \mathbf{a} \times (\nabla \times \mathbf{b}) + \mathbf{b} \times (\nabla \times \mathbf{a}) + (\mathbf{a} \cdot \nabla) \mathbf{b} + (\mathbf{b} \cdot \nabla) \mathbf{a}$$

$$\nabla \cdot (\mathbf{a} \times \mathbf{b}) \equiv \mathbf{b} \cdot (\nabla \times \mathbf{a}) - \mathbf{a} \cdot (\nabla \times \mathbf{b})$$

$$\nabla \times (\mathbf{a} \times \mathbf{b}) \equiv \mathbf{a}(\nabla \cdot \mathbf{b}) - \mathbf{b}(\nabla \cdot \mathbf{a}) + (\mathbf{b} \cdot \nabla) \mathbf{a} - (\mathbf{a} \cdot \nabla) \mathbf{b}$$

$$\nabla \times (\nabla \times \mathbf{a}) \equiv \nabla(\nabla \cdot \mathbf{a}) - \nabla^2 \mathbf{a}$$

$$(\nabla \times \mathbf{a}) \times \mathbf{a} \equiv \mathbf{a} \cdot (\nabla \mathbf{a}) - \nabla(\mathbf{a} \cdot \mathbf{a})$$

It is sometimes useful to know the $e-\delta$ identity to help to manipulate equations in index notation:

$$e_{ijk}e_{irs} = \delta_{jr}\delta_{ks} - \delta_{js}\delta_{kr} \tag{1.30}$$

P-20 Tensor mathematics

1.3.9 Operations exclusive to tensors of rank 2

There are several operations that manipulate the components of tensors of rank 2 that are listed below:

Transpose of a tensor $\mathbf{T} = T_{ij}$ is $\mathbf{T}^{\mathrm{T}} = T_{ji}$ as described in Equation 1.2.

Symmetric and skew (antisymmetric) tensors As discussed in section 1.2, a tensor is said to be symmetric if its components are symmetric about the diagonal, i.e. $\mathbf{T} = \mathbf{T}^{\mathrm{T}}$. A skew or antisymmetric tensor has $\mathbf{T} = -\mathbf{T}^{\mathrm{T}}$ which intuitively implies that $T_{11} = T_{22} = T_{33} = 0$. Every second order tensor can be decomposed into symmetric and skew parts by

$$\mathbf{T} = \underbrace{\frac{1}{2}(\mathbf{T} + \mathbf{T}^{\mathrm{T}})}_{symmetric} + \underbrace{\frac{1}{2}(\mathbf{T} - \mathbf{T}^{\mathrm{T}})}_{skew} = \operatorname{symm} \mathbf{T} + \operatorname{skew} \mathbf{T}$$
(1.31)

Trace The trace of a tensor **T** is a scalar, evaluated by summing the diagonal components

$$\operatorname{tr} \mathbf{T} = T_{11} + T_{22} + T_{33} \tag{1.32}$$

 ${f Diagonal}$ returns a vector whose components are the diagonal components of the second rank tensor ${f T}$

$$\operatorname{diag} \mathbf{T} = (T_{11}, T_{22}, T_{33}) \tag{1.33}$$

Deviatoric and hydrostatic tensors Every second rank tensor \mathbf{T} can be decomposed into a deviatoric component, for which $\operatorname{tr} \mathbf{T} = 0$ and a hydrostatic component of the form $\mathbf{T} = s\mathbf{I}$ where s is a scalar. Every second rank tensor can be decomposed into deviatoric and hydrostatic parts as follows:

$$\mathbf{T} = \underbrace{\mathbf{T} - \frac{1}{3} (\operatorname{tr} \mathbf{T}) \mathbf{I}}_{deviatoric} + \underbrace{\frac{1}{3} (\operatorname{tr} \mathbf{T}) \mathbf{I}}_{hydrostatic} = \operatorname{dev} \mathbf{T} + \operatorname{hyd} \mathbf{T}$$
(1.34)

Determinant The determinant of a second rank tensor is evaluated by

$$\det \mathbf{T} = \begin{vmatrix} T_{11} & T_{12} & T_{13} \\ T_{21} & T_{22} & T_{23} \\ T_{31} & T_{32} & T_{33} \end{vmatrix} = T_{11}(T_{22}T_{33} - T_{23}T_{32}) - T_{12}(T_{21}T_{33} - T_{23}T_{31}) + T_{13}(T_{21}T_{32} - T_{22}T_{31})$$

$$= \frac{1}{6}e_{ijk}e_{pqr}T_{ip}T_{jq}T_{kr}$$
(1.35)

Cofactors The *minors* of a tensor are evaluated for each component by deleting the row and column in which the component is situated and evaluating the resulting entries as a 2×2 determinant. For example, the minor of T_{12} is

$$\begin{vmatrix} T_{11} & T_{12} & T_{13} \\ T_{21} & T_{22} & T_{23} \\ T_{31} & T_{32} & T_{33} \end{vmatrix} = \begin{vmatrix} T_{21} & T_{23} \\ T_{31} & T_{33} \end{vmatrix} = T_{21}T_{33} - T_{23}T_{31}$$

$$(1.36)$$

The cofactors are *signed minors* where each minor is component is given a sign based on the rule

+ve if
$$i + j$$
 is even
-ve if $i + j$ is odd (1.37)

The cofactors of T can be evaluated as

$$\operatorname{cof} \mathbf{T} = \frac{1}{2} e_{jkr} e_{ist} T_{sk} T_{tr} \tag{1.38}$$

Inverse The inverse of a tensor can be evaluated as

$$\operatorname{inv} \mathbf{T} = \frac{\operatorname{cof} \mathbf{T}^{\mathrm{T}}}{\det \mathbf{T}} \tag{1.39}$$

Hodge dual of a tensor is a vector whose components are

$$*\mathbf{T} = (T_{23}, -T_{13}, T_{12}) \tag{1.40}$$

1.3.10 Operations exclusive to scalars

OpenFOAM supports most of the well known functions that operate on scalars, e.g. square root, exponential, logarithm, sine, cosine etc.., a list of which can be found in Table 1.2. There are 3 additional functions defined within OpenFOAM that are described below:

Sign of a scalar s is

$$\operatorname{sgn}(s) = \begin{cases} 1 & \text{if } s \ge 0, \\ -1 & \text{if } s < 0. \end{cases}$$
 (1.41)

Positive of a scalar s is

$$pos(s) = \begin{cases} 1 & \text{if } s \ge 0, \\ 0 & \text{if } s < 0. \end{cases}$$
 (1.42)

Limit of a scalar s by the scalar n

$$\lim_{n \to \infty} \lim_{n \to \infty} f(s, n) = \begin{cases} s & \text{if } s < n, \\ 0 & \text{if } s \ge n. \end{cases} \tag{1.43}$$

1.4 OpenFOAM tensor classes

OpenFOAM contains a C++ class library primitive that contains the classes for the tensor mathematics described so far. The basic tensor classes that are available as standard in OpenFOAM are listed in Table 1.1. The Table also lists the functions that allow the user to access individual components of a tensor, known as access functions.

We can declare the tensor

$$\mathbf{T} = \begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix} \tag{1.44}$$

in OpenFOAM by the line:

P-22 Tensor mathematics

Rank	Common name	Basic class	Access functions
0	Scalar	scalar	
1	Vector	vector	x(), y(), z()
2	Tensor	tensor	xx(), xy(), xz()

Table 1.1: Basic tensor classes in OpenFOAM

We can then access the component T_{13} , or T_{xz} using the xz() access function. For instance the code

outputs to the screen:

$$Txz = 3$$

1.4.1 Algebraic tensor operations in OpenFOAM

The algebraic operations described in Section 1.3 are all available to the OpenFOAM tensor classes using syntax which closely mimics the notation used in written mathematics. Some functions are represented solely by descriptive functions, e.g.symm(), but others can also be executed using symbolic operators, e.g.*. All functions are listed in Table 1.2.

Operation	Comment	Mathematical	Description
		Description	in OpenFOAM
Addition		a + b	a + b
Subtraction		a - b	a - b
Scalar multiplication		$s\mathbf{a}$	s * a
Scalar division		\mathbf{a}/s	a / s
Outer product	$rank \mathbf{a}, \mathbf{b} = 1$	ab	a * b
Inner product	$rank \mathbf{a}, \mathbf{b} = 1$	a•b	a & b
Double inner product	$rank \mathbf{a}, \mathbf{b} >= 2$	a:b	a && b
Cross product	$rank \ \mathbf{a}, \mathbf{b} = 1$	$\mathbf{a} \times \mathbf{b}$	a ^ b
Square		\mathbf{a}^2	sqr(a)
Magnitude squared		$ \mathbf{a} ^2$	magSqr(a)
Magnitude		$ \mathbf{a} $	mag(a)
Power	n = 0, 1,, 4	\mathbf{a}^n	pow(a,n)
Component average	i = 1,, N	$\overline{a_i}$	cmptAv(a)
Component maximum	i = 1,, N	$\max(a_i)$	max(a)
Component minimum	i = 1,, N	$\min(a_i)$	min(a)
Scale		$scale(\mathbf{a}, \mathbf{b})$	scale(a,b)
Geometric transformation	transforms \mathbf{a} u	sing tensor T	<pre>transform(T,a)</pre>

Operations exclusive to tensors of rank 2

Continued from previous page			
Operation	Comment	Mathematical	Description
		Description	in OpenFOAM
Transpose		\mathbf{T}^{T}	T.T()
Diagonal		$\operatorname{diag}\mathbf{T}$	diag(T)
Trace		${ m tr}{f T}$	tr(T)
Deviatoric component		$\operatorname{dev} \mathbf{T}$	dev(T)
Symmetric component		$\operatorname{symm} \mathbf{T}$	symm(T)
Skew-symmetric component		$\operatorname{skew} \mathbf{T}$	skew(T)
Determinant		$\det \mathbf{T}$	det(T)
Cofactors		$\cos \mathbf{T}$	cof(T)
Inverse		$\mathrm{inv}\mathbf{T}$	inv(T)
Hodge dual		$*\mathbf{T}$	*T
Operations exclusive to scalar	°S		
Sign (boolean)		sgn(s)	sign(s)
Positive (boolean)		$s \ge 0$	pos(s)
Negative (boolean)		s < 0	neg(s)
,	ı scalar	limit(s, n)	limit(s,n)
Square root		\sqrt{s}	sqrt(s)
Exponential		$\exp s$	exp(s)
Natural logarithm		$\ln s$	log(s)
Base 10 logarithm		$\log_{10} s$	log10(s)
Sine		$\sin s$	sin(s)
Cosine		$\cos s$	cos(s)
Tangent		$\tan s$	tan(s)
Arc sine		$a\sin s$	asin(s)
Arc cosine		$a\cos s$	acos(s)
Arc tangent		a tan s	atan(s)
Hyperbolic sine		$\sinh s$	sinh(s)
Hyperbolic cosine		$\cosh s$	cosh(s)
Hyperbolic tangent		$\tanh s$	tanh(s)
Hyperbolic arc sine		a s inh s	asinh(s)
Hyperbolic arc cosine		$\operatorname{acosh} s$	acosh(s)
Hyperbolic arc tangent		$\operatorname{atanh} s$	atanh(s)
Error function		$\operatorname{erf} s$	erf(s)
Complement error function		$\operatorname{erfc} s$	erfc(s)
Logarithm gamma function		$\ln \Gamma s$	lgamma(s)
Type 1 Bessel function of order 0		$J_0 s$	j0(s)
Type 1 Bessel function of order 0 Type 1 Bessel function of order 1		$J_1 s$	j1(s)
Type 2 Bessel function of order 0		$Y_0 s$	y0(s)
Type 2 Bessel function of order 1		$Y_1 s$	y1(s)
2 b are tensors of arbitrary rank	1 (1 .		y 1 (D)

a, b are tensors of arbitrary rank unless otherwise stated

Table 1.2: Algebraic tensor operations in OpenFOAM

s is a scalar, N is the number of tensor components

P-24 Tensor mathematics

1.5 Dimensional units

In continuum mechanics, properties are represented in some chosen units, e.g. mass in kilograms (kg), volume in cubic metres (m³), pressure in Pascals (kg m s⁻²). Algebraic operations must be performed on these properties using consistent units of measurement; in particular, addition, subtraction and equality are only physically meaningful for properties of the same dimensional units. As a safeguard against implementing a meaningless operation, OpenFOAM encourages the user to attach dimensional units to any tensor and will then perform dimension checking of any tensor operation.

Units are defined using the dimensionSet class, e.g.

dimensionSet pressureDims(1, -1, -2, 0, 0, 0, 0);

No.	Property	Unit	Symbol
1	Mass	kilogram	k
2	Length	metre	m
3	Time	second	S
4	Temperature	Kelvin	K
5	Quantity	moles	mol
6	Current	ampere	A
7	Luminous intensity	candela	cd

Table 1.3: S.I. base units of measurement

where each of the values corresponds to the power of each of the S.I. base units of measurement listed in Table 1.3. The line of code declares pressureDims to be the dimensionSet for pressure kg m s⁻² since the first entry in the pressureDims array, 1, corresponds to k^1 , the second entry, -1, corresponds to m^{-1} etc.. A tensor with units is defined using the dimensioned<Type> template class, the <Type> being scalar, vector, tensor, etc.. The dimensioned<Type> stores a variable name of class word, the value <Type> and a dimensionSet

```
dimensionedTensor sigma
    (
          "sigma",
           dimensionSet(1, -1, -2, 0, 0, 0, 0),
           tensor(1e6,0,0,0,1e6,0,0,0,1e6),
    );
```

creates a tensor with correct dimensions of pressure, or stress

$$\sigma = \begin{pmatrix} 10^6 & 0 & 0 \\ 0 & 10^6 & 0 \\ 0 & 0 & 10^6 \end{pmatrix} \tag{1.45}$$

Chapter 2

Discretisation procedures

So far we have dealt with algebra of tensors at a point. The PDEs we wish to solve involve derivatives of tensors with respect to time and space. We therefore need to extend our description to a *tensor field*, *i.e.* a tensor that varies across time and spatial domains. In this Chapter we will first present a mathematical description of all the differential operators we may encounter. We will then show how a tensor field is constructed in OpenFOAM and how the derivatives of these fields are discretised into a set of algebraic equations.

2.1 Differential operators

Before defining the spatial derivatives we first introduce the nabla vector operator ∇ , represented in index notation as ∂_i :

$$\nabla \equiv \partial_i \equiv \frac{\partial}{\partial x_i} \equiv \left(\frac{\partial}{\partial x_1}, \frac{\partial}{\partial x_2}, \frac{\partial}{\partial x_3}\right) \tag{2.1}$$

The nabla operator is a useful notation that obeys the following rules:

- it operates on the tensors to its right and the conventional rules of a derivative of a product, e.g. $\partial_i ab = (\partial_i a) b + a (\partial_i b)$;
- otherwise the nabla operator behaves like any other vector in an algebraic operation.

2.1.1 Gradient

If a scalar field s is defined and continuously differentiable then the gradient of s, ∇s is a vector field

$$\nabla s = \partial_i s = \left(\frac{\partial s}{\partial x_1}, \frac{\partial s}{\partial x_2}, \frac{\partial s}{\partial x_3}\right) \tag{2.2}$$

The gradient can operate on any tensor field to produce a tensor field that is one rank higher. For example, the gradient of a vector field \mathbf{a} is a second rank tensor field

$$\nabla \mathbf{a} = \partial_i a_j = \begin{pmatrix} \partial a_1 / \partial x_1 & \partial a_2 / \partial x_1 & \partial a_3 / \partial x_1 \\ \partial a_1 / \partial x_2 & \partial a_2 / \partial x_2 & \partial a_3 / \partial x_2 \\ \partial a_1 / \partial x_3 & \partial a_2 / \partial x_3 & \partial a_3 / \partial x_3 \end{pmatrix}$$
(2.3)

2.1.2 Divergence

If a vector field \mathbf{a} is defined and continuously differentiable then the divergence of \mathbf{a} is a scalar field

$$\nabla \cdot \mathbf{a} = \partial_i a_i = \frac{\partial a_1}{\partial x_1} + \frac{\partial a_2}{\partial x_2} + \frac{\partial a_3}{\partial x_3}$$
 (2.4)

The divergence can operate on any tensor field of rank 1 and above to produce a tensor that is one rank lower. For example the divergence of a second rank tensor field T is a vector field (expanding the vector as a column array for convenience)

$$\nabla \cdot \mathbf{T} = \partial_i T_{ij} = \begin{pmatrix} \partial T_{11}/\partial x_1 + \partial T_{21}/\partial x_2 + \partial T_{31}/\partial x_3 \\ \partial T_{12}/\partial x_1 + \partial T_{22}/\partial x_2 + \partial T_{32}/\partial x_3 \\ \partial T_{13}/\partial x_1 + \partial T_{23}/\partial x_2 + \partial T_{33}/\partial x_3 \end{pmatrix}$$
(2.5)

2.1.3 Curl

If a vector field \mathbf{a} is defined and continuously differentiable then the curl of \mathbf{a} , $\nabla \times \mathbf{a}$ is a vector field

$$\nabla \times \mathbf{a} = e_{ijk} \partial_j a_k = \left(\frac{\partial a_3}{\partial x_2} - \frac{\partial a_2}{\partial x_3}, \frac{\partial a_1}{\partial x_3} - \frac{\partial a_3}{\partial x_1}, \frac{\partial a_2}{\partial x_1} - \frac{\partial a_1}{\partial x_2} \right)$$
(2.6)

The curl is related to the gradient by

$$\nabla \times \mathbf{a} = 2 \,(* \,\mathrm{skew} \,\nabla \mathbf{a}) \tag{2.7}$$

2.1.4 Laplacian

The Laplacian is an operation that can be defined mathematically by a combination of the divergence and gradient operators by $\nabla^2 \equiv \nabla \cdot \nabla$. However, the Laplacian should be considered as a single operation that transforms a tensor field into another tensor field of the same rank, rather than a combination of two operations, one which raises the rank by 1 and one which reduces the rank by 1.

In fact, the Laplacian is best defined as a *scalar operator*, just as we defined nabla as a vector operator, by

$$\nabla^2 \equiv \partial^2 \equiv \frac{\partial^2}{\partial x_1^2} + \frac{\partial^2}{\partial x_2^2} + \frac{\partial^2}{\partial x_3^2}$$
 (2.8)

For example, the Laplacian of a scalar field s is the scalar field

$$\nabla^2 s = \partial^2 s = \frac{\partial^2 s}{\partial x_1^2} + \frac{\partial^2 s}{\partial x_2^2} + \frac{\partial^2 s}{\partial x_2^2}$$
 (2.9)

2.1.5 Temporal derivative

There is more than one definition of temporal, or time, derivative of a tensor. To describe the temporal derivatives we must first recall that the tensor relates to a property of a volume of material that may be moving. If we track an infinitesimally small volume of material, or particle, as it moves and observe the change in the tensorial property ϕ in time, we have the *total*, or *material* time derivative denoted by

$$\frac{D\phi}{Dt} = \lim_{\Delta t \to 0} \frac{\Delta\phi}{\Delta t} \tag{2.10}$$

However in continuum mechanics, particularly fluid mechanics, we often observe the change of a ϕ in time at a fixed point in space as different particles move across that point. This change at a point in space is termed the *spatial* time derivative which is denoted by $\partial/\partial t$ and is related to the material derivative by:

$$\frac{D\phi}{Dt} = \frac{\partial\phi}{\partial t} + \mathbf{U} \cdot \nabla\phi \tag{2.11}$$

where **U** is the velocity field of property ϕ . The second term on the right is known as the convective rate of change of ϕ .

2.2 Overview of discretisation

The term discretisation means approximation of a problem into discrete quantities. The FV method and others, such as the finite element and finite difference methods, all discretise the problem as follows:

Spatial discretisation Defining the solution domain by a set of points that fill and bound a region of space when connected;

Temporal discretisation (For transient problems) dividing the time domain into into a finite number of time intervals, or steps;

Equation discretisation Generating a system of algebraic equations in terms of discrete quantities defined at specific locations in the domain, from the PDEs that characterise the problem.

2.2.1 OpenFOAM lists and fields

OpenFOAM frequently needs to store sets of data and perform functions, such as mathematical operations, on the data. OpenFOAM therefore provides an array template class List<Type>, making it possible to create a list of any object of class Type that inherits the functions of the Type. For example a List of vector is List<vector>.

Lists of the tensor classes are defined as standard in OpenFOAM by the template class Field<Type>. For better code legibility, all instances of Field<Type>, e.g.Field<vector>, are renamed using typedef declarations as scalarField, vectorField, tensorField, symmTensorField, tensorThirdField and symmTensorThirdField. Algebraic operations can be performed between Fields subject to obvious restrictions such as the fields having the same number of elements. OpenFOAM also supports operations between a field and single tensor, e.g. all values of a Field U can be multiplied by the scalar 2 with the operation U = 2.0 * U.

2.3 Discretisation of the solution domain

Discretisation of the solution domain is shown in Figure 2.1. The space domain is discretised into computational mesh on which the PDEs are subsequently discretised. Discretisation of time, if required, is simple: it is broken into a set of time steps Δt that may change during a numerical simulation, perhaps depending on some condition calculated during the simulation.




Figure 2.1: Discretisation of the solution domain




Figure 2.2: Parameters in finite volume discretisation

On a more detailed level, discretisation of space requires the subdivision of the domain into a number of cells, or control volumes. The cells are contiguous, *i.e.* they do not overlap one another and completely fill the domain. A typical cell is shown in Figure 2.2. Dependent variables and other properties are principally stored at the cell centroid P although they

may be stored on faces or vertices. The cell is bounded by a set of flat faces, given the generic label f. In OpenFOAM there is no limitation on the number of faces bounding each cell, nor any restriction on the alignment of each face. This kind of mesh is often referred to as "arbitrarily unstructured" to differentiate it from meshes in which the cell faces have a prescribed alignment, typically with the coordinate axes. Codes with arbitrarily unstructured meshes offer greater freedom in mesh generation and manipulation in particular when the geometry of the domain is complex or changes over time.

Whilst most properties are defined at the cell centroids, some are defined at cell faces. There are two types of cell face.

Internal faces Those faces that connect two cells (and it can never be more than two). For each internal face, OpenFOAM designates one adjoining cell to be the face owner and the other to be the neighbour;

Boundary faces Those belonging to one cell since they coincide with the boundary of the domain. These faces simply have an owner cell.

2.3.1 Defining a mesh in OpenFOAM

There are different levels of mesh description in OpenFOAM, beginning with the most basic mesh class, named polyMesh since it is based on polyhedra. A polyMesh is constructed using the minimum information required to define the mesh geometry described below and presented in Figure 2.3:

Points A list of cell vertex point coordinate vectors, *i.e.* a vectorField, that is renamed pointField using a typedef declaration;

Faces A list of cell faces List<face>, or faceList, where the face class is defined by a list of vertex numbers, corresponding to the pointField;

Cells a list of cells List<cell>, or cellList, where the cell class is defined by a list of face numbers, corresponding to the faceList described previously.

Boundary a polyBoundaryMesh decomposed into a list of patches, polyPatchList representing different regions of the boundary. The boundary is subdivided in this manner to allow different boundary conditions to be specified on different patches during a solution. All the faces of any polyPatch are stored as a single block of the faceList, so that its faces can be easily accessed using the slice class which stores references to the first and last face of the block. Each polyPatch is then constructed from

- a slice;
- a word to assign it a name.

FV discretisation uses specific data that is derived from the mesh geometry stored in polyMesh. OpenFOAM therefore extends the polyMesh class to fvMesh which stores the additional data needed for FV discretisation. fvMesh is constructed from polyMesh and stores the data in Table 2.1 which can be updated during runtime in cases where the mesh moves, is refined *etc.*.




Figure 2.3: Schematic of the basic mesh description used in OpenFOAM

2.3.2 Defining a geometricField in OpenFOAM

So far we can define a field, *i.e.* a list of tensors, and a mesh. These can be combined to define a tensor field relating to discrete points in our domain, specified in OpenFOAM by the template class geometricField<Type>. The Field values are separated into those defined within the internal region of the domain, *e.g.* at the cell centres, and those defined on the domain boundary, *e.g.* on the boundary faces. The geometricField<Type> stores the following information:

Internal field This is simply a Field<Type>, described in Section 2.2.1;

BoundaryField This is a GeometricBoundaryField, in which a Field is defined for the faces of each patch and a Field is defined for the patches of the boundary. This is then a field of fields, stored within an object of the FieldField<Type> class. A reference to the fvBoundaryMesh is also stored [**].

Mesh A reference to an fvMesh, with some additional detail as to the whether the field is defined at cell centres, faces, etc..

Dimensions A dimensionSet, described in Section 4.2.6.

Old values Discretisation of time derivatives requires field data from previous time steps.

Class	Description	Symbol	Access function
volScalarField	Cell volumes	V	V()
surfaceVectorField	Face area vectors	\mathbf{S}_f	Sf()
surfaceScalarField	Face area magnitudes	$ \mathbf{S}_f $	magSf()
volVectorField	Cell centres	\mathbf{C}	C()
surfaceVectorField	Face centres	\mathbf{C}_f	Cf()
surfaceScalarField	Face motion fluxes **	ϕ_g	phi()

Table 2.1: fvMesh stored data.

The geometricField<Type> will store references to stored fields from the previous, or old, time step and its previous, or old-old, time step where necessary.

Previous iteration values The iterative solution procedures can use under-relaxation which requires access to data from the previous iteration. Again, if required, geometricField<Type> stores a reference to the data from the previous iteration.

As discussed in Section 2.3, we principally define a property at the cell centres but quite often it is stored at the cell faces and on occasion it is defined on cell vertices. The geometricField<Type> is renamed using typedef declarations to indicate where the field variable is defined as follows:

volField<Type> A field defined at cell centres;

surfaceField<Type> A field defined on cell faces;

pointField<Type> A field defined on cell vertices.

These typedef field classes of geometricField<Type>are illustrated in Figure 2.4. A geometricField<Type> inherits all the tensor algebra of Field<Type> and has all operations subjected to dimension checking using the dimensionSet. It can also be subjected to the FV discretisation procedures described in the following Section. The class structure used to build geometricField<Type> is shown in Figure 2.5¹.

2.4 Equation discretisation

Equation discretisation converts the PDEs into a set of algebraic equations that are commonly expressed in matrix form as:

$$[A][x] = [b] \tag{2.12}$$

where [A] is a square matrix, [x] is the column vector of dependent variable and [b] is the source vector. The description of [x] and [b] as 'vectors' comes from matrix terminology rather than being a precise description of what they truly are: a list of values defined at locations in the geometry, i.e. a geometricField<Type>, or more specifically a volField<Type> when using FV discretisation.

¹The diagram is not an exact description of the class hierarchy, rather a representation of the general structure leading from some primitive classes to geometric<Type>Field.




Figure 2.4: Types of geometricField<Type> defined on a mesh with 2 boundary patches (in 2 dimensions for simplicity)




Figure 2.5: Basic class structure leading to geometricField<Type>

[A] is a list of coefficients of a set of algebraic equations, and cannot be described as a geometricField<Type>. It is therefore given a class of its own: fvMatrix. fvMatrix<Type> is created through discretisation of a geometric<Type>Field and therefore inherits the <Type>. It supports many of the standard algebraic matrix operations of addition +, subtraction - and multiplication *.

Each term in a PDE is represented individually in OpenFOAM code using the classes of static functions finiteVolumeMethod and finiteVolumeCalculus, abbreviated by a typedef to fvm and fvc respectively. fvm and fvc contain static functions, representing differential operators, e.g. ∇^2 , $\nabla \cdot$ and $\partial/\partial t$, that discretise geometricField<Type>s. The purpose of defining these functions within two classes, fvm and fvc, rather than one, is to distinguish:

- functions of fvm that calculate implicit derivatives of and return an fvMatrix<Type>
- some functions of fvc that calculate explicit derivatives and other explicit calculations, returning a geometricField<Type>.

Figure 2.6 shows a geometricField<Type> defined on a mesh with 2 boundary patches and illustrates the explicit operations merely transform one field to another and drawn in 2D for simplicity.




Figure 2.6: A geometricField<Type> and its operators

Table 2.2 lists the main functions that are available in fvm and fvc to discretise terms that may be found in a PDE. FV discretisation of each term is formulated by first integrating the term over a cell volume V. Most spatial derivative terms are then converted to integrals over the cell surface S bounding the volume using Gauss's theorem

$$\int_{V} \nabla \star \phi \ dV = \int_{S} d\mathbf{S} \star \phi \tag{2.13}$$

where **S** is the surface area vector, ϕ can represent any tensor field and the star notation \star is used to represent any tensor product, *i.e.* inner, outer and cross and the respective

Term description	Implicit /	Text	fvm::/fvc:: functions
	Explicit	expression	·
Laplacian	Imp/Exp	$\nabla^2 \phi$	laplacian(phi)
	-, -	$\nabla \cdot \Gamma \nabla \phi$	laplacian(Gamma, phi)
Time derivative	Imp/Exp	$\frac{\partial \phi}{\partial t}$	ddt(phi)
		$\frac{\partial \rho \phi}{\partial t}$	ddt(rho,phi)
Second time derivative	Imp/Exp	$\frac{\partial}{\partial t} \left(\rho \frac{\partial \phi}{\partial t} \right)$	d2dt2(rho, phi)
Convection	Imp/Exp	$\nabla ullet (\psi)$	div(psi,scheme)*
		$\nabla \cdot (\psi \phi)$	div(psi, phi, word)*
			div(psi, phi)
Divergence	Exp	$\nabla \cdot \chi$	div(chi)
Gradient	Exp	$\nabla \chi$	grad(chi)
		$ abla \phi$	gGrad(phi)
			lsGrad(phi)
			<pre>snGrad(phi)</pre>
			<pre>snGradCorrection(phi)</pre>
Grad-grad squared	Exp	$ \nabla \nabla \phi ^2$	sqrGradGrad(phi)
Curl	Exp	$\nabla \times \phi$	curl(phi)
Source	Imp	$\rho\phi$	Sp(rho,phi)
	$Imp/Exp\dagger$		SuSp(rho,phi)

†fvm::SuSp source is discretised implicit or explicit depending on the sign of rho. †An explicit source can be introduced simply as a vol<Type>Field, e.g.rho*phi. Function arguments can be of the following classes:

phi: vol<Type>Field

 ${\tt Gamma: scalar \ vol Scalar Field, surface Scalar Field, vol Tensor Field, surface Tensor Field.}$

rho: scalar, volScalarField psi: surfaceScalarField.

chi: surface<Type>Field, vol<Type>Field.

Table 2.2: Discretisation of PDE terms in OpenFOAM

derivatives: divergence $\nabla \cdot \phi$, gradient $\nabla \phi$ and $\nabla \times \phi$. Volume and surface integrals are then linearised using appropriate schemes which are described for each term in the following Sections. Some terms are always discretised using one scheme, a selection of schemes is offered in OpenFOAM for the discretisation of other terms. The choice of scheme is either made by a direct specification within the code or it can be read from an input file at job run-time and stored within an fvSchemes class object.

2.4.1 The Laplacian term

The Laplacian term is integrated over a control volume and linearised as follows:

$$\int_{V} \nabla \cdot (\Gamma \nabla \phi) \ dV = \int_{S} d\mathbf{S} \cdot (\Gamma \nabla \phi) = \sum_{f} \Gamma_{f} \mathbf{S}_{f} \cdot (\nabla \phi)_{f}$$
(2.14)

The face gradient discretisation is implicit when the length vector \mathbf{d} between the centre of the cell of interest P and the centre of a neighbouring cell N is orthogonal to the face plane, i.e. parallel to \mathbf{S}_f :

$$\mathbf{S}_f \bullet (\nabla \phi)_f = |S_f| \frac{\phi_N - \phi_P}{|\mathbf{d}|} \tag{2.15}$$

In the case of non-orthogonal meshes, an additional explicit term is introduced which is evaluated by interpolating cell centre gradients, themselves calculated by central differencing cell centre values.

2.4.2 The convection term

The convection term is integrated over a control volume and linearised as follows:

$$\int_{V} \nabla \cdot (\rho \mathbf{U}\phi) \ dV = \int_{S} d\mathbf{S} \cdot (\rho \mathbf{U}\phi) = \sum_{f} \mathbf{S}_{f} \cdot (\rho \mathbf{U})_{f} \phi_{f} = \sum_{f} F \phi_{f}$$
 (2.16)

The face field ϕ_f can be evaluated using a variety of schemes:

Central differencing (CD) is second-order accurate but unbounded

$$\phi_f = f_x \phi_P + (1 - f_x) \phi_N \tag{2.17}$$

where $f_x \equiv \overline{fN}/\overline{PN}$ where \overline{fN} is the distance between f and cell centre N and \overline{PN} is the distance between cell centres P and N.

Upwind differencing (UD) determines ϕ_f from the direction of flow and is bounded at the expense of accuracy

$$\phi_f = \begin{cases} \phi_P & \text{for } F \ge 0\\ \phi_N & \text{for } F < 0 \end{cases}$$
 (2.18)

Blended differencing (BD) schemes combine UD and CD in an attempt to preserve boundedness with reasonable accuracy,

$$\phi_f = (1 - \gamma) \left(\phi_f\right)_{UD} + \gamma \left(\phi_f\right)_{CD} \tag{2.19}$$

OpenFOAM has several implementations of the Gamma differencing scheme to select the blending coefficient γ but it offers other well-known schemes such as van Leer, SUPERBEE, MINMOD etc.

2.4.3 First time derivative

The first time derivative $\partial/\partial t$ is integrated over a control volume as follows:

$$\frac{\partial}{\partial t} \int_{V} \rho \phi \ dV \tag{2.20}$$

The term is discretised by simple differencing in time using:

new values $\phi^n \equiv \phi(t + \Delta t)$ at the time step we are solving for;

old values $\phi^o \equiv \phi(t)$ that were stored from the previous time step;

old-old values $\phi^{oo} \equiv \phi(t - \Delta t)$ stored from a time step previous to the last.

One of two discretisation schemes can be declared using the timeScheme keyword in the appropriate input file, described in detail in section 4.4 of the User Guide.

Euler implicit scheme, timeScheme EulerImplicit, that is first order accurate in time:

$$\frac{\partial}{\partial t} \int_{V} \rho \phi \ dV = \frac{(\rho_P \phi_P V)^n - (\rho_P \phi_P V)^o}{\Delta t} \tag{2.21}$$

Backward differencing scheme, timeScheme BackwardDifferencing, that is second order accurate in time by storing the old-old values and therefore with a larger overhead in data storage than EulerImplicit:

$$\frac{\partial}{\partial t} \int_{V} \rho \phi \ dV = \frac{3 \left(\rho_P \phi_P V\right)^n - 4 \left(\rho_P \phi_P V\right)^o + \left(\rho_P \phi_P V\right)^{oo}}{2\Delta t} \tag{2.22}$$

2.4.4 Second time derivative

The second time derivative is integrated over a control volume and linearised as follows:

$$\frac{\partial}{\partial t} \int_{V} \rho \frac{\partial \phi}{\partial t} dV = \frac{(\rho_P \phi_P V)^n - 2(\rho_P \phi_P V)^o + (\rho_P \phi_P V)^{oo}}{\Delta t^2}$$
(2.23)

It is first order accurate in time.

2.4.5 Divergence

The divergence term described in this Section is strictly an explicit term that is distinguished from the convection term of Section 2.4.2, *i.e.* in that it is not the divergence of the product of a velocity and dependent variable. The term is integrated over a control volume and linearised as follows:

$$\int_{V} \nabla \cdot \phi \ dV = \int_{S} d\mathbf{S} \cdot \phi = \sum_{f} \mathbf{S}_{f} \cdot \phi_{f}$$
(2.24)

The fvc::div function can take as its argument either a surface<Type>Field, in which case ϕ_f is specified directly, or a vol<Type>Field which is interpolated to the face by central differencing as described in Section 2.4.10:

2.4.6 Gradient

The gradient term is an explicit term that can be evaluated in a variety of ways. The scheme can be evaluated either by selecting the particular grad function relevant to the discretisation scheme, e.g.fvc::gGrad, fvc::lsGrad etc., or by using the fvc::grad function combined with the appropriate timeScheme keyword in an input file

Gauss integration is invoked using the fvc::grad function with timeScheme Gauss or directly using the fvc::gGrad function. The discretisation is performed using the standard method of applying Gauss's theorem to the volume integral:

$$\int_{V} \nabla \phi \ dV = \int_{S} d\mathbf{S} \, \phi = \sum_{f} \mathbf{S}_{f} \phi_{f} \tag{2.25}$$

As with the fvc::div function, the Gaussian integration fvc::grad function can take either a surfaceField<Type> or a volField<Type> as an argument.

Least squares method is based on the following idea:

- 1. a value at point P can be extrapolated to neighbouring point N using the gradient at P:
- 2. the extrapolated value at N can be compared to the actual value at N, the difference being the error;
- 3. if we now minimise the sum of the square of weighted errors at all neighbours of *P* with the respect to the gradient, then the gradient should be a good approximation.

Least squares is invoked using the fvc::grad function with timeScheme leastSquares or directly using the fvc::lsGrad function. The discretisation is performed as by first calculating the tensor G at every point P by summing over neighbours N:

$$\mathbf{G} = \sum_{N} w_N^2 \mathbf{dd} \tag{2.26}$$

where **d** is the vector from P to N and the weighting function $w_N = 1/|\mathbf{d}|$. The gradient is then evaluated as:

$$(\nabla \phi)_P = \sum_N w_N^2 \mathbf{G}^{-1} \cdot \mathbf{d} (\phi_N - \phi_P)$$
(2.27)

Surface normal gradient The gradient normal to a surface $\mathbf{n}_f \cdot (\nabla \phi)_f$ can be evaluated at cell faces using the scheme

$$(\nabla \phi)_f = \frac{\phi_N - \phi_P}{|\mathbf{d}|} \tag{2.28}$$

This gradient is called by the function fvc::snGrad and returns a surfaceField<Type>. The scheme is directly analogous to that evaluated for the Laplacian discretisation scheme in Section 2.4.1, and in the same manner, a correction can be introduced to improve the accuracy of this face gradient in the case of non-orthogonal meshes. This correction is called using the function fvc::snGradCorrection [Check**].

2.4.7 Grad-grad squared

The grad-grad squared term is evaluated by: taking the gradient of the field; taking the gradient of the resulting gradient field; and then calculating the magnitude squared of the result. The mathematical expression for grad-grad squared of ϕ is $|\nabla (\nabla \phi)|^2$.

2.4.8 Curl

The curl is evaluated from the gradient term described in Section 2.4.6. First, the gradient is discretised and then the curl is evaluated using the relationship from Equation 2.7, repeated here for convenience

$$\nabla \times \phi = 2 * (\text{skew } \nabla \phi)$$

2.4.9 Source terms

Source terms can be specified in 3 ways

Explicit Every explicit term is a volField<Type>. Hence, an explicit source term can be incorporated into an equation simply as a field of values. For example if we wished to solve Poisson's equation $\nabla^2 \phi = f$, we would define phi and f as volScalarField and then do

Implicit An implicit source term is integrated over a control volume and linearised by

$$\int_{V} \rho \phi \ dV = \rho_P V_P \phi_P \tag{2.29}$$

Implicit/Explicit The implicit source term changes the coefficient of the diagonal of the matrix. Depending on the sign of the coefficient and matrix terms, this will either increase or decrease diagonal dominance of the matrix. Decreasing the diagonal dominance could cause instability during iterative solution of the matrix equation. Therefore OpenFOAM provides a mixed source discretisation procedure that is implicit when the coefficients that are greater than zero, and explicit for the coefficients less than zero. In mathematical terms the matrix coefficient for node P is $V_P \max(\rho_P, 0)$ and the source term is $V_P \phi_P \min(\rho_P, 0)$.

2.4.10 Other explicit discretisation schemes

There are some other discretisation procedures that convert volField<Type>s into surface<Type>Fields and visa versa.

Surface integral fvc::surfaceIntegrate performs a summation of surface<Type>Field face values bounding each cell and dividing by the cell volume, i.e. $(\sum_f \phi_f)/V_P$. It returns a volField<Type>.

Surface sum fvc::surfaceSum performs a summation of surface
Type>Field face values bounding each cell, i.e. $\sum_f \phi_f$ returning a volField
Type>.

Average fvc::average produces an area weighted average of surface<Type>Field face values, i.e. $(\sum_f S_f \phi_f) / \sum_f S_f$, and returns a volField<Type>.

Reconstruct

Face interpolate The geometric<Type>Field function faceInterpolate() interpolates volField<Type> cell centre values to cell faces using central differencing, returning a surface<Type>Field.

2.5 Temporal discretisation

Although we have described the discretisation of temporal derivatives in Sections 2.4.3 and 2.4.4, we need to consider how to treat the spatial derivatives in a transient problem. If we denote all the spatial terms as $\mathcal{A}\phi$ where \mathcal{A} is any spatial operator, e.g. Laplacian, then we can express a transient PDE in integral form as

$$\int_{t}^{t+\Delta t} \left[\frac{\partial}{\partial t} \int_{V} \rho \phi \ dV + \int_{V} \mathcal{A}\phi \ dV \right] \ dt = 0$$
 (2.30)

Using the Euler implicit method of Equation 2.21, the first term can be expressed as

$$\int_{t}^{t+\Delta t} \left[\frac{\partial}{\partial t} \int_{V} \rho \phi \ dV \right] dt = \int_{t}^{t+\Delta t} \frac{(\rho_{P} \phi_{P} V)^{n} - (\rho_{P} \phi_{P} V)^{o}}{\Delta t} dt$$

$$= \frac{(\rho_{P} \phi_{P} V)^{n} - (\rho_{P} \phi_{P} V)^{o}}{\Delta t} \Delta t \tag{2.31}$$

The second term can be expressed as

$$\int_{t}^{t+\Delta t} \left[\int_{V} \mathcal{A}\phi \ dV \right] \ dt = \int_{t}^{t+\Delta t} \mathcal{A}^{*}\phi \ dt \tag{2.32}$$

where \mathcal{A}^* represents the spatial discretisation of \mathcal{A} . The time integral can be discretised in three ways:

Euler implicit uses implicit discretisation of the spatial terms, thereby taking current values ϕ^n .

$$\int_{t}^{t+\Delta t} \mathcal{A}^* \phi \ dt = \mathcal{A}^* \phi^n \Delta t \tag{2.33}$$

It is first order accurate in time, guarantees boundedness and is unconditionally stable.

Explicit uses explicit discretisation of the spatial terms, thereby taking old values ϕ^o .

$$\int_{t}^{t+\Delta t} \mathcal{A}^* \phi \ dt = \mathcal{A}^* \phi^o \Delta t \tag{2.34}$$

It is first order accurate in time and is unstable if the Courant number Co is greater than 1. The Courant number is defined as

$$Co = \frac{\mathbf{U}_f \cdot \mathbf{d}}{|\mathbf{d}|^2 \Delta t} \tag{2.35}$$

where \mathbf{U}_f is a characteristic velocity, e.g. velocity of a wave front, velocity of flow.

Crank Nicholson uses the trapezoid rule to discretise the spatial terms, thereby taking a mean of current values ϕ^n and old values ϕ^o .

$$\int_{t}^{t+\Delta t} \mathcal{A}^* \phi \ dt = \mathcal{A}^* \left(\frac{\phi^n + \phi^o}{2} \right) \Delta t \tag{2.36}$$

It is second order accurate in time, is unconditionally stable but does not guarantee boundedness.

2.5.1 Treatment of temporal discretisation in OpenFOAM

At present the treatment of the temporal discretisation is controlled by the implementation of the spatial derivatives in the PDE we wish to solve. For example, let us say we wish to solve a transient diffusion equation

$$\frac{\partial \phi}{\partial t} = \kappa \nabla^2 \phi \tag{2.37}$$

An Euler implicit implementation of this would read

```
solve(fvm::ddt(phi) == kappa*fvm::laplacian(phi))
```

where we use the fvm class to discretise the Laplacian term implicitly. An explicit implementation would read

```
solve(fvm::ddt(phi) == kappa*fvc::laplacian(phi))
```

where we now use the fvc class to discretise the Laplacian term explicitly. The Crank Nicholson scheme can be implemented by the mean of implicit and explicit terms:

```
solve
   (
   fvm::ddt(phi)
   ==
   kappa*0.5*(fvm::laplacian(phi) + fvc::laplacian(phi))
   )
```

2.6 Boundary Conditions

Boundary conditions are required to complete the problem we wish to solve. We therefore need to specify boundary conditions on all our boundary faces. Boundary conditions can be divided into 2 types:

Dirichlet prescribes the value of the dependent variable on the boundary and is therefore termed 'fixed value' in this guide;

Neumann prescribes the gradient of the variable normal to the boundary and is therefore termed 'fixed gradient' in this guide.

When we perform discretisation of terms that include the sum over faces \sum_f , we need to consider what happens when one of the faces is a boundary face.

Fixed value We specify a fixed value at the boundary ϕ_b

- We can simply substitute ϕ_b in cases where the discretisation requires the value on a boundary face ϕ_f , e.g. in the convection term in Equation 2.16.
- In terms where the face gradient $(\nabla \phi)_f$ is required, e.g. Laplacian, it is calculated using the boundary face value and cell centre value,

$$\mathbf{S}_f \bullet (\nabla \phi)_f = |S_f| \frac{\phi_b - \phi_P}{|\mathbf{d}|} \tag{2.38}$$

Fixed gradient The fixed gradient boundary condition g_b is a specification on inner product of the gradient and unit normal to the boundary, or

$$g_b = \left(\frac{\mathbf{S}}{|\mathbf{S}|} \bullet \nabla \phi\right)_f \tag{2.39}$$

• When discretisation requires the value on a boundary face ϕ_f we must interpolate the cell centre value to the boundary by

$$\phi_f = \phi_P + \mathbf{d} \cdot (\nabla \phi)_f$$

$$= \phi_P + |\mathbf{d}| g_b$$
(2.40)

• ϕ_b can be directly substituted in cases where the discretisation requires the face gradient to be evaluated,

$$\mathbf{S}_f \bullet (\nabla \phi)_f = |S_f| \, g_b \tag{2.41}$$

2.6.1 Physical boundary conditions

The specification of boundary conditions is usually an engineer's interpretation of the true behaviour. Real boundary conditions are generally defined by some physical attributes rather than the numerical description as described of the previous Section. In incompressible fluid flow there are the following physical boundaries

Inlet The velocity field at the inlet is supplied and, for consistency, the boundary condition on pressure is zero gradient.

Outlet The pressure field at the outlet is supplied and a zero gradient boundary condition on velocity is specified.

No-slip impermeable wall The velocity of the fluid is equal to that of the wall itself, *i.e.* a fixed value condition can be specified. The pressure is specified zero gradient since the flux through the wall is zero.

In a problem whose solution domain and boundary conditions are symmetric about a plane, we only need to model half the domain to one side of the symmetry plane. The boundary condition on the plane must be specified according to

Symmetry plane The symmetry plane condition specifies the component of the gradient normal to the plane should be zero. [Check**]

Chapter 3

Examples of the use of OpenFOAM

In this section we shall describe several test cases supplied with the OpenFOAM distribution. The intention is to provide example cases, including those in the tutorials in chapter 2 of the User Guide, for every standard solver. The examples are designed to introduce certain tools and features of OpenFOAM, e.g. within pre-/post-processing, numerical schemes, algorithms. They also provide a means for validation of solvers although that is not their principal function.

Each example contains a description of the problem: the geometry, initial and boundary conditions, a brief description of the equations being solved, models used, and physical properties required. The solution domain is selected which may be a portion of the original geometry, e.g. if we introduce symmetry planes. The method of meshing, usually blockMesh, is specified; of course the user can simply view the mesh since every example is distributed with the polyMesh directory containing the data files that describe the mesh.

The examples coexist with the tutorials in the *tutorials* subdirectory of the OpenFOAM installation. They are organised into a set of subdirectories by solver, *e.g.* all the icoFoam cases are stored within a subdirectory *icoFoam*. Before running a particular example, the user is urged to copy it into their user account. We recommend that the user stores all OpenFOAM cases in a directory we recommend that the tutorials are copied into a directory \$FOAM_RUN. If this directory structure has not yet been created in the user's account, it can be created with

```
mkdir -p $FOAM_RUN
```

The tutorials can then be copied into this directory with

```
cp -r $FOAM_TUTORIALS/* $FOAM_RUN
```

3.1 Flow around a cylinder

In this example we shall investigate potential flow around a cylinder using potentialFoam. This example introduces the following OpenFOAM features:

- non-orthogonal meshes;
- generating an analytical solution to a problem in OpenFOAM.

3.1.1 Problem specification

The problem is defined as follows:

Solution domain The domain is 2 dimensional and consists of a square domain with a cylinder collocated with the centre of the square as shown in Figure 3.1.




Figure 3.1: Geometry of flow round a cylinder

Governing equations

• Mass continuity for an incompressible fluid

$$\nabla \cdot \mathbf{U} = 0 \tag{3.1}$$

• Pressure equation for an incompressible, irrotational fluid assuming steady-state conditions

$$\nabla^2 p = 0 \tag{3.2}$$

Boundary conditions

- Inlet (left) with fixed velocity U = (1, 0, 0) m/s.
- Outlet (right) with a fixed pressure p = 0 Pa.
- No-slip wall (bottom);
- Symmetry plane (top).

Initial conditions U = 0 m/s, p = 0 Pa — required in OpenFOAM input files but not necessary for the solution since the problem is steady-state.

Solver name potentialFoam: a potential flow code, *i.e.* assumes the flow is incompressible, steady, irrotational, inviscid and it ignores gravity.

Case name cylinder case located in the \$FOAM_TUTORIALS/potentialFoam directory.

3.1.2 Note on potentialFoam

potentialFoam is a useful solver to validate OpenFOAM since the assumptions of potential flow are such that an analytical solution exists for cases whose geometries are relatively simple. In this example of flow around a cylinder an analytical solution exists with which we can compare our numerical solution. potentialFoam can also be run more like a utility to provide a (reasonably) conservative initial U field for a problem. When running certain cases, this can useful for avoiding instabilities due to the initial field being unstable. In short, potentialFoam creates a conservative field from a non-conservative initial field supplied by the user.

3.1.3 Mesh generation

Mesh generation using blockMesh has been described in tutorials in the User Guide. In this case, the mesh consists of 10 blocks as shown in Figure 3.2. Remember that all meshes




Figure 3.2: Blocks in cylinder geometry

are treated as 3 dimensional in OpenFOAM. If we wish to solve a 2 dimensional problem, we must describe a 3 dimensional mesh that is only one cell thick in the third direction that is not solved. In Figure 3.2 we show only the back plane of the geometry, along z = -0.5, in which the vertex numbers are numbered 0-18. The other 19 vertices in the front plane, z = +0.5, are numbered in the same order as the back plane, as shown in the mesh description file below:

```
2
                                      OpenFOAM: The Open Source CFD Toolbox
                   F ield
3
4
                   O peration
                                      Version:
                                                 2.2.0
                                                 www.OpenFOAM.org
5
                   A nd
                   M anipulation
6
    FoamFile
8
9
         version
                      2.0;
10
                      ascii:
         format
11
         class
                      dictionary;
12
```

```
blockMeshDict;
13
         object
14
15
16
    convertToMeters 1;
17
18
19
    vertices #codeStream
20
         codeInclude
21
        #{
22
             #include "pointField.H"
23
         #};
24
25
26
         code
             pointField points(19);
28
             points[0]
                         = point(0.5, 0, -0.5);
29
                         = point(1, 0, -0.5);
             points[1]
30
             points[2]
                         = point(2, 0, -0.5);
31
                         = point(2, 0.707107, -0.5);
             points[3]
32
             points[4]
                         = point(0.707107, 0.707107, -0.5);
33
             points[5]
                         = point(0.353553, 0.353553, -0.5);
34
             points[6]
                         = point(2, 2, -0.5);
                         = point(0.707107, 2, -0.5);
             points[7]
36
             points[8]
                         = point(0, 2, -0.5);
37
                         = point(0, 1, -0.5);
             points[9]
38
             points[10] = point(0, 0.5, -0.5);
39
             points[11] = point(-0.5, 0, -0.5);
40
             points[12] = point(-1, 0, -0.5);
             points[13] = point(-2, 0, -0.5);
42
             points[14] = point(-2, 0.707107, -0.5);
43
             points[15] = point(-0.707107, 0.707107, -0.5);
44
             points[16] = point(-0.353553, 0.353553, -0.5);
45
46
             points[17] = point(-2, 2, -0.5);
             points[18] = point(-0.707107, 2, -0.5);
47
48
             // Duplicate z points
49
             label sz = points.size();
50
             points.setSize(2*sz);
51
             for (label i = 0; i < sz; i++)
53
                  const point& pt = points[i];
54
                 points[i+sz] = point(pt.x(), pt.y(), -pt.z());
55
             }
57
                 << points;
58
         #};
59
    };
60
61
62
63
    blocks
         hex (5 4 9 10 24 23 28 29) (10 10 1) simpleGrading (1 1 1)
65
         hex (0 1 4 5 19 20 23 24) (10 10 1) simpleGrading (1 1 1)
66
         hex (1 2 3 4 20 21 22 23) (20 10 1) simpleGrading (1 1 1)
67
         hex (4 3 6 7 23 22 25 26) (20 20 1) simpleGrading (1 1 1)
68
         hex (9 4 7 8 28 23 26 27) (10 20 1) simpleGrading (1 1 1)
69
         hex (15 16 10 9 34 35 29 28) (10 10 1) simpleGrading (1 1 1)
70
         hex (12 11 16 15 31 30 35 34) (10 10 1) simpleGrading (1 1 1)
71
         hex (13 12 15 14 32 31 34 33) (20 10 1) simpleGrading (1 1 1)
72
         hex (14 15 18 17 33 34 37 36) (20 20 1) simpleGrading (1 1 1)
73
         hex (15 9 8 18 34 28 27 37) (10 20 1) simpleGrading (1 1 1)
74
    );
75
76
    edges
77
78
79
         arc 0 5 (0.469846 0.17101 -0.5)
        arc 5 10 (0.17101 0.469846 -0.5)
arc 1 4 (0.939693 0.34202 -0.5)
80
81
         arc 4 9 (0.34202 0.939693 -0.5)
82
        arc 19 24 (0.469846 0.17101 0.5)
arc 24 29 (0.17101 0.469846 0.5)
83
84
         arc 20 23 (0.939693 0.34202 0.5)
```

```
arc 23 28 (0.34202 0.939693 0.5)
arc 11 16 (-0.469846 0.17101 -0.5)
 86
 87
             arc 16 10 (-0.17101 0.469846 -0.5)
arc 12 15 (-0.939693 0.34202 -0.5)
arc 15 9 (-0.34202 0.939693 -0.5)
 88
 89
 90
                       35
29
34
                            (-0.469846 0.17101 0.5)
(-0.17101 0.469846 0.5)
(-0.939693 0.34202 0.5)
 91
             arc 35
arc 31
 92
 93
             arc 34 28 (-0.34202 0.939693 0.5)
 94
 95
       );
 96
       boundary
 97
 98
 99
100
                    type symmetryPlane;
101
                    faces
102
103
                          (0 1 20 19)
(1 2 21 20)
104
105
                          (12 11 30 31)
(13 12 31 32)
106
107
                   );
108
109
110
             right
111
112
                    type patch;
                    faces
113
114
                          (2 3 22 21)
(3 6 25 22)
115
116
                   );
117
118
             up
119
                    type symmetryPlane;
121
                   faces
122
123
                          (7 8 27 26)
(6 7 26 25)
(8 18 37 27)
(18 17 36 37)
124
125
126
127
128
129
             left
{
130
131
132
                    type patch;
                   faces
133
134
                          (14 13 32 33)
(17 14 33 36)
135
136
                   );
137
138
             cylinder
139
140
                   type symmetryPlane;
141
142
                    faces
143
                          (10 5 24 29)
144
                          (5 0 19 24)
(16 10 29 35)
(11 16 35 30)
145
146
147
                    );
148
             }
149
       );
150
151
       mergePatchPairs
152
       ();
153
154
155
           156
```

3.1.4 Boundary conditions and initial fields

Using FoamX or editing case files by hand, set the boundary conditions in accordance with the problem description in Figure 3.1, *i.e.* the left boundary should be an Inlet, the right

boundary should be an Outlet and the down and cylinder boundaries should be symmetryPlane. The top boundary conditions is chosen so that we can make the most genuine comparison with our analytical solution which uses the assumption that the domain is infinite in the y direction. The result is that the normal gradient of \mathbf{U} is small along a plane coinciding with our boundary. We therefore impose the condition that the normal component is zero, *i.e.* specify the boundary as a symmetryPlane, thereby ensuring that the comparison with the analytical is reasonable.

3.1.5 Running the case

No fluid properties need be specified in this problem since the flow is assumed to be incompressible and inviscid. In the *system* subdirectory, the *controlDict* specifies the control parameters for the run. Note that since we assume steady flow, we only run for 1 time step:

```
2
                   {\tt F} ield
                                      OpenFOAM: The Open Source CFD Toolbox
3
                   {\tt O} peration
                                                 2.2.0
                                    | Version:
4
                   A nd
                                      Web:
                                                  www.OpenFOAM.org
5
                   M anipulation
6
          \\/
    FoamFile
8
9
                      2.0;
         version
10
                       ascii;
         format
11
                       dictionary;
         class
         location
                       "system"
13
         object
                       controlDict:
14
15
16
17
                      potentialFoam;
    application
18
19
    startFrom
                       startTime;
20
21
    startTime
                       0;
22
23
    stopAt
                       endTime;
24
25
    endTime
                       1;
26
27
    deltaT
                       1;
28
29
    writeControl
                      timeStep;
30
31
    writeInterval
32
33
    purgeWrite
                       0:
34
35
    writeFormat
                       ascii;
36
37
    writePrecision
38
39
    writeCompression off;
40
41
42
    timeFormat
                       general;
43
    timePrecision
44
45
    runTimeModifiable true;
46
47
    functions
48
49
         difference
50
51
              // Load the library containing the 'coded' functionObject
52
             functionObjectLibs ("libutilityFunctionObjects.so");
53
             type coded;
54
              // Name of on-the-fly generated functionObject
55
             redirectType error;
56
57
              code
```

```
#{
58
                   // Lookup U
59
                  Info<< "Looking up field U\n" << endl;</pre>
60
                  const volVectorField& U = mesh().lookupObject<volVectorField>("U");
61
62
                  Info<< "Reading inlet velocity uInfX\n" << endl;</pre>
63
64
                  scalar ULeft = 0.0;
                  label leftI = mesh().boundaryMesh().findPatchID("left");
66
                  const fvPatchVectorField& fvp = U.boundaryField()[leftI];
67
68
                  if (fvp.size())
                  {
69
                       ULeft = fvp[0].x();
70
71
                  reduce(ULeft, maxOp<scalar>());
72
73
                  dimensionedScalar uInfX
74
75
                       "uInfx"
76
                       dimensionSet(0, 1, -1, 0, 0),
77
78
                       ULeft
                  );
79
81
                  Info << "U at inlet = " << uInfX.value() << " m/s" << endl;</pre>
82
83
                  scalar magCylinder = 0.0;
84
                  label cylI = mesh().boundaryMesh().findPatchID("cylinder");
85
                  const fvPatchVectorField& cylFvp = mesh().C().boundaryField()[cylI];
86
87
                  if (cylFvp.size())
                       magCylinder = mag(cylFvp[0]);
89
90
                  reduce(magCylinder, maxOp<scalar>());
91
92
                  dimensionedScalar radius
93
94
                       "radius"
95
                       dimensionSet(0, 1, 0, 0, 0),
96
                       magCylinder
97
                  );
98
99
                  Info << "Cylinder radius = " << radius.value() << " m" << endl;</pre>
100
101
                  volVectorField UA
102
103
                       IOobject
104
105
                       (
106
                           mesh().time().timeName(),
107
                           U.mesh(),
IOobject::NO_READ
108
109
                           IOobject::AUTO_WRITE
110
                       ),
U
111
112
                  );
113
114
                  Info<< "\nEvaluating analytical solution" << endl;</pre>
115
116
                  const volVectorField& centres = UA.mesh().C();
117
                  volScalarField magCentres(mag(centres));
118
                  volScalarField theta(acos((centres & vector(1,0,0))/magCentres));
119
120
                  volVectorField cs2theta
122
                       cos(2*theta)*vector(1,0,0)
123
                     + \sin(2*theta)*vector(0,1,0)
124
125
126
127
                  UA = uInfX*(dimensionedVector(vector(1,0,0))
                     - pow((radius/magCentres),2)*cs2theta);
128
129
                  // Force writing of UA (since time has not changed)
130
                  UA.write();
131
132
                  volScalarField error("error", mag(U-UA)/mag(UA));
133
134
                  Info<<"Writing relative error in U to " << error.objectPath()</pre>
135
```

potentialFoam executes an iterative loop around the pressure equation which it solves in order that explicit terms relating to non-orthogonal correction in the Laplacian term may be updated in successive iterations. The number of iterations around the pressure equation is controlled by the nNonOrthogonalCorrectors keyword in *controlDict*. In the first instance we can set nNonOrthogonalCorrectors to 0 so that no loops are performed, *i.e.* the pressure equation is solved once, and there is no non-orthogonal correction. The solution is shown in Figure 3.3(a) (at t = 1, when the steady-state simulation is complete). We expect the solution to show smooth streamlines passing across the domain as in the analytical solution in Figure 3.3(c), yet there is clearly some error in the regions where there is high non-orthogonality in the mesh, *e.g.* at the join of blocks 0, 1 and 3. The case can be run a second time with some non-orthogonal correction by setting nNonOrthogonalCorrectors to 3. The solution shows smooth streamlines with no significant error due to non-orthogonality as shown in Figure 3.3(b).

3.2 Steady turbulent flow over a backward-facing step

In this example we shall investigate steady turbulent flow over a backward-facing step. The problem description is taken from one used by Pitz and Daily in an experimental investigation [**] against which the computed solution can be compared. This example introduces the following OpenFOAM features for the first time:

- generation of a mesh using blockMesh using full mesh grading capability;
- steady turbulent flow.

3.2.1 Problem specification

The problem is defined as follows:

Solution domain The domain is 2 dimensional, consisting of a short inlet, a backward-facing step and converging nozzle at outlet as shown in Figure 3.4.

Governing equations

• Mass continuity for incompressible flow

$$\nabla \cdot \mathbf{U} = 0 \tag{3.3}$$

• Steady flow momentum equation

$$\nabla \cdot (\mathbf{U}\mathbf{U}) + \nabla \cdot \mathbf{R} = -\nabla p \tag{3.4}$$

where p is kinematic pressure and (in slightly over-simplistic terms) $\mathbf{R} = \nu_{eff} \nabla \mathbf{U}$ is the viscous stress term with an effective kinematic viscosity ν_{eff} , calculated from selected transport and turbulence models.




Figure 3.3: Streamlines of potential flow




Figure 3.4: Geometry of backward-facing step

Initial conditions U = 0 m/s, p = 0 Pa — required in OpenFOAM input files but not necessary for the solution since the problem is steady-state.

Boundary conditions

- Inlet (left) with fixed velocity U = (10, 0, 0) m/s;
- Outlet (right) with fixed pressure p = 0 Pa;
- No-slip walls on other boundaries.

Transport properties

• Kinematic viscosity of air $\nu = \mu/\rho = 18.1 \times 10^{-6}/1.293 = 14.0 \ \mu m^2/s$

$Turbulence\ model$

- Standard $k \epsilon$;
- Coefficients: $C_{\mu} = 0.09$; $C_1 = 1.44$; $C_2 = 1.92$; $\alpha_k = 1$; $\alpha_{\epsilon} = 0.76923$.

Solver name simpleFoam: an implementation for steady incompressible flow.

Case name pitzDaily, located in the \$FOAM_TUTORIALS/simpleFoam directory.

The problem is solved using simpleFoam, so-called as it is an implementation for steady flow using the SIMPLE algorithm [**]. The solver has full access to all the turbulence models in the incompressibleTurbulenceModels library and the non-Newtonian models incompressibleTransportModels library of the standard OpenFOAM release.

3.2.2 Mesh generation

We expect that the flow in this problem is reasonably complex and an optimum solution will require grading of the mesh. In general, the regions of highest shear are particularly critical, requiring a finer mesh than in the regions of low shear. We can anticipate where high shear will occur by considering what the solution might be in advance of any calculation. At the inlet we have strong uniform flow in the x direction and, as it passes over the step, it generates shear on the fluid below, generating a vortex in the bottom half of the domain. The regions of high shear will therefore be close to the centreline of the domain and close to the walls.

The domain is subdivided into 12 blocks as shown in Figure 3.5.

The mesh is 3 dimensional, as always in OpenFOAM, so in Figure 3.5 we are viewing the back plane along z = -0.5. The full set of vertices and blocks are given in the mesh description file below:

```
2
                  F ield
                                  | OpenFOAM: The Open Source CFD Toolbox
3
                  O peration
                                  | Version: 2.2.0
                                               www.OpenFOAM.org
                  A nd
                                  | Web:
                  M anipulation |
    FoamFile
        version
                     2.0;
10
                     ascii;
        format
11
                     dictionary:
        class
12
                     blockMeshĎíct;
        object
13
```




Figure 3.5: Blocks in backward-facing step

```
14
15
16
                convertToMeters 0.001;
 17
18
                vertices
19
                              (-20.6 0 -0.5)

(-20.6 3 -0.5)

(-20.6 12.7 -0.5)

(-20.6 25.4 -0.5)

(0 -25.4 -0.5)

(0 -5 -0.5)

(0 0 -0.5)

(0 12.7 -0.5)

(0 25.4 -0.5)

(206 -25.4 -0.5)

(206 -8.5 -0.5)

(206 0 -0.5)

(206 6.5 -0.5)

(206 17 -0.5)

(206 25.4 -0.5)

(206 25.4 -0.5)

(206 25.4 -0.5)
20
21
22
24
25
26
27
28
29
30
31
32
33
34
35
36
                               (290 -16.6 -0.5)
(290 -6.3 -0.5)
(290 0 -0.5)
37
38
39
                               (290 4.5 -0.5)
(290 11 -0.5)
(290 16.6 -0.5)
40
41
                              (290 16.6 -0.5)

(-20.6 0 0.5)

(-20.6 3 0.5)

(-20.6 12.7 0.5)

(-20.6 25.4 0.5)

(0 -25.4 0.5)

(0 -5 0.5)

(0 3 0.5)

(0 12.7 0.5)

(0 25.4 0.5)

(206 -25.4 0.5)

(206 -8.5 0.5)

(206 0 0.5)
42
43
44
45
46
47
48
49
50
51
52
53
54
                              (206 -8.5 0.5)
(206 0 0.5)
(206 6.5 0.5)
(206 17 0.5)
(206 25.4 0.5)
(290 -16.6 0.5)
(290 -6.3 0.5)
55
56
57
58
59
60
                               (290\ 0\ 0.5)
61
                               (290 4.5 0.5)
(290 11 0.5)
(290 16.6 0.5)
62
63
64
               );
65
66
               blocks
67
68
```

```
hex (0 6 7 1 22 28 29 23) (18 7 1) simpleGrading (0.5 1.8 1)
 69
           hex (1 7 8 2 23 29 30 24) (18 10 1) simpleGrading (0.5 4 1)
 70
           hex (2 8 9 3 24 30 31 25) (18 13 1) simpleGrading (0.5 0.25 1)
 71
           hex (4 10 11 5 26 32 33 27) (180 18 1) simpleGrading (4 1 1)
 72
           hex (5 11 12 6 27 33 34 28) (180 9 1) edgeGrading (4 4 4 4 0.5 1 1 0.5 1 1 1 1)
 73
           hex (6 12 13 7 28 34 35 29) (180 7 1) edgeGrading (4 4 4 4 1.8 1 1 1.8 1 1 1 1)
 74
           hex (7 13 14 8 29 35 36 30) (180 10 1) edgeGrading (4 4 4 4 4 1 1 4 1 1 1 1)
 75
           hex (8 14 15 9 30 36 37 31) (180 13 1) simpleGrading (4 0.25 1)
 76
           hex (10 16 17 11 32 38 39 33) (25 18 1) simpleGrading (2.5 1 1)
 77
           hex (11 17 18 12 33 39 40 34) (25 9 1) simpleGrading (2.5 1 1)
 78
           hex (12 18 19 13 34 40 41 35) (25 7 1) simpleGrading (2.5 1 1)
 79
           hex (13 19 20 14 35 41 42 36) (25 10 1) simpleGrading (2.5 1 1)
 80
           hex (14 20 21 15 36 42 43 37) (25 13 1) simpleGrading (2.5 0.25 1)
 81
 82
      );
 83
      edges
 84
 85
      );
 86
 87
 88
      boundary
      (
 89
           inlet
 90
 91
 92
                type patch;
                faces
 93
 94
                     (0 22 23 1)
(1 23 24 2)
(2 24 25 3)
 95
 96
 97
                );
 98
99
           outlet
100
101
102
                type patch;
103
                faces
                (
104
                     (16 17 39 38)
(17 18 40 39)
(18 19 41 40)
105
106
107
                     (19 20 42 41)
(20 21 43 42)
108
109
                );
110
111
           upperWall
112
113
                type wall;
114
115
                faces
116
                      (3 25 31 9)
117
                     (9 31 37 15)
(15 37 43 21)
118
119
                );
120
121
           lowerWall
122
123
                type wall;
124
                faces
125
                (
126
                     (0 6 28 22)
(6 5 27 28)
(5 4 26 27)
127
128
129
                     (4 10 32 26)
130
                     (10 16 38 32)
131
                );
132
133
           frontAndBack
134
135
                type empty;
136
                faces
137
138
                     (22 28 29 23)
(23 29 30 24)
(24 30 31 25)
(26 32 33 27)
(27 33 34 28)
(28 34 35 29)
(29 35 36 30)
(30 36 37 31)
139
140
141
142
143
144
145
                          36
                              37
                     (30
                                  31)
146
```

```
(32 38 39 33)
(33 39 40 34)
(34 40 41 35)
(35 41 42 36)
(36 42 43 37)
(0 1 7 6)
(1 2 8 7)
(2 3 9 8)
(4 5 11 10)
(5 6 12 11)
(6 7 13 12)
(7 8 14 13)
(8 9 15 14)
(10 11 17 16)
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
                                        13
14
15
                                              19 18)
20 19)
162
163
164
                         );
165
                 }
166
         );
167
168
         mergePatchPairs
169
170
171
172
```

A major feature of this problem is the use of the full mesh grading capability of blockMesh that is described in section 5.3.1 of the User Guide. The user can see that blocks 4,5 and 6 use the full list of 12 expansion ratios. The expansion ratios correspond to each edge of the block, the first 4 to the edges aligned in the local x_1 direction, the second 4 to the edges in the local x_2 direction and the last 4 to the edges in the local x_3 direction. In blocks 4, 5, and 6, the ratios are equal for all edges in the local x_1 and x_3 directions but not for the edges in the x_2 direction that corresponds in all blocks to the global y. If we consider the ratios used in relation to the block definition in section 5.3.1 of the User Guide, we realize that different gradings have been prescribed along the left and right edges in blocks 4,5 and 6 in Figure 3.5. The purpose of this differential grading is to generate a fine mesh close to the most critical region of flow, the corner of the step, and allow it to expand into the rest of the domain.

The mesh can be generated using blockMesh from the command line or from within FoamX and viewed as described in previous examples.

3.2.3 Boundary conditions and initial fields

The case files can be viewed, or edited from within FoamX or by hand. In this case, we are required to set the initial and boundary fields for velocity \mathbf{U} , pressure p, turbulent kinetic energy k and dissipation rate ε . The boundary conditions can be specified by setting the physical patch types in FoamX: the upper and lower walls are set to Wall, the left patch to Inlet and the right patch to Outlet. These physical boundary conditions require us to specify a fixedValue at the inlet on \mathbf{U} , k and ε . \mathbf{U} is given in the problem specification, but the values of k and ε must be chosen by the user in a similar manner to that described in section 2.1.8.1 of the User Guide. We assume that the inlet turbulence is isotropic and estimate the fluctuations to be 5% of \mathbf{U} at the inlet. We have

$$U'_x = U'_y = U'_z = \frac{5}{100}10 = 0.5 \text{ m/s}$$
 (3.5)

and

$$k = \frac{3}{2}(0.5)^2 = 0.375 \text{ m}^2/\text{s}^2$$
 (3.6)

If we estimate the turbulent length scale l to be 10% of the width of the inlet then

$$\varepsilon = \frac{C_{\mu}^{0.75} k^{1.5}}{l} = \frac{0.09^{0.75} 0.375^{1.5}}{0.1 \times 25.4 \times 10^{-3}} = 14.855 \,\mathrm{m}^2/\mathrm{s}^3$$
(3.7)

At the outlet we need only specify the pressure p = 0Pa.

3.2.4 Case control

The choices of *fvSchemes* are as follows: the timeScheme should be SteadyState; the gradScheme and laplacianScheme should be set as default to Gauss; and, the divScheme should be set to UD to ensure boundedness.

Special attention should be paid to the settings of $\mathit{fvTolerances}$. Although the top level simpleFoam code contains only equations for p and \mathbf{U} , the turbulent model solves equations for k, ε and \mathbf{R} , and tolerance settings are required for all 5 equations. A solverTolerance of 10^{-5} and solverRelativeTolerance of 0.1 are acceptable for all variables with the exception of p when 10^{-6} and 0.01 are recommended. Under-relaxation of the solution is required since the problem is steady. A relaxationFactor of 0.7 is acceptable for $\mathbf{U}, k, \varepsilon$ and \mathbf{R} but 0.3 is required for p to avoid numerical instability.

Finally, in *controlDict*, the time step deltaT should be set to 1 since in steady state cases such as this is effectively an iteration counter. With benefit of hindsight we know that the solution requires 1000 iterations reach reasonable convergence, hence endTime is set to 1000. Ensure that the writeFrequency is sufficiently high, e.g. 50, that you will not fill the hard disk with data during run time.

3.2.5 Running the case and post-processing




Figure 3.6: Development of a vortex in the backward-facing step.

Run the case and post-process the results. After a few iterations, e.g. 50, a vortex develops beneath the corner of the step that is the height of the step but narrow in the x-direction as shown by the vector plot of velocities is shown Figure 3.6(a). Over several iterations the vortex stretches in the x-direction from the step to the outlet until at 1000 iterations the system reaches a steady-state in which the vortex is fully developed as shown in Figure 3.6(b-c).

3.3 Supersonic flow over a forward-facing step

In this example we shall investigate supersonic flow over a forward-facing step. The problem description involves a flow of Mach 3 at an inlet to a rectangular geometry with a step near the inlet region that generates shock waves.

This example introduces the following OpenFOAM features for the first time:

• supersonic flow;

3.3.1 Problem specification

The problem is defined as follows:

Solution domain The domain is 2 dimensional and consists of a short inlet section followed by a forward-facing step of 20% the height of the section as shown in Figure 3.7




Figure 3.7: Geometry of the forward step geometry

Governing equations

• Mass continuity

$$\frac{\partial \rho}{\partial t} + \nabla \cdot (\rho \mathbf{U}) = 0 \tag{3.8}$$

• Ideal gas

$$p = \rho RT \tag{3.9}$$

• Momentum equation for Newtonian fluid

$$\frac{\partial \rho \mathbf{U}}{\partial t} + \nabla \cdot (\rho \mathbf{U} \mathbf{U}) - \nabla \cdot \mu \nabla \mathbf{U} = -\nabla p \tag{3.10}$$

• Energy equation for fluid (ignoring some viscous terms), $e = C_v T$, with Fourier's Law $\mathbf{q} = -k \nabla T$

$$\frac{\partial \rho e}{\partial t} + \nabla \cdot (\rho \mathbf{U} e) - \nabla \cdot \left(\frac{k}{C_v}\right) \nabla e = p \nabla \cdot \mathbf{U}$$
(3.11)

Initial conditions U = 0 m/s, p = 1 Pa, T = 1 K.

Boundary conditions

- Inlet (left) with fixedValue for velocity U = 3 m/s = Mach 3, pressure p = 1 Pa and temperature T = 1 K;
- Outlet (right) with zeroGradient on U, p and T;
- No-slip adiabatic wall (bottom);
- Symmetry plane (top).

Transport properties

• Dynamic viscosity of air $\mu = 18.1 \mu Pa s$

Thermodynamic properties

- Specific heat at constant volume $C_v = 1.78571 \text{ J/kg K}$
- Gas constant R = 0.714286 J/kg K
- Conductivity $k = 32.3 \, \mu \text{W/m K}$

Case name forwardStep case located in the \$FOAM_TUTORIALS/sonicFoam directory.

Solver name sonicFoam: an implementation for compressible trans-sonic/supersonic laminar gas flow.

The case is designed such that the speed of sound of the gas $c = \sqrt{\gamma RT} = 1$ m/s, the consequence being that the velocities are directly equivalent to the Mach number, e.g. the inlet velocity of 3 m/s is equivalent to Mach 3. This speed of sound calculation can be verified using the relationship for a perfect gas, $C_p - Cv = R$, i.e. the ratio of specific heats

$$\gamma = C_p/C_v = \frac{R}{C_v} + 1 \tag{3.12}$$

3.3.2 Mesh generation

The mesh used in this case is relatively simple, specified with uniform rectangular cells of length 0.06 m in the x direction and 0.05 m in the y direction. The geometry can simply be divided into 3 blocks, one below the top of the step, and two above the step, one either side of the step front. The full set of vertices and blocks are given in the mesh description file below:

```
----*- C++ -*----
2
                      F ield
                                           OpenFOAM: The Open Source CFD Toolbox
3
                                           | Version: 2.2.0
                      O peration
4
                      A nd
                                                          www.OpenFOAM.org
5
6
                      M anipulation
8
     FoamFile
9
     {
                          2.0;
ascii;
10
          version
          format
11
                          dictionary;
12
          class
                          blockMeshDict;
13
          object
14
15
16
     convertToMeters 1;
17
18
     vertices
19
20
          (0 0 -0.05)
(0.6 0 -0.05)
(0 0.2 -0.05)
(0.6 0.2 -0.05)
(3 0.2 -0.05)
(0 1 -0.05)
21
22
23
24
25
26
          (0.6 1 -0.05)
(3 1 -0.05)
(0 0 0.05)
28
29
          (0.6 0 0.05)
(0.6 0 0.05)
(0 0.2 0.05)
(0.6 0.2 0.05)
(3 0.2 0.05)
30
31
32
33
           (0 1 0.05)
(0.6 1 0.05)
34
35
           (3 1 0.05)
36
     );
37
38
     blocks
39
40
          hex (0 1 3 2 8 9 11 10) (25 10 1) simpleGrading (1 1 1)
41
          hex (2 3 6 5 10 11 14 13) (25 40 1) simpleGrading (1 1 1)
42
          hex (3 4 7 6 11 12 15 14) (100 40 1) simpleGrading (1 1 1)
43
     );
44
45
     edges
46
     ();
47
48
49
     boundary
50
     (
51
          inlet
52
53
54
                type patch;
                faces
55
56
                      (0 \ 8 \ 10 \ 2)
57
                      (2 10 13 5)
58
                );
59
          outlet
61
62
                type patch;
63
                faces
64
65
                     (4 7 15 12)
66
                );
67
68
          bottom
69
70
                type symmetryPlane;
71
                faces
                (
73
                     (0\ 1\ 9\ 8)
74
                );
75
76
          top
78
                type symmetryPlane;
79
```

```
faces
80
81
82
83
84
85
            obstacle
86
87
                 type patch;
88
89
                 faces
91
92
93
           }
94
      );
95
96
      mergePatchPairs
98
99
100
```

3.3.3 Running the case

The case approaches a steady-state at some time after 5 s. The results for pressure at 10 s are shown in Figure 3.8. The results clearly show discontinuities in pressure, *i.e.* shock waves, emanating from ahead of the base of the step.




Figure 3.8: Shock fronts in the forward step problem

3.3.4 Exercise

The user can examine the effect on the solution of increasing the inlet velocity.

3.4 Decompression of a tank internally pressurised with water

In this example we shall investigate a problem of rapid opening of a pipe valve close to a pressurised liquid-filled tank. The prominent feature of the result in such cases is the propagation of pressure waves which must therefore be modelled as a compressible liquid.

This tutorial introduces the following OpenFOAM features for the first time:

• Mesh refinement

• Pressure waves in liquids

3.4.1 Problem specification

Solution domain The domain is 2 dimensional and consists of a tank with a small outflow pipe as shown in Figure 3.9




Figure 3.9: Geometry of a tank with outflow pipe

Governing equations This problem requires a model for compressibility ψ in the fluid in order to be able to resolve waves propagating at a finite speed. A barotropic relationship is used to relate density ρ and pressure p are related to ψ .

Mass continuity

$$\frac{\partial \rho}{\partial t} + \nabla \cdot (\rho \mathbf{U}) = 0 \tag{3.13}$$

• The barotropic relationship

$$\frac{\partial \rho}{\partial p} = \frac{\rho}{K} = \psi \tag{3.14}$$

where K is the bulk modulus

• Equation 3.14 is linearised as

$$\rho \approx \rho_0 + \psi \left(p - p_0 \right) \tag{3.15}$$

where ρ_0 and p_0 are the reference density and pressure respectively such that $\rho(p_0) = \rho_0$.

• Momentum equation for Newtonian fluid

$$\frac{\partial \rho \mathbf{U}}{\partial t} + \nabla \cdot (\rho \mathbf{U} \mathbf{U}) - \nabla \cdot \mu \nabla \mathbf{U} = -\nabla p \tag{3.16}$$

Boundary conditions Using FoamX the following physical boundary conditions can be set:

- outerWall is specified the wall condition;
- axis is specified as the symmetryPlane;
- nozzle is specified as a pressureOutlet where p = 0 bar.
- front and back boundaries are specified as empty.

Initial conditions U = 0 m/s, p = 100 bar.

Transport properties

• Dynamic viscosity of water $\mu = 1.0 \text{ mPa s}$

Thermodynamic properties

- Density of water $\rho = 1000 \text{ kg/m}^3$
- Reference pressure $p_0 = 1$ bar
- Compressibility of water $\psi = 4.54 \times 10^{-7} \text{ s}^2/\text{m}^2$

Solver name sonicLiquidFoam: a compressible sonic laminar liquid flow code.

Case name decompressionTank case located in the \$FOAM_TUTORIALS/sonicLiquidFoam directory.

3.4.2 Mesh Generation

The full geometry is modelled in this case; the set of vertices and blocks are given in the mesh description file below:

```
2
                                        OpenFOAM: The Open Source CFD Toolbox
                    F ield
3
                    O peration
                                       | Version: 2.2.0
4
                                        | Web:
                                                      www.OpenFOAM.org
                    M anipulation |
6
     FoamFile
8
9
          version
                        2.0;
10
11
          format
12
          class
                        dictionary
                        blockMeshDict;
13
15
16
    convertToMeters 0.1;
17
18
    vertices
19
20
          (0 0 -0.1)
(1 0 -0.1)
21
22
23
24
            .5 0.5 -0.1)
0.6 -0.1)
25
26
27
28
29
30
31
33
34
          (1.5 \ 0.5 \ 0.1)
35
          (0\ 0.6\ 0.1)
```

```
(1 0.6 0.1)
(1.5 0.6 0.1)
(0 3 0.1)
(1 3 0.1)
37
38
39
40
      );
41
42
      blocks
43
44
           hex (0 1 3 2 10 11 13 12) (30 20 1) simpleGrading (1 1 1)
45
           hex (2 3 6 5 12 13 16 15) (30 5 1) simpleGrading (1 1 1)
46
47
           hex (3 4 7 6 13 14 17 16) (25 5 1) simpleGrading (1 1 1)
           hex (5 6 9 8 15 16 19 18) (30 95 1) simpleGrading (1 1 1)
48
      );
49
50
51
      edges
52
      );
53
54
      boundary
55
56
           outerWall {
57
58
                 type wall;
59
60
                 faces
61
                      (0 1 11 10)
(1 3 13 11)
(3 4 14 13)
(7 6 16 17)
(6 9 19 16)
62
63
64
65
66
                      (981819)
67
                 );
68
           }
69
70
           axis
71
                 type symmetryPlane;
72
                 faces
73
74
                      (0 10 12 2)
(2 12 15 5)
(5 15 18 8)
75
                 );
78
79
           nozzle
80
81
                 type patch;
82
                 faces
83
84
                      (471714)
85
                 );
86
87
           back
 88
89
                 type empty;
faces
90
91
92
                      (0 2 3 1)
(2 5 6 3)
(3 6 7 4)
(5 8 9 6)
93
94
95
96
                 );
97
98
           front {
99
100
101
                 type empty;
                 faces
102
103
                      (10 11 13 12)
(12 13 16 15)
(13 14 17 16)
(15 16 19 18)
104
105
106
107
                 );
108
           }
109
      );
110
111
      mergePatchPairs
112
113
114
115
                           116
```

In order to improve the numerical accuracy, we shall use the reference level of 1 bar for the pressure field. Note that both the internal field level and the boundary conditions are offset by the reference level.

3.4.3 Preparing the Run

Before we commence the setup of the calculation, we need to consider the characteristic velocity of the phenomenon we are trying to capture. In the case under consideration, the fluid velocity will be very small, but the pressure wave will propagate with the speed of sound in water. The speed of sound is calculated as:

$$c = \sqrt{\frac{1}{\psi}} = \sqrt{\frac{1}{4.54 \times 10^{-7}}} = 1483.2 \text{m/s}.$$
 (3.17)

For the mesh described above, the characteristic mesh size is approximately 2 mm (note the scaling factor of 0.1 in the *blockMeshDict* file). Using

$$Co = \frac{U\,\Delta t}{\Delta x}\tag{3.18}$$

a reasonable time step is around $\Delta t = 5 \times 10^{-7} \text{s}$, giving the Co number of 0.35, based on the speed of sound. Also, note that the reported Co number by the code (associated with the convective velocity) will be two orders of magnitude smaller. As we are interested in the pressure wave propagation, we shall set the simulation time to 0.25 ms. For reference, the *controlDict* file is quoted below.

```
----*- C++ -*-----
                                     OpenFOAM: The Open Source CFD Toolbox
3
                                    | Version: 2.2.0
4
                                    | Web:
                                                 www.OpenFOAM.org
6
                  M anipulation |
    FoamFile
9
10
         version
                      ascii;
         format
11
                      dictionary;
         class
12
         location
                       "svstem"
13
                      controlDict;
14
         object
15
16
17
    application
                      sonicLiquidFoam;
18
19
    startFrom
                      startTime;
20
^{21}
    startTime
                      0;
22
24
    stopAt
                      endTime;
25
                      0.0001;
    endTime
26
27
                      5e-07;
    deltaT
28
29
    writeControl
                      timeStep;
30
31
    writeInterval
                      20:
32
33
    purgeWrite
                      0;
34
    writeFormat
                      ascii;
36
37
    writePrecision 6:
38
```

3.4.4 Running the case




Figure 3.10: Propagation of pressure waves

The user can run the case and view results in dxFoam. The liquid flows out through the nozzle causing a wave to move along the nozzle. As it reaches the inlet to the tank, some of the wave is transmitted into the tank and some of it is reflected. While a wave is reflected up and down the inlet pipe, the waves transmitted into the tank expand and propagate through the tank. In Figure 3.10, the pressures are shown as contours so that the wave fronts are more clearly defined than if plotted as a normal isoline plot.

If the simulation is run for a long enough time for the reflected wave to return to the pipe, we can see that negative absolute pressure is detected. The modelling permits this and has some physical basis since liquids can support tension, *i.e.* negative pressures. In reality, however, impurities or dissolved gases in liquids act as sites for cavitation, or vapourisation/boiling, of the liquid due to the low pressure. Therefore in practical situations, we generally do not observe pressures falling below the vapourisation pressure of the liquid; not at least for longer than it takes for the cavitation process to occur.




Figure 3.11: Propagation of pressure waves with refined mesh

3.4.5 Improving the solution by refining the mesh

Looking at the evolution of the resulting pressure field in time, we can clearly see the propagation of the pressure wave into the tank and numerous reflections from the inside walls. It is also obvious that the pressure wave is smeared over a number of cells. We shall now refine the mesh and reduce the time step to obtain a sharper front resolution. Simply edit the *blockMeshDict* and increase the number of cells by a factor of 4 in the x and y directions, *i.e.* block 0 becomes (120 80 1) from (30 20 1) and so on. Run blockMesh on this file. In addition, in order to maintain a Courant number below 1, the time step must be reduced accordingly to $\Delta t = 10^{-7}$ s. The second simulation gives considerably better resolution of the pressure waves as shown in Figure 3.11.

3.5 Magnetohydrodynamic flow of a liquid

In this example we shall investigate an flow of an electrically-conducting liquid through a magnetic field. The problem is one belonging to the branch of fluid dynamics known as magnetohydrodynamics (MHD) that uses mhdFoam.

3.5.1 Problem specification

The problem is known as the Hartmann problem, chosen as it contains an analytical solution with which mhdFoam can be validated. It is defined as follows:

Solution domain The domain is 2 dimensional and consists of flow along two parallel plates as shown in Fig. 3.12.

Governing equations




Figure 3.12: Geometry of the Hartmann problem

• Mass continuity for incompressible fluid

$$\nabla \cdot \mathbf{U} = 0 \tag{3.19}$$

• Momentum equation for incompressible fluid

$$\frac{\partial \mathbf{U}}{\partial t} + \nabla \cdot (\mathbf{U}\mathbf{U}) + \nabla \cdot (2\mathbf{B}\Gamma_{\mathbf{B}\mathbf{U}}\mathbf{B}) + \nabla \cdot (\nu \mathbf{U}) + \nabla (\Gamma_{\mathbf{B}\mathbf{U}}\mathbf{B} \cdot \mathbf{B}) = -\nabla p \ (3.20)$$

where **B** is the magnetic flux density, $\Gamma_{\mathbf{B}\mathbf{U}} = (2\mu\rho)^{-1}$.

• Maxwell's equations

$$\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t} \tag{3.21}$$

where **E** is the electric field strength.

$$\nabla \cdot \mathbf{B} = 0 \tag{3.22}$$

$$\nabla \times \mathbf{H} = \mathbf{J} + \frac{\partial \mathbf{D}}{\partial t} = \mathbf{J} \tag{3.23}$$

assuming $\partial \mathbf{D}/\partial t \ll \mathbf{J}$. Here, **H** is the magnetic field strength, **J** is the current density and **D** is the electric flux density.

• Charge continuity

$$\nabla \cdot \mathbf{J} = 0 \tag{3.24}$$

• Constitutive law

$$\mathbf{B} = \mu \mathbf{H} \tag{3.25}$$

• Ohm's law

$$\mathbf{J} = \sigma \left(\mathbf{E} + \mathbf{U} \times \mathbf{B} \right) \tag{3.26}$$

• Combining Equation 3.21, Equation 3.23, Equation 3.26, and taking the curl

$$\frac{\partial \mathbf{B}}{\partial t} + \nabla \cdot (\mathbf{U}\mathbf{B}) - \nabla \cdot (\phi_{\mathbf{B}}\mathbf{U}) - \nabla \cdot (\Gamma_{\mathbf{B}}\mathbf{B}) = 0$$
(3.27)

Boundary conditions

- inlet is specified the inlet condition with fixed velocity U = (1, 0, 0) m/s;
- outlet is specified as the outlet with with fixed pressure p = 0 Pa;
- upperWall is specified as a wall where $\mathbf{B} = (0, 20, 0) \mathrm{T}$.
- lowerWall is specified as a wall where $\mathbf{B} = (0, 20, 0) \mathrm{T}$.
- front and back boundaries are specified as empty.

Initial conditions U = 0 m/s, p = 100 Pa, B = (0, 20, 0) T.

Transport properties

- Kinematic viscosity $\nu = 1 \text{ Pas}$
- Density $\rho = 1 \text{ kg m/s}$
- Electrical conductivity $\sigma = 1 \ (\Omega \, \text{m})^{-1}$
- Permeability $\mu = 1 \text{ H/m}$

Solver name mhdFoam: an incompressible laminar magneto-hydrodynamics code.

Case name hartmann case located in the \$FOAM_TUTORIALS/mhdFoam directory.

3.5.2 Mesh generation

The geometry is simply modelled with 100 cells in the x-direction and 40 cells in the y-direction; the set of vertices and blocks are given in the mesh description file below:

```
2
                                             OpenFOAM: The Open Source CFD Toolbox
3
                      F ield
                      O peration
                                           | Version: 2.2.0
                      A nd
                                           | Web:
                                                           www.OpenFOAM.org
                      M anipulation |
6
7
     FoamFile
8
9
10
           version
11
12
           class
                           dictionary
                           blockMeshDict:
           object
13
14
15
16
     convertToMeters 1;
17
18
     vertices
19
20
            \begin{array}{cccc} (0 & -1 & 0) \\ (20 & -1 & 0) \\ (20 & 1 & 0) \end{array} 
21
22
23
24
           (0 1 0)
25
26
27
           (0\ 1\ 0.1)
28
     );
29
30
     blocks
31
32
           hex (0 1 2 3 4 5 6 7) (100 40 1) simpleGrading (1 1 1)
33
34
35
     edges
```

```
(
);
37
38
39
    boundary
40
41
        inlet
42
44
            type patch;
45
46
                 (0 4 7 3)
47
48
        outlet
50
51
            type patch;
52
53
54
                 (2651)
            );
56
57
        lowerWall
58
59
            type patch;
60
61
            faces
62
                 (1540)
63
64
65
        upperWall
66
67
            type patch;
68
69
70
                 (3762)
71
72
73
        frontAndBack
74
75
            type empty;
faces
76
77
78
79
81
        }
82
    );
83
84
    mergePatchPairs
85
86
    ();
87
```

3.5.3 Running the case

The user can run the case and view results in dxFoam. It is also useful at this stage to run the Ucomponents utility to convert the U vector field into individual scalar components. MHD flow is governed by, amongst other things, the Hartmann number which is a measure of the ratio of electromagnetic body force to viscous force

$$M = BL\sqrt{\frac{\sigma}{\rho\nu}} \tag{3.28}$$

where L is the characteristic length scale. In this case with $B_y = 20$ T, M = 20 and the electromagnetic body forces dominate the viscous forces. Consequently with the flow fairly steady at t = 2 s the velocity profile is almost planar, viewed at a cross section midway along the domain x = 10 m. The user can plot a graph of the profile of U_x in dxFoam. Now the user should reduce the magnetic flux density **B** to 1 Tand re-run the code and Ucomponents. In this case, M = 1 and the electromagnetic body forces no longer dominate.




Figure 3.13: Velocity profile in the Hartmann problem for $B_y=1~\mathrm{T}$ and $B_y=20~\mathrm{T}$.

The velocity profile consequently takes on the parabolic form, characteristic of Poiseuille flow as shown in Figure 3.13. To validate the code the analytical solution for the velocity profile U_x is superimposed in Figure 3.13, given by:

$$\frac{U_x(y)}{U_x(0)} = \frac{\cosh M - \cosh M(y/L)}{\cosh M - 1}$$
(3.29)

where the characteristic length L is half the width of the domain, *i.e.* 1 m.

Index

Symbols Numbers A B C D E F G H I J K L M N O P Q R S T U V W X Z

Symbols	${ t adjustable Run Time}$
*	keyword entry, U-62, U-114
tensor member function, P-23	adjustTimeStep keyword, U-62, U-115
+	agglomerator keyword, U-126
tensor member function, P-23	algorithms tools, U-98
-	alphaContactAngle
tensor member function, P-23	boundary condition, U-59
/	analytical solution, P-43
tensor member function, P-23	Animations window panel, U-172
/**/	anisotropicFilter model, U-103
C++ syntax, U-79	Annotation window panel, U-25, U-172
//	ansysToFoam utility, U-92
C++ syntax, U-79	APIfunctions model, U-102
OpenFOAM file syntax, U-106	applications, U-69
# include	Apply button, U-168, U-172
C++ syntax, U-72, U-79 &	applyBoundaryLayer utility, U-91
tensor member function, P-23	applyWallFunctionBoundaryConditions utility,
&&	U-91
tensor member function, P-23	arbitrarily unstructured, P-29
•	arc
tensor member function, P-23	keyword entry, U-143
<lesmodel>Coeffs keyword, U-190</lesmodel>	arc keyword, U-142
<rasmodel>Coeffs keyword, U-190</rasmodel>	As keyword, U-189
<delta>Coeffs keyword, U-190</delta>	ascii
0.000000e+00 directory, U-106	keyword entry, U-114
1-dimensional mesh, U-133	attachMesh utility, U-92
1D mesh, U-133	Auto Accept button, U-172
2-dimensional mesh, U-133	autoMesh
2D mesh, U-133	library, U-99
Numbers	autoPatch utility, U-92
	autoRefineMesh utility, U-93
0 directory, U-106	axes
\mathbf{A}	right-handed, U-141
access functions, P-21	right-handed rectangular Cartesian, P-13,
addLayersControls keyword, U-149	U-18
adiabaticFlameT utility, U-97	axi-symmetric cases, U-138, U-147
adjointShapeOptimizationFoam solver, U-86	axi-symmetric mesh, U-133

P-74 Index

В	mixed, U-139
background	movingWallVelocity, U-140
process, U-25, U-82	outlet, P-69
backward	outletInlet, U-140
keyword entry, U-122	partialSlip, U-140
Backward differencing, P-37	patch, U-137
barotropicCompressibilityModels	pressureDirectedInletVelocity, U-140
library, U-101	pressureInletVelocity, U-140
basicMultiComponentMixture model, U-101,	pressureOutlet, P-63
U-186	pressure Transmissive, $U-140$
basicSolidThermo	processor, $U-138$
library, U-102	setup, U-20
basic Thermophysical Models	slip, U-140
library, U-100	supersonic Free Stream, $U-140$
binary	surfaceNormalFixedValue, $U-140$
keyword entry, U-114	symmetryPlane, P-63, U-138
BirdCarreau model, U-104	totalPressure, $U-140$
blended differencing, P-36	turbulentInlet, $U-140$
block	wall, U-40
expansion ratio, U-143	wall, P-63, P-69, U-59, U-137, U-138
block keyword, U-142	wedge, $U-133$, $U-138$, $U-147$
blocking	zeroGradient, U -139
keyword entry, U-81	boundary conditions, P-41
blockMesh	Dirichlet, P-41
library, U-99	inlet, P-42
blockMesh solver, P-45	Neumann, P-41
blockMesh utility, U-37, U-91, U-139	no-slip impermeable wall, P-42
blockMesh executable	outlet, P-42
vertex numbering, U-143	physical, P-42
blockMeshDict	symmetry plane, P-42
dictionary, U-18, U-20, U-36, U-49, U-139,	, , , , , , , , , , , , , , , , , , , ,
U-148	boundaryFoam solver, U-86
blocks keyword, U-20, U-31, U-143	bounded
boundaries, U-133	keyword entry, U-120, U-121
boundary, U-133	boxToCell keyword, U-60
boundary	boxTurb utility, U-91
dictionary, U-132, U-139	breaking of a dam, U-56
boundary keyword, U-144	buoyantBoussinesqPimpleFoam solver, U-89
boundary condition alphaContactAngle, U-59	buoyantBoussinesqSimpleFoam solver, U-89 buoyantPimpleFoam solver, U-89
buoyantPressure, U-140	buoyantPressure
calculated, U-139	boundary condition, U-140
cyclic, U-138, U-145	buoyantSimpleFoam solver, U-89
directionMixed, U-139	button
empty, P-63, P-69, U-18, U-133, U-138	Apply, U-168, U-172
fixedGradient, U-139	Auto Accept, U-172
fixedValue, U-139	Choose Preset, U-170
fluxCorrectedVelocity, U-140	Delete, U-168
inlet, P-69	Edit Color Map, U-170
inletOutlet, U-140	Enable Line Series, U-35

Orientation Axes, U-25, U-172	library, U-102
Refresh Times, U-25	chemistryModel model, U-102
Rescale to Data Range, U-25	chemistrySolver model, U-102
Reset, U-168	chemkinToFoam utility, U-97
Set Ambient Color, U-171	Choose Preset button, U-170
Update GUI, U-169	chtMultiRegionFoam solver, U-89
Use Parallel Projection, U-25	chtMultiRegionSimpleFoam solver, U-89
Use parallel projection, U-171	Chung
, ,	library, U-101
\mathbf{C}	class
C++ syntax	cell, P-29
/**/, U-79	dimensionSet, P-24, P-30, P-31
//, U-79	face, P-29
# include, U-72, U-79	finiteVolumeCalculus, P-34
cacheAgglomeration keyword, U-126	finiteVolumeMethod, P-34
calculated	fvMesh, P-29
boundary condition, U-139	fvSchemes, P-36
cAlpha keyword, U-63	fvc, P-34
cases, U-105	fvm, P-34
castellatedMesh keyword, U-149	pointField, P-29
castellatedMeshControls	polyBoundaryMesh, P-29
dictionary, U-151–U-153	polyMesh, P-29, U-129, U-131
castellatedMeshControls keyword, U-149	polyPatchList, P-29
cavitatingDyMFoam solver, U-87	polyPatch, P-29
cavitatingFoam solver, U-87	scalarField, P-27
cavity flow, U-17	scalar, P-22
CEI_ARCH	slice, P-29
environment variable, U-177	symmTensorField, P-27
CEI_HOME	symmTensorTicid, P-27
environment variable, U-177	tensorField, P-27
cell	tensorThirdField, P-27
expansion ratio, U-143	tensor, P-22
cell class, P-29	vectorField, P-27
cell	vector, P-22, U-109
keyword entry, U-179	word, P-24, P-29
cellLimited	class keyword, U-107
keyword entry, U-120	clockTime
cellPoint	keyword entry, U-114
keyword entry, U-179	cloud keyword, U-180
cellPointFace	cmptAv
keyword entry, U-179	tensor member function, P-23
cells	Co utility, U-94
dictionary, U-139	· · · · · · · · · · · · · · · · · · ·
central differencing, P-36	coalChemistryFoam solver, U-89 coalCombustion
cfdTools tools, U-99	
cfx4ToFoam utility, U-92, U-157	library, U-99
changeDictionary utility, U-91	cofactors
Charts window panel, U-172	tensor member function, P-23
checkMesh utility, U-92, U-159	coldEngineFoam solver, U-89
chemFoam solver, U-89 chemistryModel	collapseEdges utility, U-93 Color By menu, U-171
CHEITISTIVIVIOGEI	COTOT BY MEMM. U-1/1

P-76 Index

Color Legend window, U-27	keyword entry, U-61
Color Legend window panel, U-170	CrossPowerLaw model, U-104
Color Scale window panel, U-170	cubeRootVolDelta model, U-103
Colors window panel, U-172	cubicCorrected
combinePatchFaces utility, U-93	keyword entry, U-122
comments, U-79	cubicCorrection
commsType keyword, U-81	keyword entry, U-119
compressed	curl, P-35
keyword entry, U-114	curl
compressibleInterDyMFoam solver, U-88	fvc member function, P-35
compressibleInterFoam solver, U-88	Current Time Controls menu, U-25, U-169
compressibleLESModels	curve keyword, U-180
library, U-104	Cv keyword, U-188
compressibleRASModels	cyclic
library, U-103	boundary condition, U-138, U-145
constant directory, U-105, U-185	cyclic
constLaminarFlameSpeed model, U-101	keyword entry, U-138
constTransport model, U-102, U-186	cylinder
containers tools, U-98	flow around a, P-43
continuum	
mechanics, P-13	${ m D}$
control	d2dt2
of time, U-113	fvc member function, P-35
controlDict	fvm member function, P-35
dictionary, P-65, U-22, U-31, U-42, U-51,	dam
U-62, U-105, U-164	breaking of a, U-56
· · · · · · · · · · · · · · · · · · ·	datToFoam utility, U-92
controlDict file, P-48	db tools, U-98
convection, see divergence, P-36	ddt
convergence, U-39	fvc member function, P-35
conversion	fvm member function, P-35
library, U-100	DeardorffDiffStress model, U-104
convertToMeters keyword, U-141, U-142	debug keyword, U-149
coordinate	decomposePar utility, U-82, U-83, U-97
system, P-13	decomposeParDict
coordinate system, U-18	dictionary, U-82
corrected	decomposition
keyword entry, U-120, U-121	of field, U-82
Courant number, P-40, U-22	of mesh, U-82
Cp keyword, U-188	decompositionMethods
cpuTime	library, U-100
keyword entry, U-114	decompression of a tank, P-61
Crank Nicholson	defaultFieldValues keyword, U-60
temporal discretisation, P-41	deformedGeom utility, U-92
CrankNicholson	Delete button, U-168
keyword entry, U-122	delta keyword, U-84, U-190
createBaffles utility, U-92	deltaT keyword, U-114
${\sf createPatch\ utility,\ U-92}$	dependencies, U-72
createTurbulenceFields utility, $U-95$	dependency lists, U-72
cross product, see tensor, vector cross product	det
CrossPowerLaw	tensor member function, P-23

determinant, see tensor, determinant	dimensional units, U-109
dev	dimensioned <type> template class, P-24</type>
tensor member function, P-23	dimensionedTypes tools, U-98
diag	dimensions keyword, U-21, U-110
tensor member function, P-23	dimensionSet class, P-24, P-30, P-31
diagonal	dimensionSet tools, U-98
keyword entry, U-124, U-125	directionMixed
DIC	boundary condition, U-139
keyword entry, U-125	directory
DICGaussSeidel	0.000000e+00, U-106
keyword entry, U-125	0, U-106
dictionary	Make, U-73
LESProperties, U-190	constant, U-105, U-185
PISO, U-23	fluentInterface, $U-174$
blockMeshDict, U-18, U-20, U-36, U-49,	polyMesh, U-105, U-131
U-139, U-148	$processorN,~\mathrm{U ext{-}83}$
boundary, U-132, U-139	run, U-105
$\it castellatedMeshControls, U-151-U-153$	system, P-48, U-105
cells, U-139	tutorials, P-43, U-17
controlDict, P-65, U-22, U-31, U-42, U-51,	discretisation
U-62, U-105, U-164	equation, P-31
decomposeParDict, U-82	Display window panel, U-24, U-25, U-168, U-169
faces, U-131, U-139	distance
fvSchemes, U-62, U-63, U-105, U-116	keyword entry, U-153, U-180
fvSolution, U-105, U-123	distributed model, U-100
mechanicalProperties, U-51	distributed keyword, U-84, U-85
neighbour, U-132	distributionModels
owner, U-131	library, U-99
points, U-131, U-139	div
thermalProperties, U-51	fvc member function, P-35
thermophysicalProperties, U-185	fvm member function, P-35
transportProperties, U-21, U-38, U-42	divergence, P-35, P-37
turbulenceProperties, U-41, U-61, U-190	divSchemes keyword, U-116
dieselMixture model, U-101, U-186	dnsFoam solver, U-88
dieselSpray	doLayers keyword, U-149
library, U-99	double inner product, see tensor, double inner
differencing	product
Backward, P-37	dsmc
blended, P-36	library, U-99
central, P-36	dsmcFieldsCalc utility, U-95
Euler implicit, P-37	dsmcFoam solver, U-90
Gamma, P-36	dsmcInitialise utility, U-91
MINMOD, P-36	dx
SUPERBEE, P-36	keyword entry, U-179
•	
upwind, P-36	dynamicFvMesh
van Leer, P-36	library, U-99
DILU	dynamicMesh
keyword entry, U-125	library, U-99
dimension	dynLagrangian model, U-103
checking in OpenFOAM, P-24, U-109	dynMixedSmagorinsky model, U-103

P-78 Index

dynOneEqEddy model, U-104	WM_PROJECT_INST_DIR, U-76
dynSmagorinsky model, U-103	WM_PROJECT_USER_DIR, U-76
T3	WM_PROJECT_VERSION, U-76
E	WM_PROJECT, U-76
eConstThermo model, U-102, U-185	wmake, U - 76
edgeGrading keyword, U-144	ePsiThermo model, U-100, U-186
edgeMesh	equationOfState keyword, U-187
library, U-99	equilibriumCO utility, U-97
edges keyword, U-142	equilibriumFlameT utility, U-97
Edit menu, U-171, U-172	errorReduction keyword, U-157
Edit Color Map button, U-170	Euler
egrMixture model, U-101, U-186	keyword entry, U-122
electrostaticFoam solver, U-90	Euler implicit
empty boundary condition D 62 D 60 U 18	differencing, P-37
boundary condition, P-63, P-69, U-18,	temporal discretisation, P-40
U-133, U-138	examples
empty keyword entry, U-138	decompression of a tank, P-61
Enable Line Series button, U-35	flow around a cylinder, P-43
endTime keyword, U-22, U-113, U-114	flow over backward step, P-50
energy keyword, U-187	Hartmann problem, P-67
engine	supersonic flow over forward step, P-58
library, U-100	execFlowFunctionObjects utility, U-96
engineCompRatio utility, U-95	expandDictionary utility, U-98
engineFoam solver, U-89	expansionRatio keyword, U-156
engineSwirl utility, U-91	explicit
ensight74FoamExec utility, U-177	temporal discretisation, P-40
ENSIGHT7_INPUT	extrude2DMesh utility, U-91 extrudeMesh utility, U-91
environment variable, U-177	extrude Nesh utility, U-92
ENSIGHT7_READER	extrade ronegioniviesii utinity, 0-92
environment variable, U-177	${f F}$
ensightFoamReader utility, U-94	face class, P-29
enstrophy utility, U-94	face keyword, U-180
environment variable	faceAgglomerate utility, U-91
CEI_ARCH, U-177	faceAreaPair
CEI_HOME, U-177	keyword entry, U-126
ENSIGHT7_INPUT, U-177	faceLimited
ENSIGHT7_READER, U-177	keyword entry, U-120
FOAM_RUN, U-105	faces
WM_ARCH_OPTION, U-76	dictionary, U-131, U-139
WM_ARCH, U-76	FDIC
WM_COMPILER_BIN, U-76	keyword entry, U-125
WM_COMPILER_DIR, U-76	featureAngle keyword, U-156
WM_COMPILER_LIB, U-76	features keyword, U-151
WM_COMPILER, U-76	field
WM_COMPILE_OPTION, U-76	U, U-23
WM_DIR, U-76	p, U-23
WM_MPLIB, U-76	decomposition, U-82
WM_OPTIONS, U-76	FieldField <type> template class, P-30</type>
WM_PRECISION_OPTION, U-76	fieldFunctionObjects
WM_PROJECT_DIR, U-76	library, U-99

fields, P-27	flowType utility, U-94
mapping, U-164	fluent3DMeshToFoam utility, U-92
fields tools, U-98, U-99	fluentInterface directory, U-174
fields keyword, U-179	fluentMeshToFoam utility, U-92, U-157
Field <type> template class, P-27</type>	fluxCorrectedVelocity
fieldValues keyword, U-60	boundary condition, U-140
file	fluxRequired keyword, U-116
Make/files, U-75	OpenFOAM
controlDict, P-48	cases, U-105
files, U-73	FOAM_RUN
g, U-61	environment variable, U-105
options, U-73	foamCalc utility, U-32, U-96
snappyHexMeshDict, U-149	foamCalcFunctions
transportProperties, U-60	library, U-99
file format, U-106	foamCorrectVrt script/alias, U-162
fileFormats	foamDataToFluent utility, U-94, U-174
library, U-100	foamDebugSwitches utility, U-98
fileModificationChecking keyword, U-81	FoamFile keyword, U-107
fileModificationSkew keyword, U-81	foamFile
files file, U-73	keyword entry, U-179
filteredLinear2	foamFormatConvert utility, U-98
keyword entry, U-119	foamInfoExec utility, U-98
finalLayerThickness keyword, U-156	foamJob script/alias, U-182
financialFoam solver, U-90	foamListTimes utility, U-96
finite volume	foamLog script/alias, U-182
discretisation, P-25	foamMeshToFluent utility, U-92, U-174
mesh, P-29	foamToEnsight utility, U-94
finiteVolume	foamToEnsightParts utility, U-94
library, U-98	foamToGMV utility, U-94
finiteVolume tools, U-99	foamToStarMesh utility, U-92
finiteVolumeCalculus class, P-34	foamToSurface utility, U-92
finiteVolumeMethod class, P-34	foamToTecplot360 utility, U-94
fireFoam solver, U-89	foamToVTK utility, U-94
firstTime keyword, U-113	foamUpgradeCyclics utility, U-91
fixed	foamUpgradeFvSolution utility, U-91
keyword entry, U-114	forces
fixedGradient	library, U-99
boundary condition, U-139	foreground
fixedValue	process, U-25
boundary condition, U-139	format keyword, U-107
flattenMesh utility, U-93	fourth
floatTransfer keyword, U-81	keyword entry, U-120, U-121
flow	functions keyword, U-115
free surface, U-56	fvc class, P-34
laminar, U-17	fvc member function
steady, turbulent, P-50	curl, P-35
supersonic, P-58	d2dt2, P-35
turbulent, U-17	ddt, P-35
flow around a cylinder, P-43	div, P-35
flow over backward step, P-50	gGrad, P-35

P-80 Index

grad, P-35	geometry keyword, U-149
laplacian, P-35	gGrad
lsGrad, P-35	fvc member function, P-35
snGrad, P-35	global tools, U-98
snGradCorrection, P-35	gmshToFoam utility, U-92
sqrGradGrad, P-35	gnuplot
fvDOM	keyword entry, U-115, U-179
library, U-101	grad
fvm class, P-34	fvc member function, P-35
fvm member function	(Grad Grad) squared, P-35
d2dt2, P-35	gradient, P-35, P-38
ddt, P-35	Gauss scheme, P-38
div, P-35	Gauss's theorem, U-52
laplacian, P-35	least square fit, U-52
Su, P-35	least squares method, P-38, U-52
SuSp, P-35	surface normal, P-38
fvMatrices tools, U-99	gradSchemes keyword, U-116
fvMatrix template class, P-34	graph tools, U-98
fvMesh class, P-29	graphFormat keyword, U-115
fvMesh tools, U-99	GuldersEGRLaminarFlameSpeed model, U-101
fvMotionSolvers	GuldersLaminarFlameSpeed model, U-101
library, U-99	•
fvSchemes	H
dictionary, U-62, U-63, U-105, U-116	hConstThermo model, U-102, U-185
fvSchemes class, P-36	Help menu, U-171
fvSchemes	HerschelBulkley model, U-104
menu entry, U-52	Hf keyword, U-188
fvSolution	hhuMixtureThermo model, U-101, U-187
dictionary, U-105, U-123	hierarchical
C	keyword entry, U-83, U-84
G	highCpCoeffs keyword, U-188
g file, U-61	homogenousDynSmagorinsky model, U-103
gambitToFoam utility, U-92, U-157	homogeneousMixture model, U-101, U-186
GAMG	hPolynomialThermo model, U-102, U-185
keyword entry, U-53, U-124, U-125	hPsiMixtureThermo model, U-101, U-186
Gamma	hPsiThermo model, U-100, U-186
keyword entry, U-119	hRhoMixtureThermo model, U-101, U-187
Gamma differencing, P-36	hRhoThermo model, U-100, U-186
Gauss	hsPsiMixtureThermo model, U-101, U-186
keyword entry, U-120	hsPsiThermo model, U-100, U-186
Gauss's theorem, P-34	hsRhoMixtureThermo model, U-101, U-187
GaussSeidel	hsRhoThermo model, U-100, U-186
keyword entry, U-125	I
General window panel, U-171, U-172	I
general	
keyword entry, U-114 genericFvPatchField	tensor member function, P-23 icoFoam solver, U-17, U-21, U-22, U-25, U-86
library, U-100	
geometric-algebraic multi-grid, U-125	icoPolynomial model, U-101, U-185 icoUncoupledKinematicParcelDyMFoam solver
Geometric-algebraic muti-grid, 0-125 GeometricBoundaryField template class, P-30	U-89
geometricField <type> template class, P-30</type>	icoUncoupledKinematicParcelFoam solver, U-89
occurrence is a complete orange, i do	Suprem memorial dicent dam borren, 0 00

ideasToFoam utility, $U-157$	K
ideasUnvToFoam utility, U-92	kEpsilon model, U-102, U-103
identities, see tensor, identities	keyword
identity, see tensor, identity	As, U-189
incompressibleLESModels	Cp, U-188
library, U-103	Cv, U-188
incompressibleRASModels	FoamFile, U - 107
library, U-102	Hf, U-188
in compressible Transport Models	LESModel, U -190
library, P-53, U-104	Pr, U-188
incompressible Turbulence Models	RASModel, U-190
library, P-53	Tcommon, U-188
index	Thigh, U-188
notation, P-14, P-15	Tlow, U-188
Information window panel, U-168	Ts, $U-189$
inhomogeneousMixture model, U-101, U-186	addLayersControls, U-149
inlet	adjustTimeStep, U -62, U -115
boundary condition, P-69	agglomerator, U-126
inletOutlet	arc, U-142
boundary condition, U-140	blocks, $U-20$, $U-31$, $U-143$
inner product, see tensor, inner product	block, $U-142$
inotify	boundaryField, U-21, U-110
keyword entry, U-81	boundary, U-144
inotifyMaster	boxToCell, U-60
keyword entry, U-81	cAlpha, U-63
inside	cacheAgglomeration, U-126
keyword entry, U-153	castellatedMeshControls, U-149
insideCells utility, U-93	castellatedMesh, U-149
interDyMFoam solver, U-88	class, U-107
interfaceProperties	cloud, U-180
library, U-104	commsType, U-81
interfaceProperties model, U-104	convertToMeters, U-141, U-142
interFoam solver, U-88	curve, U-180
interMixingFoam solver, U-88	debug, U-149
internalField keyword, U-21, U-110	defaultFieldValues, U-60
interPhaseChangeFoam solver, U-88	deltaT, U-114
interpolation tools, U-99	delta, U-84, U-190
interpolationScheme keyword, U-179	dimensions, U-21, U-110
interpolations tools, U-98	distributed, U-84, U-85
interpolationSchemes keyword, U-116	divSchemes, U-116
inv tensor member function, P-23	doLayers, U-149
iterations	edgeGrading, U-144
maximum, U-125	edges, U-142
maximum, 0-125	endTime, U-22, U-113, U-114
${ m J}$	energy, U-187
janafThermo model, U-102, U-186	equationOfState, U-187
jobControl	errorReduction, U-157
library, U-99	expansionRatio, U-156
jplot	face, U-180
keyword entry, U-115, U-179	featureAngle, U-156
- · · · · · · · · · · · · · · · · · · ·	- ·

P-82 Index

6 . II 151	
features, U-151	minFlatness, U-157
fieldValues, U-60	minMedianAxisAngle, U-156
fields, U-179	minRefinementCells, U-151
fileModificationChecking, U-81	minThickness, U-156
fileModificationSkew, U-81	minTriangleTwist, U-157
finalLayerThickness, U-156	minTwist, U-157
firstTime, U-113	minVolRatio, U-157
floatTransfer, U-81	minVol, U-157
fluxRequired, U-116	mode, U-153
format, U-107	molWeight, U-187
functions, U-115	mu, U-188
geometry, U-149	nAlphaSubCycles, U-63
gradSchemes, U-116	nBufferCellsNoExtrude, U-156
graphFormat, U-115	nCellsBetweenLevels, U-151
highCpCoeffs, U-188	nFaces, U-132
internalField, U-21, U-110	nFinestSweeps, U-126
interpolationSchemes, U-116	nGrow, U-156
interpolationScheme, U-179	nLayerIter, U-156
laplacianSchemes, U-116	nMoles, U-187
latestTime, U-38	nPostSweeps, U-126
layers, U-156	nPreSweeps, U-126
leastSquares, U-52	nRelaxIter, U-154, U-156
levels, U-153	nRelaxedIter, U-156
libs, U-80, U-115	nSmoothNormals, U-156
locationInMesh, U-151, U-153	nSmoothPatch, U-154
location, U-107	nSmoothScale, U-157
lowCpCoeffs, U-188	nSmoothSurfaceNormals, U-156
manualCoeffs, U-84	nSmoothThickness, U-156
maxAlphaCo, U-62	nSolveIter, U-154
maxBoundarySkewness, U-157	neighbourPatch, U-145
maxConcave, U-157	numberOfSubdomains, U-84
maxCo, U-62, U-115	n, U-84
maxDeltaT, U-62 maxFaceThicknessRatio, U-156	object, U-107 order, U-84
,	,
maxGlobalCells, U-151 maxInternalSkewness, U-157	pRefCell, U-23, U-128 pRefValue, U-23, U-128
maxInternalSkewness, 0-137 maxIter, U-125	· /
maxLocalCells, U-151	p_rhgRefCell, U-128 p_rhgRefValue, U-128
maxNonOrtho, U-157	patchMap, U-164
maxThicknessToMedialRatio, U-156	patches, U-142
mergeLevels, U-126	preconditioner, U-124, U-125
mergePatchPairs, U-142	pressure, U-51
mergeTolerance, U-149	printCoeffs, U-41, U-190
meshQualityControls, U-149	processorWeights, U-83
method, U-84	processorWeights, U-84
midPointAndFace, U-180	purgeWrite, U-114
midPoint, U-180	refGradient, U-139
minArea, U-157	refinementRegions, U-151, U-153
minDeterminant, U-157	refinementSurfaces, U-151, U-152
minFaceWeight, U-157	refinementRegions, U-153
min acemerano, C-101	TOTTHEMENORESTORS, U-100

mariana II 60	cdol+o> Cooffa II 100
regions, U-60 relTol, U-53, U-124	<pre><delta>Coeffs, U-190 keyword entry</delta></pre>
relativeSizes, U-156	CrankNicholson, U-122
relaxed, U-157	CrossPowerLaw, U-61
resolveFeatureAngle, U-151, U-152	DICGaussSeidel, U-125
roots, U-84, U-85	DIC, U-125
runTimeModifiable, U-115	DILU, U-125
scotchCoeffs, U-84	Euler, U-122
setFormat, U-179	FDIC, U-125
sets, U-179	GAMG, U-53, U-124, U-125
simpleGrading, U-143	Gamma, U-119
simulationType, U-41, U-61, U-190	GaussSeidel, U-125
smoother, U-126	Gauss, U-120
snGradSchemes, U-116	LESModel, U-41, U-190
snapControls, U-149	MGridGen, U-126
snap, U-149	MUSCL, U-119
solvers, U-123	Newtonian, U-61
solver, U-53, U-124	PBiCG, U-124
specie, U-187	PCG, U-124
spline, U-142	QUICK, $U-122$
$\mathtt{startFace}, \mathtt{U-}132$	RASModel, U-41, U-190
$\mathtt{startFrom},\ \mathtt{U-22},\ \mathtt{U-113}$	SFCD, $U-119$, $U-122$
$\mathtt{startTime},\ \mathtt{U-22},\ \mathtt{U-113}$	UMIST, U-118
stopAt, U-113	$\verb"adjustableRunTime", U-62, U-114"$
strategy, U-83, U-84	$\operatorname{arc}, \operatorname{U-}143$
${ t surfaceFormat}, { t U-179}$	ascii, U - 114
surfaces, U-179	$\mathtt{backward},\ U\text{-}122$
thermoType, $U-185$	binary, $U-114$
thermodynamics, $U-188$	blocking, U-81
${\tt timeFormat}, U\text{-}114$	$\texttt{bounded},\ U\text{-}120,\ U\text{-}121$
${\tt timePrecision}, \text{U-}115$	${\tt cellLimited}, U\text{-}120$
timeScheme, U-116	$\mathtt{cellPointFace},\ \mathrm{U}\text{-}179$
tolerance, U-53, U-124, U-154	$\mathtt{cellPoint}, U\text{-}179$
topoSetSource, U-60	cell, U-179
traction, U-51	clockTime, U-114
transport, U-187, U-188	compressed, U-114
turbulence, U-190	corrected, U-120, U-121
type, U-133, U-136	cpuTime, U-114
uniform, U-180	cubicCorrected, U-122
valueFraction, U-139	cubicCorrection, U-119
value, U-21, U-139	cyclic, U-138
version, U-107	diagonal, U-124, U-125
vertices, U-20, U-142	distance, U-153, U-180
writeCompression, U-114	dx, U-179
writeControl, U-22, U-62, U-114	empty, U-138
writeFormat, U-55, U-114	faceAreaPair, U-126
writeInterval, U-22, U-32, U-114	faceLimited, U-120
writePrecision, U-114	filteredLinear2, U-119
<pre><lesmodel>Coeffs, U-190 </lesmodel></pre>	fixed, U-114
<rasmodel>Coeffs, U-190</rasmodel>	foamFile, U-179

P-84 Index

fourth, U-120, U-121	vanLeer, U-119
general, U-114	$ ext{vtk}, ext{U-}179$
gnuplot, U-115, U-179	$\mathtt{wall}, U\text{-}138$
hierarchical, U-83, U-84	wedge, U- 138
${ t inotify Master}, { t U-81}$	writeControl, U-114
${ t inotify}, { t U-81}$	$\mathtt{writeNow}, \textcolor{red}{\text{U-}113}$
inside, U-153	xmgr, U-115, U-179
jplot, U-115, U-179	xyz, U-180
laminar, U-41, U-190	x, U-180
latestTime, U-113	y, U-180
leastSquares, U-120	z, U-180
limitedCubic, U-119	kivaToFoam utility, U-92
limitedLinear, U-119	k O mega $model$, U - 102
limited, U-120, U-121	kOmegaSST $model, U-102, U-103$
linearUpwind, U-119, U-122	kOmegaSSTSAS $model, U-103$
linear, U-119, U-122	Kronecker delta, P-19
line, U-143	T
localEuler, U-122	$\mathbf L$
manual, U-83, U-84	lagrangian
metis, U-84	library, U-99
midPoint, U-119	lagrangianIntermediate
nextWrite, U-114	library, U-100
noWriteNow, U-114	Lambda2 utility, U-94
,	LamBremhorstKE model, U-103
nonBlocking, U-81	laminar model, U-102, U-103
none, U-117, U-125	laminar
null, U-179	keyword entry, U-41, U-190
outside, U-153	laminar Flame Speed Models
patch, U-138, U-180	library, U-101
polyLine, U-143	laplaceFilter model, U-103
polySpline, U-143	Laplacian, P-36
processor, U-138	laplacian, P-35
raw, U-115, U-179	laplacian
runTime, U-32, U-114	fvc member function, P-35
scheduled, U-81	fvm member function, P-35
scientific, U-114	laplacianFoam solver, U-86
scotch, U-83, U-84	laplacianSchemes keyword, U-116
$\mathtt{simpleSpline}, ext{U-}143$	latestTime
simple, U-83, U-84	keyword entry, U-113
skewLinear, U-119, U-122	latestTime keyword, U-38
smoothSolver, U-124	LaunderGibsonRSTM model, U-103
startTime, U-22, U-113	LaunderSharmaKE model, U-103
${\tt steadyState}, {\tt U-122}$	layers keyword, U-156
stl, U-179	leastSquares
symmetryPlane, U-138	keyword entry, U-120
$ exttt{timeStampMaster}, exttt{U-81}$	leastSquares keyword, U-52
timeStamp, U-81	LESdeltas
timeStep, U-22, U-32, U-114	library, U-103
uncompressed, U-114	LESfilters
uncorrected, U-120, U-121	library, U-103
upwind, U-119, U-122	LESModel
1	

keyword entry, U-41, U-190	jobControl, U-99
LESModel keyword, U-190	lagrangianIntermediate, U-100
LESProperties	lagrangian, U-99
dictionary, U-190	laminarFlameSpeedModels, U-101
levels keyword, U-153	linear, U-101
libraries, U-69	liquidMixtureProperties, U-102
library	liquidProperties, U-102
Chung, U-101	meshTools, U-99
3,	molecularMeasurements, U-100
LESdeltas, U-103	,
LESfilters, U-103	molecule, U-100
MGridGenGAMGAgglomeration, U-100	pairPatchAgglomeration, U-100
ODE, U-99	postCalc, U-99
OSspecific, U-100	potential, U-100
OpenFOAM, U-98	primitive, P-21
P1, U-101	radiation Models, $U-101$
PV3FoamReader, $U-167$	randomProcesses, U-100
PVFoamReader, U-167	reaction Thermophysical Models, $U-101$
SLGThermo, U-102	sampling, $ ext{U-99}$
Wallis, U-101	solidMixtureProperties, U-102
autoMesh, U-99	solidParticle, U-100
barotropic Compressibility Models, $U-101$	solidProperties, $U-102$
basicSolidThermo, $U-102$	solid, U-102
basicThermophysicalModels, $U-100$	specie, U-101
blockMesh, U-99	surfMesh, U - 99
chemistryModel, U-102	surfaceFilmModels, $U-104$
coalCombustion, U-99	systemCall, U-99
compressibleLESModels, U-104	thermalPorousZone, U-102
compressible RAS Models, U-103	thermophysicalFunctions, U-102
conversion, U-100	thermophysical, U-185
decompositionMethods, U-100	topoChangerFvMesh, U-99
dieselSpray, U-99	triSurface, U-99
distributionModels, U-99	twoPhaseInterfaceProperties, U-104
dsmc, U-99	utilityFunctionObjects, U-99
dynamicFvMesh, U-99	viewFactor, U-101
dynamicMesh, U-99	vtkFoam, U-167
edgeMesh, U-99	vtkPV3Foam, U-167
engine, U-100	libs keyword, U-80, U-115
fieldFunctionObjects, U-99	lid-driven cavity flow, U-17
fileFormats, U-100	LienCubicKE model, U-103
finiteVolume, U-98	LienCubicKELowRe model, U-103
foamCalcFunctions, U-99	LienLeschzinerLowRe model, U-103
forces, U-99	Lights window panel, U-172
fvDOM, U-101	limited
fvMotionSolvers, U-99	keyword entry, U-120, U-121
,	limitedCubic
genericFvPatchField, U-100	
incompressible LESModels, U-103	keyword entry, U-119
incompressible RASModels, U-102	limitedLinear
incompressible Transport Models, P-53, U-104	keyword entry, U-119
incompressibleTurbulenceModels, P-53	line
interfaceProperties, U-104	keyword entry, U-143

P-86 Index

Line Style menu, U-35	maxAlphaCo keyword, U-62
linear	maxBoundarySkewness keyword, U-157
library, U-101	maxCo keyword, U-62, U-115
linear	maxConcave keyword, U-157
keyword entry, U-119, U-122	maxDeltaT keyword, U-62
linearUpwind	maxDeltaxyz model, U-103
keyword entry, U-119, U-122	maxFaceThicknessRatio keyword, U-156
liquid	maxGlobalCells keyword, U-151
electrically-conducting, P-67	maximum iterations, U-125
liquidMixtureProperties	maxInternalSkewness keyword, U-157
library, U-102	maxIter keyword, U-125
liquidProperties	maxLocalCells keyword, U-151
library, U-102	maxNonOrtho keyword, U-157
lists, P-27	${\tt maxThicknessToMedialRatio}\ keyword,\ U\text{-}156$
List <type> template class, P-27</type>	mdEquilibrationFoam solver, U-90
localEuler	mdFoam solver, U-90
keyword entry, U-122	mdInitialise utility, U-91
location keyword, U-107	mechanicalProperties
locationInMesh keyword, U-151, U-153	dictionary, U-51
locDynOneEqEddy model, U-104	memory tools, U-98
lowCpCoeffs keyword, U-188	menu
lowReOneEqEddy model, U-104	Color By, U-171
LRDDiffStress model, U-104	Current Time Controls, U-25, U-169
LRR model, U-103	Edit, U-171, U-172
lsGrad	Help, U-171
fvc member function, P-35	Line Style, U-35
LTSInterFoam solver, U-88	Marker Style, U-35
LTSReactingParcelFoam solver, U-89	VCR Controls, U-25, U-169
ЪЛ	View, U-171
M	menu entry
Mach utility, U-94	Plot Over Line, U-34
mag	Save Animation, U-173
tensor member function, P-23	Save Screenshot, U-173
magneticFoam solver, U-90	Settings, U-172
magnetohydrodynamics, P-67	Show Color Legend, U-27
magSqr	
tensor member function, P-23	Solid Color, U-171
Make directory, U-73	Toolbars, U-171
make script/alias, U-71	View Settings, U-24
Make/files file, U-75	View Settings, U-25, U-171
manual	Wireframe, U-171
keyword entry, U-83, U-84	fvSchemes, U-52
manualCoeffs keyword, U-84	mergeLevels keyword, U-126
mapFields utility, U-31, U-38, U-42, U-55, U-91,	
U-164	mergeOrSplitBaffles utility, U-93
mapping	mergePatchPairs keyword, U-142
fields, U-164	mergeTolerance keyword, U-149
Marker Style menu, U-35	mesh
matrices tools, U-98	1-dimensional, U-133
max	1D, U-133
tensor member function, P-23	2-dimensional, U-133

2D, U-133	minVolRatio keyword, U-157
axi-symmetric, U-133	mirrorMesh utility, U-93
basic, P-29	mixed
block structured, U-139	boundary condition, U-139
decomposition, U-82	mixedSmagorinsky model, U-103
description, U-129	mixtureAdiabaticFlameT utility, U-97
finite volume, P-29	mode keyword, U-153
generation, U-139, U-148	model
grading, U-139, U-143	APIfunctions, U-102
grading, example of, P-50	BirdCarreau, U-104
non-orthogonal, P-43	CrossPowerLaw, U-104
refinement, P-61	DeardorffDiffStress, U-104
resolution, U-29	GuldersEGRLaminarFlameSpeed, U-101
specification, U-129	GuldersLaminarFlameSpeed, U-101
split-hex, U-148	HerschelBulkley, U-104
Stereolithography (STL), U-148	LRDDiffStress, U-104
surface, U-148	LRR, U-103
validity constraints, U-129	LamBremhorstKE, U-103
Mesh Parts window panel, U-24	LaunderGibsonRSTM, U-103
meshes tools, U-98	LaunderSharmaKE, U-103
meshQualityControls keyword, U-149	LienCubicKELowRe, U-103
meshTools	LienCubicKE, U-103
library, U-99	LienLeschzinerLowRe, U-103
message passing interface	NSRDSfunctions, U-102
openMPI, U-83	Newtonian, U-104
method keyword, U-84	NonlinearKEShih, U-103
metis	PrandtlDelta, U-103
keyword entry, U-84	RNGkEpsilon, U-103
MGridGenGAMGAgglomeration	Smagorinsky2, U-103
library, U-100	Smagorinsky, U-103, U-104
MGridGen	${\sf SpalartAllmarasDDES}, \hbox{U-}104$
keyword entry, U-126	SpalartAllmarasIDDES, $U-104$
mhdFoam solver, P-69, U-90	SpalartAllmaras, $U-103$, $U-104$
midPoint	anisotropicFilter, U-103
keyword entry, U-119	basicMultiComponentMixture, U-101, U-186
midPoint keyword, U-180	chemistryModel, U - 102
midPointAndFace keyword, U-180	chemistrySolver, U-102
min	constLaminarFlameSpeed, U - 101
tensor member function, P-23	constTransport, U-102, U-186
minArea keyword, U-157	cubeRootVolDelta, $U-103$
minDeterminant keyword, U-157	dieselMixture, U-101, U-186
minFaceWeight keyword, U-157	distributed, $U-100$
minFlatness keyword, U-157	dynLagrangian, U- 103
minMedianAxisAngle keyword, U-156	dynMixedSmagorinsky, $U-103$
MINMOD differencing, P-36	dynOneEqEddy, U - 104
minRefinementCells keyword, U-151	dynSmagorinsky, U-103
minThickness keyword, U-156	eConstThermo, U-102, U-185
minTriangleTwist keyword, U-157	ePsiThermo, U-100, U-186
minTwist keyword, U-157	egrMixture, U-101, U-186
minVol keyword, U-157	$hConstThermo,\ U-102,\ U-185$

P-88 Index

hPolynomialThermo, U-102, U-185	molWeight keyword, U-187
hPsiMixtureThermo, U-101, U-186	moveDynamicMesh utility, U-93
hPsiThermo, U-100, U-186	moveEngineMesh utility, U-93
hRhoMixtureThermo, U-101, U-187	moveMesh utility, U-93
hRhoThermo, U-100, U-186	movingWallVelocity
hhuMixtureThermo, U-101, U-187	boundary condition, U-140
homogenousDynSmagorinsky, U-103	MPI
homogeneousMixture, U-101, U-186	openMPI, U-83
hsPsiMixtureThermo, U-101, U-186	MRFInterFoam solver, U-88
hsPsiThermo, U-100, U-186	MRFMultiphaseInterFoam solver, U-88
hsRhoMixtureThermo, U-101, U-187	mshToFoam utility, U-92
hsRhoThermo, U-100, U-186	mu keyword, U-188
icoPolynomial, U-101, U-185	multiComponentMixture model, U-101, U-186
inhomogeneousMixture, U-101, U-186	multigrid
interfaceProperties, U-104	geometric-algebraic, U-125
janafThermo, U-102, U-186	multiphaseEulerFoam solver, U-88
kEpsilon, U-102, U-103	multiphaseInterFoam solver, U-88
kOmegaSSTSAS, U-103	MUSCL
kOmegaSST, U-102, U-103	keyword entry, U-119
kOmega, U-102	TN.T
laminar, U-102, U-103	N
laplaceFilter, U-103	n keyword, U-84
locDynOneEqEddy, U-104	nabla
lowReOneEqEddy, U-104	operator, P-25
maxDeltaxyz, U-103	nAlphaSubCycles keyword, U-63
mixedSmagorinsky, U-103	nBufferCellsNoExtrude keyword, U-156
multiComponentMixture, U-101, U-186	nCellsBetweenLevels keyword, U-151
oneEqEddy, U-104	neighbour
perfectGas, U-101, U-185	dictionary, U-132
polynomialTransport, U-102, U-186	neighbourPatch keyword, U-145
powerLaw, U-104	netgenNeutralToFoam utility, U-92
ptsotchDecomp, U-100	Newtonian
pureMixture, U-100, U-186	keyword entry, U-61
qZeta, U-103	Newtonian model, U-104
reactingMixture, U-101, U-186	nextWrite
realizableKE, U-103	keyword entry, U-114
reconstruct, U-100	nFaces keyword, U-132
scaleSimilarity, U-103	nFinestSweeps keyword, U-126
scotchDecomp, U-100	nGrow keyword, U-156
• /	nLayerIter keyword, U-156
simpleFilter, U-103	nMoles keyword, U-187
smoothDelta, U-103	non-orthogonal mesh, P-43
specieThermo, U-102, U-186	nonBlocking
spectEddyVisc, U-104	keyword entry, U-81
sutherlandTransport, U-102, U-186	none
veryInhomogeneousMixture, U-101, U-186	keyword entry, U-117, U-125
modifyMesh utility, U-93	NonlinearKEShih model, U-103
molecularMeasurements	nonNewtonianIcoFoam solver, U-86
library, U-100	noWriteNow
molecule	keyword entry, U-114
library, U-100	nPostSweeps keyword, U-126

nPreSweeps keyword, U-126	P
nRelaxedIter keyword, U-156	p field, U-23
nRelaxIter keyword, U-154, U-156	P1
nSmoothNormals keyword, U-156	library, U-101
nSmoothPatch keyword, U-154	p_rhgRefCell keyword, U-128
nSmoothScale keyword, U-157	p_rhgRefValue keyword, U-128
,	pairPatchAgglomeration
nSmoothSurfaceNormals keyword, U-156	library, U-100
nSmoothThickness keyword, U-156	
nSolveIter keyword, U-154	paraFoam, U-23, U-167
NSRDSfunctions model, U-102	parallel
null	running, U-82
keyword entry, U-179	partialSlip
numberOfSubdomains keyword, U-84	boundary condition, U-140
0	particleTracks utility, U-95
U	patch
object keyword, U-107	boundary condition, U-137
objToVTK utility, U-93	patch
ODE	keyword entry, U-138, U-180
library, U-99	patchAverage utility, U-95
oneEqEddy model, U-104	patches keyword, U-142
Opacity text box, U-171	patchIntegrate utility, U-95
OpenFOAM	patchMap keyword, U-164
applications, U-69	patchSummary utility, U-98
file format, U-106	PBiCG
libraries, U-69	keyword entry, U-124
OpenFOAM	PCG
library, U-98	keyword entry, U-124
OpenFOAM file syntax	pdfPlot utility, U-96
//, U-106	PDRFoam solver, U-89
openMPI	PDRMesh utility, U-93
message passing interface, U-83	Pe utility, U-94
MPI, U-83	perfectGas model, U-101, U-185
operator	permutation symbol, P-18
scalar, P-26	pimpleDyMFoam solver, U-86
vector, P-25	pimpleFoam solver, U-86
Options window, U-172	Pipeline Browser window, U-24, U-168
options file, U-73	PISO
order keyword, U-84	dictionary, U-23
Orientation Axes button, U-25, U-172	pisoFoam solver, U-17, U-86
OSspecific	Plot Over Line
library, U-100	menu entry, U-34
outer product, see tensor, outer product	plot3dToFoam utility, U-92
outlet	pointField class, P-29
boundary condition, P-69	pointField <type> template class, P-31</type>
outletInlet	points
boundary condition, U-140	dictionary, U-131, U-139
outside	polyBoundaryMesh class, P-29
keyword entry, U-153	polyDualMesh utility, U-93
owner	polyLine
dictionary, U-131	keyword entry, U-143
	110 , 1, 01 01 01101 19 V 1 10

P-90 Index

polyMesh directory, U-105, U-131	processor
polyMesh class, P-29, U-129, U-131	keyword entry, U-138
polynomialTransport model, U-102, U-186	processorN directory, U-83
polyPatch class, P-29	processorWeights keyword, U-84
polyPatchList class, P-29	Properties window panel, U-25, U-168, U-169
polySpline	ptot utility, U-96
keyword entry, U-143	ptsotchDecomp model, U-100
porousInterFoam solver, U-88	pureMixture model, U-100, U-186
porousSimpleFoam solver, U-86	purgeWrite keyword, U-114
post-processing, U-167	PV3FoamReader
post-processing	library, U-167
paraFoam, U-167	PVFoamReader
postCalc	library, U-167
library, U-99	-
postChannel utility, U-96	${f Q}$
potential	Q utility, U-94
library, U-100	QUICK
potentialFoam solver, P-44, U-86	keyword entry, U-122
potential FreeSurfaceFoam solver, U-87	qZeta model, U-103
	To.
pow tensor member function, P-23	${ m R}$
•	R utility, U-95
powerLaw model, U-104	radiationModels
pPrime2 utility, U-95	library, U-101
Pr keyword, U-188	randomProcesses
PrandtlDelta model, U-103	library, U-100
preconditioner keyword, U-124, U-125	RASModel
pRefCell keyword, U-23, U-128	keyword entry, U-41, U-190
pRefValue keyword, U-23, U-128	RASModel keyword, U-190
pressure keyword, U-51	raw
pressure waves	keyword entry, U-115, U-179
in liquids, P-62	reactingFoam solver, U-89
pressureDirectedInletVelocity	reactingMixture model, U-101, U-186
boundary condition, U-140	reactingParcelFilmFoam solver, $U-90$
pressureInletVelocity	reactingParcelFoam solver, U-90
boundary condition, U-140	reaction Thermophysical Models
pressureOutlet	library, U-101
boundary condition, P-63	realizableKE $model, U-103$
pressureTransmissive	reconstruct model, U-100
boundary condition, U-140	reconstructPar utility, U-85, U-97
primitive	reconstructParMesh utility, U-97
library, P-21	refGradient keyword, U-139
primitives tools, U-98	refineHexMesh utility, U-94
printCoeffs keyword, U-41, U-190	refinementRegions keyword, U-153
processorWeights keyword, U-83	refinementLevel utility, U-94
probeLocations utility, U-95	refinementRegions keyword, U-151, U-153
process	refinementSurfaces keyword, U-151, U-152
background, U-25, U-82	refineMesh utility, U-93
foreground, U-25	refineWallLayer utility, U-94
processor	Refresh Times button, U-25
boundary condition, U-138	regions keyword, U-60

relative tolerance, U-124	scheduled
relativeSizes keyword, U-156	keyword entry, U-81
relaxed keyword, U-157	scientific
relTol keyword, U-53, U-124	keyword entry, U-114
removeFaces utility, U-94	scotch
Render View window, U-172	keyword entry, U-83, U-84
Render View window panel, U-172	scotchCoeffs keyword, U-84
renumberMesh utility, U-93	scotchDecomp model, U-100
Rescale to Data Range button, U-25	script/alias
Reset button, U-168	foamCorrectVrt, U-162
resolveFeatureAngle keyword, U-151, U-152	foamJob, U-182
restart, U-38	foamLog, U-182
Reynolds number, U-17, U-21	make, U-71
rhoPorousSimpleFoam $solver, U-87$	rmdepall, U-77
rhoCentralDyMFoam solver, U-87	wclean, U-76
rhoCentralFoam solver, U-87	wmake, U-71
rhoLTSPimpleFoam solver, U-87	second time derivative, P-35
rhoPimpleFoam solver, U-87	Seed window, U-173
rhoPimplecFoam solver, U-87	selectCells utility, U-94
rhoReactingFoam solver, U-89	Set Ambient Color button, U-171
rhoSimpleFoam solver, U-87	setFields utility, U-59, U-60, U-91
rhoSimplecFoam solver, U-87	setFormat keyword, U-179
rmdepall script/alias, U-77	sets keyword, U-179
RNGkEpsilon model, U-103	setSet utility, U-93
roots keyword, U-84, U-85	setsToZones utility, U-93
rotateMesh utility, U-93	Settings
run	menu entry, U-172
parallel, U-82	settlingFoam solver, U-88
run directory, U-105	SFCD
runTime	keyword entry, U-119, U-122
keyword entry, U-32, U-114	shallowWaterFoam solver, U-87
runTimeModifiable keyword, U-115	shape, U-143
C	Show Color Legend
S	menu entry, U-27
sammToFoam utility, U-92	SI units, U-110
sample utility, U-95, U-178	•
sampling	simple
library, U-99	keyword entry, U-83, U-84
Save Animation	simpleFilter model, U-103
menu entry, U-173	simpleFoam solver, P-53, U-87
Save Screenshot	simpleGrading keyword, U-143
menu entry, U-173	simpleReactingParcelFoam solver, U-90
scalar, P-14	simpleSpline
operator, P-26	keyword entry, U-143
scalar class, P-22	simulationType keyword, U-41, U-61, U-190
scalarField class, P-27	singleCellMesh utility, U-93
scalarTransportFoam solver, U-86	skew
scale	tensor member function, P-23
tensor member function, P-23	skewLinear
scalePoints utility, U-161	keyword entry, U-119, U-122
scaleSimilarity model, U-103	SLGThermo

P-92 Index

library, U-102	blockMesh, P-45
slice class, P-29	boundaryFoam, U-86
slip	buoyantBoussinesqPimpleFoam, U-89
boundary condition, U-140	buoyantBoussinesqSimpleFoam, U-89
Smagorinsky model, U-103, U-104	buoyantPimpleFoam, U-89
Smagorinsky2 model, U-103	buoyantSimpleFoam, U-89
smapToFoam utility, U-94	cavitatingDyMFoam, U-87
smoothDelta model, U-103	cavitatingFoam, U-87
smoother keyword, U-126	chemFoam, U-89
smoothSolver	chtMultiRegionFoam, U-89
keyword entry, U-124	chtMultiRegionSimpleFoam, U-89
snap keyword, U-149	coalChemistryFoam, U-89
snapControls keyword, U-149	coldEngineFoam, U-89
snappyHexMesh utility	compressibleInterDyMFoam, U-88
background mesh, U-150	compressibleInterFoam, U-88
cell removal, U-152	dnsFoam, U-88
cell splitting, U-151	dsmcFoam, U-90
mesh layers, U-154	electrostaticFoam, U-90
meshing process, U-149	engineFoam, U-89
snapping to surfaces, U-154	financialFoam, U-90
snappyHexMesh utility, U-92, U-148	fireFoam, U-89
snappyHexMeshDict file, U-149	icoFoam, U-17, U-21, U-22, U-25, U-86
snGrad	icoUncoupled Kinematic Parcel DyMFoam,
fvc member function, P-35	U-89
snGradCorrection	icoUncoupledKinematicParcelFoam, U-89
fvc member function, P-35	interDyMFoam, U-88
snGradSchemes keyword, U-116	interFoam, U-88
solid	interMixingFoam, U-88
library, U-102	$inter Phase Change Foam,\ U\text{-}88$
Solid Color	laplacianFoam, U-86
menu entry, U-171	magneticFoam, U-90
solidDisplacementFoam solver, $U-90$	mdEquilibrationFoam, U-90
solidDisplacementFoam solver, $U-51$	$mdFoam,\ U\text{-}90$
solidEquilibriumDisplacementFoam solver, U-90	mhdFoam, P-69, U-90
solidMixtureProperties	multiphaseEulerFoam, U-88
library, U-102	multiphaseInterFoam, U-88
solidParticle	nonNewtonianIcoFoam, U-86
library, U-100	pimpleDyMFoam, U-86
solidProperties	pimpleFoam, U-86
library, U-102	pisoFoam, U-17, U-86
solver	porousInterFoam, U-88
LTSInterFoam, U-88	porousSimpleFoam, U-86
LTSReactingParcelFoam, U-89	potentialFoam, P-44, U-86
MRFInterFoam, U-88	potentialFreeSurfaceFoam, U-87
MRFMultiphaseInterFoam, U-88	reactingFoam, U-89
PDRFoam, U-89	reactingParcelFilmFoam, $U-90$
SRFPimpleFoam, U-87	reacting Parcel Foam, $U-90$
SRFSimpleFoam, U-87	rhoCentralDyMFoam, U-87
XiFoam, U-89	rhoCentralFoam, U-87
adjointShapeOptimizationFoam, U-86	rhoLTSPimpleFoam, U-87

rhoPimpleFoam, $U-87$	star3ToFoam utility, U-92
rhoPimplecFoam, U-87	star4ToFoam utility, U-92
rhoReactingFoam, U-89	startFace keyword, U-132
rhoSimpleFoam, U-87	startFrom keyword, U-22, U-113
rhoSimplecFoam, U-87	starToFoam utility, U-157
rhoPorousSimpleFoam, U-87	startTime
scalarTransportFoam, U-86	keyword entry, U-22, U-113
settlingFoam, U-88	startTime keyword, U-22, U-113
shallowWaterFoam, U-87	steady flow
simpleFoam, P-53, U-87	turbulent, P-50
simpleReactingParcelFoam, U-90	steadyParticleTracks utility, U-95
solidDisplacementFoam, U-90	steadyState
solidDisplacementFoam, $U-51$	keyword entry, U-122
solidEquilibriumDisplacementFoam, U-90	Stereolithography (STL), U-148
sonicDyMFoam, U-87	stitchMesh utility, U-93
sonicFoam, P-59, U-87	stl
sonicLiquidFoam, P-63, U-87	keyword entry, U-179
sprayEngineFoam, U-90	stopAt keyword, U-113
sprayFoam, U-90	strategy keyword, U-83, U-84
twoLiquidMixingFoam, U-88	streamFunction utility, U-94
twoPhaseEulerFoam, U-88	stress analysis of plate with hole, U-46
uncoupledKinematicParcelFoam, U-90	stressComponents utility, U-94
solver keyword, U-53, U-124	Style window panel, U-24, U-171
solver relative tolerance, U-124	Su
solver tolerance, U-124	fvm member function, P-35
solvers keyword, U-123	subsetMesh utility, U-93
sonicDyMFoam solver, U-87	summation convention, P-15
sonicFoam solver, P-59, U-87	SUPERBEE differencing, P-36
sonicLiquidFoam solver, P-63, U-87	supersonic flow, P-58
source, P-35	supersonic flow over forward step, P-58
SpalartAllmaras model, U-103, U-104	supersonicFreeStream
SpalartAllmarasDDES model, U-104	boundary condition, U-140
SpalartAllmarasIDDES model, U-104	surface mesh, U-148
specie	surfaceAdd utility, U-96
library, U-101	surfaceAutoPatch utility, U-96
specie keyword, U-187	surfaceCheck utility, U-96
specieThermo model, U-102, U-186	surfaceClean utility, U-96
spectEddyVisc model, U-104	surfaceCoarsen utility, U-96
spline keyword, U-142	surfaceConvert utility, U-96
splitCells utility, U-94	surfaceFeatureConvert utility, U-96
splitMesh utility, U-93	surfaceFeatureExtract utility, U-96, U-152
splitMeshRegions utility, U-93	surfaceField <type> template class, P-31</type>
sprayEngineFoam solver, U-90	surfaceFilmModels
sprayFoam solver, U-90	library, U-104
sqr	surfaceFind utility, U-96
tensor member function, P-23	surfaceFormat keyword, U-179
sqrGradGrad	surfaceInertia utility, U-96
fvc member function, P-35	surfaceMesh tools, U-99
SRFPimpleFoam solver, U-87	surfaceMeshConvert utility, U-96
SRFSimpleFoam solver, U-87	surfaceMeshConvert Testing utility, U-96
JIM Junipici Dani Burver, U-01	Juliaccivicanconvert resting utility. U-30

P-94 Index

C M 15	D 1 1 1 1 1 1 1 D 10
surfaceMeshExport utility, U-96	Euler implicit, P-40
surfaceMeshImport utility, U-96	explicit, P-40
surfaceMeshInfo utility, U-96	in OpenFOAM, P-41
surfaceMeshTriangulate utility, U-96	tensor, P-13
surfaceNormalFixedValue	addition, P-16
boundary condition, U-140	algebraic operations, P-16
surfaceOrient utility, U-96	algebraic operations in OpenFOAM, P-22
surfacePointMerge utility, U-97	antisymmetric, see tensor, skew
surfaceRedistributePar utility, U-97	calculus, P-25
surfaceRefineRedGreen utility, U-97	classes in OpenFOAM, P-21
surfaces keyword, U-179	cofactors, P-20
surfaceSmooth utility, U-97	component average, P-18
surfaceSplitByPatch utility, U-97	component maximum, P-18
surfaceSplitNonManifolds utility, U-97	component minimum, P-18
surfaceSubset utility, U-97	determinant, P-20
surfaceToPatch utility, U-97	deviatoric, P-20
surfaceTransformPoints utility, U-97	diagonal, P-20
surfMesh	dimension, P-14
library, U-99	double inner product, P-17
SuSp	geometric transformation, P-19
fvm member function, P-35	Hodge dual, P-21
sutherlandTransport model, U-102, U-186	hydrostatic, P-20
symm	identities, P-19
tensor member function, P-23	identity, P-19
symmetryPlane	inner product, P-16
boundary condition, P-63, U-138	inverse, P-21
symmetryPlane	magnitude, P-18
keyword entry, U-138	magnitude squared, P-18
symmTensorField class, P-27	mathematics, P-13
symmTensorThirdField class, P-27	notation, P-15
system directory, P-48, U-105	nth power, P-18
systemCall	outer product, P-17
library, U-99	rank, P-14
	•
${f T}$	rank 3, P-15
T()	scalar division, P-16
tensor member function, P-23	scalar multiplication, P-16
Tcommon keyword, U-188	scale function, P-18
template class	second rank, P-14
GeometricBoundaryField, $P-30$	skew, P-20
fvMatrix, P-34	square of, P-18
dimensioned <type>, P-24</type>	subtraction, P-16
FieldField <type>, P-30</type>	symmetric, P-20
Field <type>, P-27</type>	symmetric rank 2, P-14
geometricField $<$ Type $>, P-30$	symmetric rank 3, P-15
List <type>, P-27</type>	trace, P-20
pointField <type>, P-31</type>	transformation, P-19
surfaceField < Type > , $P-31$	transpose, P-14, P-20
volField <type>, $P-31$</type>	triple inner product, P-17
temporal discretisation, P-40	vector cross product, P-18
Crank Nicholson, P-41	tensor class, P-22

tensor member function	time step, U-22
*, P-23	timeFormat keyword, U-114
+, P-23	timePrecision keyword, U-115
-, P-23	timeScheme keyword, U-116
/, P-23	timeStamp
&, P-23	keyword entry, U-81
&&, P-23	timeStampMaster
^, P-23	keyword entry, U-81
cmptAv, P-23	timeStep
cofactors, P-23	keyword entry, U-22, U-32, U-114
det, P-23	Tlow keyword, U-188
dev, P-23	tolerance
diag, P-23	solver, U-124
I, P-23	solver relative, U-124
inv, P-23	tolerance keyword, U-53, U-124, U-154
mag, P-23	Toolbars
magSqr, P-23	menu entry, U-171 tools
max, P-23	
min, P-23	algorithms, U-98
pow, P-23	cfdTools, U-99
scale, P-23	containers, U-98
skew, P-23	db, U-98
sqr, P-23	dimensionSet, U-98
symm, P-23	dimensionedTypes, U-98
T(), P-23	fields, U-98, U-99
tr, P-23	finiteVolume, U-99
transform, P-23	fvMatrices, U-99
tensorField class, P-27	fvMesh, U-99
tensorThirdField class, P-27	global, U -98
tetgenToFoam utility, U-92	graph, U-98
text box	interpolations, U-98
Opacity, U-171	interpolation, U - 99
thermalPorousZone	matrices, U-98
library, U-102	memory, $U-98$
thermalProperties	meshes, U -98
dictionary, U-51	primitives, U-98
thermodynamics keyword, U-188	surfaceMesh, U - 99
thermophysical	vol $Mesh, U\text{-}99$
library, U-185	topo Changer Fv Mesh
thermophysicalFunctions	library, U-99
library, $U-102$	topoSet utility, U-93
thermophysicalProperties	topoSetSource keyword, U-60
dictionary, U-185	totalPressure
thermoType keyword, U-185	boundary condition, U-140
Thigh keyword, U-188	tr
time	tensor member function, P-23
control, U-113	trace, see tensor, trace
time derivative, P-35	traction keyword, U-51
first, P-37	transform
second, P-35, P-37	tensor member function, P-23

P-96 Index

transformPoints utility, U-93	USCS, U-110
transport keyword, U-187, U-188	Update GUI button, U-169
transportProperties	uprime utility, U-94
dictionary, U-21, U-38, U-42	upwind
transportProperties file, U-60	keyword entry, U-119, U-122
triple inner product, P-17	upwind differencing, P-36, U-62
triSurface	USCS units, U-110
library, U-99	Use Parallel Projection button, U-25
Ts keyword, U-189	Use parallel projection button, U-171
turbulence	utility
dissipation, U-40	Co, U-94
kinetic energy, U-40	
length scale, U-41	Lambda2, U-94
turbulence keyword, U-190	Mach, U-94
turbulence model	PDRMesh, U-93
RAS, U-40	Pe, U-94
turbulenceProperties	Q, U-94
dictionary, U-41, U-61, U-190	R, U-95
turbulent flow	Ucomponents, P-70
	adiabaticFlameT, U -97
steady, P-50	ansysToFoam, U - 92
turbulentInlet	applyBoundaryLayer, U - 91
boundary condition, U-140	applyWallFunctionBoundaryConditions, $U-91$
tutorials	attach $Mesh,\ U\text{-}92$
breaking of a dam, U-56	autoPatch, U - 92
lid-driven cavity flow, U-17	autoRefineMesh, $U-93$
stress analysis of plate with hole, U-46	blockMesh, U-37, U-91, U-139
tutorials directory, P-43, U-17	boxTurb, U-91
twoLiquidMixingFoam solver, U-88	cfx4ToFoam, U- 92 , U- 157
twoPhaseEulerFoam solver, U-88	changeDictionary, U-91
twoPhaseInterfaceProperties	checkMesh, U-92, U-159
library, U-104	chemkinToFoam, U-97
type keyword, U-133, U-136	collapseEdges, U-93
\mathbf{U}	combinePatchFaces, U-93
_	createBaffles, U-92
U field, U-23	createPatch, U-92
Ucomponents utility, P-70	createTurbulenceFields, U-95
UMIST	datToFoam, U-92
keyword entry, U-118	decomposePar, U-82, U-83, U-97
uncompressed	deformedGeom, U-92
keyword entry, U-114	dsmcFieldsCalc, U-95
uncorrected	•
keyword entry, U-120, U-121	dsmcInitialise, U-91
uncoupledKinematicParcelFoam solver, U-90	engineCompRatio, U-95
uniform keyword, U-180	engineSwirl, U-91
units	ensight74FoamExec, U-177
base, U-110	ensightFoamReader, U-94
of measurement, P-24, U-109	enstrophy, U-94
S.I. base, P-24	equilibriumCO, U-97
SI, U-110	equilibriumFlameT, U -97
Système International, U-110	execFlowFunctionObjects, U-96
United States Customary System, U-110	expandDictionary, U-98

extrude2DMesh, U -91	plot 3 d T o F o $am, U-92$
extrudeMesh, U-91	polyDualMesh, U-93
extrudeToRegionMesh, U-92	postChannel, U-96
faceAgglomerate, U-91	probeLocations, U-95
flattenMesh, U-93	ptot, U-96
flowType, U-94	reconstructParMesh, U-97
fluent3DMeshToFoam, U-92	reconstructPar, U-85, U-97
fluentMeshToFoam, U-92, U-157	refineHexMesh, U-94
foamCalc, U-32, U-96	refineMesh, U-93
foamDataToFluent, U-94, U-174	refineWallLayer, U-94
foamDebugSwitches, U-98	refinementLevel, U-94
foamFormatConvert, U-98	removeFaces, U-94
foamInfoExec, U-98	renumberMesh, U-93
foamListTimes, U-96	rotateMesh, U-93
foamMeshToFluent, U-92, U-174	sammToFoam, U-92
foamToEnsightParts, U-94	sample, U-95, U-178
foamToEnsight, U-94	scalePoints, U-161
foamToGMV, U-94	selectCells, U-94
foamToStarMesh, U-92	setFields, U-59, U-60, U-91
foamToSurface, U-92	setSet, U-93
foamToTecplot360, U-94	setsToZones, U-93
foamToVTK, U-94	singleCellMesh, U-93
foamUpgradeCyclics, U-91	smapToFoam, U-94
foamUpgradeFvSolution, U-91	snappyHexMesh, U-92, U-148
gambitToFoam, U-92, U-157	splitCells, U-94
gmshToFoam, U-92	splitMeshRegions, U-93
ideasToFoam, U-157	splitMesh, U-93
ideasUnvToFoam, U-92	star3ToFoam, U-92
insideCells, U-93	star4ToFoam, U-92
kivaToFoam, U-92	starToFoam, U-157
mapFields, U-31, U-38, U-42, U-55, U-91,	steadyParticleTracks, U-95
U-164	stitchMesh, U-93
mdInitialise, U-91	streamFunction, U-94
mergeMeshes, U-93	stressComponents, U-94
mergeOrSplitBaffles, U-93	subsetMesh, U-93
mirrorMesh, U-93	surfaceAdd, U-96
mixtureAdiabaticFlameT, U-97	surfaceAutoPatch, U-96
modifyMesh, U-93	surfaceCheck, U-96
moveDynamicMesh, U-93	surfaceClean, U-96
moveEngineMesh, U-93	surfaceCoarsen, U-96
moveMesh, U-93	surfaceConvert, U-96
mshToFoam, U-92	surfaceFeatureConvert, U-96
netgenNeutralToFoam, U-92	surfaceFeatureExtract, U-96, U-152
objToVTK, U-93	surfaceFind, U-96
pPrime2, U-95	surfaceInertia, U-96
particleTracks, U-95	surfaceMeshConvertTesting, U-96
patchAverage, U-95	surfaceMeshConvert, U-96
patchIntegrate, U-95	surfaceMeshExport, U-96
patchSummary, U-98	surfaceMeshImport, U-96
pdfPlot, U-96	surfaceMeshInfo, U-96

P-98 Index

surfaceMeshTriangulate, U-96	menu entry, U-24
surfaceOrient, U-96	viewFactor
surfacePointMerge, U-97	library, U-101
surfaceRedistributePar, U-97	viewFactorsGen utility, U-91
surfaceRefineRedGreen, U-97	viscosity
surfaceSmooth, U-97	kinematic, U-21, U-42
surfaceSplitByPatch, U-97	volField <type> template class, P-31</type>
surfaceSplitNonManifolds, U-97	volMesh tools, U-99
surfaceSubset, U-97	vorticity utility, U-94
surfaceToPatch, U-97	vtk
surfaceTransformPoints, U-97	keyword entry, U-179
tetgenToFoam, U-92	vtkFoam
topoSet, U-93	library, U-167
transformPoints, U-93	vtkPV3Foam
uprime, U-94	library, U-167
viewFactorsGen, U-91	
vorticity, U-94	\mathbf{W}
wallFunctionTable, U-91	wall
wallGradU, $U-95$	boundary condition, P-63, P-69, U-59,
wallHeatFlux, U-95	U-137, U-138
wallShearStress, $U-95$	wall
wdot, U-96	keyword entry, U-138
writeCellCentres, U-96	wallFunctionTable utility, U-91
writeMeshObj, U-92	wallGradU utility, U-95
yPlusLES, U-95	wallHeatFlux utility, U-95
yPlusRAS, U-95	Wallis
zipUpMesh, U-93	library, U-101
utilityFunctionObjects	wallShearStress utility, U-95
library, U-99	wclean script/alias, U-76
	wdot utility, U-96
\mathbf{V}	wedge
value keyword, U-21, U-139	boundary condition, U-133, U-138, U-147
valueFraction keyword, U-139	wedge
van Leer differencing, P-36	keyword entry, U-138
vanLeer	window
keyword entry, U-119	Color Legend, U-27
VCR Controls menu, U-25, U-169	Options, U-172
vector, P-14	Pipeline Browser, U-24, U-168
operator, P-25	Render View, U-172
unit, P-18	Seed, U-173
vector class, P-22, U-109	View Settings (Render View), U-171
vector product, see tensor, vector cross product	window panel
vectorField class, P-27	Animations, U-172
version keyword, U-107	Annotation, U-25, U-172
vertices keyword, U-20, U-142	Charts, U-172
veryInhomogeneousMixture model, U-101, U-186	Color Legend, U-170
View menu, U-171	Color Scale, U-170
View Settings	Colors, U-172
menu entry, U-25, U-171	Display, U-24, U-25, U-168, U-169
View Settings (Render View) window, U-171	General, U-171, U-172
View Settings	Information, U-168

Lights, U-172	environment variable, U-76
Mesh Parts, U-24	wmake
Properties, U-25, U-168, U-169	platforms, U-73
Render View, U-172	wmake script/alias, U-71
Style, U-24, U-171	word class, P-24, P-29
Wireframe	writeCellCentres utility, U-96
menu entry, U-171	writeCompression keyword, U-114
WM_ARCH	writeControl
environment variable, U-76	keyword entry, U-114
WM_ARCH_OPTION	writeControl keyword, U-22, U-62, U-114
environment variable, U-76	writeFormat keyword, U-55, U-114
WM_COMPILE_OPTION	writeInterval keyword, U-22, U-32, U-114
environment variable, U-76	writeMeshObj utility, U-92
WM_COMPILER	writeNow
environment variable, U-76	keyword entry, U-113
WM_COMPILER_BIN	writePrecision keyword, U-114
environment variable, U-76	
WM_COMPILER_DIR	${f X}$
environment variable, U-76	x
WM_COMPILER_LIB	keyword entry, U-180
environment variable, U-76	XiFoam solver, U-89
WM_DIR	xmgr
environment variable, U-76	keyword entry, U-115, U-179
WM_MPLIB	xyz
environment variable, U-76	keyword entry, U-180
WM_OPTIONS	ζ , , , , , , , , , , , , , , , , , , ,
environment variable, U-76	Y
WM_PRECISION_OPTION	У
environment variable, U-76	keyword entry, U-180
WM_PROJECT	yPlusLES utility, U-95
environment variable, U-76	yPlusRAS utility, U-95
WM_PROJECT_DIR	
environment variable, U-76	${f Z}$
WM_PROJECT_INST_DIR	z
environment variable, U-76	keyword entry, U-180
WM_PROJECT_USER_DIR	zeroGradient
environment variable, U-76	boundary condition, U-139
WM_PROJECT_VERSION	zipUpMesh utility, U-93