SEPARATE CODES FOR WEBPAGES

HCI ASSIGNMENT 5

CSS PROPERTIES USED

1.HOME PAGE(NAVIGATION)

```
HTML CODE
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Photography Website</title>
 <link rel="stylesheet" href="style.css">
 k href="https://fonts.googleapis.com/css2?family=Lobster&family=Lora&display=swap"
rel="stylesheet">
</head>
<body>
 <header>
   <nav class="navbar">
     <h3><span>Nature's</span> Click</h3>
     <a class="active" href="#">HOME</a>
       class="item"><a href="#">PORTFOLIO</a>
       class="item"><a href="#">ABOUT ME</a>
       class="item"><a href="#">CONTACT US</a>
 </div>
   </div>
</div>
</div>
```

```
</nav>
<h4><span>Nature's Beauty at its Best</span></h4>
    <div id="phone">
      <a href="tel:+919665342097">+919665342097
      </a>
    </div>
  </header>
</body>
</html>
CSS CODES
body{
  margin: 0;
  padding: 0;
  color: black;
}
header:before{
  content: "";
  background: url('https://cdn.pixabay.com/photo/2014/04/14/20/11/pink-324175_960_720.jpg')
no-repeat center center/cover;
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  z-index: -1;
}
.navbar{
  display: flex;
  justify-content: space-between;
```

```
h3 span{
  font-size: 2.2rem;
  margin-left: 30px;
  color: White;
  margin-top: 50px;
  width: 300px;
  height: 300px;
  font-family: 'Lobster', cursive;
  color: coral;
}
h3 span
{
  color: purple;
}
h4{
  font-size: 1.2rem;
  margin-left: 25px;
  font-family: 'fantasy;', cursive;
  color: hotpink;
}
h4 span{
color:powderblue;
}
.navigation{
  font-size: 20px;
  display: flex;
}
li{
```

}

```
list-style: none;
  margin-right: 30px;
  margin-top: 20px;
}
li a{
  padding: 2px 23px;
  font-family: 'Lobster', cursive;
  text-decoration: none;
  color: black;
  font-size: 1.3rem;
  font-weight: bold;
}
li a:hover{
  background-color: coral;
  color: black;
  transition: 0.6s ease;
}
li a.active{
  border: 2px solid black;
}
```



2.HOME PAGE(DROPDOWN)

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Photography Website</title>
 <link rel="stylesheet" href="style.css">
 k href="https://fonts.googleapis.com/css2?family=Lobster&family=Lora&display=swap"
rel="stylesheet">
</head>
<body>
 <header>
   <nav class="navbar">
     <h3><span>Photography</span></h3>
     <a class="active" href="#">HOME</a>
       class="item"><a href="#">PORTFOLIO</a>
       <a href="#">ABOUT ME</a>
       class="item"><a href="#">CONTACT US</a>
       <div class="dropdown">
     <button class="dropbtn">REACH US OUT THROUGH</button>
     <div class="dropdown-content">
       <a href="#">call</a>
       <a href="#">Email_id</a>
       <a href="#">Profiles</a>
     </div>
   </div>
```

```
</div>
    </div>
</div>
</div>
      </nav>
<h4><span>Nature's Beauty at its Best</span></h4>
    <div id="phone">
      <a href="tel:+919665342097">+919665342097
      </a>
    </div>
  </header>
</body>
</html>
CSS CODES(DROPDOWN)
.navbar a:hover
.dropdown:hover
.dropbtn {
background-color: red;
font-size: 16px;
 border: none;
outline: none;
color: white;
 padding: 14px 16px;
.dropdown
{
```

```
float: left;
overflow: hidden;
}
.dropdown-content a
{
float: none;
display: block;
}
/* hide the dropdown content */
.dropdown-content {
display: none;
position: absolute;
z-index: 1;
}
/* Show the dropdown menu on hover */
.dropdown:hover .dropdown-content
{
display: block;
}
```



3.HOMEPAGE(BORDER)

//BORDER WAS ADDED TO THE HEADING


THEREFORE ITS HTML AND CSS CODES ARE AS FOLLOWS

HTML CODE

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Photography Website</title>
  <link rel="stylesheet" href="style.css">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&family=Lora&display=swap"</pre>
rel="stylesheet">
</head>
<body>
  <header>
    <nav class="navbar">
      <h3><span>Photography</span></h3>
</header>
</body>
</html>
```

CSS CODES

```
h3 span{
font-size: 2.2rem;
margin-left: 30px;
color: White;
margin-top: 50px;
width: 300px;
height: 300px;
font-family: 'Lobster', cursive;
color: coral;
border-style: solid;
border-color: goldenrod;
}
```



4.HOMEPAGE(MARGIN)

TO DEMONSTRATE THE USE OF MARGIN I HAVE ALREADY USED THE SCREEN VIEW OF ANOTHER IMAGE

HTML CODE

<!DOCTYPE html>

<html lang="en">

<head>

```
<meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Photography Website</title>
  <link rel="stylesheet" href="style.css">
  k href="https://fonts.googleapis.com/css2?family=Lobster&family=Lora&display=swap"
rel="stylesheet">
</head>
<body>
  <header>
    <nav class="navbar">
      <h3><span>Photography</span></h3>
<section>
    <div class="container">
      <div class="gallery">
        <img src="https://cdn.pixabay.com/photo/2014/02/27/16/10/flowers-276014__340.jpg"</pre>
alt="">
      </div>
      <div class="button">
      <button class="btn">Explore Now</button>
      <button class="btn">Premium</button>
      <div class="navbar">
 </div>
</div>
      </div>
    </div>
  </section>
CSS CODE
.gallery img{
 margin-top: 50px;
```

```
width: 300px;
  height: 300px;
}
.gallery img:hover{
  width: 301px;
  height: 301px;
  transition: 0.1s ease;
}
.button{}
  display: flex;
  flex-direction: column;
  margin-right: 60px;
}
.gallery img{
 margin-top: 50px;
  width: 300px;
  height: 300px;
}
.gallery img:hover{
  width: 301px;
  height: 301px;
  transition: 0.1s ease;
}
.button{
  display: flex;
  flex-direction: column;
  margin-right: 60px;
}
.btn{
  font-family: 'Lobster', cursive;
  color: coral;
```

```
font-size: 1.2rem;
padding: 10px 30px;
border-radius: 25px;
margin: 5px;
cursor: pointer;
border: 2px solid coral;
}
.btn:hover{
    color: black;
    background-color: coral;
    transition: 0.4s ease;
}
OUTPUT:-
5. PADDING
```

for padding, I have used the gallery image same used to describe the margin, although this won't show any change in the HTML code, it does affect your webpage.

HTML CODE

```
<section>
    <div class="container">
      <div class="gallery">
        <img src="https://cdn.pixabay.com/photo/2014/02/27/16/10/flowers-276014__340.jpg"</pre>
alt="">
      </div>
      <div class="button">
      <button class="btn">Explore Now</button>
      <button class="btn">Premium</button>
      <div class="navbar">
 </div>
</div>
      </div>
    </div>
  </section>
CSS CODE
.gallery img{
 margin-top: 50px;
  width: 300px;
  height: 300px;
  padding: 5px 10px 15px 20px; //top right bottom left
padding: 10px 20px;//top & bottom then left & right
padding-top: 5px; //just top padding
padding-right: 10px; //just right padding
```

```
padding-bottom: 15px; //just bottom padding
padding-left: 20px; //just left padding
}
.gallery img:hover{
  width: 301px;
  height: 301px;
  transition: 0.1s ease;
}
.button{}
  display: flex;
  flex-direction: column;
  margin-right: 60px;
}
.btn{
  font-family: 'Lobster', cursive;
  color: coral;
  font-size: 1.2rem;
  padding: 10px 30px;
  border-radius: 25px;
  margin: 5px;
  cursor: pointer;
  border: 2px solid coral;
}
.btn:hover{
  color: black;
  background-color: coral;
  transition: 0.4s ease;
}
OUTPUT:-
```

