


Accessibility Ticket

From this




To this (and more)

Selection

... >>

Layer order


Tab order




- 1 v20260707a
- 2 Student ID(s)
- 3 Summer Home Campus Slicer
- 4 Grad App Status Slicer
- 5 Grad App Term Slicer
- 6 Term Status Slicer
- 7 Minor Slicer
- 8 Major Slicer
- 9 Major or Minor Slicer
- 10 Entry Status Slicer
- 11 Entry Term, Year Slicer
- 12 Degree Type Slicer
- 13 Degree Level Slicer
- 14 Campuswide Honors Slicer
- 15 Academic Unit Slicer
- 16 Academic Term, Year Slicer
- 17 Residency
- 18 Full Time / Part Time
- 19 Enrollment by Major / Minor
- 20 Gender
- 21 Enrollment by Entry Status
- 22 Ethnicity
- 23 Low Income Visual description of color and what it is repr...
- 24 Campuswide Honors Indicator Bar
- 25 Text box
- 26 URM Indicator Bar
- 27 Text box
- 28 First Generation Indicator Bar

Power BI June 2026

Power BI June 2026 Feature Summary - Microsoft Fabric Community



PowerBI Desktop Version: 2.155.756.0 64-bit (June, 2026)



PIBX vs. PBIP

PBIX



Single File



Report + Model Together



Hard to Version Control



Not Git-Friendly

VS

PBIP



Folder-Based Project



Report + Model Separate



Perfect for Git




Editable JSON Files



Fabric Git Integration

What about Data

PBIX vs PBIP Technical Architecture




Example

.pbip vs .pibx


Name	Date modified	Type	Size
 At a Glance - 010 Before Accessibility.pbip	7/21/2026 12:57 PM	Microsoft Power BI Desktop Project	1 KB
 At a Glance - 010 Before Accessibility.Report	7/22/2026 5:45 PM	File folder	
 At a Glance - 010 Before Accessibility.SemanticModel	7/22/2026 5:45 PM	File folder	
 At a Glance.pbix	7/21/2026 12:48 PM	Microsoft Power BI Desktop Docume...	419,055 KB

.pibp Report

Name	Date modified	Type	Size
 At a Glance - 010 Before Accessibility.pbip	7/21/2026 12:57 PM	Microsoft Power BI Desktop Project	1 KB
 At a Glance - 010 Before Accessibility.Report	7/22/2026 5:45 PM	File folder	
 At a Glance - 010 Before Accessibility.SemanticModel	7/22/2026 5:45 PM	File folder	
 At a Glance.pbix	7/21/2026 12:48 PM	Microsoft Power BI Desktop Docume...	419,055 KB



.pibp Model



.pibp Data

Name	Date modified	Type	Size
📁 .pbi	7/22/2026 5:45 PM	File folder	
📁 definition	7/22/2026 5:45 PM	File folder	
📄 .platform	7/21/2026 12:57 PM	PLATFORM File	1 KB
📄 definition.pbism	7/21/2026 12:57 PM	PBISM File	1 KB
📄 diagramLayout.json	7/21/2026 12:57 PM	JSON File	6 KB

The Cache

At a Glance - 010 Before Accessibility.SemanticModel > .pbi

Name	Date modified	Type	Size
📄 cache.abf	7/21/2026 12:57 PM	ABF File	418,833 KB
📄 editorSettings.json	7/21/2026 12:57 PM	JSON File	1 KB
📄 localSettings.json	7/21/2026 12:57 PM	JSON File	1 KB

Git

PBIX



Single File



Report + Model Together



Hard to Version Control

VS

PBIP



Folder-Based Project




Report + Model Separate




Perfect for Git

.pbix

Let's try



Well, we tried



Git Large Files

.ignore

None

```
# =====  
# Power BI Project (.pbip) Git Ignore Rule Set  
# =====  
  
# Local data cache (confidential / large datasets)  
**/*.SemanticModel/.pbi/localSettings.json  
**/*.SemanticModel/.pbi/cache.abf  
**/*.SemanticModel/.pbi/data.csv  
  
# User-specific layout and canvas preferences  
**/*.Report/.pbi/localSettings.json  
**/*.Report/.pbi/userLayout.json  
  
# Auto-generated recovery/backup files  
*.pbi/backup/  
*.pbi/temp/  
  
# Temporary and log files  
*.tmp  
*.log  
  
# Binary Power BI report files (tracked as PBIR instead)  
*.pbix  
# *.pbit
```

.pbip

The Project

Files

1 main

Go to file

- > .claude
- > Documentation
- > PBIP Reports
 - > At a Glance - 010 Before Accessibility.Report
 - > At a Glance - 010 Before Accessibility.SemanticModel
 - > At a Glance - 020 After Accessibility.Report
 - > At a Glance - 020 After Accessibility.SemanticModel
 - > At a Glance - 030 Draft.Report
 - > At a Glance - 030 Draft.SemanticModel
 - At a Glance - 010 Before Accessibility...
 - At a Glance - 020 After Accessibility...
 - At a Glance - 030 Draft.pbip
- > Utilities
 - .gitignore
 - UCI-PBIP.code-workspace

UCI-PBIP / PBIP Reports /

durendah Refactor code structure for improved readability and maintainability...

Name	Last commit message
..	
At a Glance - 010 Before Accessibility.Report	Add new semantic model and diagram layout for SDW_Rpt_Auto_Term_Select...
At a Glance - 010 Before Accessibility.SemanticModel	Add new semantic model and diagram layout for SDW_Rpt_Auto_Term_Select...
At a Glance - 020 After Accessibility.Report	Refactor code structure for improved readability and maintainability...
At a Glance - 020 After Accessibility.SemanticModel	Refactor code structure for improved readability and maintainability...
At a Glance - 030 Draft.Report	Update At A Glance with Accessibility Updates
At a Glance - 030 Draft.SemanticModel	Update At A Glance with Accessibility Updates
At a Glance - 010 Before Accessibility.pbip	Add new semantic model and diagram layout for SDW_Rpt_Auto_Term_Select...
At a Glance - 020 After Accessibility.pbip	Add new semantic model and diagram layout for SDW_Rpt_Auto_Term_Select...
At a Glance - 030 Draft.pbip	Update At A Glance with Accessibility Updates

Project Description

PowerBI / UCI-PBIP

<> Code Issues Pull requests Projects Wiki Security Insights Settings

Files

main

Go to file

> .claude

> Documentation

> PBIP Reports

- > At a Glance - 010 Before Accessibil...
- > At a Glance - 010 Before Accessibil...
- > At a Glance - 020 After Accessibilit...
- > At a Glance - 020 After Accessibilit...
- > At a Glance - 030 Draft.Report
- > At a Glance - 030 Draft.SemanticM...
- At a Glance - 010 Before Accessibil...
- At a Glance - 020 After Accessibilit...
- At a Glance - 030 Draft.pbip

> Utilities

.gitignore

UCI-PBIP.code-workspace

UCI-PBIP / PBIP Reports / At a Glance - 020 After Accessibility.pbip

durendah Add new semantic model and diagram layout for SDW_Rpt Auto_Term_Select... 100

Code Blame 14 lines (14 loc) - 303 Bytes

```
1 {
2   "$schema": "https://developer.microsoft.com/json-schemas/fabric/pbip/pbipProperties/1.0.0/schema.json",
3   "version": "1.0",
4   "artifacts": [
5     {
6       "report": {
7         "path": "At a Glance - 020 After Accessibility.Report"
8       }
9     }
10  ],
11  "settings": {
12    "enableAutoRecovery": true
13  }
14 }
```

Visual on One Page of the Report

The screenshot shows the Visual Studio Code interface. On the left, the File Explorer pane displays a project structure with a folder named 'visual.json' selected. The main editor window shows the content of 'visual.json', which is a JSON object defining a visual element. The JSON includes a '\$schema' pointing to a Microsoft Fabric schema, a 'name' of 'At a Glance', a 'position' object with x, y, and z coordinates, a 'visual' object with a 'visualType' of 'textbox', and a 'general' object containing 'properties' and 'paragraphs'.

```

{
  "$schema": "https://developer.microsoft.com/json-schemas/fabric/item/report/definition/visualContainer/2.18.0/schema.json",
  "name": "At a Glance",
  "position": {
    "x": 0,
    "y": 3,
    "z": 2000,
    "height": 118,
    "width": 224,
    "tabOrder": 1000
  },
  "visual": {
    "visualType": "textbox",
    "objects": {
      "general": {
        "properties": {
          "paragraphs": [
            {
              "textRuns": [
                {
                  "value": "Enrollment",
                  "textStyle": {
                    "fontWeight": "bold",
                    "fontSize": "16pt",
                    "color": "ffffff"
                  }
                }
              ]
            }
          ],
          "horizontalTextAlignment": "center"
        },
        "textRuns": [
          {
            "value": "At a Glance",
            "textStyle": {
              "fontWeight": "bold",
              "fontSize": "16pt",
              "color": "ffffff"
            }
          }
        ]
      }
    }
  }
}


```

Change History

[illegible]

Accessibility AI

UCI-PBIP Skills



Let's go...

```
/accessibility-audit "At a Glance - 020 After Accessibility.pbip"
```

Or

run an accessibility audit and update the 'At a Glance - 020 After Accessibility' report

run an accessibility audit and update the 'At a Glance - 020 After Accessibility' report

Thought for 13s

On it — the audit data for 020 is already confirmed, so I'll write the brief, apply the fixes, and verify in Desktop.

Update Todos

☒

Write remediation brief → 020 Accessibility 01 Recommendation.md

☐

Apply accessibility fixes to 020 report

☐

Validate fixed report

☐

Reload/open in Desktop, capture screenshots

☐

Write 020 Accessibility 03 Compliant.md

Thought for 2s

Gone...

Update Todos

- ✓ Write remediation brief → 020 Accessibility 01 Recommendation.md
- ✓ Apply accessibility fixes to 020 report
- ✓ Validate fixed report
- ✓ Reload/open in Desktop, capture screenshots
- ✓ Write 020 Accessibility 03 Compliant.md

- Accessibility audit and update of **At a Glance - 020 After Accessibility** is complete — it now matches the remediated 030 Draft.

Audit confirmed the expected residual gaps (verified directly against the 020 files): 13 visuals missing alt text, tab order running bottom-to-top, 28 dropdown slicers clipped at 64px, 8 font instances below 10pt, the theme name mismatch that breaks theme loading, and duplicate "Current students KPI" accessible names.

Fixes applied (149 changes):

- Alt text on **70/70 visuals** — insight text on the four indicator bars, decorative labels on background/off-canvas elements
- Tab order re-sequenced to reading order on all three pages, with the Low Income/First Gen/URM/CHC row labels announcing before their bars
- All 28 slicers resized to 76px with the rail re-pitched; Detail page height grew 1300→1400
- 10pt font floor enforced, theme name fixed, KPI card names dedupped, header typo corrected

Verification: Validator errors dropped 33 → 4 (only inherited functional lint remains, same as 030). I opened the report in a fresh Desktop instance (PID 25988) — all three pages render correctly with data loaded, slicer headers and dropdowns fully visible, theme intact. The first Summary capture caught the data still loading, so I retook it after queries finished.


Deliverables in **Documentation/**:


- [At a Glance - 020 After Accessibility Accessibility 01 Recommendation.md](Documentation/At a Glance - 020 After Accessibility Accessibility 01 Recommendation.md)
- [At a Glance - 020 After Accessibility Accessibility 03 Compliant.md](Documentation/At a Glance - 020 After Accessibility Accessibility 03 Compliant.md) + the three page screenshots

One action for you: the 020 Desktop instance was opened fresh from the fixed files, so just **Ctrl+S in that window** when convenient to persist its caches. (The 030 instance from yesterday still shows unsaved changes too, if you haven't saved it yet.)

Accessibility ...

Before





After

Enrollment At a Glance

As of
07/07/2026

Current Term
Summer 2026

Current Students
17,924

Enrolled Majors
19,126

Enrolled Minors
1,961

Summer - UCI
Students
17,226

Summer - Other UC Students
273

Academic Term, Year

Current Term

Academic Unit

All

Campuswide Honors

All

Degree Level

All

Degree Type

All

Entry Term, Year

All

Entry Status

All

Major or Minor

All

Major

All

Minor

All

Term Status


All

Grad App Term


All

Grad App Status


Enrollment by Student Level




Low Income / First Generation / URM / CHC



Enrollment by Entry Status



Gender



Recommendation

At a Glance - 030 Draft - Accessibility Audit & Remediation Brief

****Date:**** 2026-07-21

****Report:**** `PBIP Reports/At a Glance - 030 Draft.pbip`

****Mode:**** Brownfield accessibility remediation (report is a duplicate of **At a Glance - 020 After Accessibility**, which already received a first accessibility pass)

****Standard:**** WCAG 2.1 / 2.2 Level AA

Report Inventory

Page	Display Name	Size	Visuals	Role
---	---	---	---	---
`914c6c48...`	Summary (active/landing)	1800 × 1600	48	Landing dashboard: KPI cards, pies, indicator bars, pivot, filter rail
`4c428328...`	Detail Results	1600 × 1300	20	Student List table + filter rail
`3fb19379...`	Ethnicity Tool Tip	325 × 70	2	Hidden tooltip page

Inherited Strengths (from the 020 pass - keep as-is)

- ****Alt text present on 57 of 70 visuals****, including all slicers, cards, pies, tables, and the legend image.
- ****Explicit tab order on all 70 visuals**** (though mis-sequenced - see F3).
- ****Pie charts label every slice**** with "Category, data value, percent of total" - color is not the sole signal (WCAG 1.4.1 ✓).
- ****Theme foreground `#222222` on white**** = 15.9:1 contrast (WCAG 1.4.3 ✓ for themed text).
- Slicers carry both a header text and an alt-text accessible name.

Findings

F1 - Theme fails to load: internal name mismatch (BLOCKER)

`definition/report.json` references custom theme `UCI\_Compass9744119465103187.json`, but the theme file's internal `"name"` field is `"UCI Compass"`. Validator flags `PBIR\_THEME\_FILE\_NAME\_MISMATCH` (error): the mismatch breaks theme loading, which would silently void every theme-level contrast guarantee.

****Fix:**** set the theme JSON ``"name"`` to ``"UCI_Compass9744119465103187.json"``.

F2 – 13 visuals missing alt text (WCAG 1.1.1)

Page	Visual	Type	Content	Proposed treatment
Summary	<code>`b73faf6f`</code>	barChart	Enrolled Majors by Low Income status	Insight alt text
Summary	<code>`de4f9e62`</code>	barChart	Enrolled Majors by First Generation status	Insight alt text
Summary	<code>`76550148`</code>	barChart	Enrolled Majors by URM status	Insight alt text
Summary	<code>`6bb401b6`</code>	barChart	Enrolled Majors by Campuswide Honors status	Insight alt text
Summary	<code>`97cbcd93`</code>	textbox	Empty sidebar background	Mark decorative (alt text "Decorative...", keep out of tab order)
Summary	<code>`df77316a`</code> , <code>`2bf3031f`</code> , <code>`03ec7d11`</code> , <code>`4fa1f5b7`</code>	textboxes	Off-canvas CHC legend scraps (x > 1800)	Decorative alt text; already excluded from tab order
Detail	<code>`c3f31337`</code>	textbox	Page header "Enrollment At a Glance Results"	Alt text = header text
Detail	<code>`0974ad58`</code>	textbox	Empty sidebar background	Mark decorative
Tooltip	<code>`900f0588`</code> , <code>`0663c323`</code>	textboxes	Tooltip content	Descriptive alt text

The four indicator bar charts are 100%-stacked single bars whose legend lives in the adjacent legend image (``a0ef8720``, which does have alt text). Their alt text must state what each color band means, e.g. *"Stacked bar showing enrolled majors split by Low Income status; see legend for color meaning; use Show as table for exact values."*

F3 – Tab order runs bottom-to-top (WCAG 1.3.2, 2.4.3)

On both main pages tab order starts at the bottom-left version stamp, walks the filter rail upward, and reaches the page title ****last**** (e.g. Summary: version stamp → Student IDs → Residency pie (y=1096) → ... → KPI cards → header). A screen-reader or keyboard user gets the story in reverse.

****Fix:**** re-sequence tab order to visual reading order: page header → "As of" → KPI card row (left→right) → main charts row-by-row (top→bottom,

left→right) → filter rail (top→bottom) → Student IDs filter → version stamp. Decorative visuals stay excluded (negative tab order).

F4 – 28 dropdown slicers are 64 px tall, below the 76 px floor (WCAG 2.5.8 + clipping)

Dropdown slicers need ≥76 px (28 header + 32 selector + 8/8 padding); at 64 px the header or the 32 px selector target is clipped. Affects all 14 slicers per main page.

****Fix:**** resize slicers to 76 px and re-pitch the filter rail (y start 144, step 76). Summary page (1600 tall) absorbs this; Detail Results must grow from 1300 → 1400 px page height so the Student IDs filter and version stamp still fit below the rail.

F5 – Fonts below 10 pt (WCAG 1.4.4 readability at zoom)

- `a98b43b3` "Enrollment by Student Level" combo chart: 8 pt and 9 pt elements

- `53681f5b` "Student List" table: 9 pt elements

- Version-stamp textboxes (`03672016`, `a9d2e6a5`): 9 pt

****Fix:**** raise all sub-10 pt sizes to 10 pt minimum.

F6 – Duplicate accessible names (WCAG 4.1.2)

Two Summary cards are both titled "Current students KPI": `1c37afba` (term label card, bound to `KPI\_Term\_Title`) and `c2ed91dc` (count card, bound to `Current Students`). Screen readers announce identical names for different content.

****Fix:**** rename to "Current term KPI label" and "Current students count KPI"; align alt text.

F7 – Color contrast of gold data color (WCAG 1.4.11 – documented risk, not remediated)

Theme data color #2 `#FECC07` (UCI gold) is ≈1.6:1 against white, below the 3:1 non-text floor. It is mitigated everywhere it appears: pies carry full category+value+% labels and the indicator bars have an explicit legend image, so color is never the sole carrier of information. Darkening the gold would break UCI brand identity; recommend accepting with this rationale documented, or revisiting with the brand team.

F8 – Layout notes (pre-existing, out of accessibility scope)

Off-canvas textboxes (F2) and four visuals extending past the 1800 px canvas are inherited layout artifacts; they are excluded from tab order

and invisible, so they do not block AA once alt-texted as decorative.
Flagged for a future layout cleanup.

Design Contract (minimal brief – brownfield remediation)

```yaml

Design Brief:

```
 generated_by: powerbi-report-design
 contract_version: 1
 mode: brownfield
 design_identity: { tone: unchanged (UCI Compass institutional),
signature: unchanged }
 scope: accessibility remediation only – no visual redesign, no palette
swap, no layout redesign beyond slicer re-pitch
 changes:
 - fix theme internal name to UCI_Compass9744119465103187.json # F1
 - add alt text to 13 visuals per F2 table # F2
 - resequence tabOrder on Summary + Detail to reading order # F3
 - slicer heights 64 -> 76, rail re-pitch, Detail page 1300 -> 1400 #
F4
 - raise all fontSize < 10pt to 10pt # F5
 - dedupe card titles/alt text per F6 # F6
 acceptance:
 - powerbi-report-author validate: PBIR_SLICER_HEIGHT_BELOW_FLOOR = 0,
PBIR_THEME_FILE_NAME_MISMATCH = 0
 - every visual has non-empty altText or is marked decorative +
excluded from tab order
 - tab order strictly follows reading order on both main pages
 - no fontSize literal below 10
  ```
```

What is intentionally NOT changed

- The UCI Compass palette and page layout (beyond the slicer rail) – the 020 pass established these; pies/legend labeling already satisfies use-of-color.
- `PBIR\_ROLE\_REQUIRED\_MISSING` (4) and `PBIR\_FILTER\_NAME\_DUPLICATE\_GLOBAL` (5) validator findings – functional issues inherited from the source, not accessibility items.

Fixes

At a Glance - 030 Draft - Accessibility Compliance Report

****Date:**** 2026-07-21

****Report:**** `PBIP Reports/At a Glance - 030 Draft.pbip`

****Remediation brief:**** [At a Glance - 030 Draft Accessibility 01 Recommendation.md] ([At%20a%20Glance%20-%20030%20Draft%20Accessibility%2001%20Recommendation.md](#))

****Standard:**** WCAG 2.1 / 2.2 Level AA

Summary of Applied Fixes (149 file changes)

Fix	WCAG SC	Scope	Result
Theme internal name corrected to `UCI_Compass9744119465103187.json`	1.4.3 (enabler)	Theme file	Theme loads reliably; `PBIR_THEME_FILE_NAME_MISMATCH` cleared
Alt text added to 13 remaining visuals	1.1.1	4 indicator bar charts, page header, 2 decorative sidebar backgrounds, 4 off-canvas decorative textboxes, 2 tooltip textboxes, 1 mislabeled KPI card	**70 / 70 visuals now carry alt text**
Tab order re-sequenced to reading order	1.3.2, 2.4.3	All 3 pages (64 visuals in tab flow)	Header → As-of → KPI row (L→R) → charts row-by-row → filter rail (top→bottom) → Student IDs → version stamp; all orders unique; decorative visuals remain excluded (negative tab order)
Indicator row labels re-included in tab flow	1.3.2	"Low Income / First Generation / URM / CHC" labels	Each label now announces immediately before its bar
28 dropdown slicers resized 64 px → 76 px, rail re-pitched	2.5.8 + clipping	14 slicers per main page; Student IDs filter and version stamp shifted down; Detail page height 1300 → 1400	Header and 32 px selector fully visible; `PBIR_SLICER_HEIGHT_BELOW_FLOOR` (28 errors) cleared
Font floor enforced at 10 pt	1.4.4	Combo chart (8/9 pt), Student List table (9 pt), version stamps (9 pt), legend scrap (9 pt)	**No `fontSize` / `textSize` below 10 pt remains**
Duplicate accessible names dedupped	4.1.2	`1c37afba` → "Current Term KPI Label" (alt text corrected to describe the term label), `c2ed91dc` → "Current Students Count KPI"	Unique names announced
Header title typo fixed	4.1.2	"Enrollement..." → "Enrollment At a Glance Report"	Correct accessible name

New slicer rail pitch: $y = 144 + n \times 76$ on both main pages; Student IDs mass filter at $y=1208$; version stamp at $y=1352$.

Validation Results

`powerbi-report-author validate` – before: ****33 errors / 13 warnings**** → after: ****4 errors / 13 warnings****.

All accessibility-related diagnostics cleared. The remaining findings are inherited from the source report (**At a Glance - 020 After Accessibility** produces the same ones), are functional/lint items rather than accessibility failures, and were declared out of scope in the remediation brief:

- `PBIR\_ROLE\_REQUIRED\_MISSING` (4 errors) – the four indicator bar charts bind Series + Y without a Category role. Desktop renders them correctly as single 100%-stacked bars (confirmed in screenshots below).
- `PBIR\_VISUAL\_TYPE\_UNKNOWN` (2 warnings) – the Student ID(s) custom filter visual (`massFilter...`), intentional.
- `PBIR\_FILTER\_NAME\_DUPLICATE\_GLOBAL` (5 warnings) – inherited filter-name collisions.
- `PBIR\_LAYOUT\_OUT\_OF\_BOUNDS\_WIDTH` (5 warnings) – off-canvas decorative textboxes (now alt-texted as decorative and excluded from tab order) and the tooltip page value textbox.
- `PBIR\_SCHEMA\_UNREACHABLE` (1 warning) – offline schema fetch; environment, not report.

Desktop Rendering Verification

Power BI Desktop (PID 25480) reloaded the updated definition successfully; all three pages captured:

Page	Screenshot	Review
Summary	![[Summary](At%20a%20Glance%20-%20030%20Draft%20Summary.png)]	KPI row, charts, and pivot render with UCI Compass theme; every slicer shows its header and full dropdown selector; no clipping or overlap
Detail Results	![[Detail Results](At%20a%20Glance%20-%20030%20Draft%20Detail%20Results.png)]	

Student List renders; filter rail complete at new pitch; page height 1400 accommodates the rail |
| Ethnicity Tool Tip | ![Ethnicity Tool Tip] (At%20a%20Glance%20-%20030%20Draft%20Ethnicity%20Tool%20Tip.png) |
Dynamic tooltip values render |

Compliance Checklist (post-fix state)

#	Check	Status
1	Alt text on every visual (1.1.1)	✓ 70/70; decorative elements labeled as decorative
2	Tab order matches reading order (1.3.2, 2.4.3)	✓ Re-sequenced on all pages, unique values
3	Color never sole signal (1.4.1)	✓ Pies label category + value + %; indicator bars have legend image + descriptive alt text
4	Text contrast $\geq 4.5:1$ (1.4.3)	✓ Theme foreground #222222 on white = 15.9:1; theme now guaranteed to load
5	Minimum font size 10 pt (1.4.4 support)	✓ No size below 10 pt
6	Target size $\geq 24 \times 24$ px (2.5.8)	✓ Slicers 224x76 with full 32 px selector exposed
7	Unique accessible names (4.1.2)	✓ Duplicate KPI names dedupped; titles present on content visuals
8	Non-text contrast (1.4.11)	⚠ UCI gold #FECC07 is 1.6:1 on white – accepted with rationale: every gold-bearing visual carries direct labels or a legend, so color is never the sole carrier; revisit with brand team if strict AA non-text compliance is required

Recommended Manual Follow-ups

Automated checks cannot cover these – run once before publishing:

1. **Screen reader pass** (Narrator/NVDA): tab through both main pages and confirm announcement order matches the visual story.
2. **200% zoom** in Power BI Service after publish.
3. **Windows High Contrast mode** spot check.
4. **CVD simulation** (Chrome DevTools → Emulate vision deficiencies) on the Summary page.
5. Save the report in Power BI Desktop to persist the reloaded definition alongside any regenerated caches.

