Drawing Tips

By ADSkeptik (Github)


Self Learned

Drawing Humans

The head figure

Feminine Male Beauty (RE9 Leon)

For this we need less jaw extrusion starting from and have to rely on a more round silhouette. Start from a circle add a chin as a mere straight line and connect to to where it seems smooth the most. Then we start narrowing from the chin line then jaw line to get to get the upside down egg shape. Stop trying to force the jaw line



early on and go for the generic silhouette. Don’t forget the little indent of the jaw. The cheek indent is more important than the jaw.

Learned from videos

Contours

Are the edges of things but NOT the outlines. In contours the overlaps appear as well.

Interior Contour

Edges within the main general outline,

Cross Contour

Travel from one edge to another it’s intuitive , usually not visible.

Blind Drawing

Contours

Sculpting

Start with big brushes.

(un ZBrush typically BMV is the key brush you begin with AKA move brush apparently).

Then we tend to use something long clay build up such as bcb.

Houdini

Krita ahh controls for the outliner

To be viewport mode you gotta get outta object mode using **esc**.

Space + G == . in Blender.

By F we can focus in on geometry.

We can separate objects using the select tool.

You must be using the select tool to select objects,mesh. The main reason behind this is secure selection being on by default.

Upon creating any mesh an object is created for it first within which the actual primitive and possibly the operations on that primitive get to exist. Clicking on object selects the whole mesh but clicking on the primitives inside it selects al their faces (kinda like the object and edit mode in Blender).

In Houdini we got a buncha tabs, by default to say the leat.

- Network Object View: Show the objects as network.

- Tree Object View: The default View shown bottom right Window.

In this view by clicking the blue part of the object it disappears. For some reason the visibility/invisibility property doesn't work for the primitives in the object yet.

M toggles first person movement, A toggles back to previous movement mode.

Build -> Return to current desktop defaults the UI.

By default the created primitives and etc in Houdini use Flat Wire shaded.

While we can have multiple primitives in the network by default only one of them is viewable. Which is why we gotta use merge.

Holding Y and dragging in network view of object tab helps disconnect nodes.

The parameters tab shows the object itself and the stuff.

Using transform allows for changing the position of nodes in Houdini

A geometry countainer is used to hold in other countainers.

Only a geometery container could directly receive the main effects such as the move,rotate,etc.

Poly extrude node: Allows for 2D shapes such as vector graphics like texts to be extruded.

Till vid 5.

Holding T and dragging over object sets the Render flag for them.

Holding P and dragging over object sets the Viewport flag for them.

We can use the right click to set the visibility for viewport and render.

ONLY ONE OBJECT CAN BE VISIBLE AT A TIME. THIS RULE EXISTS FOR BOTH RENDER AND VIEWPORT FLAGS.

We CAN however have one object visible and the other one shown as a ghost/wireframe.

We can copy an entire object's X and Y transforms giving them to another to be treated as relative leading to the other object to be rendered in relativism using a formula.

Example:

ch("../objname/ty)

by clicking on the translate it toggles between literal values and the relative formula

Materials

We go to the material palette

We use material palette to add materials,.

We attach individual materials to individual meshes in a single object using the material node.

Clicking the B Key while in camera view brings/opens 4sided camera.

Nodes

Clicking Shift+Enter while selecting a node leads to the new node being added with the visibility ON.

The documentation of these notes do exist on FXs official website.(most are under the SOP tab).

File

Used to add a file or something.

ROP

Render Geometry Output, used to actually save the result.

Matchsize

Forces a box around the input object(s). We could use the tick “scale to fit” to enforce the object to be within the bounds of Matchsize.

Transform

Allows to rotate,scale and transform mesh through selecting the node, hovering to viewport and then clicking Enter.

Blast

UVQuickShade

Allows for adding textures to the existing mesh.

Platonic Solids

Voronoi Fracture

Essentially fractures a mesh and rebuilds the same mesh with different point distribution.

Gets a mesh input and points input.

Gimp

Ctrl+Shift+A deselects.

Blender

Krita

The usage of

ZBrush

Navigation

Touching and dragging anywhere outside of mesh leaders to orbit around the object using **the camera**.

If you **hold the alt** + do the same it leads to actually moving it.

If you hold the **alt + click and hold + release alt + move mouse forward/backward while holding click** it zooms in and out.

If while orbiting (**holding left click)** we use hold **Shift** it will snap to the nearest axis and then if we release left click first it will remain at that position otherwise it will return back to that position.

Frame

F is equal to . in Blender and Space + G in Houdini.

Lightbox

Polyframe

Shift + F show this move.

Live Booleans

Brush Menu

It’s toggled using the B key.

Standard Brush

Doesn’t add polygons.

Z-ADD

Extrudes the polygons.

Hotkey: Spacebar.

Z-Sub

Patrudes the polygons.

Hotkey: Spacebar.

Focal Shift

The sharpness of the outerior of brush. The lesser the sharper the higher the smoother.

Hotkey: Spacebar.

Dynamic Perspective

Something important that makes it ortographic view (better off).

Floor

Is grid for x,y,z.

Symmetry

Is activated through using the letter **x**.

Draw Polyframe

Shows the Mesh's faces/polygons the shortcut is **Shift+F**.

History

A set of events since the initial one. On top of the viewport.

Stroke

Is how the brush is drawn on mesh.

Free hand

is generally a little smoother.

Dragrect

It uses a point to add stroke. You can adjust the size mid operation through moving forward and backward.

DragDot

It’s the previous one without the sizing overhead.

Color Spray

Not sure how to explain it but it adds kinda like randomized piles of the brush with color.

Spray

The same but without color.

Alpha

Kinda like the tip pattern of brush.

UI Customization

Don’t forget to add.

Dynamesh

Recalculates the surface of object to add more geometry where it needs it.

Upon every switching on it re adds.

Mask

Is created holding ctrl+dragging outside of mesh.

Maya

Alt+B to toggle background colors.

Holding Spacebars gives you quick tools.

You hover to panel and click space to have it become the single panel.