Image of STL models	Description	Qty	weight
	BSC Bearing support caps	12	27.6
	CB Circuit board holder	1	24.7
E I	CS Corner supports	12	264
	DBB  Dremel bottom bracket	1	23.7
	Drive gear (58 tooth gear and 22 gear)	2	18.4
Y. C.	DTBA  Dremel holder top bracket adjuster	1	3
	DTBB  Dremel holder top bracket back	1	25.3
	DTBF Dremel holder top bracket front	1	16
	GH Gear housing	2	33
	LST Limit switch toggle	2	3.2

M&BS motor and baring support	1	9.4
PCL Panel clip left	1	18.7
PCR Panel clip right	1	18.7
PS power socket support long	1	7.3
SGS Corner safety guard supports	2	83.4
SGSL Rear left safety guard bracket short	1	21.6
SGSR Rear right safety guard bracket short	1	21.6
Vi Vacuum inner fitting	1	18
VO Vacuum outer fitting	1	22
XAR 'X'axis rack	1	8.8
YAR 'Y' axis rack	1	9.8

ZASL 'Z' axis support left	1	60
ZASR 'Z' axis support right	1	60
ZBSH 'Z' axis ball screw holder	1	13.8
ZK 'Z' axis knob	1	6.6