



FBCA Certificate Policy Change Proposal Number: 2018-05

To: Federal PKI Policy Authority (FPKIPA)
From: PKI Certificate Policy Working Group (CPWG)
Subject: Clarify requirements for virtual implementations under the BRIDGE Policy
Date: July 17, 2017

Title: Requirements for virtual implementations under the BRIDGE Policy

**X.509 Certificate Policy for the Federal Bridge Certification Authority (FBCA)
Version 2.32, 4 April 2018**

Change Advocate's Contact Information:

Name: Jimmy Jung
Organization: The Slandala Company
Telephone number: 703 851 6813
E-mail address: jimmy.jung@slandala.com

Organization requesting change: N/A

Change summary: Update the CP to clarify the requirements in virtual machine environment (VME) implementations.

Background:

A large number of PKI systems in the Federal space are implemented in virtual environments; however, the policy has not been updated to address this change. This update is intended to clarify policy requirements as they relate to virtual implementations, primarily with regard to system auditing and what it means for the system to be dedicated to operating and supporting the CA. Note that extending security requirements for operating CAs in virtual environments does not permit CAs to be operated in cloud environments.

Specific Changes:

Insertions are underlined, deletions are in ~~striketrough~~:

5.4 AUDIT LOGGING PROCEDURES

Audit log files shall be generated for all events relating to the security of the FBCA or Entity CAs. For CAs operated in a virtual machine environment (VME)¹, audit logs shall be generated for all applicable events on both the virtual machine (VM) and isolation kernel (i.e. hypervisor).

Where possible, the security audit logs shall be automatically collected. Where this is not possible, a logbook, paper form, or other physical mechanism shall be used. All security audit logs, both electronic and non-electronic, shall be retained and made available during compliance audits.

6.5 COMPUTER SECURITY CONTROLS

6.5.1 Specific Computer Security Technical Requirements

For the FBCA, the computer security functions listed below are required. These functions may be provided by the operating system, or through a combination of operating system, software, and physical safeguards. The FBCA and its ancillary parts shall include the following functionality:

- Require authenticated logins
- Provide Discretionary Access Control
- Provide a security audit capability
- Restrict access control to FBCA services and PKI roles
- Enforce separation of duties for PKI roles
- Require identification and authentication of PKI roles and associated identities
- Prohibit object re-use or require separation for FBCA random access memory
- Require use of cryptography for session communication and database security
- Archive FBCA history and audit data
- Require self-test security related FBCA services
- Require a trusted path for identification of PKI roles and associated identities
- Require a recovery mechanism for keys and the FBCA system

¹ For the purposes of this policy, the definition of a virtual machine environment does not include cloud-based solutions (e.g. platform-as-a-service) or container-type solutions (e.g. Docker), which are not permitted for any CA cross-certified with the FBCA.

- Enforce domain integrity boundaries for security critical processes.

For those portions of the FBCA operating in a VME, the following security functions also pertain to the hypervisor:

- Require authenticated logins
- Provide discretionary access control
- Provide a security audit capability
- Enforce separation of duties for PKI roles
- Prohibit object reuse or require separation for CA random access memory
- Require use of cryptography for session communication and database security
- Archive CA history and audit data
- Require self-test security-related FBCA services
- Enforce domain integrity boundaries for security-critical processes.

For Entity CAs, the computer security functions listed below are required. These functions may be provided by the operating system, or through a combination of operating system, software, and physical safeguards. The Entity CA and its ancillary parts shall include the following functionality (in a VME, these functions are applicable to both the VM and hypervisor):

- authenticate the identity of users before permitting access to the system or applications;
- manage privileges of users to limit users to their assigned roles;
- generate and archive audit records for all transactions; (see Section 5.4)
- enforce domain integrity boundaries for security critical processes; and
- support recovery from key or system failure.

For Certificate Status Servers, the computer security functions listed below are required (in a VME, these functions are applicable to both the VM and hypervisor):

- authenticate the identity of users before permitting access to the system or applications;
- manage privileges of users to limit users to their assigned roles;
- enforce domain integrity boundaries for security critical processes; and
- support recovery from key or system failure.

...

6.6 LIFE-CYCLE SECURITY CONTROLS

6.6.1 System Development Controls

The System Development Controls for the FBCA and Entity CAs at the Basic Assurance level and above are as follows:

...

- The CA hardware and software, including the VME hypervisor, shall be dedicated to operating and supporting the CA (i.e., the systems and services dedicated to the issuance and management of certificates) performing one task: the CA. There shall be no other applications; hardware devices, network connections, or component software installed which are not part of the CA operation. In a VME, a single hypervisor may support multiple CAs and their supporting systems, provided all systems have comparable security controls and are dedicated to the support of the CA.
- In a VME, all VM systems must operate in the same security zone as the CA.

...

11. Acronyms and Abbreviations

| | |
|------------|------------------------------------|
| <u>VME</u> | <u>Virtual Machine Environment</u> |
|------------|------------------------------------|

12. Glossary

| | |
|------------------------------------|--|
| <u>Hypervisor</u> | <u>Computer software, firmware or hardware that creates and runs virtual machines. A hypervisor uses native execution to share and manage hardware, allowing for multiple environments which are isolated from one another, yet exist on the same physical machine. Also known as an isolation kernel or virtual machine monitor.</u> |
| <u>Virtual Machine Environment</u> | <u>An emulation of a computer system (in this case, a CA) that provides the functionality of a physical machine in a platform-independent environment. It consists of a host (virtual machine) and isolation kernel (hypervisor) and provides functionality needed to execute entire operating systems. At this time, allowed VMEs are limited to Hypervisor type virtual environments. Other technology, such as Docker Containers, is not permitted.</u> |

Estimated Cost: The change would incur the cost associated with physically securing components meeting the criteria.

Implementation Date: For organizations utilizing VME for PKI operations, 90 days following publication of this change in the FBCA CP.

Prerequisites for Adoption: none

Plan to Meet Prerequisites: Not applicable

Approval and Coordination Dates:

Date presented to CPWG: October 26, 2017

Date presented to the FPKIPA: November 14, 2017

Date published: May 8, 2018