



**TO:** François Brouillet  
Genetec  
2280 Alfred-Nobel Boulevard  
Suite 400  
Saint-Laurent  
Quebec, Canada H4S 2A4

**FROM:** Matt Arnold on behalf of the FIPS 201 Evaluation Program

**DATE:** 12/5/2022

**RE:** **Update of Approval of Products/Services for Listing on the GSA APL**

Office of Management and Budget (OMB) issued M-19-17 that requires Federal Agencies to procure only qualified products and services that are compliant with OMB policy, NIST standards, and supporting technical specifications; such as those listed on the GSA Approved Products List (APL) when implementing HSPD-12 and ICAM into their environment. Procurement of approved products and services facilitates the government-wide objective of a federated and interoperable ICAM segment architecture, and ensures compliance, consistency and alignment of commercially available products and services with the requirements and functional needs of government ICAM implementer.

Accordingly, the FIPS 201 Evaluation Program (Program) is very pleased to inform you that the following product/service has passed testing against all applicable Testing Requirements. Please see the attached document that summarizes the specific parameters of the approval (e.g., product/service profile, what your product/service was tested with). Your product/service will now be listed on the APL as shown below. If there are any errors in the listing information, please notify us within five (5) business days of receiving this letter.

## 1 Category-PACS Infrastructure (APL #10061)

### 1.1 APL Certification Number

- (APL #10061)
  - Common Components
    - Genetec Security Center – Synergis Physical Access Control System
    - Synergis Cloudlink G1 and G2 Master Controller Kit
  - Embedded Authentication Configuration
    - Mercury SY-LP-4502 Intelligent Controller
    - Mercury SY-MR52-S3 Two-Reader Interface
    - Mercury SY-MS50-S3 Single Reader Interface
    - Mercury SY-MR62e IP Reader Interface
    - Mercury SY-LP1501 Two Door Controller
  - pivCLASS Authentication Module Configuration
    - Mercury SY-LP-1502 Two-Door Controller
    - Mercury SY-MS52-S3 Two-Reader Interface
    - Mercury SY-MS50-S3 Single Reader Interface
    - HID pivClass Authentication Module

### 1.2 Product/Service Information

<b>Organization Name:</b>	Genetec
<b>Name of Product or Service:</b>	Security Center – Synergis
<b>Part Number:</b>	GS-SYS-x**
<b>Hardware Version:</b>	N/A
<b>Software Version:</b>	5.10.4
<b>Firmware Version:</b>	N/A
<b>TAA Compliant:</b>	Yes

\*\* Note: Part numbers ending in “x” that are specifically defined in the table below are approved under APL #10061. Any value for “x” that is not defined below has not been tested and approved hereunder.

“x”	Description
S – Standard	Includes up to 64 readers and a single Access Manager Role
P – Pro	Includes up to 256 readers and up to two Access Manager Roles
E - Enterprise	Includes unrestricted number of readers and Access Manager Roles

<b>Organization Name:</b>	Genetec
<b>Name of Product or Service:</b>	Synergis Master Controller Kit
<b>Part Number:</b>	SY-CLOUDLINK
<b>Hardware Version:</b>	G1
<b>Software Version:</b>	11.3
<b>Firmware Version:</b>	1
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Genetec
<b>Name of Product or Service:</b>	Synergis Master Controller Kit
<b>Part Number:</b>	SY-CLOUDLINK
<b>Hardware Version:</b>	2.03 (G2)
<b>Software Version:</b>	2.03
<b>Firmware Version:</b>	11.3
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Mercury
<b>Name of Product or Service:</b>	LP-1502 Door Controller
<b>Part Number:</b>	SY-LP1502
<b>Hardware Version:</b>	N/A
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	1.30.4
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Mercury
<b>Name of Product or Service:</b>	LP-4502 Intelligent Controller with HID pivCLASS Embedded Authentication
<b>Part Number:</b>	SY-LP4502
<b>Hardware Version:</b>	N/A
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	1.30.4
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Mercury
<b>Name of Product or Service:</b>	MR52 Two-Reader Interface Module
<b>Part Number:</b>	SY-MR52-S3
<b>Hardware Version:</b>	Series 3
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	3.22.4
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Mercury
<b>Name of Product or Service:</b>	MR50 Single Reader Interface Module
<b>Part Number:</b>	SY-MR50-S3
<b>Hardware Version:</b>	Series 3
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	3.22.4
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Mercury
<b>Name of Product or Service:</b>	MR62e IP Reader Interface Module
<b>Part Number:</b>	SY-MR62e
<b>Hardware Version:</b>	Series 3
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	3.21.12
<b>TAA Compliant:</b>	Yes

<b>Organization Name:</b>	Veridt
<b>Name of Product or Service:</b>	Veridt Reader Series
<b>Part Number:</b>	SY-900W2030-EXXX
<b>Hardware Version:</b>	219-102806-D
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	02.03.00.00
<b>TAA Compliant:</b>	

<b>Organization Name:</b>	Assa Abloy
<b>Name of Product or Service:</b>	Sargent and Corbin Russwin integrated locks
<b>Part Number:</b>	Sy-SN210-xxxxx-xxxx-FIPS-B03-xxx-xx-xxx
<b>Hardware Version:</b>	B
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	00992-A
<b>TAA Compliant:</b>	

<b>Organization Name:</b>	Assa Abloy
<b>Name of Product or Service:</b>	Sargent and Corbin Russwin integrated locks
<b>Part Number:</b>	Sy-SN210-xxxxx-xxxx-FIKPS-B03-xxx-xx-xxx
<b>Hardware Version:</b>	B
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	00992-A
<b>TAA Compliant:</b>	

<b>Organization Name:</b>	Assa Abloy
<b>Name of Product or Service:</b>	Sargent and Corbin Russwin integrated locks
<b>Part Number:</b>	Sy-SN210-xxxxx-xxx-FIPS-03-xxx-xx-xxx
<b>Hardware Version:</b>	B
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	00992-A
<b>TAA Compliant:</b>	

<b>Organization Name:</b>	Assa Abloy
<b>Name of Product or Service:</b>	Sargent and Corbin Russwin integrated locks
<b>Part Number:</b>	Sy-SN210-xxxxx-xxx-FIKPS-03-xxx-xx-xxx
<b>Hardware Version:</b>	B
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	00992-A
<b>TAA Compliant:</b>	

<b>Organization Name:</b>	Assa Abloy
<b>Name of Product or Service:</b>	HES KS210 Series Integrated Server Cabinet Lock
<b>Part Number:</b>	Sy-KS210-S-IPVXXX-B
<b>Hardware Version:</b>	SE32000BP) Rev B, KS210 V.2
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	SE32:R8.8.1.2_EAT / SAM:16.13.0 / Core 16.13.0 / BTSmart: 2.22
<b>TAA Compliant:</b>	

### 1.3 Document History

Status	Date	Comments
Approved	7/17/2015	Final Approval Date for APL# 10061
Update	8/18/2017	Updated Approval Date for Synergis 5.6.781 with HID pivCLASS 1.3.4.0 Validation System and HID pivCLASS PIV Readers
Update	2/20/2019	Updated Approval Date for Synergies 5.7.946 with HID pivCLASS 5.7.1 validation system and HID pivCLASS PIV Readers. Added HID pivCLASS Embedded Authentication to LP-4502. Removed HID VertX V100 controller.
Update	10/13/2020	Product update for Synergis 5.9.1 and HID pivCLASS 5.13.0.0. Distinction made of embedded configuration and Authentication Module configuration.
Correction	2/4/2021	Correction of Cloud Link software version.
Update	4/12/2022	Update of software and addition of HID Signo reader line.
Correction	5/6/2022	Addition of MR 62e to listing.
Update	6/2/2022	Vendor attestation of G2 version of CloudLink hardware.

Update	11/23/2022	Product update for Synergis 5.10.4 and HID pivCLASS 5.22.0. Addition of Sargent and Corbin Russwin integrated locks.
--------	------------	--

## 1.4 Restrictions:

This product has been tested and approved as a component of a fully compliant FICAM Solution. The end to end solution components used to test the FICAM compliance of the approved solution are listed below.

- Validation System (APL# **10062**)
  - pivCLASS Registration Engine for Genetec Synergis
  - pivCLASS Certificate Manager
  - pivCLASS Reader Services
  - pivCLASS Authentication Module
  - pivCLASS IDPublisher
- PIV Reader
  - **HID Readers**
    - pivCLASS RPKCL40 Contact/Contactless Reader with PIN (APL# **10008**)
    - pivCLASS RKCL40 Contact/Contactless Reader (APL# **10007**)
    - pivCLASS RPK40 Contact/Contactless Reader (APL# **10005**)
    - pivCLASS RK40 Contactless Reader (APL# **10004**)
    - pivCLASS RP40 Contactless Reader (APL# **10003**)
    - pivCLASS R40 Contactless Reader (APL# **10006**)
    - pivCLASS RPKCLB40 Contact/Contactless Reader with PIN & BIO (APL# **10026**)
    - pivCLASS RKCLB40 Contact/Contactless Reader with PIN & BIO (APL# **10052**)
    - pivCLASS R10 Contactless Reader (APL# **10085**)
    - HID Signo contactless smart card reader with keypad (APL #**10134**)
    - HID Signo contactless smart card reader (APL #**10135**)
    - HID Signo contactless smart card reader with keypad, mullion (APL #**10136**)
    - HID Signo contactless smart card reader, mullion (APL #**10137**)
  - **Veridt Reader**
    - Veridt Stealth Lite Contactless Reader (APL# **10096**)
    - Veridt Stealth Contactless Keypad Reader (APL# **10095**)
    - Veridt Bio Dual Contact/Contactless Keypad Reader (APL#**10094**)
    - Veridt Stealth Dual Contact/Contactless Keypad Reader (APL# **10093**)
    - Veridt Bio Dual Contact/Contactless Keypad Reader (APL# **10092**)
  - **ASSA ABLOY integrated Signo Readers**
    - Corbin Russwin integrated lock with Signo contactless reader (APL#**10138**)
    - Corbin Russwin integrated lock with Signo contactless reader with keypad (APL#**10139**)
    - Sargent integrated lock with Signo contactless reader (APL#**10140**)
    - Sargent integrated lock with Signo contactless reader with keypad (APL#**10141**)
  - **ASSA ABLOY integrated pivCLASS Readers**

- HES KS210 Series Integrated Server Cabinet Lock (APL#**10142**)

Approval of the above product/service indicates your cooperation with the Program and successful testing against a rigorous, comprehensive set of functional requirements derived from government-wide specifications. Testing included positive and negative test cases, and threat vectors.

Given the strategic government-wide importance of the APL, the scope and extent of testing performed on your product/service, and the rigor of that testing, the Program would like to acknowledge the noteworthiness of the approval and listing. Your product/service will now be available to all Federal Agencies for procurement.

Please note that continued listing on the APL requires ongoing conformance to all applicable requirements, including requirements added or amended over time. A listed product/service can become non-conformant for various reasons including but not limited to:

- Failure to pass testing against new and revised requirements before the effective date of the new/revised requirements.
- Problems discovered in your listed product/service (or class of product/service) are not addressed within time frames specified by the Program.

Refer to applicable Agreements and Program documents for specific details regarding ongoing compliance including severity levels and remediation time frames. Listed products and services that fall out of conformance will be removed from the APL and added to the Removed Products List (RPL).

If you have any questions, please feel free to contact me.

Matthew Arnold  
GSA OGP  
(703) 254-6750  
Matthew.Arnold@gsa.gov