
CA218 Lab 2

4th March 2014

1. Create the schema shown below (Hint: the answer is in the appendix).



2. Add the Tuples as they appear below

EMPLOYEE

Fname	Minit Lname Ssn Bdate Address		Address	Sex	Salary	Super_ssn	Dno		
John	В	Smith	123456789	1965-01-09	731 Fondren, Houston, TX		30000	333445555	5
Franklin	Т	Wong	333445555	1955-12-08	638 Voss, Houston, TX		40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX		25000	987654321	4
Jennifer	s	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX		43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX		38000	333445555	5
Joyce	Α	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	٧	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	М	25000	987654321	4
James	Е	Borg	888665555	1937-11-10	450 Stone, Houston, TX	М	55000	NULL	1

DEPARTMENT

Dname	Dnumber	Mgr_ssn	Mgr_start_date		
Research	5	333445555	1988-05-22		
Administration	4	987654321	1995-01-01		
Headquarters	11	888665555	1981-06-19		

DEPT_LOCATIONS

Dnumber	Diocation
1	Houston
4	Stafford
5	Bellaire
5	Sugarland
5	Houston

WORKS_ON

Essn	Pno	Hours	
123456789	1	32.5	
123456789	2	7.5	
666884444	3	40.0	
453453453	1	20.0	
453453453	2	20.0	
333445555	2	10.0	
333445555	3	10.0	
333445555	10	10.0	
333445555	20	10.0	
999887777	30	30.0	
999887777	10	10.0	
987987987	10	35.0	
987987987	30	5.0	
987654321	30	20.0	
987654321	20	15.0	
888665555	20	NULL	

PROJECT

Pname	Pnumber	Plocation	Dnum
ProductX	1	Bellaire	5
ProductY	2	Sugarland	5
ProductZ	3	Houston	5
Computerization	10	Stafford	4
Reorganization	20	Houston	1
Newbenefits	30	Stafford	4

DEPENDENT

Essn	Dependent_name	Sex	Bdate	Relationship
333445555	Alice	F	1986-04-05	Daughter
333445555	Theodore	М	1983-10-25	Son
333445555	Joy	F	1958-05-03	Spouse
987654321	Abner	М	1942-02-28	Spouse
123456789	Michael	М	1988-01-04	Son
123456789	Alice	F	1988-12-30	Daughter
123456789	Elizabeth	F	1967-05-05	Spouse

Note: you can add them using the Workbench and not with INSERT command.

3. Create a second schema as shown below. Use constraints where you feel is necessary. Draw the lines between attributes where you think referential integrity (FK-to-PK) occurs.

STUDENT	SID	FNAME	LNAME	COURSE				
COURSE	CID	NAME	SCHOOL					
FACULTY	FACNAME	SCHOOL]					
STUDENT_EXAMS	SID	CID	MOD1	MOD2	MOD3	MOD4	MOD5	MOD6
MODULES	MODULE_ID	NAME]					

4. Add tuples to each relation.

Choose tuple values of your choice. Put at least 10 into each relation.

```
CREATE TABLE EMPLOYEE
       (Fname
                             VARCHAR(15)
                                                     NOT NULL,
        Minit
                             CHAR,
        Lname
                             VARCHAR(15)
                                                     NOT NULL,
        Ssn
                             CHAR(9)
                                                     NOT NULL,
        Bdate
                             DATE.
        Address
                             VARCHAR(30),
        Sex
                             CHAR,
        Salary
                             DECIMAL(10,2),
        Super_ssn
                             CHAR(9),
                                                     NOT NULL,
        Dno
                             INT
       PRIMARY KEY (Ssn),
       FOREIGN KEY (Super_ssn) REFERENCES EMPLOYEE(Ssn),
       FOREIGN KEY (Dno) REFERENCES DEPARTMENT(Dnumber) );
CREATE TABLE DEPARTMENT
                                                     NOT NULL,
       ( Dname
                             VARCHAR(15)
                                                     NOT NULL,
        Dnumber
                             INT
        Mgr_ssn
                             CHAR(9)
                                                     NOT NULL.
        Mgr_start_date
                             DATE,
       PRIMARY KEY (Dnumber),
       UNIQUE (Dname),
       FOREIGN KEY (Mgr_ssn) REFERENCES EMPLOYEE(Ssn) );
CREATE TABLE DEPT_LOCATIONS
       ( Dnumber
                             INT
                                                     NOT NULL,
                             VARCHAR(15)
                                                     NOT NULL,
        Diocation
       PRIMARY KEY (Dnumber, Dlocation),
       FOREIGN KEY (Dnumber) REFERENCES DEPARTMENT(Dnumber) );
CREATE TABLE PROJECT
       (Pname
                             VARCHAR(15)
                                                     NOT NULL,
                                                     NOT NULL,
        Pnumber
                             INT
        Plocation
                             VARCHAR(15),
                             INT
                                                     NOT NULL,
       PRIMARY KEY (Pnumber),
       UNIQUE (Pname),
       FOREIGN KEY (Dnum) REFERENCES DEPARTMENT(Dnumber) );
CREATE TABLE WORKS ON
       (Essn
                             CHAR(9)
                                                     NOT NULL,
        Pno
                             INT
                                                     NOT NULL,
                             DECIMAL(3,1)
                                                     NOT NULL,
        Hours
       PRIMARY KEY (Essn, Pno),
       FOREIGN KEY (Essn) REFERENCES EMPLOYEE(Ssn),
       FOREIGN KEY (Pno) REFERENCES PROJECT(Pnumber) );
CREATE TABLE DEPENDENT
                             CHAR(9)
                                                     NOT NULL,
       (Essn
        Dependent_name
                             VARCHAR(15)
                                                     NOT NULL,
        Sex
                             CHAR,
        Bdate
                             DATE.
        Relationship
                             VARCHAR(8),
       PRIMARY KEY (Essn, Dependent_name),
       FOREIGN KEY (Essn) REFERENCES EMPLOYEE(Ssn) );
```