

ER Diagram:



Schema:



SQL: CREATE TABLE Father

```
(
Name INT NOT NULL,
address INT NOT NULL,
age INT NOT NULL,
weight INT NOT NULL,
height INT NOT NULL,
D.Birth INT NOT NULL,
PRIMARY KEY (D.Birth)
);

CREATE TABLE Mother
(
name INT NOT NULL,
```

age INT NOT NULL, address INT NOT NULL, D.Birth INT NOT NULL,

```
weight INT NOT NULL,
 height INT NOT NULL,
 PRIMARY KEY (D.Birth)
);
CREATE TABLE Person
 D.Birth INT NOT NULL,
 D.Birth INT NOT NULL,
 FOREIGN KEY (D.Birth) REFERENCES Father(D.Birth),
 FOREIGN KEY (D.Birth) REFERENCES Mother(D.Birth)
);
CREATE TABLE Child
(
 child_name INT NOT NULL,
 child_birthdate INT NOT NULL,
 child_age INT NOT NULL,
 D.Birth INT NOT NULL,
 D.Birth INT NOT NULL,
 FOREIGN KEY (D.Birth) REFERENCES Father(D.Birth),
 FOREIGN KEY (D.Birth) REFERENCES Mother(D.Birth)
);
```