```
CREATE TABLE `family` (
   `id` int PRIMARY KEY,
   `person_id` int,
   `father_id` int NOT NULL,
   `mother_id` int,
   `gender` int,
   `health` int
);
```

INSERT INTO family (id,person_id, father_id,mother_id,gender,health)

VALUES (1,1,2,3,0,0);



select * from family;

CREATE TABLE `authorizations` (

'id' int PRIMARY KEY,

`person_id` int,

`survey` varchar(25),

`revokeddate` date,

`permissiondate` date,

```
`revoked` int
);
INSERT INTO authorizations (id,person_id, survey,revokeddate,revoked,permissiondate)
VALUES (1,1,'CC1','2021-06-21',1,'2021-1-1');
INSERT INTO authorizations (id,person_id, survey,revokeddate,revoked,permissiondate)
VALUES (2,1,'BRD2000','2200-01-01',1,'2022-1-17');
select * from `authorizations`
Output:
id
      person_id
                    father_id
                                   mother_id gender health
1
             2
                    3
                           0
                                   0
                    survey revokeddate permissiondate revoked
id
      person_id
       1
1
             CC1
                    2021-06-21
                                   2021-01-01
                                                1
2
       1
             BRD2000
                           2200-01-01
                                         2022-01-17
                                                       1
```



