

# TripMate - Integration Guide

## Overview

This guide covers the integration of two new features:

- 1. **Dynamic Unsplash Image Gallery** - Fetches fresh images for destinations
- 2. **Auto-Logout System** - Handles inactivity and browser close

---

## Part 1: Unsplash Image Integration

### Step 1: Get Unsplash API Key

- 1. Go to [Unsplash Developers](#)
- 2. Create an account or sign in
- 3. Create a new application
- 4. Copy your **Access Key**

### Step 2: Install Required Files

#### Option A: Python Script (if you want to use Python)

- 1. Save the Python script as: `scripts/fetch_images.py`
- 2. Install requirements:



bash

```
pip install requests
```

- 3. Test it:



bash

```
python scripts/fetch_images.py YOUR_API_KEY "Paris France landmarks" 12
```

#### Option B: PHP Script (Recommended for web integration)

- 1. Save the PHP script as: `actions/fetch_images.php`
- 2. Update the API key in the file:



php

```
define('UNSPLASH_ACCESS_KEY', 'YOUR_ACTUAL_KEY_HERE');
```

3. Create cache directory:



bash

```
mkdir -p cache/images
```

```
chmod 755 cache/images
```

### Step 3: Modify destination\_details.php

Add this JavaScript code to your `destination_details.php` file, right before the closing `</script>` tag (around line 750):



javascript

```
// ----- Dynamic Unsplash Gallery Integration -----
```

```
const FETCH_DYNAMIC_IMAGES = true; // Set to false to use database images only
```

```
async function loadDynamicGallery() {  
  if (!FETCH_DYNAMIC_IMAGES) return;
```

```
  const galleryGrid = document.getElementById('thumbGrid');  
  const mainSwiper = document.getElementById('mainSwiper');
```

```
  if (!galleryGrid || !mainSwiper) return;
```

```
  try {
```

```
    // Show loading state
```

```
    galleryGrid.innerHTML = '<div class="col-span-3 text-center py-8 text-gray-500"><i cla'
```

```
    // Build search query from destination name and location
```

```
    const searchQuery = `${DEST_NAME} ${DEST_LOCATION} landmarks tourism`;
```

```
    // Fetch images from Unsplash
```

```
    const response = await fetch(`actions/fetch_images.php?query=${encodeURIComponent
```

```
    const data = await response.json());
```

```
    if (data.error) {
```

```
      console.error('Image fetch error:', data.error);
```

```
      // Fallback to database images
```

```
      return;
```

```
    }
```

```
    if (data.success && data.images && data.images.length > 0) {
```

```
      // Update main swiper
```

```
      const swiperWrapper = mainSwiper.querySelector('.swiper-wrapper');
```

```
      swiperWrapper.innerHTML = '';
```

```
      data.images.forEach((img, index) => {
```

```
        // Add to main carousel
```

```
        const slide = document.createElement('div');
```

```
        slide.className = 'swiper-slide';
```

```
        slide.innerHTML = ` {
```

```
    const thumb = document.createElement('img');
```

```
    thumb.src = img.urls.small;
```

```
    thumb.setAttribute('data-full', img.urls.regular);
```

```
    thumb.setAttribute('data-download', img.download_location);
```

```
    thumb.alt = img.description || DEST_NAME;
```

```
    thumb.loading = 'lazy';
```

```
    thumb.setAttribute('data-ready', '0');
```

```
// Add photographer credit
```

```
thumb.title = `Photo by ${img.photographer.name} on Unsplash`;
```

```
// Lazy load handler
```

```
const fullImg = new Image();
```

```
fullImg.src = img.urls.regular;
```

```
fullImg.onload = () => {
```

```
    thumb.setAttribute('data-ready', '1');
```

```
// Trigger download tracking (required by Unsplash API)
```

```
fetch('actions/fetch_images.php', {
```

```
    method: 'POST',
```

```
    headers: {'Content-Type': 'application/x-www-form-urlencoded'},
```

```
    body: `trigger_download=1&download_location=${encodeURIComponent(im
```

```
});
```

```
};
```

```
// Add click handler for lightbox
```

```
thumb.addEventListener('click', () => {
```

```
    const items = [{
```

```
        src: img.urls.full,
```

```
        w: img.dimensions.width,
```

```
        h: img.dimensions.height,
```

```
        title: `${img.description || DEST_NAME}<br><small>Photo by <a href="${i
```

```
    }];
```

```
    const options = { index: 0 };
```

```
    const gallery = window.PhotoSwipe.create({ dataSource: items }, options);
```

```
    gallery.init();
```

```
});
```

```
galleryGrid.appendChild(thumb);
```

```

});

console.log(`Loaded ${data.images.length} images from Unsplash`);
}

} catch (error) {
    console.error('Failed to load dynamic gallery:', error);
    // Keep database images as fallback
}

}

// Load dynamic gallery after page loads
if (document.readyState === 'loading') {
    document.addEventListener('DOMContentLoaded', loadDynamicGallery);
} else {
    loadDynamicGallery();
}

```

### Step 4: Add Unsplash Attribution

Add this to your footer or gallery section in `destination_details.php`:



html

```

<div style="text-align: center; margin-top: 16px; color: #6b7280; font-size: 14px;">
    Photos provided by <a href="https://unsplash.com?utm_source=TripMate&utm_medium=r
</div>

```



## Part 2: Auto-Logout System Integration

### Step 1: Add the Auto-Logout Script

Save the JavaScript file as: `user/auto-logout.js`

### Step 2: Include Script in All Authenticated Pages

Add this to the `<head>` section of these files:

- `user/user_dashboard.php`
- `user/destination_details.php`
- `search/search.html`
- Any other page where users are logged in



html

```
<!-- Auto-Logout System -->
<script src="../user/auto-logout.js"></script>
```

### Step 3: Update logout.php

Modify your auth/logout.php to handle both normal and beacon requests:



php

```
<?php
session_start();

// Unset all session variables
$_SESSION = array();

// Destroy the session cookie
if (isset($_COOKIE[session_name()])) {
    setcookie(session_name(), "", time() - 3600, '/');
}

// Destroy the session
session_destroy();

// Clear any other cookies
setcookie('user_id', "", time() - 3600, '/');
setcookie('remember_me', "", time() - 3600, '/');

// Handle both normal redirects and beacon requests
if (isset($_POST['action']) && $_POST['action'] === 'logout') {
    // Beacon request - just return success
    http_response_code(204); // No content
    exit();
}

// Normal logout - redirect to index
header("Location: ../main/index.html");
exit();
?>
```

## Step 4: Test the Auto-Logout System

- 1. **Test Inactivity:**
  - Login to your application
  - Don't interact with the page for 3 minutes
  - You should see a warning popup
  - Wait 2 more minutes without clicking anything
  - You should be automatically logged out
- 2. **Test Reset:**
  - Login again
  - Wait for warning popup (after 3 minutes)
  - Click "Stay Logged In"
  - Timer should reset and popup should close
- 3. **Test Browser Close:**
  - Login to your application
  - Close the browser tab/window
  - Open a new tab and try to access a protected page
  - You should be logged out

## Step 5: Customize Timing (Optional)

In `auto-logout.js`, you can adjust these values:



javascript

```
const autoLogoutManager = new AutoLogoutManager({
  inactivityTimeout: 5 * 60 * 1000, // 5 minutes (change as needed)
  warningTime: 2 * 60 * 1000,      // 2 minutes warning (change as needed)
  logoutUrl: '../auth/logout.php'  // Your logout URL
});
```

## Testing Checklist

### Unsplash Integration Tests

- ☐ Images load correctly on destination details page
- ☐ Fallback to database images if API fails
- ☐ Attribution link is visible
- ☐ Images open in lightbox correctly
- ☐ Photographer credits are shown

### Auto-Logout Tests

- ☐ Warning appears after 3 minutes of inactivity
- ☐ Countdown timer works correctly
- ☐ "Stay Logged In" button resets timer
- ☐ "Logout Now" button logs out immediately
- ☐ Browser close logs out user
- ☐ Returning to tab after long absence logs out user

- ☐ Session extends on user activity
- 

## Troubleshooting

### Unsplash Images Not Loading

**Problem:** Images don't appear or you see errors

**Solutions:**

1. Check API key is correct in `fetch_images.php`
2. Check browser console for errors
3. Verify your Unsplash app is in production mode (not demo)
4. Check API rate limits (50 requests/hour for demo, 5000/hour for production)
5. Ensure server can make outbound HTTPS requests

**Test the API directly:**



bash

*# Test with curl*

```
curl -H "Authorization: Client-ID YOUR_KEY" \  
  "https://api.unsplash.com/search/photos?query=paris&per_page=3"
```

### Auto-Logout Not Working

**Problem:** Users not being logged out

**Solutions:**

1. Check if `auto-logout.js` is loaded (check browser console)
2. Verify script is included AFTER user is logged in
3. Check browser console for JavaScript errors
4. Ensure `logout.php` path is correct
5. Check if `sessionStorage/localStorage` have user data

**Debug mode:** Add this to test:



javascript

```
console.log('Auto-logout initialized:', window.autoLogoutManager);
```

### Browser Close Not Logging Out

**Problem:** User still logged in after closing browser

**Solutions:**



1. This is expected behavior for localStorage - it persists
  2. To force logout on browser close, modify `auto-logout.js`:
    - Change localStorage clearing to sessionStorage only
    - Or clear both in beforeunload handler
- 



## Important Notes

### Unsplash API Guidelines

1. **Attribution Required:** Always credit photographers
2. **Download Tracking:** Must trigger download endpoint when displaying images
3. **Rate Limits:**
  - Demo: 50 requests/hour
  - Production: 5,000 requests/hour
4. **Caching Recommended:** Don't fetch on every page load

### Auto-Logout Best Practices

1. **Test Thoroughly:** Different browsers behave differently
2. **User Communication:** Make timeout durations clear in settings
3. **Sensitive Data:** Consider shorter timeouts for sensitive applications
4. **Mobile Devices:** May behave differently with background tabs

### Security Considerations

1. **API Keys:** Never expose in client-side code
  2. **Session Tokens:** Use secure, httpOnly cookies
  3. **CSRF Protection:** Implement for all forms
  4. **SSL/HTTPS:** Required for secure sessions
- 



## Going Live

### Before Production:

1. ☒ Get production Unsplash API key
2. ☒ Test all features thoroughly
3. ☒ Enable error logging
4. ☒ Set appropriate cache durations
5. ☒ Test on different browsers
6. ☒ Test on mobile devices
7. ☒ Document user timeout policy
8. ☒ Add monitoring/alerts

### Production Checklist:

- ☐ Replace demo API keys with production keys
- ☐ Enable image caching (`CACHE_ENABLED = true` in `fetch_images.php`)
- ☐ Set up error logging
- ☐ Configure appropriate timeout values
- ☐ Test logout functionality across all pages
- ☐ Add user-facing documentation about auto-logout

- ☐ Set up monitoring for API usage
  - ☐ Configure backup/fallback images
- 

## Tips & Optimization

### Performance

1. **Enable Caching:** Set `CACHE_ENABLED = true` in `fetch_images.php`
2. **Lazy Loading:** Images use `loading="lazy"` by default
3. **Reduce API Calls:** Cache images for 1 hour minimum
4. **Optimize Queries:** Use specific search terms for better results

### User Experience

1. **Show Loading States:** Users see spinners while images load
  2. **Fallback Gracefully:** Database images appear if API fails
  3. **Clear Warnings:** Auto-logout warnings are prominent and clear
  4. **Reset Option:** Users can easily extend their session
- 

## Support

If you encounter issues:

1. Check browser console for errors
2. Check PHP error logs
3. Test API endpoints individually
4. Verify all file paths are correct
5. Ensure proper permissions on directories

### Common Error Messages:

| Error                 | Cause                 | Solution                                |
|-----------------------|-----------------------|-----------------------------------------|
| "Invalid API key"     | Wrong Unsplash key    | Update in <code>fetch_images.php</code> |
| "Rate limit exceeded" | Too many requests     | Wait or upgrade API plan                |
| "Network error"       | Server firewall       | Check outbound HTTPS access             |
| "Session not found"   | Auto-logout triggered | Normal behavior                         |

---

## Verification

After integration, verify:

1. **Unsplash Images:**
  - ☐ Images load on destination pages
  - ☐ Lightbox works with new images
  - ☐ Attribution is visible
  - ☐ Fallback works when offline
2. **Auto-Logout:**
  - ☐ Warning appears after inactivity
  - ☐ Timer counts down correctly
  - ☐ Reset button works
  - ☐ Browser close logs out user

- ☐ Multiple tabs handled correctly
- 

 **You're all set! Both features should now be working seamlessly with your existing TripMate application.**