Storage Dictionary

These are just retyped from the storage discord
They are in roughly alphabetical order

Aligner

It aligns items within a block to ensure some sort of behavior.

Box

Short for shucker box

Batcher

A Batcher groups item entities together before periodically releasing them into a water stream or Celine. This is done to improve lag and because some filters (Especially 2x filters) would be on cooldown much less often and therefore miss less or no items.

Box Comparer

A Box Comparer is a contraption that takes two boxes as an input, and compares them by signal strength. A Box comparer normally has dedicated outputs for the fuller and less full boxes.

Box Detection

Usually used as a way to tag Loaders and Box Displays that restart themselves when boxes come in and they were previously empty.

Box Display

A contraption that displays a shucker box and has some or all of the following features: a button to dispense a new box, breaking of the box when it empties, automatically dispensing a new box when the old one is broken, storage for new shucker boxes, access to said storage, and some others, like hopper locking and not hiding boxes from the player in inaccessible inventories.

Box Seperator

A Box Separator is a contraption that takes boxes as input and separates them into different outputs based on their contents.

Crosstalk

A term for when 2 tiled slices are interfering with each other in any situation.

Directional

A contraption is said to be directional if it exhibits a certain behavior when rotated or mirrored.

Dropper Speed

Similar to Hopper speed, but less frequently used. Refers to the speed at which items are processed in a dropper when clocked at the minimum interval (1 item every 4gt). 1x dropper speed is equal to 2x hopper speed.

Dropperline

A line of droppers to transport items fast.

Dustless

A contraption that makes no use of red stone dust. Redstone dust is one of the most laggiest components in the game.

Fill Sorter, IsEmpty, IsFull

A Fill Sorter is a Box Separator that has different outputs based on how full the box is, usually Empty / Full / Partial.
IsEmpty is a Fill Sorter that has only outputs for empty and not empty.
IsFull is a Fill Sorter that only has outputs for full and not-full.

Filtered Loader

A Loader combined with an item filter that fills a box with just one item type.

Fixed Sorter

Short for fixed type item sorter: a sorter that filters out one single item type and can't be changed without manual intervention.

Gametick, gt, Tick

Minecraft runs its processing code in a loop. One cycle of this loop is called a Tick, or Gametick(gt).
Gameticks are also used as the default measurement of time when working with red stone. The game attempts to run 20 gamecocks a second (20ps), but will fail to do so and slow down the game if the server is lagging (> 50mspt).
Often confused with the less technical term "red stone tick". A red stone tick is in practice 2gt, as its origin comes from the default setting of a repeater.
A default repeater when freshly placed is a 2gt-or one redstone-tick-repeater.

Global Output

A contraption, usually a 1-wide tillable one, that has only one output for all the slices, in contrast to one output per slice.

Global, Local, global clock, globally clocked, local clock

Annotates if a signal comes from a global system (a “brain”), or from within a Slice.
For example, one global clock could send signals to 8 slices on an interval, or all 8 slices could have their own clock.

Hopperlocking, Hopperlocked, hopper-locked

Used to tag contraptions that lock their hoppers when the hoppers are not needed. This is because hoppers are otherwise very laggy.

Item Call

A device, mechanism or feature that allows the user to request items. The requested items may land in a user accessible inventory or to be used to restock some component. Some systems can use an item call to automatically restock.

Keygen, Item Wanker

Usually part of a box sorter, a keygen is a contraption that takes one item out of a box, breaks it and sends the item and sends one through one hopper or Dropperline and the other through another one, with some delay.

Loader

A contraption that fills a shulkerbox with items and then breaks the shulkerbox.

Locational

A contraption is said to be locational when it exhibits different behavior when built in different locations in the world.

Merger

A Merger is a contraption that takes 2 boxes as input, and merges them into one.

Mixed Box

A skulker box with multiple item types.

Mixed Loader

A Loader that can handle multiple item types going into the same box. Fullness detection is usually done by reading that items are backing up into the container feeding the box.

mspt, Milliseconds Per Tick

A measurement of how many. milliseconds it takes to process each gametic.

A/B tiling, AB tillable, 1wABt, nwABt

An extension of n-Wide fileable, but where a solution has been provided by the other on how to put 2 slices of the same system next to each other by moving/editing some components within the system. The capital letters annotate how the slices are tiles and how many versions of that slice exist to achieve that result.

1wt, 2wt, $n$wt, n-Wide tilable

Annotates the width of a slice, and weather or not you can build them right next to each other. There are systems that are 1 wide but you can't put 2 next to each other due to Crosstalk, so they don get this annotation. Sometimes they are n-wide AB Tillable instead.

Perfect Aligner, $4D$ aligner

Perfect item aligner refers to a contraption that aligns an item on all three axes before sending down a stream, where they usually get picked up by hoppers. Since these contraptions are ran at Hopper speed, the items need to have a perfect timing between them, so they don't reach a hopper during its cooldown stage, hence why these are also called $4D$ aligners ($3D$+time).

Precision Hopper

A hopper that is unloaded in the same tick as its supposed to suck up an item. If the item entity is created in that tick, as it would be with for example timing a shucker box breaking correctly, there willl be 0 physics enacted on that item. This makes it not only extremely reliable vecause there are no physics issues, but also might be lazy chunk compatible. [Needs Proof]

Precision Loader

A Loader that makes use of a Precision Hopper to achieve Slice Preservation.

Slice

A repeatable (Preferably fileable) component within a system.

Slice Preservation, Local Output

A contraption is said to be slice preserving if it outputs the shulker boxes or items within

the slice, in contrast to Global Output, where there's one output for all Slices. This term is mostly used for 1-wide fileable contraptions.

Box splitter, splitter

A Splitter is a contraption that takes a Mixed Box as an input and unloads the box into one box per item type.

ss

Abbreviation for redstone dust/ comparator Signal Strength

Unloader

A contraption that removes item contents from a shulkerbox.

Hopper speed, Hopperspeed

Refers to the speed at which items are processed in a hopper (1 item every 8gt or $9,000 $ items per hour). Usually written as an integer or fraction (e.g. "3x or $\frac{1}{2}$x hopper speed").

Cart Yeet

A cart teeter is a device which breakes a cart with an inventory, emptying its contents in item entity form. The cart item is also collected separately for recycling.

Box Yeet

A Box yeeter is a device which destroys the box item entirely, releasing its contents as item entities.

Stacked Cart, Cart stack

Cart stacking refers to putting multiple cart entities in the same location.