Lecture 5

Dynamics theory review

Ivan Rudik AEM 7130

Roadmap

- 1. Review Markov chains and dynamic models
- 2. Review theory for numerical methods

We need 5 things for a dynamic economic model

1. Controls: what variables are we optimizing, what decisions do the economic agents make?

- 1. Controls: what variables are we optimizing, what decisions do the economic agents make?
- 2. States: What are the variables that change over time and interact with the controls?

- 1. Controls: what variables are we optimizing, what decisions do the economic agents make?
- 2. States: What are the variables that change over time and interact with the controls?
- 3. Payoff: What is the single-period payoff function? What's our reward?

- 1. Controls: what variables are we optimizing, what decisions do the economic agents make?
- 2. States: What are the variables that change over time and interact with the controls?
- 3. Payoff: What is the single-period payoff function? What's our reward?
- 4. Transition equations: How do the state variables evolve over time?

- 1. Controls: what variables are we optimizing, what decisions do the economic agents make?
- 2. States: What are the variables that change over time and interact with the controls?
- 3. Payoff: What is the single-period payoff function? What's our reward?
- 4. Transition equations: How do the state variables evolve over time?
- 5. Planning horizon: When does our problem terminate? Never? 100 years?

Dynamic problems can generally be solved in two ways

Dynamic problems can generally be solved in two ways

Open-loop: treat the model as a sequence of static optimization problems solved simultaneously

Dynamic problems can generally be solved in two ways

Open-loop: treat the model as a sequence of static optimization problems solved simultaneously

- Transitions act as constraints
- Ends up being just a potentially giant (but simple) non-linear optimization problem
- Drawback: solutions will be just a function of time so we can't introduce uncertainty, strategic behavior, etc

Feedback: treat the model as a single-period optimization problem with the immediate payoff and the *continuation value*

Feedback: treat the model as a single-period optimization problem with the immediate payoff and the *continuation value*

- Yields a solution that is a function of states
- Permits uncertainty, game structures
- Drawback: need to solve for the continuation value function

Dynamic models in economic models are typically Markovian

Dynamic models in economic models are typically Markovian

A stochastic process $\{x_t\}$ is said to have the Markov property if for all $k \geq 1$ and all t

$$Prob(x_{t+1}|x_t, x_{t-1}, \dots, x_{t-k}) = Prob(x_{t+1}|x_t)$$

Dynamic models in economic models are typically Markovian

A stochastic process $\{x_t\}$ is said to have the Markov property if for all $k \geq 1$ and all t

$$Prob(x_{t+1}|x_t, x_{t-1}, \dots, x_{t-k}) = Prob(x_{t+1}|x_t)$$

The distribution of the next vector in the sequence (i.e. the distribution of next period's state) is a function of only the current vector (state)

Dynamic models in economic models are typically Markovian

A stochastic process $\{x_t\}$ is said to have the Markov property if for all $k \geq 1$ and all t

$$Prob(x_{t+1}|x_t, x_{t-1}, \dots, x_{t-k}) = Prob(x_{t+1}|x_t)$$

The distribution of the next vector in the sequence (i.e. the distribution of next period's state) is a function of only the current vector (state)

The Markov property is necessary for the feedback representation

We characterize stochastic state transitions with Markov chains

We characterize stochastic state transitions with Markov chains

A Markov chain is characterized by:

- 1. n-dimensional state space with vectors e_i , $i=1,\ldots,n$ where e_i is an $n\times 1$ unit vector whose ith entry is 1 and all others are 0
- 2. An $n \times n$ transition matrix P which captures the probability of transitioning from one point of the state space to another point of the state space next period
- 3. $n \times 1$ vector π_0 whose *i*th value is the probability of being in state *i* at time 0:

$$\pi_{0i} = \operatorname{Prob}(x_0 = e_i)$$

P is given by

$$P_{ij} = \operatorname{Prob}(x_{t+1} = e_j | x_t = e_i)$$

P is given by

$$P_{ij} = \operatorname{Prob}(x_{t+1} = e_j | x_t = e_i)$$

We need one assumption:

ullet For $i=1,\ldots,n$, $\sum_{j=1}^n P_{ij}=1$ and π_0 satisfies: $\sum_{i=1}^n \pi_{0i}=1$

Nice property of Markov chains:

We can use P to determine the probability of moving to another state in two periods by P^2 since

$$egin{split} & ext{Prob}(x_{t+2} = e_j | x_t = e_i) \ & = \sum_{h=1}^n ext{Prob}(x_{t+2} = e_j | x_{t+1} = e_h) ext{Prob}(x_{t+1} = e_h | x_t = e_i) \ & = \sum_{h=1}^n P_{ih} P_{hj} = P_{ij}^2 \end{split}$$

Nice property of Markov chains:

We can use P to determine the probability of moving to another state in two periods by P^2 since

$$egin{aligned} & ext{Prob}(x_{t+2} = e_j | x_t = e_i) \ & = \sum_{h=1}^n ext{Prob}(x_{t+2} = e_j | x_{t+1} = e_h) ext{Prob}(x_{t+1} = e_h | x_t = e_i) \ & = \sum_{h=1}^n P_{ih} P_{hj} = P_{ij}^2 \end{aligned}$$

iterate on this to show that

$$\operatorname{Prob}(x_{t+k} = e_j | x_t = e_i) = P_{ij}^k$$

Start with a general sequential problem to set up the basic recursive/feedback dynamic optimization problem

Start with a general sequential problem to set up the basic recursive/feedback dynamic optimization problem

Let $eta \in (0,1)$, the economic agent selects a sequence of controls, $\{u_t\}_{t=0}^\infty$ to maximize

$$\sum_{t=0}^{\infty} eta^t r(x_t,u_t)$$

subject to $x_{t+1} = g(x_t, u_t)$ and with x_0 given

Assume r is concave, continuously differentiable, and the state space is convex and compact

Assume r is concave, continuously differentiable, and the state space is convex and compact

We want to recover a policy function h which maps the current state x_t into the current control u_t , such that the sequence $\{u_s\}_{s=0}^{\infty}$ generated by iterating

$$egin{aligned} u_t &= h(x_t) \ x_{t+1} &= g(x_t, u_t), \end{aligned}$$

starting from x_0 , solves our original optimization problem

Consider a function V(x), the **continuation value function** where

$$V(x_0) = \max_{\{u_s\}_{s=0}^\infty} \sum_{t=0}^\infty eta^t r(x_t,u_t)$$

subject to the transition equation: $x_{t+1} = g(x_t, u_t)$

The value function defines the maximum value of our original problem as a function of the state

Suppose we know V(x), then we can solve for the policy function h by solving for each $x \in X$

$$\max_u r(x,u) + eta V(x')$$

where x'=g(x,u) and primes on state variables indicate next period

Suppose we know V(x), then we can solve for the policy function h by solving for each $x \in X$

$$\max_u r(x,u) + eta V(x')$$

where x'=g(x,u) and primes on state variables indicate next period

Conditional on having V(x) we can solve our dynamic programming problem

Suppose we know V(x), then we can solve for the policy function h by solving for each $x \in X$

$$\max_u r(x,u) + eta V(x')$$

where x'=g(x,u) and primes on state variables indicate next period

Conditional on having V(x) we can solve our dynamic programming problem

Instead of solving for an infinite dimensional set of policies, we instead find the V(x) and h that solves the continuum maximization problems, where there is a unique maximization problem for each x

Suppose we know V(x), then we can solve for the policy function h by solving for each $x \in X$

$$\max_u r(x,u) + eta V(x')$$

where x'=g(x,u) and primes on state variables indicate next period

Conditional on having V(x) we can solve our dynamic programming problem

Instead of solving for an infinite dimensional set of policies, we instead find the V(x) and h that solves the continuum maximization problems, where there is a unique maximization problem for each x

This is often easier

Issue: How do we know V(x) when it depends on future (optimized) actions?

Issue: How do we know V(x) when it depends on future (optimized) actions?

Define the **Bellman equation**

$$V(x) = \max_u r(x,u) + eta V[g(x,u)]$$

Issue: How do we know V(x) when it depends on future (optimized) actions?

Define the **Bellman equation**

$$V(x) = \max_u r(x,u) + eta V[g(x,u)]$$

h(x) maximizes the right hand side of the Bellman

The policy function satisfies

$$V(x)=r[x,h(x)]+eta V\{g[x,h(x)]\}$$

Bellman equations

The policy function satisfies

$$V(x) = r[x,h(x)] + \beta V\{g[x,h(x)]\}$$

Solving the problem yields a solution that is a function, V(x)

Bellman equations

The policy function satisfies

$$V(x) = r[x,h(x)] + \beta V\{g[x,h(x)]\}$$

Solving the problem yields a solution that is a function, V(x)

This is a recursive problem since it maps itself into a scalar value, can be hard to think about at first

Bellman equations

The policy function satisfies

$$V(x)=r[x,h(x)]+eta V\{g[x,h(x)]\}$$

Solving the problem yields a solution that is a function, V(x)

This is a recursive problem since it maps itself into a scalar value, can be hard to think about at first

One of the workhorse solution methods exploits this recursion and contraction mapping properties of the Bellman operator to solve for V(x)

Solution properties

Under standard assuptions we have that

- 1. The solution to the Bellman equation, V(x), is strictly concave
- 2. The solution is approached in the limit as $j \to \infty$ by iterations on: $V_{j+1}(x) = \max_u r(x,u) + \beta V_j(x')$, given any bounded and continuous V_0 and our transition equation
- 3. There exists a unique and time-invariant optimal policy function $u_t = h(x_t)$ where h maximizes the right hand side of the Bellman
- 4. The value function V(x) is differentiable

Euler equations are dynamic efficiency conditions: they equalize the marginal effects of an optimal policy over time

E.g. set the current marginal benefit, energy from burning fossil fuels, with the future marginal cost, global warming

Euler equations are dynamic efficiency conditions: they equalize the marginal effects of an optimal policy over time

E.g. set the current marginal benefit, energy from burning fossil fuels, with the future marginal cost, global warming

- 1. We have a stock of capital K_t that depreciates at rate $\delta \in (0,1)$
- 2. We can invest to increase our future capital I_t at cost $c(I_t)$ and effectiveness $\gamma \in (0,1]$
- 3. Per-period payoff $U(Y_t)$ from consuming output $Y_t = f(K_t) = K_t$
- 4. Discount factor is $\beta \in (0,1)$

The Bellman equation is

$$egin{aligned} V(K_t) &= \max_{I_t} \left\{ u(K_t) - c(I_t) + eta V(K_{t+1})
ight\} \ & ext{subject to:} \quad K_{t+1} = (1-\delta)K_t + \gamma I \end{aligned}$$

The Bellman equation is

$$egin{aligned} V(K_t) &= \max_{I_t} \left\{ u(K_t) - c(I_t) + eta V(K_{t+1})
ight\} \ & ext{subject to:} \quad K_{t+1} = (1-\delta)K_t + \gamma I \end{aligned}$$

The FOC with respect to investment is

$$c_I(I_t) = eta \, \gamma \, V_K(K_{t+1})$$

The Bellman equation is

$$V(K_t) = \max_{I_t} \left\{ u(K_t) - c(I_t) + eta V(K_{t+1})
ight\}$$
 subject to: $K_{t+1} = (1-\delta)K_t + \gamma I$

The FOC with respect to investment is

$$c_I(I_t) = eta \, \gamma \, V_K(K_{t+1})$$

Envelope theorem gives us

$$V_K(K_t) = u_K(K_t) + eta \, \delta \, V_K(K_{t+1})$$

The FOC with respect to investment is

$$c_I(I_t) = eta \gamma \, V_K(K_{t+1})$$

Envelope theorem gives us

$$V_K(K_t) = u_K(K_t) + eta \, \delta \, V_K(K_{t+1})$$

The FOC with respect to investment is

$$c_I(I_t) = eta \gamma \, V_K(K_{t+1})$$

Envelope theorem gives us

$$V_K(K_t) = u_K(K_t) + eta \, \delta \, V_K(K_{t+1})$$

Advance both by one period since they must hold for all t

$$c_I(I_{t+1}) = eta \, \gamma \, V_K(K_{t+2}) \ V_K(K_{t+1}) = u_K(K_{t+1}) + eta \, \delta \, V_K(K_{t+2})$$

Substitute the time t and time t+1 FOCs into our time t+1 envelope condition

$$egin{align} rac{c'(I_t)}{eta\gamma} &= u'(K_{t+1}) + eta \delta rac{c'(I_{t+1})}{eta\gamma} \ \Rightarrow c'(I_t) &= eta \left[\gamma \, u'(K_{t+1}) + \delta \, c'(I_{t+1})
ight] \end{aligned}$$

Substitute the time t and time t+1 FOCs into our time t+1 envelope condition

$$egin{align} rac{c'(I_t)}{eta\gamma} &= u'(K_{t+1}) + eta \delta rac{c'(I_{t+1})}{eta\gamma} \ \Rightarrow c'(I_t) &= eta \left[\gamma \, u'(K_{t+1}) + \delta \, c'(I_{t+1})
ight] \end{aligned}$$

LHS is marginal cost of investment, RHS is marginal benefit of investment **along an optimal path**

$$a\Rightarrow c'(I_t)=eta\left[\gamma\,u'(K_{t+1})+\delta\,c'(I_{t+1})
ight]$$

LHS: marginal cost of investment

RHS: marginal benefit of higher utility from more future output, and lower future investment cost because of higher capital stock

Euler equations are no-arbitrage conditions

Suppose we're on the optimal capital path and want to deviate by cutting back investment

Euler equations are no-arbitrage conditions

Suppose we're on the optimal capital path and want to deviate by cutting back investment

Yields a marginal benefit today of saving us some investment cost

Euler equations are no-arbitrage conditions

Suppose we're on the optimal capital path and want to deviate by cutting back investment

Yields a marginal benefit today of saving us some investment cost

There are two costs associated with it:

Euler equations are no-arbitrage conditions

Suppose we're on the optimal capital path and want to deviate by cutting back investment

Yields a marginal benefit today of saving us some investment cost

There are two costs associated with it:

- 1. Lower utility tomorrow because we will have a smaller capital stock
- 2. Greater investment cost tomorrow to return to the optimal capital trajectory

If this deviation (or deviating by investing more today) were profitable, we would do it

ightarrow the optimal policy must have zero additional profit opportunities: this is what the Euler equation defines

Here we finish up the basic theory pieces we need

We will focus on deterministic problems but this easily ports to stochastic problems

Here we finish up the basic theory pieces we need

We will focus on deterministic problems but this easily ports to stochastic problems

Consider an infinite horizon problem for an economic agent

- 1. Payoff $r(s_t,u_t)$ in some period t is a function of the state vector s_t and control vector u_t
- 2. Transition equations are $s_{t+1} = g(s_t, u_t)$
- 3. Assume that $u \in U$ and $s \in S$
- 4. Payoff is bounded: $u(s_t, u_t)$.

Here the current state vector *completely* summarizes all the information of the past and is all the information the agent needs to make a forward-looking decision

→ our problem has the Markov property

Here the current state vector *completely* summarizes all the information of the past and is all the information the agent needs to make a forward-looking decision

→ our problem has the Markov property

Final two pieces

- 1. Stationarity: does not depend explicitly on time
- 2. Discounting: $\beta \in (0,1)$, the future matters but not as much as today

Discounting and bounded payoffs ensures total value is bounded

Represent this payoff as

$$\sum_{t=0}^{\infty} eta^t r(s_t,u_t)$$

Represent this payoff as

$$\sum_{t=0}^{\infty} eta^t r(s_t, u_t)$$

The value of the maximized discounted stream of payoffs is

$$egin{aligned} V(s_0) &= \max_{u_0 \in U(s_0)} r(s_t, u_t) + eta \left[\max_{\{u_t\}_{t=1}^\infty} \sum_{t=t}^\infty eta^t r(s_t, u_t)
ight] \ & ext{subject to: } s_{t+1} = g(s_t, u_t) \end{aligned}$$

Represent this payoff as

$$\sum_{t=0}^{\infty} eta^t r(s_t, u_t)$$

The value of the maximized discounted stream of payoffs is

$$egin{aligned} V(s_0) &= \max_{u_0 \in U(s_0)} r(s_t, u_t) + eta \left[\max_{\{u_t\}_{t=1}^\infty} \sum_{t=t}^\infty eta^t r(s_t, u_t)
ight] \ & ext{subject to: } s_{t+1} = g(s_t, u_t) \end{aligned}$$

the terms inside the square brackets is the maximized discounted stream of payoffs beginning at state s_1

This means the problem can be written recursively as

$$egin{aligned} V(s_0) &= \max_{u_0 \in U(s_0)} r(s_t, u_t) + eta V(s_1) \ & ext{subject to: } s_{t+1} = g(s_t, u_t) \end{aligned}$$

which is our Bellman (we just exploited Bellman's principle of optimality)

Reformulate the problem as,

$$V(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, V(s'), \;\; orall s \in S$$

where $\Gamma(s)$ is our set of feasible states next period

Reformulate the problem as,

$$V(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, V(s'), \;\; orall s \in S$$

where $\Gamma(s)$ is our set of feasible states next period

There exists a solution to the Bellman under a (particular) set of sufficient conditions:

Reformulate the problem as,

$$V(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, V(s'), \;\; orall s \in S$$

where $\Gamma(s)$ is our set of feasible states next period

There exists a solution to the Bellman under a (particular) set of sufficient conditions:

If the following are true

Reformulate the problem as,

$$V(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, V(s'), \;\; orall s \in S$$

where $\Gamma(s)$ is our set of feasible states next period

There exists a solution to the Bellman under a (particular) set of sufficient conditions:

If the following are true

- 1. $r(s_t,u_t)$ is real-valued, continuous and bounded
- 2. $\beta \in (0,1)$
- 3. the feasible set of states for next period is non-empty, compact, and continuous

Reformulate the problem as,

$$V(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, V(s'), \;\; orall s \in S$$

where $\Gamma(s)$ is our set of feasible states next period

There exists a solution to the Bellman under a (particular) set of sufficient conditions:

If the following are true

- 1. $r(s_t,u_t)$ is real-valued, continuous and bounded
- 2. $\beta \in (0,1)$
- 3. the feasible set of states for next period is non-empty, compact, and continuous

then there exists a unique value function V(s) that solves the Bellman equation

Define an operator T as

$$T(W)(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, W(s'), \;\; orall s \in S$$

Define an operator T as

$$T(W)(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta W(s'), \;\; orall s \in S$$

This operator takes some value function W(s), maximizes it, and returns another T(W)(s)

Define an operator T as

$$T(W)(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, W(s'), \;\; orall s \in S$$

This operator takes some value function W(s), maximizes it, and returns another T(W)(s)

It is easy to see that any V(s) that satisfies $V(s) = T(V)(s) \ \, orall s \in S$ solves the Bellman equation

Define an operator T as

$$T(W)(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, W(s'), \;\; orall s \in S$$

This operator takes some value function W(s), maximizes it, and returns another T(W)(s)

It is easy to see that any V(s) that satisfies $V(s) = T(V)(s) \ \, orall s \in S$ solves the Bellman equation

Therefore we simply search for the fixed point of T(W) to solve our dynamic problem, but how do we find the fixed point?

Define an operator T as

$$T(W)(s) = \max_{s' \in \Gamma(s)} r(s,s') + eta \, W(s'), \;\; orall s \in S$$

This operator takes some value function W(s), maximizes it, and returns another T(W)(s)

It is easy to see that any V(s) that satisfies $V(s) = T(V)(s) \ \, orall s \in S$ solves the Bellman equation

Therefore we simply search for the fixed point of T(W) to solve our dynamic problem, but how do we find the fixed point?

First we must show that a way exists by showing that T(W) is a **contraction**: as we iterate using the T operator, we will get closer and closer to the fixed point

Blackwell's sufficient conditions for a contraction are

Blackwell's sufficient conditions for a contraction are

1. Monotonicity: if $W(s) \geq Q(s) \ \ orall s \in S$, then $T(W)(s) \geq T(Q)(s) \ \ orall s \in S$

Blackwell's sufficient conditions for a contraction are

- 1. Monotonicity: if $W(s) \geq Q(s) \ \ \forall s \in S$, then $T(W)(s) \geq T(Q)(s) \ \ \forall s \in S$
- 2. Discounting: there exists a $\beta \in (0,1)$ such that $T(W+k)(s) \leq T(W)(s) + \beta k$

Blackwell's sufficient conditions for a contraction are

- 1. Monotonicity: if $W(s) \geq Q(s) \ \ \forall s \in S$, then $T(W)(s) \geq T(Q)(s) \ \ \forall s \in S$
- 2. Discounting: there exists a $\beta \in (0,1)$ such that $T(W+k)(s) \leq T(W)(s) + \beta k$

Monotonicity holds under our maximization

Blackwell's sufficient conditions for a contraction are

- 1. Monotonicity: if $W(s) \geq Q(s) \ \ \forall s \in S$, then $T(W)(s) \geq T(Q)(s) \ \ \forall s \in S$
- 2. Discounting: there exists a $\beta \in (0,1)$ such that $T(W+k)(s) \leq T(W)(s) + \beta k$

Monotonicity holds under our maximization

Discounting reflects that we must be discounting the future

Blackwell's sufficient conditions for a contraction are

- 1. Monotonicity: if $W(s) \geq Q(s) \ \ \forall s \in S$, then $T(W)(s) \geq T(Q)(s) \ \ \forall s \in S$
- 2. Discounting: there exists a $\beta \in (0,1)$ such that $T(W+k)(s) \leq T(W)(s) + \beta k$

Monotonicity holds under our maximization

Discounting reflects that we must be discounting the future

If these two conditions hold then we have a contraction with modulus β

Blackwell's sufficient conditions for a contraction are

- 1. Monotonicity: if $W(s) \geq Q(s) \ \ \forall s \in S$, then $T(W)(s) \geq T(Q)(s) \ \ \forall s \in S$
- 2. Discounting: there exists a $eta \in (0,1)$ such that $T(W+k)(s) \leq T(W)(s) + \beta \, k$

Monotonicity holds under our maximization

Discounting reflects that we must be discounting the future

If these two conditions hold then we have a contraction with modulus eta

Why do we care this is a contraction?

So we can take advantage of the contraction mapping theorem which states:

So we can take advantage of the contraction mapping theorem which states:

- 1. T has a unique fixed point
- 2. $T(V^*) = V^*$
- 3. We can start from any arbitrary initial function W, iterate using T and reach the fixed point

Next up

Next: numerical methods for discrete time dynamics