

NSEF Happy Paths

#	TEST CASE	TAGS
1	Create CXO with all mandatory fields → verify BRF auto-populate → Submit	@CXO @Smoke
2	Create Intake → fill all details → Submit → approve until Released	@Intake @Smoke
3	Open saved Intake from listing → Process → Send for Sourcing	@Intake @Sourcing
4	Quote the RFX → foreclose	@Sourcing @Quote
5	Award the RFX → wait for auto-created Purchase Requisition	@Sourcing @Award
6	PR edit → submit → status Submitted	@Requisition @PR
7	Submitted PR auto-processes → PRC (Processed) → PO (Completed)	@Requisition @PRC @PO
8	Completed PR → open PO via conversion → GRN → approve until Inwarded	@PO @GRN
9	Invoice for the PO (matched to its GRN) → approve until Pending Sync	@PO @Invoice
10	Acknowledge the Pending Sync invoice via API → status becomes Accounted	@PO @Invoice @Ack
11	Pay the Accounted invoice → Submit → payment shows Completed	@PO @Invoice @Payment

testSuiteNsefCXOtest.spec.js

CXO Create — Positive

#	TEST CASE	TAGS
12	Expand-all reveals the form sections and their fields	@CXO @Positive

CXO Create — Negative

#	TEST CASE	TAGS
13	Submit empty form is blocked with a "title required" toast	@CXO @Negative
14	Submit empty form is blocked with an "Item Details row required" toast	@CXO @Negative
15	Empty form flags every mandatory section with an error badge	@CXO @Negative
16	Empty form shows the expected mandatory-field error counts per section	@CXO @Negative
17	Submit with sections expanded shows a red border on unfilled mandatory fields	@CXO @Negative
18	Title-only submit clears the title error but stays blocked on other sections	@CXO @Negative
19	Cancel from the create page leaves the form	@CXO @Negative

CXO Create — Edge Cases

#	TEST CASE	TAGS
20	Whitespace-only title is accepted as-is (not trimmed, no title error)	@CXO @Edge
21	Special characters / emoji are accepted in the title	@CXO @Edge
22	Very long title (300 chars) is accepted in the title field	@CXO @Edge
23	Qty field rejects negative values (minus sign stripped)	@CXO @Edge
24	Qty field accepts decimal values	@CXO @Edge

CXO — Revert Pending Budget

#	TEST CASE	TAGS
25	Create + release a CXO → More → Revert Pending Budget → amount + reason → Submit	@CXO @RevertBudget

CXO — More Dropdown (Released CXO)

#	TEST CASE	TAGS
26	Clone a Released CXO → pre-filled clone form → Submit → approve until Released	@CXO @Clone
27	Amend a Released CXO → edit title → Submit with reason → approve until Released	@CXO @Amend
28	Mark Processed a Released CXO → More → Mark Processed → reason → status Processed	@CXO @MarkProcessed
29	Cancel a Released CXO → More → Cancel → reason → status Cancelled	@CXO @Cancel

CXO — Document (Regenerate + Download)

#	TEST CASE	TAGS
30	Draft: Regenerate → Download → PDF shows correct status + fields	@CXO @Document
31	Pending Approval: Regenerate → Download → PDF shows correct status + fields	@CXO @Document
32	Released: Regenerate → Download → PDF shows correct status + fields	@CXO @Document

#	TEST CASE	TAGS
33	Rejected: Regenerate → Download → PDF shows correct status + fields	@CXO @Document

CXO Listing Page › Page Load & Structure

#	TEST CASE	TAGS
34	listing page loads with table rows	@Listing @Smoke
35	all listing tabs are visible	@Listing @Smoke
36	Create CXO button and pagination info are visible	@Listing @Smoke

CXO Listing Page › Tabs

#	TEST CASE	TAGS
37	switching to "My Pending Approval" activates that tab	@Listing @Tabs
38	switching to "Draft" activates that tab	@Listing @Tabs
39	returning to "All" tab shows records again	@Listing @Tabs

CXO Listing Page › Sorting › Positive

#	TEST CASE	TAGS
40	sort Code column keeps records (first + second click)	@Listing @Sort
41	sort Subject column keeps records (first + second click)	@Listing @Sort
42	sort Date column keeps records (first + second click)	@Listing @Sort
43	sort Status column keeps records (first + second click)	@Listing @Sort

CXO Listing Page › Sorting › Negative

#	TEST CASE	TAGS
44	Code column values stay non-empty after sort (handles duplicates)	@Listing @Sort

CXO Listing Page › Search › Positive

#	TEST CASE	TAGS
45	search by partial code returns results	@Listing @Search
46	search by exact code returns at least one row	@Listing @Search
47	search by partial subject returns results	@Listing @Search
48	different-case search does not crash the page	@Listing @Search
49	clearing the search restores records	@Listing @Search

CXO Listing Page › Search › Negative

#	TEST CASE	TAGS
50	non-existent search term shows no results without crashing	@Listing @Search
51	spaces-only search does not crash the page	@Listing @Search
52	SQL-injection string does not break the page	@Listing @Search
53	XSS payload does not inject a script	@Listing @Search

CXO Listing Page › Search › Edge Cases

#	TEST CASE	TAGS
54	very long search string does not crash	@Listing @Search

#	TEST CASE	TAGS
55	special characters in search do not crash	@Listing @Search
56	unicode characters in search do not crash	@Listing @Search

CXO Listing Page › Filters › Positive

#	TEST CASE	TAGS
57	Status filter popup opens	@Listing @Filter
58	Created By filter popup opens	@Listing @Filter
59	filtering by Status updates the table	@Listing @Filter
60	filtering by Created By updates the table	@Listing @Filter

CXO Listing Page › Filters › Negative / Edge

#	TEST CASE	TAGS
61	non-existent user in filter search does not crash the popup	@Listing @Filter
62	special characters in filter search do not crash the popup	@Listing @Filter

CXO Listing Page › Pagination › Positive

#	TEST CASE	TAGS
63	pagination info shows "Showing X – Y of Z entries"	@Listing @Pagination
64	Previous is disabled on the first page	@Listing @Pagination
65	Next page changes the pagination range	@Listing @Pagination
66	Next then Previous returns to the original range	@Listing @Pagination
67	Next is disabled on the last page	@Listing @Pagination

CXO Listing Page › Pagination › Negative / Edge

#	TEST CASE	TAGS
68	search on page 2 does not crash the page	@Listing @Pagination

CXO Listing Page › Row Navigation › Positive

#	TEST CASE	TAGS
69	clicking the first row code opens the detail page	@Listing @Navigation
70	browser back from the detail page returns to the listing	@Listing @Navigation

CXO Listing Page › Row Navigation › Edge Cases

#	TEST CASE	TAGS
71	refreshing the detail page keeps the URL intact	@Listing @Navigation

CXO Listing Page › Create CXO Button

#	TEST CASE	TAGS
72	Create CXO button opens the create page	@Listing @Create

CXO — Transactions tab & action availability

#	TEST CASE	TAGS
73	Transactions tab lists the CXO's linked intakes and Non-PO invoices	@CXO @Transactions
74	Cancel is disabled while the CXO has active transactions	@CXO @Cancel @Negative

8

Non-PO (CXO) Invoice

Invoice raised straight against a released CXO — no Intake, RFX or PO: create → invoice → approve → acknowledge → Accounted, plus the budget parent checks.

`testSuiteCxoInvoice.spec.js`

Non-PO (CXO) Invoice

#	TEST CASE	TAGS
75	CXO → Non-PO invoice for the full CXO value → approve → ack → Accounted	@NonPO @Smoke @Budget
76	CXO code is displayed on the invoice	@NonPO @Traceability
77	Invoice value above the CXO value is blocked with Budget Exceeded	@NonPO @Budget
78	Second invoice against a fully consumed CXO is blocked	@NonPO @Budget
79	Partial consumption reduces available value, then available+1 is blocked	@NonPO @Budget
80	Only Submitted CXOs with available value are selectable	@NonPO @Validation
81	Submitting an empty Non-PO invoice is blocked with field errors	@NonPO @Validation
82	Rejection keeps budget consumed; cancellation releases it	@NonPO @Budget @Reject @Cancel

testSuiteIntakeNegative.spec.js

Intake Negative

#	TEST CASE	TAGS
83	Submit empty intake → blocked on create page with section error badges	@IntakeNegative @Validation
84	Empty submit → expanded sections show red borders + "is empty" messages	@IntakeNegative @Validation
85	Title + summary only → still blocked (mandatory fields missing)	@IntakeNegative @Validation
86	Whitespace-only title is treated as empty	@IntakeNegative @Title
87	Very long title is accepted without breaking the form	@IntakeNegative @Title
88	Special characters / HTML in title are stored literally	@IntakeNegative @Title
89	Line-item Qty rejects negatives, accepts decimals	@IntakeNegative @LineItem
90	Line-item Qty rejects zero / non-numeric only input	@IntakeNegative @LineItem
91	Line-item Suggested Price rejects negative values	@IntakeNegative @LineItem
92	Create + submit intake → Reject with reason → status Rejected	@IntakeNegative @Reject
93	Create + submit → Recall → Draft → edit → resubmit re-triggers the workflow	@IntakeNegative @Recall
94	Pending Approval: Regenerate → Download → PDF shows correct status + fields	@IntakeNegative @Document
95	Rejected: Regenerate → Download → PDF shows correct status + fields	@IntakeNegative @Document
96	Draft: Regenerate → Download → PDF shows correct status + fields	@IntakeNegative @Document
97	Released: Regenerate → Download → PDF shows correct status + fields	@IntakeNegative @Document
98	Clone an intake → new intake → submit → approve to Released → only its own new workflows	@IntakeNegative @Clone
99	Amend a Released intake → change qty + title → submit → complete workflow → Workflow Stages Completed	@IntakeNegative @Amend
100	Reassign Purchaser on a Released intake → add two, then replace → Activity Log captures both	@IntakeNegative @Reassign
101	Reassign User on a Released intake → select user + reason → Submit	@IntakeNegative @ReassignUser
102	Mark Processed on a Released intake → status Processed → Activity Log captures it	@IntakeNegative @MarkProcessed
103	Cancel a partially-filled intake discards and leaves the create page	@IntakeNegative @Cancel

Intake — Transactions tab & action availability

#	TEST CASE	TAGS
104	Transactions tab lists the Intake's linked requisitions, negotiations and quote requests	@Intake @Transactions
105	Process button and Cancel are available on a Released intake	@Intake @Process @Baseline
106	Processed intake no longer offers Cancel	@Intake @Cancel @S5
107	Processed intake no longer shows the Process button	@Intake @Process @S120

Aerchain NSE - Intake Listing Page › Page Load & Structure

#	TEST CASE	TAGS
108	should load the intake listing page	@Smoke
109	should display all 5 status summary cards	@Smoke
110	should display the Create Intake button	@Smoke
111	should display pagination info	@Smoke
112	should display at least one table row	@Smoke

Aerchain NSE - Intake Listing Page › Status Cards

#	TEST CASE	TAGS
113	Draft card is visible	@StatusCard
114	Awaiting Actions card is visible	@StatusCard
115	Active/Released card is visible	@StatusCard
116	Completed/Successful card is visible	@StatusCard
117	Cancelled/Rejected card is visible	@StatusCard
118	clicking a status card refreshes the table	@StatusCard
119	clicking Draft card (0 records) shows empty or 0 rows	@StatusCard

Aerchain NSE - Intake Listing Page › Filters › Positive

#	TEST CASE	TAGS
120	filter popup opens on clicking Status filter icon	@Filter
121	filter popup opens on clicking Created By filter icon	@Filter
122	search within filter popup narrows the option list	@Filter
123	single filter by Created By — table updates	@Filter
124	single filter by Status — table updates	@Filter
125	multi-filter: Status then Created By — table updates	@Filter
126	filter clear resets to all records	@Filter
127	clear all selections button resets popup state	@Filter

Aerchain NSE - Intake Listing Page › Filters › Negative

#	TEST CASE	TAGS
128	filter search with non-existent user does not crash popup	@Filter

Aerchain NSE - Intake Listing Page › Filters › Edge Cases

#	TEST CASE	TAGS
129	special characters in filter search do not crash	@Filter
130	long string in filter search does not crash	@Filter

Aerchain NSE - Intake Listing Page › Sorting › Positive

#	TEST CASE	TAGS
131	sort Code column — first click applies a sort	@Sort
132	sort Code column — second click still shows records	@Sort
133	sort Subject column — applies a sort	@Sort
134	sort Subject column — second click still shows records	@Sort
135	sort Date column — applies a date sort	@Sort
136	sort Date column — second click still shows records	@Sort
137	sort Status column — applies a sort	@Sort
138	sorting after tab switch still works	@Sort

Aerchain NSE - Intake Listing Page › Sorting › Negative

#	TEST CASE	TAGS
139	column values remain non-empty after sort (no crash for duplicates)	@Sort

Aerchain NSE - Intake Listing Page › Search › Positive

#	TEST CASE	TAGS
140	search by partial intake code returns results	@Search
141	search by exact intake code returns at least 1 row	@Search
142	search by partial subject returns results	@Search
143	search by exact subject returns results	@Search
144	search with different case does not crash the page	@Search
145	clearing search restores all records	@Search

Aerchain NSE - Intake Listing Page › Search › Negative

#	TEST CASE	TAGS
146	non-existent search term does not crash the page	@Search
147	spaces-only search does not crash the page	@Search
148	SQL injection string in search does not break the page	@Search
149	XSS payload in search does not inject script	@Search

Aerchain NSE - Intake Listing Page › Search › Edge Cases

#	TEST CASE	TAGS
150	very long string in search does not crash	@Search
151	special characters in search do not crash	@Search
152	unicode characters in search do not crash	@Search

Aerchain NSE - Intake Listing Page › Pagination › Positive

#	TEST CASE	TAGS
153	pagination info shows "Showing X — Y of Z entries"	@Pagination
154	Previous button is disabled on first page	@Pagination
155	Next page changes pagination info	@Pagination

#	TEST CASE	TAGS
156	Next then Previous returns to original page	@Pagination
157	Next button is disabled on last page	@Pagination

Aerchain NSE - Intake Listing Page › Pagination › Negative / Edge Cases

#	TEST CASE	TAGS
158	rapid next-page clicks do not break the table	@Pagination

Aerchain NSE - Intake Listing Page › Pagination › Pagination after Filter / Search / Sort

#	TEST CASE	TAGS
159	search on page 2 does not crash the page	@Pagination
160	table shows correct rows on page 2 after sort	@Pagination

Aerchain NSE - Intake Listing Page › Row Navigation › Positive

#	TEST CASE	TAGS
161	clicking first row code opens the detail page	@Navigation
162	URL changes to detail URL after row click	@Navigation
163	browser back from detail page returns to listing	@Navigation
164	detail page contains the clicked intake code	@Navigation

Aerchain NSE - Intake Listing Page › Row Navigation › Edge Cases

#	TEST CASE	TAGS
165	back and re-click the same row is stable	@Navigation
166	refreshing the detail page keeps the URL intact	@Navigation

Aerchain NSE - Intake Listing Page › Create Intake Button › Positive

#	TEST CASE	TAGS
167	Create Intake button is visible on listing page	@Create
168	Create Intake button navigates to create page	@Create
169	URL is /intakes/create after clicking Create Intake	@Create
170	browser back from create page returns to listing	@Create

Aerchain NSE - Intake Listing Page › Create Intake Button › Edge Cases

#	TEST CASE	TAGS
171	navigating back from create page preserves listing rows	@Create

Module Listings (Requisition / PO / GRN / Invoice)

One parametrised suite over the four v3 listing pages: load, view-type tabs, search (positive, negative, edge), sorting, column filters, pagination and row navigation.

`testSuiteModuleListings.spec.js`

Requisition Listing Page › Page Load & Structure

#	TEST CASE	TAGS
172	listing page loads with table rows	@V3Listing @Smoke
173	all view-type tabs are visible	@V3Listing @Tabs
174	pagination controls are visible	@V3Listing @Pagination

Requisition Listing Page › Tabs

#	TEST CASE	TAGS
175	switching to "My Requisitions" activates that tab	@V3Listing @Tabs
176	returning to "All" tab shows records again	@V3Listing @Tabs

Requisition Listing Page › Search — Positive

#	TEST CASE	TAGS
177	search by exact code returns at least one row	@V3Listing @Search
178	search by partial code returns results	@V3Listing @Search
179	clearing the search restores records	@V3Listing @Search
180	different-case search does not crash the page	@V3Listing @Search

Requisition Listing Page › Search — Negative

#	TEST CASE	TAGS
181	non-existent term shows no results without crashing	@V3Listing @Search
182	spaces-only search does not crash the page	@V3Listing @Search
183	SQL-injection string does not break the page	@V3Listing @Search
184	XSS payload does not inject a script	@V3Listing @Search

Requisition Listing Page › Search — Edge Cases

#	TEST CASE	TAGS
185	very long search string does not crash	@V3Listing @Search
186	special characters in search do not crash	@V3Listing @Search
187	unicode characters in search do not crash	@V3Listing @Search

Requisition Listing Page › Sorting

#	TEST CASE	TAGS
188	sort Date column — first click applies a sort	@V3Listing @Sort
189	sort Date column — second click still shows records	@V3Listing @Sort

Requisition Listing Page › Filters — Positive

#	TEST CASE	TAGS
190	Status filter popup opens	@V3Listing @Filter

#	TEST CASE	TAGS	
191	Creator/Owner filter popup opens	@V3Listing	@Filter
192	Department filter popup opens	@V3Listing	@Filter
193	filtering by Status narrows the table to that value	@V3Listing	@Filter
194	filter search narrows the option list	@V3Listing	@Filter
195	Clear Selection resets the popup state	@V3Listing	@Filter

Requisition Listing Page › Filters — Negative / Edge

#	TEST CASE	TAGS	
196	non-existent value in filter search does not crash the popup	@V3Listing	@Filter
197	special characters in filter search do not crash the popup	@V3Listing	@Filter

Requisition Listing Page › Pagination

#	TEST CASE	TAGS	
198	Previous is disabled on the first page	@V3Listing	@Pagination
199	Next page advances the page counter	@V3Listing	@Pagination
200	Next then Previous returns to page 1	@V3Listing	@Pagination
201	rows differ between page 1 and page 2	@V3Listing	@Pagination
202	search on page 2 does not crash the page	@V3Listing	@Pagination

Requisition Listing Page › Row Navigation

#	TEST CASE	TAGS	
203	clicking the first row code opens the detail page	@V3Listing	@Navigation
204	browser back from the detail page returns to the listing	@V3Listing	@Navigation
205	refreshing the detail page keeps the URL intact	@V3Listing	@Navigation

Purchase Order Listing Page › Page Load & Structure

#	TEST CASE	TAGS	
206	listing page loads with table rows	@V3Listing	@Smoke
207	all view-type tabs are visible	@V3Listing	@Tabs
208	pagination controls are visible	@V3Listing	@Pagination

Purchase Order Listing Page › Tabs

#	TEST CASE	TAGS	
209	switching to "My Purchase Orders" activates that tab	@V3Listing	@Tabs
210	returning to "All" tab shows records again	@V3Listing	@Tabs

Purchase Order Listing Page › Search — Positive

#	TEST CASE	TAGS	
211	search by exact code returns at least one row	@V3Listing	@Search
212	search by partial code returns results	@V3Listing	@Search
213	clearing the search restores records	@V3Listing	@Search
214	different-case search does not crash the page	@V3Listing	@Search

Purchase Order Listing Page › Search — Negative

#	TEST CASE	TAGS
215	non-existent term shows no results without crashing	@V3Listing @Search
216	spaces-only search does not crash the page	@V3Listing @Search
217	SQL-injection string does not break the page	@V3Listing @Search
218	XSS payload does not inject a script	@V3Listing @Search

Purchase Order Listing Page › Search — Edge Cases

#	TEST CASE	TAGS
219	very long search string does not crash	@V3Listing @Search
220	special characters in search do not crash	@V3Listing @Search
221	unicode characters in search do not crash	@V3Listing @Search

Purchase Order Listing Page › Filters — Positive

#	TEST CASE	TAGS
222	Status filter popup opens	@V3Listing @Filter
223	Creator/Owner filter popup opens	@V3Listing @Filter
224	Department filter popup opens	@V3Listing @Filter
225	filtering by Status narrows the table to that value	@V3Listing @Filter
226	filter search narrows the option list	@V3Listing @Filter
227	Clear Selection resets the popup state	@V3Listing @Filter

Purchase Order Listing Page › Filters — Negative / Edge

#	TEST CASE	TAGS
228	non-existent value in filter search does not crash the popup	@V3Listing @Filter
229	special characters in filter search do not crash the popup	@V3Listing @Filter

Purchase Order Listing Page › Pagination

#	TEST CASE	TAGS
230	Previous is disabled on the first page	@V3Listing @Pagination
231	Next page advances the page counter	@V3Listing @Pagination
232	Next then Previous returns to page 1	@V3Listing @Pagination
233	rows differ between page 1 and page 2	@V3Listing @Pagination
234	search on page 2 does not crash the page	@V3Listing @Pagination

Purchase Order Listing Page › Row Navigation

#	TEST CASE	TAGS
235	clicking the first row code opens the detail page	@V3Listing @Navigation
236	browser back from the detail page returns to the listing	@V3Listing @Navigation
237	refreshing the detail page keeps the URL intact	@V3Listing @Navigation

GRN Listing Page › Page Load & Structure

#	TEST CASE	TAGS
238	listing page loads with table rows	@V3Listing @Smoke
239	all view-type tabs are visible	@V3Listing @Tabs
240	pagination controls are visible	@V3Listing @Pagination

GRN Listing Page › Tabs

#	TEST CASE	TAGS
241	switching to "My GRNs" activates that tab	@V3Listing @Tabs
242	returning to "All" tab shows records again	@V3Listing @Tabs

GRN Listing Page › Search — Positive

#	TEST CASE	TAGS
243	search by exact code returns at least one row	@V3Listing @Search
244	search by partial code returns results	@V3Listing @Search
245	clearing the search restores records	@V3Listing @Search
246	different-case search does not crash the page	@V3Listing @Search

GRN Listing Page › Search — Negative

#	TEST CASE	TAGS
247	non-existent term shows no results without crashing	@V3Listing @Search
248	spaces-only search does not crash the page	@V3Listing @Search
249	SQL-injection string does not break the page	@V3Listing @Search
250	XSS payload does not inject a script	@V3Listing @Search

GRN Listing Page › Search — Edge Cases

#	TEST CASE	TAGS
251	very long search string does not crash	@V3Listing @Search
252	special characters in search do not crash	@V3Listing @Search
253	unicode characters in search do not crash	@V3Listing @Search

GRN Listing Page › Sorting

#	TEST CASE	TAGS
254	sort Date column — first click applies a sort	@V3Listing @Sort
255	sort Date column — second click still shows records	@V3Listing @Sort

GRN Listing Page › Filters — Positive

#	TEST CASE	TAGS
256	Status filter popup opens	@V3Listing @Filter
257	Type filter popup opens	@V3Listing @Filter
258	Department filter popup opens	@V3Listing @Filter
259	filtering by Status narrows the table to that value	@V3Listing @Filter
260	filter search narrows the option list	@V3Listing @Filter

#	TEST CASE	TAGS
261	Clear Selection resets the popup state	@V3Listing @Filter

GRN Listing Page › Filters — Negative / Edge

#	TEST CASE	TAGS
262	non-existent value in filter search does not crash the popup	@V3Listing @Filter
263	special characters in filter search do not crash the popup	@V3Listing @Filter

GRN Listing Page › Pagination

#	TEST CASE	TAGS
264	Previous is disabled on the first page	@V3Listing @Pagination
265	Next page advances the page counter	@V3Listing @Pagination
266	Next then Previous returns to page 1	@V3Listing @Pagination
267	rows differ between page 1 and page 2	@V3Listing @Pagination
268	search on page 2 does not crash the page	@V3Listing @Pagination

GRN Listing Page › Row Navigation

#	TEST CASE	TAGS
269	clicking the first row code opens the detail page	@V3Listing @Navigation
270	browser back from the detail page returns to the listing	@V3Listing @Navigation
271	refreshing the detail page keeps the URL intact	@V3Listing @Navigation

Invoice Listing Page › Page Load & Structure

#	TEST CASE	TAGS
272	listing page loads with table rows	@V3Listing @Smoke
273	all view-type tabs are visible	@V3Listing @Tabs
274	pagination controls are visible	@V3Listing @Pagination

Invoice Listing Page › Tabs

#	TEST CASE	TAGS
275	switching to "My Invoices" activates that tab	@V3Listing @Tabs
276	returning to "All" tab shows records again	@V3Listing @Tabs

Invoice Listing Page › Search — Positive

#	TEST CASE	TAGS
277	search by exact code returns at least one row	@V3Listing @Search
278	search by partial code returns results	@V3Listing @Search
279	clearing the search restores records	@V3Listing @Search
280	different-case search does not crash the page	@V3Listing @Search

Invoice Listing Page › Search — Negative

#	TEST CASE	TAGS
281	non-existent term shows no results without crashing	@V3Listing @Search
282	spaces-only search does not crash the page	@V3Listing @Search

#	TEST CASE	TAGS
283	SQL-injection string does not break the page	@V3Listing @Search
284	XSS payload does not inject a script	@V3Listing @Search

Invoice Listing Page › Search — Edge Cases

#	TEST CASE	TAGS
285	very long search string does not crash	@V3Listing @Search
286	special characters in search do not crash	@V3Listing @Search
287	unicode characters in search do not crash	@V3Listing @Search

Invoice Listing Page › Filters — Positive

#	TEST CASE	TAGS
288	Status filter popup opens	@V3Listing @Filter
289	Type filter popup opens	@V3Listing @Filter
290	Department filter popup opens	@V3Listing @Filter
291	filtering by Status narrows the table to that value	@V3Listing @Filter
292	filter search narrows the option list	@V3Listing @Filter
293	Clear Selection resets the popup state	@V3Listing @Filter

Invoice Listing Page › Filters — Negative / Edge

#	TEST CASE	TAGS
294	non-existent value in filter search does not crash the popup	@V3Listing @Filter
295	special characters in filter search do not crash the popup	@V3Listing @Filter

Invoice Listing Page › Pagination

#	TEST CASE	TAGS
296	Previous is disabled on the first page	@V3Listing @Pagination
297	Next page advances the page counter	@V3Listing @Pagination
298	Next then Previous returns to page 1	@V3Listing @Pagination
299	rows differ between page 1 and page 2	@V3Listing @Pagination
300	search on page 2 does not crash the page	@V3Listing @Pagination

Invoice Listing Page › Row Navigation

#	TEST CASE	TAGS
301	clicking the first row code opens the detail page	@V3Listing @Navigation
302	browser back from the detail page returns to the listing	@V3Listing @Navigation
303	refreshing the detail page keeps the URL intact	@V3Listing @Navigation

`testSuiteRFXtests.spec.js`

RFX Listing Page

#	TEST CASE	TAGS
304	listing page loads with table rows	@RFX @Listing @Smoke

RFX Listing Page › Search — Negative

#	TEST CASE	TAGS
305	non-existent search term shows no results without crashing	@RFX @Listing @Search
306	spaces-only search does not crash the page	@RFX @Listing @Search
307	SQL-injection string does not break the page	@RFX @Listing @Search
308	XSS payload does not inject a script	@RFX @Listing @Search

RFX Listing Page › Search — Edge Cases

#	TEST CASE	TAGS
309	very long search string does not crash	@RFX @Listing @Search
310	special characters in search do not crash	@RFX @Listing @Search
311	unicode characters in search do not crash	@RFX @Listing @Search
312	different-case search does not crash the page	@RFX @Listing @Search
313	clearing the search restores records	@RFX @Listing @Search

RFX Listing Page › Filters — Negative / Edge

#	TEST CASE	TAGS
314	non-existent value in Status filter does not crash the popup	@RFX @Listing @Filter
315	special characters in Created By filter do not crash the popup	@RFX @Listing @Filter

RFX Listing Page › Pagination — Negative / Edge

#	TEST CASE	TAGS
316	search on page 2 does not crash the page	@RFX @Listing @Pagination

RFX Listing Page › Row Navigation

#	TEST CASE	TAGS
317	clicking the first row opens the RFX detail page	@RFX @Listing @Navigation
318	browser back from the detail page returns to the listing	@RFX @Listing @Navigation
319	refreshing the detail page keeps the URL intact	@RFX @Listing @Navigation

RFX More Dropdown (Quote Request)

#	TEST CASE	TAGS
320	More → Audit Logs opens the audit-log dialog	@RFX @MoreDropdown
321	More → Workflow Stages opens the Workflow Steps panel	@RFX @MoreDropdown
322	More → Regenerate Document shows the success toast	@RFX @MoreDropdown

#	TEST CASE	TAGS
323	More → Download Document downloads the RFX PDF	@RFX @MoreDropdown

RFX Reject during workflow

#	TEST CASE	TAGS
324	Sourcing event → submit → Reject at Pending Approval → status Rejected	@RFX @Reject

7

Reject → Edit → Resubmit

One test per module: the document is rejected mid-approval, re-opened, its quantity and title changed, resubmitted — then the fresh workflow and the downstream effect of the changed quantity are verified.

```
testSuiteallmodulesrejectededit.spec.js
```

All-modules reject → edit → resubmit

#	TEST CASE	TAGS
325	CXO: reject → edit (qty↓, title) → resubmit → new workflow	@RejectEdit @CXO
326	Intake: reject → edit (qty↓, title) → resubmit → new workflow	@RejectEdit @Intake
327	RFX: intake → sourcing → reject → edit (qty↓) → resubmit → intake re-convertible	@RejectEdit @RFX
328	GRN: build to GRN → reject → edit (qty↓) → reduced qty available for GRN	@RejectEdit @GRN
329	Invoice: build to Invoice → reject → edit (qty↓) → reduced qty available for Invoice	@RejectEdit @Invoice
330	Invoice (resume from saved PO): create Invoice → reject → edit (qty↓) → reduced qty available	@RejectEdit @InvoiceOnly
331	Invoice (resume from rejected invoice): edit (qty↓) → resubmit → approve → ack → reduced qty available	@RejectEdit @InvoiceEditOnly

1

NSE Tracks Hotfixes

Targeted hotfix regression checks.

testSuiteNSETracksHotfixes.spec.js

NSE Tracks & Hotfixes › Tracks

#	TEST CASE	TAGS
332	Modules show transactions per user department access	@Tracks @DeptAccess

`testSuiteSupplierPortal.spec.js`

Supplier Portal Happy Path

#	TEST CASE	TAGS
333	Create CXO with all mandatory fields → Submit → Released	@Supplier @CXO
334	Create Intake → fill all → Submit → Released	@Supplier @Intake
335	Open Intake → Process → Send for Sourcing → RFX live	@Supplier @Sourcing
336	[SAPP] Quote the RFX → Accept → Commercial Quote → Submit	@Supplier @SAPP @Quote
337	Award the RFX → foreclose → auto-created PR	@Supplier @Award
338	PR edit → submit → Submitted	@Supplier @PR
339	Submitted PR → PRC (Processed) → PO (Completed)	@Supplier @PRC @PO
340	PO approve → [SAPP] Accept PO → [CAPP] Create GRN → Inwarded	@Supplier @SAPP @GRN
341	[SAPP] Create Invoice for PO → [CAPP] review → Pending Sync	@Supplier @SAPP @Invoice
342	Acknowledge the Pending Sync invoice via API → Accounted	@Supplier @Ack

7

QA-Clarified Scenarios

Scenarios whose entry points QA walked through: the CXO side panel opened from the listing row, the parent Intake reached via the RFX Transactions tab, the PO document downloaded from General Details, the Intake and budget links on an intake-sourced Requisition, bulk supplier reminders on an RFX, and converting a foreclosed RFX to an auction.

`testSuiteQaClarified.spec.js`

QA-clarified scenarios

#	TEST CASE	TAGS
343	CXO panel opens by clicking the listing row	@CXO @Listing @Panel @S4
344	the parent Intake is reachable from the RFX Transactions tab	@RFX @Transactions @S31
345	the PO document downloads from General Details	@P0 @Document @S43
346	suppliers can be reminded in bulk to quote an RFX	@RFX @Supplier @Reminder @S34
347	a foreclosed RFX converts to an Auction linked in Transactions	@RFX @Auction @S32

QA-clarified scenarios › Requisition raised from an Intake

#	TEST CASE	TAGS
348	links back to the Intake it was converted from	@PR @Intake @Link @S53
349	exposes the budget link, which opens the budget	@PR @Budget @S54

1

Double-click Protection

Double-clicking the Submit confirmation must not create two transactions. Asserted on the create request itself, since the UI looks identical either way. Creates one real CXO per run.

testSuiteDoubleSubmit.spec.js

Double-click protection on Submit

#	TEST CASE	TAGS
350	double-clicking Submit creates only one CXO	@CXO @Submit @S113

1

Purchase Order Short Close

Short closing a partially-received PO: the undelivered balance is closed out and the action is withdrawn afterwards. DESTRUCTIVE - a passing run consumes one In-progress PO.

testSuiteShortClose.spec.js

Purchase Order — Short Close

#	TEST CASE	TAGS
351	a partially-received PO can be short closed	@P0 @ShortClose @S65 @S66

4

Reports Module Health

A sample of reports (Invoice Register, PO Register, GRN Report, PR Ageing Report) each generate over the last 3 months and render their WebDataRocks grid without error. Admin Reports are excluded (403 for this login).

testSuiteAllReports.spec.js

Reports module — every report renders

#	TEST CASE	TAGS
352	Invoice Register generates and renders	@Reports @S93
353	PO Register generates and renders	@Reports @S93
354	GRN Report generates and renders	@Reports @S93
355	PR Ageing Report generates and renders	@Reports @S93

1

RFX to Auction (self-created data)

Scenario 32 built on data the test creates itself: clone an RFX, add a second supplier, quote from both, foreclose, then convert to an auction. WORK IN PROGRESS - currently skipped; the clone submit does not complete. Scenario 32 is covered meanwhile by the QA-Clarified suite.

```
testSuiteAuctionFlow.spec.js
```

RFX → Auction, on self-created data

#	TEST CASE	TAGS
356	a cloned RFX quoted by two suppliers converts to an auction	@RFX @Auction @S32 @Slow

1

Reports and Email Report Logs

Generating a report over the last 3 months, downloading it, emailing it, and confirming the send is recorded in the Email Report Logs with a success status and its own download link. Admin Reports are excluded — that route is 403 for the NSEF login.

```
testSuiteReports.spec.js
```

Reports — generate, download and email

#	TEST CASE	TAGS
357	a report generates, downloads and is logged when emailed	@Reports @Email @S114

2

CXO Clone Reference Rules

Whether a clone may be submitted with the reference unchanged: allowed from a Cancelled CXO, required to change from a Released one. NOTE: a passing clone creates a real CXO.

```
testSuiteCxoClone.spec.js
```

CXO clone — reference rules

#	TEST CASE	TAGS
358	a Cancelled CXO can be cloned without changing the reference	@CXO @Clone @S107
359	cloning a Released CXO requires the reference to be changed	@CXO @Clone @KnownBug @S108

4

Invoice Acknowledgement Rules

Cancelled and Rejected invoices must not be acknowledged. Drives the acknowledgement API directly and checks both the resulting invoice status and whether the API reports the refusal honestly.

```
testSuiteInvoiceAckRules.spec.js
```

Invoice acknowledgement rules

#	TEST CASE	TAGS
360	a Cancelled invoice is not acknowledged	@Invoice @Ack @S115
361	the ack API reports refusal for a Cancelled invoice	@Invoice @Ack @KnownBug @S115
362	a Rejected invoice is not acknowledged	@Invoice @Ack @S116
363	the ack API reports refusal for a Rejected invoice	@Invoice @Ack @KnownBug @S116

4

Purchase Order Actions

Which actions a Purchase Order exposes at each status, covering the preconditions for the short-close, recall, clone and advance-payment scenarios.

`testSuitePurchaseOrder.spec.js`

Purchase Order — action availability

#	TEST CASE	TAGS
364	a PO always offers Clone, Reassign User and Regenerate Document	@P0 @Actions @S68
365	a Completed PO offers no downstream creation	@P0 @Actions
366	record which downstream actions an active PO exposes	@P0 @Documented @S64 @S76
367	Short Close and Recall are absent from the PO menu	@P0 @Documented @S65 @S66 @S69

4

User's Dashboard

V4 Dashboard: logo navigation, the My Pending Approval view type, and a cross-check that its pending count agrees with the module listing.

`testSuiteDashboard.spec.js`

User's Dashboard

#	TEST CASE	TAGS
368	Aerchain logo opens the V4 Dashboard	@Dashboard @Navigation @S22
369	My Pending Approval shows only pending transactions	@Dashboard @S89
370	CXO pending count matches between Dashboard and CXO listing	@Dashboard @KnownBug @S92
371	no Cancelled or Rejected CXO remains in My Pending Approval	@Dashboard @KnownBug @S138 @S139

5

Supplier Module

Supplier listing, the Create Supplier form and its mandatory-field validation, the Onboarding tab on a registered supplier, and availability of the Block action.

testSuiteSupplierOnboarding.spec.js

Supplier module

#	TEST CASE	TAGS
372	supplier listing loads with records	@Supplier @Listing
373	Create Supplier form opens with its sections	@Supplier @Create @S101
374	empty Create Supplier submit is blocked and names every missing field	@Supplier @Validation @S143
375	a registered supplier exposes its Onboarding tab	@Supplier @Onboarding @S101
376	Block is offered on a registered supplier	@Supplier @Block @S147

4

Save → Edit → Submit

A record is saved as a Draft without submitting, reopened, edited, then submitted — and the workflow must start from the edited values. Snapshots and restores the shared data fixture so the throwaway drafts cannot repoint it.

```
testSuiteSaveEditSubmit.spec.js
```

Save → edit → submit during creation

#	TEST CASE	TAGS
377	CXO: save as Draft → edit the title → Submit	@SaveEdit @CX0 @S14
378	Intake: save as Draft → edit the title → Submit	@SaveEdit @Intake @S15

Save → edit → submit during creation › Save control availability

#	TEST CASE	TAGS
379	CXO create page offers Save as draft	@SaveEdit @CX0 @S14
380	Intake create page offers Save as draft	@SaveEdit @Intake @S15

RFX Analysis Tab

Analysis tab of a sourcing event: base-currency and deleted-item toggles, the four exports, saved view types and configuration controls, quote-version comparison, plus Add Evaluation and Extend Deadline.

testSuiteRFXAnalysis.spec.js

RFX Analysis tab › Base currency toggle

#	TEST CASE	TAGS
381	"Show in base currency" toggle flips state	@RFX @Analysis @S23
382	prices render in a single currency while base currency is on	@RFX @Analysis @S23
383	toggling base currency off keeps the grid populated	@RFX @Analysis @S23

RFX Analysis tab › Deleted items toggle

#	TEST CASE	TAGS
384	"Show deleted items" toggle flips state	@RFX @Analysis @S25
385	showing deleted items never removes rows from the grid	@RFX @Analysis @S25

RFX Analysis tab › Downloads

#	TEST CASE	TAGS
386	download menu offers every export	@RFX @Analysis @Download @S27
387	"Download Analysis" produces a non-empty file	@RFX @Analysis @Download @S27
388	"Download Versions" produces a non-empty file	@RFX @Analysis @Download @S27
389	"Download Questionnaire" produces a non-empty file	@RFX @Analysis @Download @S27
390	"Download Benchmarks" either downloads or explains why not	@RFX @Analysis @Download @S27

RFX Analysis tab › View configuration

#	TEST CASE	TAGS
391	Select View Type lists the saved analysis views	@RFX @Analysis @S26
392	supplier and column configuration controls are available	@RFX @Analysis @S26

RFX Analysis tab › Compare versions

#	TEST CASE	TAGS
393	Compare panel exposes supplier, version and field selectors	@RFX @Analysis @Compare @S30

RFX Analysis tab › Adjacent RFX actions

#	TEST CASE	TAGS
394	Add Evaluation is offered on the RFX	@RFX @Evaluation @S35
395	Evaluations tab renders for an RFX with no evaluation added	@RFX @Evaluation @S35
396	Extend Deadline is available on the RFX	@RFX @Deadline @S36

Activity Timeline

Activity Log panel on CXO, Intake and RFX: the panel opens with entries, and both exports (Download Activities / Download Comments) produce a non-empty file.

`testSuiteActivityTimeline.spec.js`

Activity timeline — download activities & comments

#	TEST CASE	TAGS
397	CXO: Activity Log panel opens with entries	@Activity @S38
398	CXO: Activity Log offers both download options	@Activity @S38
399	CXO: Download Comments filename has no "undefined" segment	@Activity @Download @KnownBug @S38
400	CXO: "Download Activities" produces a non-empty file	@Activity @Download @S38
401	CXO: "Download Comments" produces a non-empty file	@Activity @Download @S38
402	Intake: Activity Log panel opens with entries	@Activity @S39
403	Intake: Activity Log offers both download options	@Activity @S39
404	Intake: Download Comments filename has no "undefined" segment	@Activity @Download @KnownBug @S39
405	Intake: "Download Activities" produces a non-empty file	@Activity @Download @S39
406	Intake: "Download Comments" produces a non-empty file	@Activity @Download @S39
407	RFX: Activity Log panel opens with entries	@Activity @S40
408	RFX: Activity Log offers both download options	@Activity @S40
409	RFX: Download Comments filename has no "undefined" segment	@Activity @Download @KnownBug @S40
410	RFX: "Download Activities" produces a non-empty file	@Activity @Download @S40
411	RFX: "Download Comments" produces a non-empty file	@Activity @Download @S40

Cross-module Documents & Reassignment

Regenerate and download the transaction document, and open the Reassign User dialog, across Requisition, Purchase Order, GRN and Invoice. A module that does not expose the action is skipped with the menu contents recorded.

`testSuiteCrossModuleDocs.spec.js`

Cross-module — Regenerate + Download Document

#	TEST CASE	TAGS
412	Requisition: Regenerate Document succeeds from the view page	@CrossModule @Document @S41
413	Requisition: Download Document returns a non-empty file	@CrossModule @Document @S41
414	Purchase Order: Regenerate Document succeeds from the view page	@CrossModule @Document @S43
415	Purchase Order: Download Document returns a non-empty file	@CrossModule @Document @S43
416	GRN: Regenerate Document succeeds from the view page	@CrossModule @Document @S44
417	GRN: Download Document returns a non-empty file	@CrossModule @Document @S44
418	Invoice: Regenerate Document succeeds from the view page	@CrossModule @Document @S45
419	Invoice: Download Document returns a non-empty file	@CrossModule @Document @S45

Cross-module — Reassign User

#	TEST CASE	TAGS
420	Requisition: Reassign User dialog opens from the view page	@CrossModule @Reassign @S46
421	Purchase Order: Reassign User dialog opens from the view page	@CrossModule @Reassign @S48
422	GRN: Reassign User dialog opens from the view page	@CrossModule @Reassign @S49
423	Invoice: Reassign User dialog opens from the view page	@CrossModule @Reassign @S50

Requisition Detail

Requisition view page: the related-transaction links (Award, CXO, Intake, Budget), the ag-Grid line-item section, and back navigation to the listing.

`testSuiteRequisition.spec.js`

Requisition detail page

#	TEST CASE	TAGS
424	Award link opens the RFX award page	@Requisition @Links @S52
425	CXO link opens the CXO	@Requisition @Links @S55
426	Intake link opens the Intake	@Requisition @Links @S53
427	Budget link opens the Budget	@Requisition @Links @S54
428	Line Items grid renders the PR's rows	@Requisition @LineItems
429	clicking the item name opens the item details panel	@Requisition @LineItems @S59
430	back arrow returns to the Requisition listing	@Requisition @Navigation @S60