```
Enter password: ****
Welcome to the MySQL monitor. Commands end with ; or \gray{g}. Your MySQL connection id is 11
Server version: 8.0.31 MySQL Community Server - GPL
Copyright (c) 2000, 2022, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> CREATE DATABASE Shubham;
ERROR 1007 (HY000): Can't create database 'shubham'; database exists
mysql> use shubham
Database changed
mysql> CREATE DATABASE Shubham1;
Query OK, 1 row affected (0.04 sec)
mysql> use shubham1;
Database changed
Database transfer
mysql> Create table Parent(p_id int,p_name varchar(50),city varchar(60),age int,p_income int,p_occupation varchar(60),emailid varchar(50));
Query ΟΚ, Θ rows affected (0.12 sec)
mysql> insert into Parent values(1,"Shubham","Pune",22,500000,"HR","shubham07@gmail.com"); Query OK, 1 row affected (0.04 sec)
mysql> insert into Parent values(2,"Prerana","Mumbai",21,400000,"Manager","prerana02@gmail.com");
Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(3,"Tanuja","Hinjawdi",22,340000,"Developer","Tanu11@gmail.com");
Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(4,"Palak","Shirur",19,660000,"HR","Dolli9696@gmail.com");
Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(4,"Jayesh","Mahabaleshwar",23,180000,"Engineer","jay87@gmail.com");
Query OK, 1 row affected (0.01 sec)
  18°C
Mostly clear
                                                                        Q Search
```

- o ×

MySQL 8.0 Command Line Cli × + ∨

```
mysql> insert into Parent values(5,"suyash","nager",27,700000,"Macinical HR","suysh00@gmail.com");
Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(6,"Rushi","Inamgaom",24,1100000,"farmer","aana9393@gmail.com");
Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(7,"Sonali","Daund",26,1100000,"HomeMaker","sona9393@gmail.com");
Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(8,"Ankush","Pune",31,2200000,"Electrical","ankush9393@gmail.com"); Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(9,"Khushbu","Gujrat",37,5000000,"Teacher","mam4545@gmail.com");
Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(10,"Shivam","Mawal",22,1100000,"student","shiv7876@gmail.com"); \\ Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(10,"Snehal","Dehu",21,3300000,"Developer","snehu2787@gmail.com");
Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(11,"Omkar","kolhapur",26,2100000,"manager","omya1234@gmail.com");
Query OK, 1 row affected (0.01 sec)
<code>mysql></code> insert into Parent values(12,"Lahu","MP",36,2300000,"employee","lahu78@gmail.com"); Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(13,"rohan","Nashik",16,1200000,"salesman","banti45@gmail.com");
Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(14,"tukaram","Suraj",29,8800000,"Businessman","gotya97@gmail.com");
Query OK, 1 row affected (0.00 sec)
mysql> insert into Parent values(15, "tejas", "kolhapur", 49, 7700000, "Farmer", "Tejya97@gmail.com");
Query OK, 1 row affected (0.01 sec)
mysql> insert into Parent values(16,"Jui","Akurdi",21,1800000,"Girl","ju3458@gmail.com");
Query OK, 1 row affected (0.00 sec)
                                                                            18°C
Mostly clear
                                                                                                                                                                 Q Search
```

- o ×

MySQL 8.0 Command Line Cli × + ∨

 MySQL 8.0 Command Line Cli × + ∨ mysql> insert into Parent values(16, "Jui", "Akurdi",21,1800000, "Girl", "ju3458@gmail.com"); Query OK, 1 row affected (0.00 sec) mysql> insert into Parent values(17,"jayram","patas",24,1900000,"Teacher","pawar8869@gmail.com"); Query OK, 1 row affected (0.01 sec) mysql> insert into Parent values(18,"Babu","Hydrabad",34,7700000,"goldman","baba9834@gmail.com"); Query OK, 1 row affected (0.00 sec)

mysql> insert into Parent values(20, "Sushant", "Sambhajinager", 34,3300000, "MLA", "suhsa@gmail.com"); Query OK, 1 row affected (0.00 sec)

mysql> insert into Parent values(19,"Rakhee","Ratnagiri",27,9900000,"Princal","Rakhee9834@gmail.com"); Query OK, 1 row affected (0.01 sec)

mysql> select *from Parent;

p_id	p_name	city	age	p_income	p_occupation	emailid
1	Shubham	Pune	22	500000	HR	shubham07@gmail.com
2	Prerana	Mumbai	21	400000	Manager	prerana02@gmail.com
3	Tanuja	Hinjawdi	22	340000	Developer	Tanull@gmail.com
4	Palak	Shirur	19	660000	HR	Dolli9696@gmail.com
4	Jayesh	Mahabaleshwar	23	180000	Engineer	jay87@gmail.com
5	suyash	nager	27	700000	Macinical HR	suysh00@gmail.com
6	Rushi	Inamgaom	24	1100000	farmer	aana9393@gmail.com
7	Sonali	Daund	26	1100000	HomeMaker	sona9393@gmail.com
8	Ankush	Pune	31	2200000	Electrical	ankush9393@gmail.com
9	Khushbu	Gujrat	37	5000000	Teacher	mam4545@gmail.com
10	Shivam	Mawal	22	1100000	student	shiv7876@gmail.com
10	Snehal	Dehu	21	3300000	Developer	snehu2787@gmail.com
11	Omkar	kolhapur	26	2100000	manager	omya1234@gmail.com
12	Lahu	MP	36	2300000	employee	lahu78@gmail.com
13	rohan	Nashik	16	1200000	salesman	banti45@gmail.com
14	tukaram	Suraj	29	8800000	Businessman	gotya97@gmail.com
15	tejas	kolhapur	49	7700000	Farmer	Tejya97@gmail.com
16	Jui	Akurdi	21	1800000	Girl	ju3458@gmail.com
17	jayram	patas	24	1900000	Teacher	pawar8869@gmail.com
18	Babu	Hydrabad	34	7700000	goldman	baba9834@gmail.com










































mysql> select *from Parent where city in('Pune','Hinjawadi','Akurdi','Mumbai');

Q Search

18°C Mostly clear

