



# **PROJECT REPORT ON**

## **ONLINE ART GALLERY SYSTEM**

**Indira Gandhi National Open University,**  
**Ranchi**



**SUBMITTED BY:**  
**KOMAL KUMARI**  
**BCA 6<sup>th</sup> Semester**  
**(173562441)**

**Course Code:- BCSP-064**  
**Study Center Code:- 0534P**

Under the Guidance Of  
Kunal Mahato



A  
**PROJECT REPORT**  
ON  
**ONLINE ART GALLERY SYSTEM**  
**BCSP-064**

Submitted By  
**KOMAL KUMARI**

**Enrollment Number:- 173562441**

Under the Guidance Of  
**Kunal Mahato**

Submitted to Schoole of Computer and information Science in  
partial fulfillment of the requirement for the degree of  
**Bachelor Of Computer Application**

**IGNOU UNIVERSITY, RANCHI**

(27)

RCRAN/BCA/MCA2020

Date: 16/01/2020

4.02.2020

Sub: Approval of project proposal.

Dear Learner,

Your project proposal of .....B CAP 64.....of.....BCA.....programme has been approved. The original copy of approval along with the project proposal is returned to you with an advice to prepare the project report and submit the same at the Regional Centre by March 30, 2020 for its evaluation for June-2020 TEE. The original copy of the approved project proposal to be attached with the project report, when you submit the project report.

With best wishes,

Komal Kumarani  
Jamshedpur.

  
16.01.2020  
(S. Mohanty)  
Regional Director  
IGNOU Regional Centre  
Ranchi



SCHOOL OF COMPUTER AND INFORMATION SCIENCES  
IGNOU, MAIDAN GARHI, NEW DELHI – 110 068

II. PROFORMA OF BCA PROJECT PROPOSAL (BCSP-064)  
(Project's Title and Guide's Details)

Enrolment No.: 173562441 ..... Regional Centre Code: 32 ..... Study Centre: 0534P .....

1. Name and Address of the student

KOMAL KUMARI .....  
BLOCK NO.-341/2/2, ROAD NO.-27, ADITYAPUR-2, JAMSHEDPUR-831013 .....

E-mail: Komalkumari7355@gmail.com ..... Telephone No. 9570447355 .....

2. Title of the Project ..... ONLINE ART GALLERY SYSTEM

3. Name and Address of the Guide

KUNAL MAHTO, G-2, KRISHNA ABODE, KALPANAPURI .....  
ADITYAPUR, JAMSHEDPUR, JHARKHAND .....

4. Qualification of the Guide

(Attach bio-data also)


(Note : i. All the above mentioned Degrees must have been awarded in Computer Science/IT only  
ii. A Guide should not guide more than 8 students of BCA at any point of time )

5. Industrial / Teaching experience of the Guide (in Years) ..... 6 YEARS/4 YEARS


6. Software Used for this Project: ..... DREAMWEAVER, SOL & PHOTOSHOP .....

(Note :

1. Use of Visual Basic and MS-Access as Front End and Back End respectively is forbidden. But, you are permitted to use Visual Basic with other Software. Also, you can use MS-Access with other software)
2. Use of C or C++ Programming Language for Project Related to Database Management is strictly forbidden.

  
Signature of the Student

Date: 13/06/2020

  
Signature of the Guide

Date: 13/06/2020

Important: 1. Attach this Proforma along with Guide's Biodata and Project Synopsis in the Project Report.  
2. Not more than one student is permitted to work on a project.

For Office Use Only

Approved

Not approved

.....  
Signature, Designation, Stamp of the  
Project Proposal Evaluator

Date: .....

Suggestions for reformulating the Project:



# Kunal Mahto

---

G2, Krishna Abode  
Kalnapuri, Adityapur  
Dist. - Seraikella (Jharkhand) -  
832109

E-mail: [kunalkumar1987@gmail.com](mailto:kunalkumar1987@gmail.com)  
Website: [www.kunalitechnology.in](http://www.kunalitechnology.in)  
Phone: 9934347907  
9470312947

## WORK EXPERIENCE

### Government Polytechnic Adityapur

Part Time Lecturer

Aug 2016 — Present

### Kunal i Technology

Web Developer cum Trainer

Apr 2012 — Present

### COSAS Solutions Pvt. Ltd.

Software Engineer

Jun 2015 — Jun 2016

### COMPUTER ED.

Web Designer

Aug 2011 — Sep 2012

## CERTIFICATION

- Java Foundations Training Certification from Oracle Academy organized by Higher Technical Education and Skill Development Department, Government of Jharkhand.
- Database Foundations Training Certification from Oracle Academy organized by Higher Technical Education and Skill Development Department, Government of Jharkhand.
- Vocational Training from BSNL, Jharkhand.
- Successfully completed Governance Quiz 2017 organized by MyGov.
- Successfully completed Each One Teach One organized by Paytm.

## QUALIFICATIONS

- Pursuing M.Tech.(CSE) From BPUT, Odisha
- B.Tech.(Information Technology) From BIT Sindri, Dhanbad (Jharkhand).
- Diploma(Information Technology) From Govt. Polytechnic Adityapur, Jamshedpur (Jharkhand).
- 10th From Jharkhand Academic Council, Ranchi(Jharkhand) in 2006.

**SKILLS**

- **Operating System** : Windows (XP, VISTA, 7, 8, 8.1, 10), LINUX
- **Graphics Package** : Adobe(Photoshop, PageMaker)
- **Web Designing** : HTML, CSS, JavaScript, XHTML, CSS, Dreamweaver, Frontpage, Bootstrap
- **Animation Tool** : Adobe Flash
- **Video/Sound Editing** : Corel Video Studio
- **Computer Lang.** : C, C++, Java, PHP
- **DBMS Package** : MySQL
- **CMS** : Drupal, Wordpress, Magento
- **Software** : Microsoft Office, Open Office, Messenger Clients, Compression Utilities, Apache Web Server, ABBYY Fine Reader, Epsilon
- **Networking** : Hardware Installation, Software Installation, PC Trouble shooting, LAN, Network Technology, Wireless Technology.

**ACHIEVEMENTS**

- **1<sup>st</sup> Rank in Diploma to Degree Combined Competitive Examination 2012.**

**INTERESTS**

- **Teaching/Training**
- **Web Development**
- **Web Designing**
- **Graphics Designing**

**REFERENCES**

- **Prof. S.C. Dutta** (BIT Sindri) | +91-9431379679 | dutta\_subhash@yahoo.com
- **Prof. Raghunandan** (BIT Sindri) | +91-9031823309 | raghunandan@bitsindri.ac.in

**DECLARATION**

I hereby declare that all the details furnished above are true to the best of my knowledge and belief.


## IX CERTIFICATE OF ORIGINALITY

This is to certify that the project report entitled ONLINE ART GALLERY SYSTEM


Submitted to **Indira Gandhi National Open University** in partial fulfilment of the requirement for the award of the degree of **BACHELOR OF COMPUTER APPLICATIONS ( BCA )**, is an original work carried out by Mr./ Ms. KOMAL KUMARI

Enrolment No.: 173562441 under the guidance of Mr./ Ms. KUNAL MAHTO

The matter embodied in this project is a genuine work done by the student and has not been submitted whether to this University or to any other University / Institute for the fulfilment of the requirement of any course of study.



Signature of the Student

  
\_\_\_\_\_  
13/06/2020

Signature of the Guide

Name and Address

of the student :  
**KOMAL KUMARI**

BLOCK NO.-341/2/2, ROAD NO.-  
27, ADITYAPUR-2, JAMSHPEDPUR-  
831013

Enrolment No.: **173562441**

Name, Designation and  
Address of the Guide

**KUNAL MAHTO**

**DESIGNATION:** PART TIME LECTURER IN  
GOVT. POLYTECHNIC COLLEGE,  
ADITYAPUR & WEB DEVELOPER CUM  
TRAINER AT KUNALTECHNOLOGY  
**ADDRESS:** G-2, KRISHNA ABODE ,  
KALPANAPURI, ADITYAPUR ,  
JAMSHEDPUR , JHARKHAND

## **CONTENTS:**

<b><u>S.No.</u></b>	<b><u>Page No.</u></b>
1. Introduction	11
2. Objective Of The Project	13
3. Main Modules of system	14
4. System Analysis	17
5. Feasibility Report	28
6. System Design	29
7. Data Dictionary	42
8. Tools/Enviroment Used	47
9. Design Document	47
10. Program Code	51
11. Testing	227
12. Input/ Output Screens	231
13. Implementation of Security	257
14. Limitations	257
15. Future Enhancement & Scope	258
16. Conclusion	258
17. Bibliography	258

**Title of the project :-**

**KALAKRITI**  
**ONLINE ART GALLERY**  
**MANAGEMENT SYSTEM**

## **ABSTRACT OF THE PROJECT ONLINE ART GALLERY**

### **MANAGEMENT SYSTEM :**

- An online art gallery is new concept of selling and purchasing art works, both digital prints and traditional paintings are available on online sites. Basically, it is a user interface kind of web page on which buyer and seller both gets a platform for their jobs.
- Online art gallery is a time, energy and money saving web site concept. By this artist also can host their works and art curator can arrange auctions for art works.
- The site provides you a wide range of choices.
- It allows users to create their own portfolio.
- The aim is to automate the existing system with the help of computerized equipment's, that means the purchase is just click away, you don't have to go to some old museums and buy from selected stuff.
- It provides various categories too, in buyer's accordance.

### **PROJECT OVERVIEW:**

This is a web application. Our main aim is to provide a platform , where one can view all the different type of arts created by different artists. The project will help other to gain information about the various trending arts and place order according to their need. One can also view the price of various items. Our purpose of selecting this topic is that an artist creates different types of arts but they don't find a proper platform to show their creativity to world. Here they can show their creativity to the world. This was our main motivation behind the development of our project.

## **1. INTRODUCTION :**

An ONLINE ART GALLERY is kind of web page or website that you can put your art work images for viewing. Usually, nowadays everything is available on online shopping market so why not art works. Every kind of painting either they are traditional medium based or digital art based you can get it online. On some online art gallery website the galleries also conduct art auctions is kind of web page or website that you can put your art work images for viewing. Usually, nowadays everything is available on online shopping market so why not art works. Every kind of painting either they are traditional medium based or digital art based you can get it online.

So online art gallery is a system or a program where the art collector can view, select and purchase art work within their comfort zone.

Online art gallery is a user based website in which artist can upload their art images and buyer can view these images, choose and purchase. This concept helps people who are not available to visit the place on particular time due to some constraints. They open the site, go through it and choose what they like.

### **1.1 System Descriptions of Online art gallery management system:**

Online Art gallery management system is an application that allows buyers to purchase paintings, scriptures, models online. The purchase is just a click away, you don't have to go to some old museums and buy from selected stuff.

This application will provide you with a wide range of choices. The registration in this application is free, unlike other sites. It provides various categories too, in buyers' accordance.

It provides free home delivery to buyers. It allows users to create their own portfolio.

Here some menu will contain six parts which are as follow:

Customer Login

Admin login

Artwork in sale

Exhibition

Payment Mode

About Us

Contact us

These are some key features of the system which is as follow:

- ✓ Also, the “Online Art Gallery” has been developed to override the problems prevailing in the practicing manual system. This software is supported to eliminate and in some cases reduce the hardship faced by this existing system.
- ✓ This application is reduced as much as possible to avoid errors while entering the data.
- ✓ Admin will maintain the record and atomicity by using the proper table to save records so that no one can access it and one person purchase only one statue.
- ✓ It also provides error message while entering invalid data .
- ✓ No formal knowledge is needed for the user to use this system. Thus by this all it proves it is user-friendly.
- ✓ Online Art Gallery , as described above ,can lead to error free, secure , reliable and fast management system.
- ✓ It will eliminate the delays in the generation of reports that which item has sold to whom.
- ✓ Searching will become more efficient and fast.
- ✓ It will also provide assurance to the customer that they can buy the art they like there would be no pressure.
- ✓ Overall it will reduce the cost and time of the customer.

## **1.2 Problem and Solution of the System:**

### **1.2.1 Existing System :**

In this section, we will discuss the existing system and some of their drawbacks which force us to plan this whole idea of developing online Art gallery management system.

Let us take the few examples

Suppose we went to the museum or art gallery there we found something which we really want to purchase so for that we need to contact to the manager and talk to him to get aware about the procedure of purchasing ,

but at last moment we come to know that someone has already booked that painting or art there we feel helpless because that painting was on sale for three days and you were not able to purchase it just because of lack of time and the distance you need to cover from your home to art gallery.

### **DRAWBACKS OF EXISTING ART GALLERY SYSTEM**

- This process is so much time consuming.
- There is a threat to the record of the customer so it might be the case that one painting can be sold twice.
- It might be the case that manager can take a commission as well as extra charges for transport the paintings to the customer.

- So, above this is the whole process of getting an art from the Art gallery by our system we can make it a little bit more simple and fast process of automating it.

### **1.2.2 Proposed System :**

In the previous system , details are stored manually in papers to share the details between users was a Financial drawback. Updating in the details are a tedious task.

But the new system was proposed to overcome the above details.

Functionalities and advantages of the proposed system are :

- Data is centralized which has the overcome the Sharing problem in previous system.
- Admin will maintain the record and atomicity by using the proper table to save records so that no one can access it and one person purchase only one statue.
- As data is maintained electronically, It's easy for a users to update the details, which has overcome the tedious updating of the previous system.
- No need of worrying about transportation to get paintings at your place.
- The customer can check new paintings which have been uploaded by the Admin on the application.

ONLINE ART GALLERY is an application software and it is very helpful for the art lover and other who wants to know the addresses where this kinds of arts will sell. This application helps the end-users to search their arts and paintings and they can place order for the selected pieces. The end user can also get the information about the art exhibition and the respective addresses, so that they can visit that exhibition.

Art Gallery bring you an opportunity to view online art exhibitions at our [Online Art Gallery](#) we bring you details of all art exhibitions held in the past and forthcoming show. The Online Art Gallery is updated daily, so the user can view and buy the latest collection of contemporary art online from anywhere in the world. You can view and buy the latest Indian contemporary art collections available at their exhibitions and also at their online gallery

## **2. OBJECTIVE OF THE PROJECT :**

**Online Art Gallery** is an online application, which is used to display and sell art work of artist irrespective of their nationality, gender and narrow consideration, through auction.

Art of artist help the users to view images available on website, from here user can select their images and they can contact us if they want by the images. All information related to every image is also available on the website. Our project is being created with the front end as PHP and back end as MySQL. The users can check the products and choose the right one for them. This is the main objective of the project.

Also, The main objective of the Online Art Gallery is to manage the details of Art, Customer, Stock, Payment, Cash. It manages all the information about Arts, Bill, Cash etc. The project is totally built at administrative end and only the administrator is guaranteed to access.

#### FUNCTIONALITIES PROVIDED BY THE ONLINE ART GALLERY ARE AS FOLLOW:

- Provides the searching facilities based on various factors. Such as Arts, Stock, Payments, Cash.
- The transactions are executed in off-line mode hence on-line data for Arts, customer capture and modification is not possible.
- It tracks all the information of customer, Bill, Payment etc.
- Manage the information of the customer as well as Arts.
- All the fields such as Art, Stock, Cash are validated and does not take invalid values.
- Editing, adding and updating of Records is improved which results in proper resource management of Art data.
- Shows the information's and descriptions of Arts , Order and Updates.
- Manage the information of the Customer.
- Integration of all records of Stock.
- The main function of **art galleries is to promote fine arts**. Various arts are considered as drawings, photos, figurines, figurative arts, sculptures hands loom or installation art etc.

### **3. MAIN MODULES OF ONLINE ART GALLERY:**

A module consists a single block of code that can be invoked in the way that a procedure, function, or method is invoked .A module,

- encapsulates code and data to implement a particular functionality.
- has an interface that lets clients to access its functionality in an uniform manner.
- is easily pluggable with another module that expects its interface.
- is usually packaged in a single unit so that it can be easily deployed.

The following Modules of an Online Art Gallery:

- **Login Module:** Used for managing the login details.
- **Art Management Module:** Used for managing the Art details.
- **Stock Module:** Used for managing the details of Stock.
- **Payment Management Module:** Used for managing the information and details of the Payments.
- **Cash Module:** Used for managing the Cash details.
- **Bill Module:** Used for managing the bill information's.
- **Users Module:** Used for managing the Users of the System.
- **Exhibition Module:** Used for managing exhibitions details such as date, times, place etc.

#### Modules and process Logic of Online Art Gallery Project:

##### **❖ Login Module:**

This is the login form ,from where customer can Login into the system. This is the very important module of the system. Used for managing the users of system. This features employed by the user to login into system. A user must login together with his **user email** and **password** to the system after registration . If they are invalid, the user not allowed entering the system. User login to the system valid user ID and Password.

##### **Features of Login Module:**

- Customer can add new Login records. Customers can see the Login details.
- Only customer can edit and upload the records of the Login
- Customer can change the Password.
- Login consist of Two another Modules where,

You can review the things and rate them according to that you can also purchases the things.

The user can also request to admin to keep his art in the exhibition for sale so if anyone finds paintings interesting then he/she can contact you.

❖ **Registration Module:**

If customer wants to purchase buy the product paintings they must be registered . To sign up to a website by entering name ,address email, number etc.

❖ **Art Module:**

The main aim of this module is provide all details functionality related to Art.\_This Art Module is an important module in this mini project Online Art Management System which has been developed on PHP and MySQL.

**Features of Art Module:**

- Customer can see that list of Art details.
- All Art forms are validated on client side using JavaScript.

❖ **Category Module:**

The main aim for developing this module is to manage the Art Category .So all type will be managed by the customer and customers will be able to see the types.

**Features of Category Module:**

- Customer can see the list of all types.

❖ **Payment Module:**

Process logic:

- This section of the module helps in making the financial transactions so that user can pay it easily.
- This system provides the facility to if users forgot to make payment and then they cancel order and sold to someone else.
- Simply, user can deposit money online through an application where you find different options to pay the money option such as pay by Debit Card, Credit Card or through Net Banking.

❖ **Gallery Module:**

This modules contains several art and pictures. Customers select paintings of their choice buy it.

❖ **Contact Us:**

The information required to contact someone ,such as an address or phone etc.

Let us look the different aspects which we have designed to make the website work properly.

✓ **ADMIN OF ONLINE GALLERY ART SYSTEM:**

Process logic:-

Admin will use this application to give the access to the customers who want to become the member of the art gallery; the even admin will add new information regarding the statue and paintings so that the user can easily access it and make his mindset according to that.

Whenever you want to purchase some paintings or sculpture from the gallery you just need to send the request to the admin and he will approve your request if he finds any new painting which you have never seen before.

In this way, the admin will take care of the persons who want to purchase the paintings or even sell it.

✓ **CUSTOMER OF ONLINE GALLERY ART SYSTEM:**

This option of the website will help the user to get a login and create his profile so that user can access new paintings and check the notifications if there is any new notification regarding new sculpture or Art so that user can bid for that or directly purchase that according to the procedure which has followed by galleries.

In this part, user can also upload his data related to its personal information such as name, email , number and his interest related to paintings which is one of the important parts.

*Functionality perform by the Customer user:*

- **Customer Registration:** Any customer can register on website using the registration form.
- **Customer Login:** This is the login form, from where customer can login into the system.
- **Customer Cart:** This is customer cart form.
- **Customer Payment:** this is the customer payment form of the art where customer will be able to make payment.
- **Customer Order:** this is the customer order form of the art.
- **Customer order Confirmation:** This is the customer order confirmation form where customer will be able to confirm his order items.
- **Change Password:** This is the change password module from where customer change his account password.

✓ **ABOUT US OF ONLINE GALLERY ART SYSTEM:**

This feature will provide the information about the team and developers so that if you want to get a new design or any kind of change and suggestion you can come up to us.

✓ **CONTACT US OF ONLINE GALLERY ART SYSTEM:**

In this section, we have provided the contact number and proper address so that client and user reach to us and mentioned their problems to solve it.

✓ **PAYMENT MODULE OF ONLINE GALLERY ART SYSTEM:**

This section of the module help in making the financial transactions so that user can pay it easily. Let's do the comparison with the existing system.

Initially, we need to move from one place to another to pay the money to the bank or art gallery to deposit the amount according to the price.

To deposit money, need to stand in long queue.

Staff workers and managers use to take commission even in deposit the money.

It was really a headache to give one working day of the month in doing the payment of the paintings.

Sometimes we forgot to make payment and then they cancel our order and sold to someone else.

So, some changes happened after developing this application, people do not need to stand in long queue for making the payments, no need to take holiday for placing the payments.

Simply we can deposit our money online through an application where you find different options to pay the money options such as pay by debit card, credit card or through net banking.

In our application, we have designed it in such a way that user will get the notification if there is any pending amount, prior two to three days so that clients can deposit it without any late charges.

Indirectly this application will maintain all our headache of depositing installments and remembering the dates of installments.

## **4 SYSTEM ANALYSIS :**

### **4.1 Requirements and Analysis:**

Since years, there have been many people carrying out businesses on the Internet. Growth of such community has very rapid since last few years. follow a per-defined path or strategy to earn money from the net. One such Strategy is to create, marketing and manage a website with attracts huge masses of people. Such websites, with lots of traffic can yield into lots of revenue

We have gathered all information by visiting a different Gallery and analyze the working of the site like abcd.com etc. how they maintain information.

#### **4.1.1 Proposed System Requirements:**

- System needs stores information about new entry of Arts.
- System need to maintain quantity record.
- System need to keep the record of order updates.
- System need to update and delete the record.
- System also needs a search area. It's also need a security system to prevent data.


After analyzing the requirements of the task to be performed, the next step is to analyze the problem and understand its context. The first activity in the phase is studying the existing system and other is to understand the requirements and domain of the new system. Both the activities are equally important, but the first activity serves as a basis of giving the functional specifications and then successful design of the proposed system.

## 4.2 Analysis Model

The model that is basically being followed is the WATER FALL MODEL, which states that the phases are organized in a linear order. First of all the feasibility study is done. Once that part is over the requirement analysis and project planning begins. If system exists one and modification and addition of new module is needed, analysis of present system can be used as basic model.

The design starts after the requirement analysis is complete and the coding begins after the design is complete. Once the programming is completed, the testing is done. In this model the sequence of activities performed in a software development project are :-

- Requirement
- Analysis
- System design
- Implementation
- Testing
- Maintenance



**Fig: 5.2 Analysis Model**

## **4.3 Software Requirements Specification**

### **➤ What is SRS ?**

Software Requirements Specification (SRS) is the starting point of the software developing activity. As system grows more complex it becomes evident that the goal of the entire system cannot be easily comprehended. Hence the need for the requirement phase arose. The software project is initiated by the client needs. The SRS is the means of translating the ideas of the minds of clients (the input) into a formal document (the output of the requirement phase).

### **➤ Role of SRS:**

The purpose of the SRS is to reduce the communication gap between the clients and the developers. SRS is the medium through which the client and user needs are accurately specified.

It forms the basis of software development. A good SRS should satisfy all the parties involved in the system.

Software Requirement Specification (SRS) may be set of complete and precisely started properties alongside the constraints of the system that the software must satisfy. A neat software requirement specification establishes boundaries and solutions of system to develop useful software.

### **4.3.1 Introduction:**

**KALAKRITI Art Gallery** is E-Commerce website that changes the modern scenario of purchase and selling components. I only focus the component as paintings. ONLINE ART GALLERY is an application software and it is very helpful for the **art** lovers and others who wants to know the addresses where this kind of **arts** will be sold. An online art gallery is display\_artworks.

### **4.3.1.1 Purpose:**

The purpose of the project i.e. **ONLINE ART GALLERY SYSTEM** is to build an application program to reduce the manual work for managing the Arts, Customers, Bill etc.

This website is platform to sell art and craft designed by artist. Where user can view the art & craft, purchase it which they like most.

The space is designed with both artists and the public in mind and its primary **purpose** is to showcase the works of different artists. ... The **gallery** works to help artists grow their career and benefit from their artwork. Also,

- Not Time Consuming.
- Anyone can easily understand.
- Less Paper Work.
- Search art category for particular Artist.

#### **4.3.1.2 Scope:**

**KALAKRITI Art Gallery** is designed to provide quality service to the customers and to allow new online store owner's a quick and easy means to setup and perform sales. The KALAKRITI Art Gallery is an easy to maintain ready to run, affordable and reliable cost saving etc. it focus on the marketing the tack holders and application, which allow for online sales, distribution and marketing of paintings.

Usually, the online gallery is run as a business, with the purpose of displaying the artwork being to promote it to potential buyers.

#### **It needs to have 3 key features:**

1. User friendly for computer illegitimate.
2. Easy to maintain by Administrators.
3. Only accessible by registered users as well as local users also view the artworks.

#### **4.3.1.3 Overview:**

The remaining section of this KALAKRITI Online Art Gallery provide a general description, including characteristics of this project, the project's hardware, software and therefore the functional and non-functional requirements of the product. An overall description of the software.

#### **4.3.1.4 Definitions and Acronyms:**

- **Definitions:**

<b>Terms</b>	<b>Definitions</b>
User	Online users or Customers of Online Art Gallery System
Admin	Administrator who maintains/enhances's Art Gallery

- **Acronyms:**

- .Kalariti's Gallery : KALAKRITI Online Art Gallery Website
- SDLC: Software Development Life Cycle
- OS: Operating System

#### **4.3.1.5 References:**

<https://ignouprojectguru.com/synopsis/>

IGNOU BCS-051 book ( block 1)

<https://www.academia.edu/>

#### **4.3.2 General Description:**

The KALAKRITI online Art Gallery website enables vendors to line up online shops, customers to flick through the shops, and a supervisor to approve and reject request for Art Category or type spanning new and maintain list of shops categories. The developer is designed art shopping site to manage the things within the shop and also help customers purchase them online.

##### **4.3.2.1 Product Perspective:**

The product is web based system that allowed the customer to purchase virtually using the internet and allow customer to buy the items of their desire from the online store . it is aimed towards the vendors who went to reach out to the maximum cross section of customer and common people who can be potential customer.

The system mainly consists of KALAKRITI Online system containing web server. Online Art Gallery system interacts with Pricing system to get painting pricing information and administrator's inventory system to get product availability information. Product catalog and product category information is stored in products database.

##### **4.3.2.2 Product Functions:**

KALAKRITI Online Art Gallery System mainly supports the following high level functions:

- **Search:** user's will be able to search using various product attributes or category wise search. System would display the products or paintings matching their criteria.
- **Shopping Cart:** system allows users to add the products or artworks from search result and product shows page and also products description page into a shopping cart.
- **Add to Wish list :** system allows users to add the products or artworks from search result and product shows page and also products description page into a wish list.

- **Checkout:** User's can Check out their product or paintings from shopping cart after providing shipping information and completing a successful payment

#### **4.3.2.3 User Documentation:**

This part shows the user manuals which provided in the software. There are mainly two kinds of users of **KALAKRITI Online Art Gallery System**:

- **Online User or Customers:** These users are KALAKRITI Online Art Gallery System customers who will access the system online. These users are minimal technical knowledge and also have effortless online purchasing experience and saving time through shopping online artwork. Hence intuition aids simple page layout. Customers can shop paintings through internet and get the products at their doors it will increase the number of customers.
- **Website Administrator or Admin :** Administrator is responsible for maintaining the Online Art Gallery System and will be involved in software fixes, deployment and regular maintenance.

#### **4.3.2.4 Assumptions and Dependencies:**

##### **Following are the main assumptions:**

- The sales department of KALAKRITI Art Gallery has all the available product required to support the intended user load.
- KALAKRITI Art Gallery has both pre or post payment option for making users comfortable while shopping any product.

##### **Following are the key dependencies:**

- Stock of all the products whose requirement is high must be stored to every city hub.
- System depend on the database and web server for its normal functioning

### **4.3.3 Specific Requirements:**

This section provides all the details of functional and non-functional requirements.

#### **4.3.3 .1 External Interface Requirements:**

This section provides details of all inputs and outputs including hardware ,software, communication and mockup prototype.

#### **4.3.3 .1.1 User Interface:**

This is one of the main tasks of the developer to design such an interface that user can use it easily in one word it should be user friendly and for this you should have better understanding of the audience which going to use this application.

User interface is concerned with the dialogue between a user and the computer. It is concerned with everything from starting the system or logging into the system to eventually presentation of desired input and output. The overall flow the screen and message is called a dialogue.

The following steps are various guidelines of User Interface Design:

1. The system user should always be aware of what to do next.
2. The screen should be formatted so that various types of information, instructions and message always appear in the same general display area.
3. The system user should never get an operating system message or fatal error.
4. The system user should be allowed to proceed without correcting an error.

Online Art Gallery System application should contain following user interfaces:

**Login page** for authenticating registered users. This screen should accept user id, password and authenticate against corporate authentication system. It also provides features for "New user registration" and "Forgot password".

**My Account page** displays the registered user's information details along with a button to go updating page where used update his/her details or address

**Product search page** where registered user can search product based on product attributes. User can search by product name, brief description, and product category and product id. Search should support intuitive features such as type-ahead, synonym support, categorized results grouping and spell correction.

**Search results page** displays the results of search operation. The results should be paginated with configurable page size. It should allow the user to add the product to shopping cart.

**Shopping cart page** displays the existing items in shopping cart along with " total amount and allows the user to check out.

**Order History page** displays the ordered items , cancelled items , Order Status in Order History along with " total amount and Order Id allows the user to see Order that product.

**Checkout page** allows the user to purchase the paintings using credit/debit card. It should be integrated with payment gateway and display the order details after successful payment. A confirmation email should be sent to registered email after successful completion.

#### **4.3.3 .1.2 Software Interface:**

**Operating System :-** Window 10 which supports Networking

**Web Browser:** - Google Chrome (64-bit)

**RDBMS/DBMS :-** MySQL Server

**Connectivity :-** XAMP Server

**Sublime Text :-** Text Editer

#### **4.3.3 .1.3 Hardware Interface:**

**Processor:-** Intel Core i3 with 2GB Ram

**Mouse:-** The system accessing the online store's shopping cart must have a mouse to browse through its contents.

**Keyboard:-** The system accessing the online store's shopping cart must have keyboard in order to type in different details from time to time.

#### **4.3.3 .1.4 Communication Interface:**

The system shall use the HTTP protocol to communicate over the internet.

Communications functions required by the software, such as e-mail, web browser, network server communications protocols, electronic forms etc.. Communication security and/or encryption issues are specified.

### **4.3.3 .2 Functional Requirements:**

This section provides details of all major functionalities supported by KALAKRITI Art Gallery system.

#### **4.3.3.2.1 User side requirements:-**

##### **❖ Functional Requirement 1.1:- User Login**

**Requirement Description :-** This feature used by the user to login into system. A user must login with his email and password to the system after registration. If they are invalid, the user not allowed to enter the system.

##### **Functional requirement :-**

- Username and password will be provided after user registration is confirmed.
- Password should be hidden from others while typing it in the field
- System should authenticate and create a valid user session . upon successful authentication and redirect user to product search page.

**Exception Scenarios :-** If authentication fails, user should be redirected to error Scenarios page showing "User id or password incorrect" message. Maximum password retries allowed are 3 after which the account should be temporarily locked and request user to contact customer support .

##### **❖ Functional Requirement 1.2:- Register New User**

**Requirement Description :-** A new user will have to register in the system by providing essential details in order to view the paintings in the system. The admin must accept a new user by unblocking him.

##### **Functional requirement :-**

- System must be able to verify and validate information.
- The system must encrypt the password of the customer to provide security.

##### **❖ Functional Requirement 1.3:- Purchasing a paintings**

**Requirement Description :-** The user can add the desired Art product into his cart by clicking add to cart option on the painting. User can view his cart by clicking on the cart button. All products added by cart can be viewed in the cart. User can remove an item from the cart by clicking remove. After confirming the items in the cart the user can submit the cart by providing a delivery address. On successful submitting the cart will become empty

##### **Functional requirement :-**

- System must ensure that, only a registered customer can purchase items.

#### ❖ **Functional Requirement 1.4:- Shopping Cart Operation**

**Requirement Description :-** • The shopping cart function should display all the Art products added by user to the shopping cart. • While displaying the Art product, it should get the product availability from inventory system and product price from pricing system to display the availability and pricing information • It should allow the user to check out the product(s) in shopping cart

##### **Functional requirement :-**

- If the selected quantity of products is not available, system should not allow the user to check out that product. It should display appropriate error message.
- Users should be logged in.

#### ❖ **Functional Requirement 1.5:- Check Out Operation**

**Requirement Description :-** • The checkout function should display the final amount of products in shopping cart and the shipping information . • It should support the user to enter credit/debit card information to complete the transaction. Additionally, any other online payment schemes should also be supported. • Post successful payment, it should display the order information and send out a detailed mail to registered email account.

##### **Functional requirement :-**

- User should Logged in.
- Users should have selected non-zero products from search operation.
- Users should have used checkout from shopping cart:

##### **Exception Scenarios :-**

- If the payment gateway is down, system should display appropriate error message.
- If the credit/debit card account declines the transaction, ,. appropriate error message should be displayed and allow the user to retry the transaction. Maximum retries allowed are three

#### **4.3.3.2.2 Admin side requirements:-**

#### ❖ **Functional Requirement 1.1:- Manage Users or Customers**

**Requirement Description :-** The administrator can add user, delete user, view user and block user..

❖ **Functional Requirement 1.2:- Manage Art Products**

**Requirement Description :-** The administrator can add art product, delete product and view product.

❖ **Functional Requirement 1.3:- Manage Orders**

**Requirement Description :-** The administrator can view product and delete product .

**Functional requirement :-**

- The system must identify the login of the admin.
- Admin account should be secured so that only owner of the shop can access that account.

### **4.3.3 .3 Performance Requirements:**

The following are the key performance "requirements":-

- All pages should load within 2 seconds throughout the US region.
- Search results should be displayed within few second.
- Checkout should happen within 5 seconds after providing payment information.

### **4.3.3 .4 Software System Attributes Requirements::**

#### **4.3.3 .4.1 Non-Functional Requirements :**

- i. **EFFICIENCY REQUIREMENT :-** When an online Art gallery system `s shopping cart android application implemented customer can purchase product in an efficient manner.
- ii. **RELIABILITY REQUIREMENT:-** The system should provide a reliable environment to both customers and owner. All orders should be reaching at the admin without any errors.
- iii. **IMPLEMENTATION REQUIREMENT:-** Implementation of the system using css ,html ,and bootstrap in front end with MySQL ,JSP as back end and it will be used for

database connectivity. And the database part is developed by MySQL. Responsive web designing is used for making the website compatible for any type of screen.

- iv. **DELIVERY REQUIREMENT :-** The whole system is expected to be delivered in four months of time with a weekly evaluation by the project guide.
- v. **SECURITY REQUIREMENT :-** Following security standards should be followed:
  - a. Login operation should be performed using transport layer security (HTTPS).
  - b. All user id and password information should be encrypted using one way hash algorithms in the database.
  - c. There should be well-defined password policy covering password change frequency, invalid attempts allowed, etc.

## **5 .FEASIBILITY REPORT:**

### Feasibility study:-

After doing the project Online Art Gallery, study and analyzing the existing or required functionalities of the system, the next task is to do the feasibility study for the project. All projects are feasible – given unlimited resource and infinity time. Feasibility study includes consideration of all the possible ways to provide a solution to the given problem above. The proposed solution should satisfy all the users' requirements and should be flexible enough so that further changes can be easily done based on the future upcoming requirements. The feasibility study concentrates on the following area.

- Operational Feasibility
  - Technical Feasibility
  - Economic Feasibility
- i. **Operational feasibility:-** No doubt the proposed system is fully GUI based that is very user friendly all info's to the taken all sell- explanatory event to a layman. Besides, a proper training has been conducted to let know the essence used of the system to the users so that they feel comfortable with new system. As far our study considered the clients are comfortable and happy as the system has cut down their loads and doing.
  - ii. **Technical feasibility:-** This included the study of function, performance and constraints that may affect the ability to achieve an acceptable system. For this feasibility study, we studied complete functionality to be provided in the system, as described in the

- System Requirement Specification (SRS), and checked if everything was possible using different type of frontend and backend platforms.
- iii. **Economical feasibility:**-This is very important aspect to be considered while developing a project. We decided the technology based on minimum possible cost factor.

- All hardware and software cost has to be borne by the organization .
- Overall we have estimated that the benefits the organization is going to receive from the proposed system will surely overcome the initial costs and the later on running cost for system .

## **6. SYSTEM DESIGN:**

System design is the solution for the creation of a new system. This phase focuses on the detailed implementation of the feasible system. It emphasis on translating design. Specifications to performance specification. System design has two phases of development:

- Logical Design
- Physical Design

During logical design phase the analyst describes inputs (sources),output s(destinations), databases (data stores) and procedures (data flows) all in a format that meets the user requirements. The analyst also specifies the needs of the user at a level that virtually determines the information flow in and out of the system and the data resources. Here the logical design is done through data flow diagrams and database design. The physical design is followed by physical design or coding. Physical design produces the working system by defining the design specifications, which specify exactly what the candidate system must do. The programmers write the necessary programs that accept input from the user, perform necessary processing on accepted data and produce the required report on a hard copy or display it on the screen.

During design, progressive refinement of data structure, program structure, and procedural details are developed review and documented. System design can be viewed from either technical or project management perspective. From the technical point of view, design is comprised of four activities –architectural design, data structure design, interface design and procedural design.

### **6.1. DATA FLOW DIAGRAM:**

DFD is an important tool used by system analysis. A data flow diagram model a system using external entities from which data flows to a process which transforms the data and create

output data transformations which go to other processes or external entities such as files. The main merit of DFD is that it can provide an overview of what data a system would process. The DFD also provides information about the outputs and inputs of each entity and the process itself.

#### **DFD Components:**

DFD consists of processes, flows, warehouses, and terminators. There are several ways to view these DFD components..

#### **Symbols used in DFD:**

- ❖ A square defines a source or destination of system data.


Source or Destination of data.




- ❖ A Circle represents a process that transforms incoming data flow into outgoing data flows.




- ❖ An Arrow identifies data flow direction. It is the pipeline through which the information flows.



- ❖ An open rectangle is a data store, data at restore, Called Database.




## Zero Level DFD of Online Art Gallery:




**Fig 6.1.1 Zero level DFD**

➤ **Login DFD :-**




**Fig 6.1.2 Customer Login DFD**

➤ **Registration DFD :-**



**Fig 6.1.3 Customer Registration DFD**


## **1<sup>st</sup> Level DFD of Online Art Gallery:**



**Fig 6.1.4 1<sup>st</sup> level DFD**


## **2<sup>nd</sup> Level DFD of Online Art Gallery:**

**Admin side-**




**Fig 6.1.5 Admin 2<sup>nd</sup> level DFD**

**admin-side:-**



**Fig 6.1.5.1 Admin 2<sup>nd</sup> level DFD**

**Customer-side:-**



**Fig 6.1.6 Customer 2<sup>nd</sup> level DFD**

## 6.2. Entity Relationship Diagram:






Fig 6.2 ER Diagram of System

### **6.3. Activity Diagram for Customer:**




**Fig 6.3 Activity diagram of customer**

#### 6.4. Class Diagram Image:



### **6.5. Use Case Diagram:**



## **7 . DATA DICTIONARY:-**

This is normally represented as the data about data. It is also termed as metadata sometimes which gives the data about the data stored in the database. It defines each data term encountered during the analysis and design of a new system. Data elements can describe files or the processes.

### **7.1. Data Structure Table:**

Database design contains the information, diagram and figure about the database. Figure shows the flow of data. Here we have given the tables of our project's database.

The database design stage takes as its initial input the requirements identified in the approved requirements.

Databases are the storehouses of data used in the software systems. The data is stored in tables inside the database. Several tables are created for the manipulation of the data for the system. Here, essential settings for a database that used in the System:

- Primary Key:- the field that is unique for all the record occurrences.
- Foreign Key:- the field used to set relation between tables.
- Unique Key:- the field must be unique for each row in a table.

Normalization is a technique to avoid redundancy in the tables.

**Table Name:** Admin

**Description:** This table contains the Admin information.

SL.No.	Field Name	Data type	Constraint	Description
1	admin_id	VARCHAR(250)	PRIMARY KEY	Store the Unique Admin ID
2	admin_name	VARCHAR(250)	NOT NULL	To Stores User Name
3	password	VARCHAR(250)	NOT NULL	To Stores Password
4	email	VARCHAR(250)	UNIQUE KEY	To Stores Email Id

**Table Name:** Users

**Description:** This table contains the Customer information.

SL.No.	Field Name	Data type	Constraint	Description
1	user_id	BIGINT(20)	PRIMARY KEY	Store the Unique ID
2	name	VARCHAR(250)	NOT NULL	To Stores Name
3	password	VARCHAR(250)	NOT NULL	To Stores Password
4	mob no.	VARCHAR(250)	NOT NULL	To Stores Mobile No.
5	email	VARCHAR(250)	UNIQUE KEY	To Stores Unique Email_id
6	date	DATETIME	NOT NULL	To Stores registered date / time

**Table Name:** Addresses

**Description:** This table contains the Customer Addresses information.

SL.No.	Field Name	Data type	Constraint	Description
1	add_id	BIGINT(20)	PRIMARY KEY	Store the Unique ID
2	email	VARCHAR(250)	NOT NULL	To Stores user's unique Email Id
3	name	VARCHAR(250)	NOT NULL	To Stores user's Name
4	at	VARCHAR(250)	NOT NULL	To Stores user's address details
5	post	VARCHAR(250)	NOT NULL	To Stores user's address details
6	city	VARCHAR(250)	NOT NULL	To Stores user's address details
7	state	VARCHAR(250)	NOT NULL	To Stores user's address details
8	pin	INT(20)	NOT NULL	To Stores user's address details

**Table Name:** Orders

**Description:** This table contains the Customer Orders information.

SL.No.	Field Name	Data type	Constraint	Description
1	order_id	BIGINT(250)	PRIMARY KEY	Store the Unique Order ID
2	art_id	VARCHAR(250)	NOT NULL	To Stores unique Product Id
3	email	VARCHAR(250)	NOT NULL	To Stores user's unique Email Id
4	quantity	VARCHAR(250)	NOT NULL	To Stores Product Quantity selected by user's
5	total amount	VARCHAR(250)	NOT NULL	To Stores total price of user's order
6	address_id	VARCHAR(250)	NOT NULL	To Stores user's address details
7	status	INT(20)	NOT NULL	To Stores user's Order Status details
8	date	DATETIME	NOT NULL	To Stores user's Order timing

**Table Name:** Products

**Description:** This table contains the Art Products information.

SL.No.	Field Name	Data type	Constraint	Description
1	art_id	BIGINT(255)	PRIMARY KEY	Store the Unique ID
2	art_name	VARCHAR(250)	NOT NULL	To Stores Painting's Name
3	price	FLOAT(10,2)	NOT NULL	To Stores Painting's Peirce
4	category	VARCHAR(250)	NOT NULL	To Stores Painting's Types/Category
5	photo	VARCHAR(250)	UNIQUE KEY	To Stores Painting's Images
6	status	VARCHAR(250)	NOT NULL	To Stores Painting's Arability Status

**Table Name:** Payment

**Description:** This table contains the Payment Details.

SL.No.	Field Name	Data type	Constraint	Description
1	payment_id	VARCHAR(250)	PRIMARY KEY	Store the Unique Payment ID
2	payment date	DATE	NOT NULL	To Stores the date of Payment
3	review	VARCHAR(250)	NOT NULL	To Stores the text for feedback
4	user_id	BIGINT(50)	FOREIGN KEY	To Stores customer Id

**Table Name:** Exhibition Notice

**Description:** This table contains the Exhibition information.

SL.No.	Field Name	Data type	Constraint	Description
1	notice_id	BIGINT(20)	PRIMARY KEY	Store the Notice ID
2	notice heading	VARCHAR(250)	NOT NULL	To Stores Notice Heading
3	notice message	VARCHAR(250)	NOT NULL	To Stores Notice Contents
4	start date	DATE	NOT NULL	To Stores Notice View date
5	end date	DATE	NOT NULL	To Stores Notice end date
6	place	VARCHAR(250)	NOT NULL	To Stores registered Exhibition Address

**Table Name:** Feedback

**Description:** This table contains the Feedback info.

SL.No.	Field Name	Data type	Constraint	Description
1	fdbk_id	VARCHAR(250)	PRIMARY KEY	Store the Unique feedback ID
2	fdbk date	DATE	NOT NULL	To Stores the date of feedback
3	review	VARCHAR(250)	NOT NULL	To Stores the text for feedback
4	user_id	BIGINT(50)	FOREIGN KEY	To Stores customer Id

**Table Name:** Contact Us

**Description:** This table contains the Customer`s Queries Details.

SL.No.	Field Name	Data type	Constraint	Description
1	query_id	VARCHAR(250)	PRIMARY KEY	Store the Unique Query ID
2	name	DATE	NOT NULL	To Stores customer`s Name
3	email	VARCHAR(250)	NOT NULL	To Stores customer`s Email Id
4	mobile number	INT(250)	NOT NULL	To Stores customer contact number
5	message	VARCHAR(250)	NOT NULL	To Stores customer`s Queries
6	date	DATETIME	NA	To Stores Queries time/date

## **8. TOOLS/ PLATFORMS:**

### **HARDWARE AND SOFTWARE SPECIFICATIONS**

#### **Hardware Requirements:**

- Processor:- Intel Core i3 and all above 500MHz
- RAM:- minimum 2GB and Above
- Hard Disk:- minimum 20GB and Above
- Input Device:- Standard Keyboard and Mouse
- Output device:- High Resolution Monitor
- Printer & scanner

#### **Software Requirements:**

- Operating System:-Windows XP/2000/7/10 /latest version
- Web Browser:- Google Chrome,Opera,Firefox etc.
- Some designing software :- Adobe Photoshop
- RDBMS/DBMS:- MySQL Server
- **Connectivity:** - WAMP/XAMP Server
- **Front End:**- HTML CSS, AJAX, JAVASCRIPT, BOOTSTRAP
- **Back End:**- PHP, MySQL

## **9. DESIGN DOCUMENT:-**

### **9.1 .Data Integrity :-**

**Data integrity is the overall accuracy, completeness, and consistency of data. Data integrity also refers to the safety of data in regards to regulatory compliance. It is maintained by a collection of processes, rules, and standards implemented during the design phase.** When the integrity of data is secure, the information stored in a database will remain complete, accurate, and reliable no matter how long it's stored or how often it's accessed. Data integrity also ensures that your data is safe from any outside forces.

In this system . Data integrity is a fundamental components of data Security. In it's broadest use , “ data integrity ” refresh to the accuracy and consistency of knowledge stored during a database , data warehouse , data marts or other constructs. The term- data integrity –are often won `t to describe a state, a process of functions and is usually used as a Proxy for “ Data Quality” data with “ Integrity”\_is said to have a complete and whole structure.

- Data encryption, which locks data by chipper.
- Data backup ,which stores a replica of knowledge in a alternate location
- Access controls, including assignment of read/ write privileges.
- Input validation, to prevent in correct data entry.
- Data validation, to certify uncorrupted transmission constraints.

## **9.2. Common Constraints used in Database Design:-**

Constraints are the conditions forced on the columns of the tables to meet the data integrity. We have seen above what types of data integrities exists in the database. Now let's see what constraints can be applied on tables show that data integrity is met.

**Common kinds of constraints are:**

**not null:-** Each value in a column must not be Null.

**unique:-** Value(S) in specified column(s) must be unique in for each row in a table.

**primary key:-** Value(s) in specified column(s) must be unique for each row in table and not be NULL; normally each table database should have a primary key.

**foreign key:-** Value(S) in specified column(s) must reference and existing recode in another table( Via it's primary key or some other unique constraints.).

**check :-** an expression is specified , which must evaluate to true for constraints to be satisfied.

## **9.3 . PROCEDURAL DESIGN:-**

In procedural design, the system is comprised of many smaller sub-systems known as functions. These functions are capable of performing significant task in the system. The system is considered as top view of all functions.

Procedural design inherits some properties of structured design where divide and conquer methodology is used.

Another characteristic of functions is that when a program calls a function, the function changes the state of the program, which sometimes is not acceptable by other modules. Function oriented design works well where the system state does not matter and program/functions work on input rather than on a state.

### **Design Process**

- The whole system is seen as how data flows in the system by means of data flow diagram.
- DFD depicts how functions changes data and state of entire system.
- The entire system is logically broken down into smaller units known as functions on the basis of their operation in the system.
- Each function is then described at large.

The Procedural design has already been explained at the early topics in DFD

## **9.4. User Interface DESIGN:-**

User interface is the front-end application view to which user interacts in order to use the software. User can manipulate and control the software as well as hardware by means of user interface. Today, user interface is found at almost every place where digital technology exists, right from computers, mobile phones, cars, music players, airplanes, ships etc.

User interface is part of software and is designed such a way that it is expected to provide the user insight of the software. UI provides fundamental platform for human-computer interaction.

### **9.4.1 Admin side Interface:-**

Admin GUI consists of:

**Login:** through which admin can login using his/her username and password

**Home :** In which user see monthly order, sales, sales amount, total product and chart based on monthly sale product.

**Customer Detail:** Here, admin can see registered user details.

Customer address page: Here, admin can see registered users addresses.

**Product detail:** In which all the products details are shown, also here admin can update any product detail as per the suitability.

**Product entry :** Here, admin can enter new product to database to show in website.

**Order Record:** Here, admin can see confirmed order details and also admin can modify the status of order as shipped, delivered, processing etc.

**Payment page:** All the transaction details are shown up here.

**Reports page:** All the Order Details are shown up here, whereas admin can also filter report by entering start and end date upto which admin want to see the result of.

**Customer query record:** All the query sent by the users are shown up here.

**Logout page:** Admin can logout from his account here.

#### **9.4.2 customer side Interface:-**

User GUI consists of:

**Home :**All the best and featured products are shown in index page with policy terms etc.

**Paintings View:** Here, paintings on basis of category are shown.

**Product/Painting details View:** Here, get the brief description of single product/painting.

**Checkout:** To fill or select shipping information and confirming order.

**Order confirmation:** After successful transaction transaction details are shown up here.

**Shoppingcart :** Here, products/paintings added to cart are shown up.

**Wishlist :** Here,products/paintings added to wishlist are shown up.

**Contact :** User can contact admin from here.

**Order history :** Here user get their past order details.

**Myaccount :** Here,User can see his/her login details.

**Account Information :** User can only able to change his name,mobile number and email\_id from here.

**Change password:** User can change his/her password here by entering new password followed by old password.

**Login :** through which user can login using his/her username and password.

**Sign :** through which user can register his/her account to website.

**Forgot password :** If user forgot his/her password he/she can reset password by entering registered email\_id.

**Reset password:** Admin can reset password here followed by forgot page and email session .

**Logout :** User can logout from his account here and redirect to Home page.

**10. PROGRAM CODE  
OF THE PROJECT  
ONLINE ART GALLERY**

# **10.1 ADMIN SIDE SOURCE CODE**

## **Database Connectivity: (connection.php)**

```
<?php
//Database connection

$hostname="localhost"; //variable declaration
$dbname="mycart";
$username="admin";
$password="1234";
date_default_timezone_set('Asia/Calcutta');
$date=date("y-m-d h:i:s A");
//creating connection
$con = new mysqli($hostname,$username,$password,$dbname);
if ($con->connect_error)
{
    die("connection Failed");
}
?>
```

## **Admin Login: (loginadmin.php)**

```
<?php
session_start();
if(isset($_SESSION['admin_name'])){
    header('location:index.php');
}

?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <link href="css/bootstrap-4.3.1.css" rel="stylesheet">
    <title>KALAKRITI Online Art Gallery || admin login</title>
    <link href="http://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" rel="stylesheet"
id="bootstrap-css">
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.0.8/css/all.css">

<style type="text/css">
    *{margin: 0;padding: 0;}
    body {
        margin:0;color:#edf3ff;background:#c8c8c8;
        background:url(https://hdqwalls.com/download/material-design-4k-2048x1152.jpg) fixed;
```

```

background-size: cover;font:600 16px/18px 'Open Sans',sans-serif;
}
.center-div{
    width: 80%;position: absolute;top: 50%;left: 50%;transform: translate(-50%,-50%);
}
.heading{
width: 100%;line-height: 80px;font-size: 1.4rem;
background: linear-gradient(145deg,#d5a770,#fffafa,#eee,#ccc);;
}
.shadow{box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.4);}
@media screen and (max-width: 600px) {
.center-div{max-width: 100%;padding: 0 10px;
}
}
form{width: 500px;}
@media screen and (max-width: 600px) {
form{
    max-width: 60%;padding-left: 10px;margin: 0 auto;text-align: center;
}
}
}

</style>
</head>
<body>
<header>
    <div class="container center-div shadow mb-5 bg-white">
        <div class="heading text-center text-uppercase text-danger ">ADMIN LOGIN</div>
        <hr>
        <p class="text-success text-center">ONLY ADMIN WILL LOGIN HERE</p>

        <div class="container row d-flex flex-row justify-content-center">
            <div class="admin-form">
                <form action="logincheck.php" method="POST">
<div class="form-group">
            <div class="input-group">
                <div class="input-group-prepend">
                    <span class="input-group-text"><i class="fa fa-user"></i> </span>
                </div>
                <input name="email" class="form-control" placeholder="abc@gmail.com" type="email" value="" autocomplete="off">
            </div> <!-- input-group.-->
</div> <!-- form-group.-->
            <div class="form-group">
<div class="input-group">
            <div class="input-group-prepend">
                <span class="input-group-text"><i class="fa fa-lock"></i> </span>

```

```

</div>
<input class="form-control" placeholder="*****" type="password" name="pwd" value=""
autocomplete="off">
</div> <!-- input-group.-->
</div> <!-- form-group-->
<div class="form-group">
<button type="submit" class="btn btn-primary btn-block" name="submit"> Login </button>
</div> <!-- form-group-->
<p class="text-center"><a href="#" class="btn">Forgot password?</a></p>
</form>
</div>
</div>
</div>
</header>
</body>
</html>

```

### **Admin Login validations: (logincheck.php)**

```

<?php
session_start();
include_once("connection.php");
$con = new mysqli($hostname,$username,$password,$dbname);
$db=mysqli_select_db($con,'mycart');
if(isset($_POST['submit'])){
    $email=$_POST['email'];
    $pwd=$_POST['pwd'];

    $sql="SELECT * FROM admintable WHERE email = '$email' and pwd ='$pwd'";
    $result=$con->query($sql);//mysqli_query($con,$sql);
    if($result->num_rows>0){
        while($row=$result->fetch_assoc()){
            $_SESSION['login']=true;
            $_SESSION['admin_name']=$row['admin_name'];
            $_SESSION['email']=$row['email'];
            $_SESSION['pwd']=$row['pwd'];
            $_SESSION['role']="admin";
        }
        echo "
<script>
    window.alert('login successfull !!');
    window.location.assign('index.php');
</script>
";
    }
}

```

```

        }
        else{
            echo "
                <script>
                    window.alert('Invalid Username/Password..!!');
                    window.location.assign('loginadmin.php');
                </script>
            ";
        }
    }

    $con->close();
}
?>

```

### **Admin Logout validations: (logoutadmin.php)**

```

<?php
session_start();

unset($_SESSION['role']);
unset($_SESSION['admin_name']);
unset($_SESSION['email']);
unset($_SESSION['pwd']);
session_destroy();
header("Location:loginadmin.php");
?>

```

### **Admin Layout-Topnavbar,Sidenavbar,Footer:**

```

<?php
session_start();
include_once("connection.php");
if(!isset($_SESSION['admin_name']))
{
    header ('Location: loginadmin.php');
}
?>
<?php
//index.php
require("connection.php");
$con = new mysqli($hostname,$username,$password,$dbname);
$date_start=strval(date("20y-m-d 00:00:00",strtotime('-1 month')));
$date_last=strval(date("20y-m-d H:i:s"));
$query = "SELECT * FROM orders where status=6 and date>='".$date_start."' and date<='".$date_last."'";
$resultgraph = mysqli_query($con, $query);
$chart_data = ";

```

```

while($rowgraph = mysqli_fetch_array($resultgraph))
{
$chart_data .= "{ date:\"".$rowgraph["date"]."\", amount:".$rowgraph["amount"]."}, ";
}
$chart_data = substr($chart_data, 0, -2);
?>

<!DOCTYPE html>
<html lang="en">

<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<title>KALAKRITI Art Gallery | Admin Panel Dashboard</title>
<!-- plugins:css -->
<link rel="stylesheet" href="vendors/iconfonts/mdi/css/materialdesignicons.min.css">
<link rel="stylesheet" href="vendors/css/vendor.bundle.base.css">
<link rel="stylesheet" href="vendors/css/vendor.bundle.addons.css">
<!-- endinject -->
<!-- plugin css for this page -->
<!-- End plugin css for this page -->
<!-- inject:css -->
<link rel="stylesheet" href="css/style.css">
<!-- endinject -->
<link rel="shortcut icon" href="images/favicon.png" />
</head>

<body>
<div class="container-scroller">
<!-- partial:partials/_navbar.html -->
<nav class="navbar default-layout col-lg-12 col-12 p-0 fixed-top d-flex flex-row">
<div class="text-center navbar-brand-wrapper d-flex align-items-top justify-content-center">
<a class="navbar-brand brand-logo" href="index.html">

</a>
<a class="navbar-brand brand-logo-mini" href="index.html">

</a>
</div>
<div class="navbar-menu-wrapper d-flex align-items-center">
<ul class="navbar-nav navbar-nav-right">
<li class="nav-item dropdown">
<a class="nav-link count-indicator dropdown-toggle" id="messageDropdown" href="#" data-toggle="dropdown"
aria-expanded="false">

```

```

<i class="mdi mdi-file-document-box"></i>
<span class="count">7</span>
</a>
<div class="dropdown-menu dropdown-menu-right navbar-dropdown preview-list" labelledby="messageDropdown" aria-
labelledby="messageDropdown">
  <div class="dropdown-item">
    <p class="mb-0 font-weight-normal float-left">You have 7 unread mails
    </p>
    <span class="badge badge-info badge-pill float-right">View all</span>
  </div>
  <div class="dropdown-divider"></div>
  <a class="dropdown-item preview-item">
    <div class="preview-thumbnail">
      
    </div>
    <div class="preview-item-content flex-grow">
      <h6 class="preview-subject ellipsis font-weight-medium text-dark">David Grey
        <span class="float-right font-weight-light small-text">1 Minutes ago</span>
      </h6>
      <p class="font-weight-light small-text">
        The meeting is cancelled
      </p>
    </div>
  </a>
  <div class="dropdown-divider"></div>
  <a class="dropdown-item preview-item">
    <div class="preview-thumbnail">
      
    </div>
    <div class="preview-item-content flex-grow">
      <h6 class="preview-subject ellipsis font-weight-medium text-dark">Tim Cook
        <span class="float-right font-weight-light small-text">15 Minutes ago</span>
      </h6>
      <p class="font-weight-light small-text">
        New product launch
      </p>
    </div>
  </a>
  <div class="dropdown-divider"></div>
  <a class="dropdown-item preview-item">
    <div class="preview-thumbnail">
      
    </div>
    <div class="preview-item-content flex-grow">
      <h6 class="preview-subject ellipsis font-weight-medium text-dark"> Johnson

```

```

<span class="float-right font-weight-light small-text">18 Minutes ago</span>
</h6>
<p class="font-weight-light small-text">
    Upcoming board meeting
</p>
</div>
</a>
</div>
</li>
<li class="nav-item dropdown">
<a class="nav-link count-indicator dropdown-toggle" id="notificationDropdown" href="#" data-toggle="dropdown">
    <i class="mdi mdi-bell"></i>
    <span class="count">4</span>
</a>
<div      class="dropdown-menu      dropdown-menu-right      navbar-dropdown      preview-list"      aria-
labelledby="notificationDropdown">
    <a class="dropdown-item">
        <p class="mb-0 font-weight-normal float-left">You have 4 new notifications
        </p>
        <span class="badge badge-pill badge-warning float-right">View all</span>
    </a>
    <div class="dropdown-divider"></div>
    <a class="dropdown-item preview-item">
        <div class="preview-thumbnail">
            <div class="preview-icon bg-success">
                <i class="mdi mdi-alert-circle-outline mx-0"></i>
            </div>
        </div>
        <div class="preview-item-content">
            <h6 class="preview-subject font-weight-medium text-dark">Application Error</h6>
            <p class="font-weight-light small-text">
                Just now
            </p>
        </div>
    </a>
    <div class="dropdown-divider"></div>
    <a class="dropdown-item preview-item">
        <div class="preview-thumbnail">
            <div class="preview-icon bg-warning">
                <i class="mdi mdi-comment-text-outline mx-0"></i>
            </div>
        </div>
        <div class="preview-item-content">
            <h6 class="preview-subject font-weight-medium text-dark">Settings</h6>
            <p class="font-weight-light small-text">

```

```

    Private message
    </p>
    </div>
    </a>
    <div class="dropdown-divider"></div>
    <a class="dropdown-item preview-item">
        <div class="preview-thumbnail">
            <div class="preview-icon bg-info">
                <i class="mdi mdi-email-outline mx-0"></i>
            </div>
        </div>
        <div class="preview-item-content">
            <h6 class="preview-subject font-weight-medium text-dark">New user registration</h6>
            <p class="font-weight-light small-text">
                2 days ago
            </p>
        </div>
    </a>
    </div>
</li>
<li class="nav-item dropdown d-none d-xl-inline-block">
    <a class="nav-link dropdown-toggle" id="UserDropdown" href="#" data-toggle="dropdown" aria-expanded="false">
        <span class="profile-text">Hello, <?php echo($_SESSION['admin_name']);?> !</span>
        
    </a>
    <div class="dropdown-menu dropdown-menu-right navbar-dropdown" aria-labelledby="UserDropdown">
        <a class="dropdown-item p-0">
            <div class="d-flex border-bottom">
                <div class="py-3 px-4 d-flex align-items-center justify-content-center">
                    <i class="mdi mdi-bookmark-plus-outline mr-0 text-gray"></i>
                </div>
                <div class="py-3 px-4 d-flex align-items-center justify-content-center border-left border-right">
                    <i class="mdi mdi-account-outline mr-0 text-gray"></i>
                </div>
                <div class="py-3 px-4 d-flex align-items-center justify-content-center">
                    <i class="mdi mdi-alarm-check mr-0 text-gray"></i>
                </div>
            </div>
        </a>
        <a class="dropdown-item mt-2">
            Manage Accounts
        </a>
        <a class="dropdown-item">
            Change Password
        </a>
    </div>
</li>

```

```

        </a>
        <a class="dropdown-item">
            Check Inbox
        </a>
        <a class="dropdown-item" href=<?php if(isset($_SESSION['admin_name'])){echo 'logoutadmin.php';}else{echo 'loginadmin.php';}?>">
            <?php if(isset($_SESSION['admin_name'])){echo 'Logout';}else{echo 'Login';}?>
        </a>
    </div>
</li>
</ul>
<button    class="navbar-toggler    navbar-toggler-right    d-lg-none    align-self-center"    type="button"    data-
toggle="offcanvas">
    <span class="mdi mdi-menu"></span>
</button>
</div>
</nav>
<!-- topnavbar end partial -->
<div class="container-fluid page-body-wrapper">
    <!-- partial:partials/_sidebar.html -->
        <!-- sidenavbar start partial -->
<nav class="sidebar sidebar-offcanvas" id="sidebar">
    <ul class="nav">
        <li class="nav-item nav-profile">
            <div class="nav-link">
                <div class="user-wrapper">
                    <div class="profile-image">
                        
                    </div>
                    <div class="text-wrapper">
                        <p class="profile-name"><?php echo($_SESSION['admin_name']);?></p>
                        <div>
                            <small class="designation text-muted">Manager</small>
                            <span class="status-indicator online"></span>
                        </div>
                    </div>
                </div>
            </div>
            <a href="../index.php" class="btn btn-success btn-block" target="_blank">
                <i class="mdi mdi-web"></i> Goto Website..
            </a>
        </div>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="index.php">
            <i class="menu-icon mdi mdi-television"></i>

```

```

<span class="menu-title">Dashboard</span>
</a>
</li>
<li class="nav-item">
<a class="nav-link" data-toggle="collapse" href="#ui-basic" aria-expanded="false" aria-controls="ui-basic">
<i class="menu-icon mdi mdi-content-copy"></i>
<span class="menu-title">Catalog</span>
<i class="menu-arrow"></i>
</a>
<div class="collapse" id="ui-basic">
<ul class="nav flex-column sub-menu">
<li class="nav-item">
<a class="nav-link" href="#">Catagories</a>
</li>
<li class="nav-item">
<a class="nav-link" href="product_list.php">Products</a>
</li>
</ul>
</div>
</li>
<li class="nav-item">
<a class="nav-link" href="customer.php">
<i class="menu-icon mdi mdi-account"></i>
<span class="menu-title">Customers</span>
</a>
</li>
<li class="nav-item">
<a class="nav-link" href="order.php">
<i class="menu-icon mdi mdi-chart-line"></i>
<span class="menu-title">Order</span>
</a>
</li>
<li class="nav-item">
<a class="nav-link" href="notices.php">
<i class="menu-icon mdi mdi-file"></i>
<span class="menu-title">Exhibition Notice</span>
</a>
</li>
<li class="nav-item">
<a class="nav-link" href="customer-query.php">
<i class="menu-icon mdi mdi-table"></i>
<span class="menu-title">Customers Queries</span>
</a>
</li>
<li class="nav-item">

```

```

<a class="nav-link" href="reports.php">
    <i class="menu-icon mdi mdi-poll"></i>
    <span class="menu-title">Reports</span>
</a>
</li>
<li class="nav-item">
    <a class="nav-link" data-toggle="collapse" href="#" aria-expanded="false" aria-controls="auth">
        <i class="menu-icon mdi mdi-settings"></i>
        <span class="menu-title">System</span>
        <i class="menu-arrow"></i>
    </a>
    <div class="collapse" id="auth">
        <ul class="nav flex-column sub-menu">
            <li class="nav-item">
                <a class="nav-link" href="#"> Blank Page </a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#"> Login </a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#"> Register </a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#"> 404 </a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#"> 500 </a>
            </li>
        </ul>
    </div>
</li>
</ul>
</nav>
<!-- sidenavbar end partial -->

</div>
<!-- page-body-wrapper ends -->
</div>
<!-- container-scroller -->

<!-- plugins:js -->
<script src="vendors/js/vendor.bundle.base.js"></script>
<script src="vendors/js/vendor.bundle.addons.js"></script>
<!-- endinject -->
<!-- Plugin js for this page-->

```

```

<!-- End plugin js for this page-->
<!-- inject:js -->
<script src="js/off-canvas.js"></script>
<script src="js/misc.js"></script>
<!-- endinject -->
<!-- Custom js for this page-->
<script src="js/dashboard.js"></script>
<!-- End custom js for this page-->

<!-- Graphs -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.7.1/Chart.min.js"></script>
<!-- inject:js -->
<script src="../../js/off-canvas.js"></script>
<script src="../../js/misc.js"></script>
<!-- endinject -->
<!-- Custom js for this page-->
<script src="../../js/chart.js"></script>
<!-- End custom js for this page-->

</body>

</html>

```

## **Admin Dashboard: (index.php)**

```

<?php
session_start();
include_once("connection.php");
if(!isset($_SESSION['admin_name']))
{
    header ('Location: loginadmin.php');
}
?>
<?php
//index.php
require("connection.php");
$con = new mysqli($hostname,$username,$password,$dbname);
$date_start=strval(date("20y-m-d 00:00:00",strtotime('-1 month')));
$date_last=strval(date("20y-m-d H:i:s"));
$query = "SELECT * FROM orders where status=6 and date>'".$date_start."' and date<'".$date_last."'";
$resultgraph = mysqli_query($con, $query);
$chart_data = "";
while($rowgraph = mysqli_fetch_array($resultgraph))
{

```

```

$chart_data .= "{ date:\"".$rowgraph["date"]."\", amount:\"".$rowgraph["amount"]."\"}, ";
}

$chart_data = substr($chart_data, 0, -2);
?>
<!DOCTYPE html>
<html lang="en">
<body>

    <!-- main-panel start -->
    <div class="main-panel">
        <div class="content-wrapper">
            <div class="row">
                <div class="col-xl-3 col-lg-3 col-md-3 col-sm-6 grid-margin stretch-card">
                    <div class="card card-statistics">
                        <div class="card-body">
                            <div class="clearfix">
                                <div class="float-left">
                                    <i class="mdi mdi-cube text-danger icon-lg"></i>
                                </div>
                                <div class="float-right">
                                    <p class="mb-0 text-right">Total Revenue</p>
                                    <div class="fluid-container">
                                        <!--<h3 class="font-weight-medium text-right mb-0">$65,650</h3>-->
                                        <?php
                                            $date_start=strval(date("20y-m-d 00:00:00",strtotime('-7 days')));
                                            $date_last=strval(date("20y-m-d H:i:s"));
                                            //echo $date_start." ".$date_last;
                                            $sql_orderamount="SELECT * FROM orders WHERE status=6";
                                            $result_orderamount=mysqli_query($con,$sql_orderamount);
                                            if(mysqli_num_rows($result_orderamount)>0){
                                                $sqlsum_order="SELECT sum(amount) FROM `orders` WHERE STATUS =6";
                                                $resultsum_order=mysqli_query($con,$sqlsum_order);
                                                if($resultsum_order)
                                                {
                                                    $rowsum_order=mysqli_fetch_array($resultsum_order);
                                                    echo"
                                                        <h3 class='font-weight-medium text-right mb-0'>".mb-0'>&#8377
                                                        &ampnbsp".$rowsum_order['sum(amount)]."</h3>
                                                        ";
                                                }
                                            }else
                                            {
                                                echo"<h3 class='font-weight-medium text-right mb-0'>No data available</h3>";
                                            }
                                        }else
                                        {
                                            echo"<h3 class='font-weight-medium text-right mb-0'>Unable to fetch data</h3>";
                                        }
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>

```

```

        }

    ?>
</div>
</div>
</div>
<p class="text-muted mt-3 mb-0">
    <i class="mdi mdi-alert-octagon mr-1" aria-hidden="true"></i> 65% lower growth
</p>
</div>
</div>
</div>
</div>
<div class="col-xl-3 col-lg-3 col-md-3 col-sm-6 grid-margin stretch-card">
    <div class="card card-statistics">
        <div class="card-body">
            <div class="clearfix">
                <div class="float-left">
                    <i class="mdi mdi-receipt text-warning icon-lg"></i>
                </div>
                <div class="float-right">
                    <p class="mb-0 text-right">Orders</p>
                    <div class="fluid-container">

                        <?php
                            $sql_sale="SELECT * FROM orders WHERE status>=3 and status<=5 ";
                            $resultsale=mysqli_query($con,$sql_sale);
                            if(mysqli_num_rows($resultsale)>0)
                            {
                                $sql_count_sale="SELECT COUNT(o_id) FROM `orders` WHERE status>=3 and status<=5";
                                $result_count_sale=mysqli_query($con,$sql_count_sale);
                                if($result_count_sale)
                                {
                                    $row_count_sale=mysqli_fetch_array($result_count_sale);
                                    echo"
                                        <h3 class='font-weight-medium text-right mb-0'>".$row_count_sale['COUNT(o_id)]."</h3>
                                    ";
                                }
                                else {
                                    echo"<h3 class='font-weight-medium text-right mb-0'>No data available</h3>";
                                }
                            }
                            else {
                                echo"<h3 class='font-weight-medium text-right mb-0'>Unable to fetch data</h3>";
                            }
                        ?>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

</div>
<p class="text-muted mt-3 mb-0">
    <i class="mdi mdi-bookmark-outline mr-1" aria-hidden="true"></i> Product-wise Order
</p>
</div>
</div>
</div>

<div class="col-xl-3 col-lg-3 col-md-3 col-sm-6 grid-margin stretch-card">
    <div class="card card-statistics">
        <div class="card-body">
            <div class="clearfix">
                <div class="float-left">
                    <i class="mdi mdi-poll-box text-success icon-lg"></i>
                </div>
                <div class="float-right">
                    <p class="mb-0 text-right">Sales</p>
                    <div class="fluid-container">
                        <!--<h3 class="font-weight-medium text-right mb-0">5693</h3>-->
                        <?php
                            $sql_sale="SELECT * FROM orders WHERE status=6";
                            $resultsale=mysqli_query($con,$sql_sale);
                            if(mysqli_num_rows($resultsale)>0)
                            {
                                $sql_count_sale="SELECT COUNT(o_id) FROM `orders` WHERE STATUS =6";
                                $result_count_sale=mysqli_query($con,$sql_count_sale);
                                if($result_count_sale)
                                {
                                    $row_count_sale=mysqli_fetch_array($result_count_sale);
                                    echo"
                                        <h3 class='font-weight-medium text-right mb-0'>".$row_count_sale['COUNT(o_id)]."</h3>
                                    ";
                                }
                                else {
                                    echo"<h3 class='font-weight-medium text-right mb-0'>No data available</h3>";
                                }
                            }
                            else {
                                echo"<h3 class='font-weight-medium text-right mb-0'>Unable to fetch data</h3>";
                            }
                        ?>
                    </div>
                </div>
            </div>
            <p class="text-muted mt-3 mb-0">
                <i class="mdi mdi-calendar mr-1" aria-hidden="true"></i> Daily Sales
            </p>
        </div>
    </div>

```

```

</div>
</div>
<div class="col-xl-3 col-lg-3 col-md-3 col-sm-6 grid-margin stretch-card">
  <div class="card card-statistics">
    <div class="card-body">
      <div class="clearfix">
        <div class="float-left">
          <i class="mdi mdi-account-location text-info icon-lg"></i>
        </div>
        <div class="float-right">
          <p class="mb-0 text-right">Products</p>
          <div class="fluid-container">
            <!--<h3 class="font-weight-medium text-right mb-0">$65,650</h3>-->
            <?php
              $sql_product="SELECT * FROM products_details ";
              $result=mysqli_query($con,$sql_product);
              if(mysqli_num_rows($result)>0)
              {
                $sql_count_product="SELECT COUNT(art_id) FROM products_details";
                $result_count_product=mysqli_query($con,$sql_count_product);
                if($result_count_product)
                {
                  $row_count_product=mysqli_fetch_array($result_count_product);
                  echo"
                    <h3 class='font-weight-medium text-right mb-0'>".$row_count_product['COUNT(art_id)]."</h3>
                    ";
                }
                else
                {
                  echo"<h3 class='font-weight-medium text-right mb-0'>No data available</h3>";
                }
                else
                {
                  echo"<h3 class='font-weight-medium text-right mb-0'>Unable to fetch data</h3>";
                }
              }
              $con->close();
            ?>
          </div>
        </div>
      </div>
      <p class="text-muted mt-3 mb-0">
        <i class="mdi mdi-reload mr-1" aria-hidden="true"></i> Products
      </p>

```

```

</div>
</div>
</div>
</div>
<div class="row">
<div class="col-lg-7 grid-margin stretch-card">
<!--weather card-->
<div class="card card-weather">
<div class="card-body">
<div class="weather-date-location">
<h3><?php // Prints the day
echo gmdate("l") ;?></h3>
<p class="text-gray">
<span class="weather-date"><?php echo date("d M,Y");//Day ?></span>
<span class="weather-location">Jamshedpur, INDIA</span>
</p>
</div>
<div class="weather-data d-flex">
<div class="mr-auto">
<h2 class="weatherwidget-io" >
<a class="weatherwidget-io" href="https://forecast7.com/en/20d5978d96/india/" data-mode="Current"
>India</a>
<script>
!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0];if(!d.getElementById(id)){js=d.createElement(s);js.id=id;js.src='https://weatherwid
get.io/js/widget.min.js';fjs.parentNode.insertBefore(js,fjs);}}(document,'script','weatherwidget-io-js');
</script>
<h2>
<p style="font-weight: bold; font-size: 20px;">
Today's Temperature
</p>
</div>
</div>
</div>

<div class="card-body p-0">
<div class="d-flex weakly-weather">
<div class="weatherwidget-io" style="width:100%;height:100px;">
<a class="weatherwidget-io" href="https://forecast7.com/en/20d5978d96/india/" data-mode="Forecast" data-
theme="clear" >Jharkhand, India</a>
<script>
!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0];if(!d.getElementById(id)){js=d.createElement(s);js.id=id;js.src='https://weatherwid
get.io/js/widget.min.js';fjs.parentNode.insertBefore(js,fjs);}}(document,'script','weatherwidget-io-js');
</script>

```

```

        </div>
        </div>
        </div>
    </div>
    <!--weather card ends-->
</div>

<div class="col-lg-5 grid-margin stretch-card">
    <div class="card">
        <div class="card-body">
            <h2 class="card-title text-primary mb-5">Performance History</h2>
            <div class="wrapper d-flex justify-content-between">
                <div class="side-left">
                    <p class="mb-2">The best performance</p>
                    <p class="display-3 mb-4 font-weight-light">+45.2%</p>
                </div>
                <div class="side-right">
                    <small class="text-muted">2017</small>
                </div>
            </div>
            <div class="wrapper d-flex justify-content-between">
                <div class="side-left">
                    <p class="mb-2">Worst performance</p>
                    <p class="display-3 mb-5 font-weight-light">35.3%</p>
                </div>
                <div class="side-right">
                    <small class="text-muted">2015</small>
                </div>
            </div>
            <div class="wrapper">
                <div class="d-flex justify-content-between">
                    <p class="mb-2">Sales</p>
                    <p class="mb-2 text-primary">88%</p>
                </div>
                <div class="progress">
                    <div class="progress-bar bg-primary progress-bar-striped progress-bar-animated" role="progressbar" style="width: 88%" aria-valuenow="88" aria-valuemin="0" aria-valuemax="100"></div>
                </div>
            </div>
            <div class="wrapper mt-4">
                <div class="d-flex justify-content-between">
                    <p class="mb-2">Visits</p>
                    <p class="mb-2 text-success">56%</p>
                </div>
                <div class="progress">

```

```

        <div class="progress-bar bg-success progress-bar-striped progress-bar-animated" role="progressbar"
style="width: 56%" aria-valuenow="56"
            aria-valuemin="0" aria-valuemax="100"></div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>

<div class="row">
    <div class="col-lg-12 grid-margin stretch-card">
        <div class="card">
            <div class="card-body">
                <h3 class="card-title">Selling Report</h3>
                <!-- <canvas id="areaChart" style="height:250px"></canvas>

                <div class="row d-none d-sm-flex mb-4">
                    <div class="col-4">
                        <h5 class="text-primary">Unique Visitors</h5>
                        <p>34657</p>
                    </div>
                    <div class="col-4">
                        <h5 class="text-primary">Bounce Rate</h5>
                        <p>45673</p>
                    </div>
                    <div class="col-4">
                        <h5 class="text-primary">Active session</h5>
                        <p>45673</p>
                    </div>
                </div>-->
                <div id="chart"></div>
            </div>
        </div>
    </div>
</div>
</div>

</div>
<!-- content-wrapper ends -->
<!-- partial:partials/_footer.html -->
<footer class="footer">
    <div class="container-fluid clearfix">
        <span class="text-muted d-block text-center text-sm-left d-sm-inline-block">Copyright © 2018
            <a href="http://www.bootstrapdash.com/" target="_blank">Bootstrapdash</a>. All rights reserved.</span>
        <span class="float-none float-sm-right d-block mt-1 mt-sm-0 text-center">Hand-crafted & made with

```

```

<i class="mdi mdi-heart text-danger"></i>
</span>
</div>
</footer>
<!-- partial -->
</div>
<!-- main-panel ends -->

<script>
Morris.Line({
    element : 'chart',
    data:[<?php echo $chart_data; ?>],
    xkey:'date',
    ykeys:['amount'],
    labels:['amount'],
    hideHover:'auto',
    stacked:false
});
</script>
</body>
</html>

```

### **Customer Details report: (customer.php)**

```

<?php
session_start();
if(!isset($_SESSION['admin_name'])){
header("location:loginadmin.php");
}
?>
<html lang="en">
<body>
    <!-- main-panel start -->
    <div class="main-panel">
        <div class="content-wrapper">
            <div class="row py-4 px-4" > <!-- crud table-->
                <div class="col-sm-6">
                    <h3><i class="fa fa-th-list"></i> Customers List</h3>
                </div>
                <div class="col-sm-6 d-flex flex-row-reverse py-2 px-4">
                    <button type="button" class="btn btn-success btn-fw my-0 mx-1" data-toggle="modal" data-target="#exampleModal"><i class="fa fa-plus-circle"></i> Add New</button>
                </div>
            </div>
            <div class="col-lg-12 grid-margin stretch-card">

```

```

<div class="card">
  <div class="card-body">
    <h4 class="card-title">Hi! Welcome Back</h4>
    <div class="table-responsive">
      <?php
        include_once("connection.php");
        $sql="SELECT * FROM users";
        $result=mysqli_query($con,$sql);
        if(mysqli_num_rows($result)>0) {
          echo "<table class='table table-hover example2' id='record_contents'>
            <thead>
              <tr>
                <th>Name</th>
                <th>Email</th>
                <th>Mobile No.</th>
                <th>Password</th>
                <th>Actions</th>
              </tr>
            </thead>
            <tbody> ";
          while($row=mysqli_fetch_assoc($result)){
            echo "<tr>
              <td>".ucwords($row['name'])."</td>
              <td>".$row['email']."</td>
              <td>".$row['mobile']."</td>
              <td>".$row['pwd']."</td>
              <td>
                <button type='button' class='btn btn-icon btn-rounded btn-secondary' data-placement='top' title='View More'data-toggle='modal' data-target='.bd-example-modal-lg' onclick='viewMore(\".$row['user_id'].\")'>
                  <i class='mdi mdi-eye'></i> </button>
                <button type='button' class='btn btn-danger btn-icon btn-rounded btn-secondary' data-placement='top' title='Remove'data-toggle='modal' onclick='DeleteUser(\".$row['user_id'].\")'>
                  <i class='mdi mdi-delete'></i> </button>
              </td>
            </tr> ";
          }
        echo "</tbody>";
      }
    
```

```

        </table> ";
    } else {
        echo "data not available ";
    }
    // $con->close();
?>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- content-wrapper ends -->
<!-- partial:partials/_footer.html -->
<footer class="footer">
    <div class="container-fluid clearfix">
        <span class="text-muted d-block text-center text-sm-left d-sm-inline-block">Copyright © 2018
            <a href="http://www.bootstrapdash.com/" target="_blank">Bootstrapdash</a>. All rights reserved.</span>
        <span class="float-none float-sm-right d-block mt-1 mt-sm-0 text-center">Hand-crafted & made with
            <i class="mdi mdi-heart text-danger"></i>
        </span>
    </div>
</footer>
<!-- partial -->
</div>
<!-- main-panel ends -->
<script type="text/javascript"> //coding for pagination
$(document).ready(function() {
    $('.example2').DataTable();
} );
</script>

<!-- Modal customer details-->//for view details of customer
<div class="modal fade bd-example-modal-lg" tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-lg">
        <div class="modal-content p-5">
            <div class="modal-header">
                <h3 class="modal-title bd-example-modal-lg text-center">Customer Details!</h3>
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <div class="list-group" id="viewmore"></div>
            <?php
                //include_once('viewmore.php');

```

```

?>
<script>

function viewMore(id){//alert();
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {

if (this.readyState == 4 && this.status == 200) {
getresult=this.responseText;
document.getElementById('viewmore').innerHTML=getresult;
//alert(getresult);
}
};

xmlhttp.open("GET", "viewmore.php?q="+id, true);
//request send to php on page 'reg_validate.php'
xmlhttp.send();
}

</script>

</div>
</div>
</div>
<script type="text/javascript">
$(document).ready(function(){
readRecords();
});

//delete record
function DeleteUser(deleteid){
var conf = confirm("ARE YOU SURE TO DELETE THIS RECORD");
if(conf==true){
$.ajax({
url:"backend.php",
type:'POST',
data:{deleteid:deleteid},
success:function(data,status){
readRecords();
}
});
}
window.location.assign('customer.php');
}

</script>
</body>
</html>

```

## **Products Details records: (products\_list.php)**

```
<?php
session_start();
if(!isset($_SESSION['admin_name'])){
header("location:loginadmin.php");
}
?>
<!DOCTYPE html>
<html lang="en">

<body>
<div class="container-scroller">
<div class="container-fluid page-body-wrapper">
<div class="main-panel">
<div class="content-wrapper">
<!-- crud table-->
<div class="row py-4 px-4">
<div class="col-sm-6">
<h3><i class="fa fa-th-list"></i> Products List</h3>
</div>
<div class="col-sm-6 d-flex flex-row-reverse py-2 pr-4">
<div class="btn-group" role='group' aria-label='Third group'>
<button type='button' class='btn btn-icons btn-primary' data-placement='top' title='Add New' > <a href="product_entry.php"><i class='fas fa-plus' style='font-size:15px;'></i> </a></button>
</div>
</div>
</div>
<div class="col-lg-12 grid-margin stretch-card">
<div class="card">
<div class="card-body">
<h4 class="card-title">Hi! Welcome Back</h4>
<div class="table-responsive">
<?php
include_once("connection.php");
$sql="SELECT * FROM products_details";
$result=mysqli_query($con,$sql);
if(mysqli_num_rows($result)>0) {
echo "<table class='table table-hover' id='example'>
<thead>
<tr>
<th>Art ID</th>
<th>Image</th>
<th>Art Name</th>
<th>Category</th>
```

```

<th>Price</th>
<th>Status</th>
<th>Actions</th>
</tr>
</thead>
<tbody> ";
while($row=mysqli_fetch_assoc($result)){
$category=$row['category'];
$status=$row['status'];
echo " <tr>
<td>".$row['art_id']."'</td>
<td><img src='upload_image/".$row['photo']."'/></td>
<td>".ucwords($row['art_name'])."</td>
<td>";
switch($category)
{
    case 1:
        echo"<label>Acrylic Painting</label>";
        break;
    case 2:
        echo"<label>Watercolor Painting</label>";
        break;
    case 3:
        echo"<label> Oil Painting</label>";
        break;
    case 4:
        echo"<label>Charcol Painting</label>";
        break;
    case 5:
        echo"<label>Abstract Painting</label>";
        break;
    case 6:
        echo"<label>LandScape Painting</label>";
        break;
    case 7:

```

```
echo"<label>Just Still Life</label>";  
break;  
  
case 8:  
echo"<label>Buddha Painting</label>";  
break;  
  
case 9:  
echo"<label>Ganesh Paintings</label>";  
break;  
  
case 10:  
echo"<label> Couple Paintings</label>";  
break;  
  
case 11:  
echo"<label>Glass Paintings</label>";  
break;  
  
case 12:  
echo"<label>Home Decore</label>";  
break;  
  
case 13:  
echo"<label>Sculptuers</label>";  
break;  
  
case 14:  
echo"<label>natural Paintings</label>";  
break;  
  
case 15:  
echo"<label>shiva Paintings</label>";  
break;  
  
default:
```

```

echo"Invalid";
}?

<?php
echo"</td>
<td>&#8377 ".$row['price']."'</td>
<td>";

switch($status)

{
    case 0:
        echo"<label class='badge badge-danger'>Out Of Stock</label>";
        break;
    case 1:
        echo"<label class='badge badge-success'>In Stock</label>";
        break;
    default:
        echo"Invalid";
}

?>

<?php echo "
</td>
<td>"; ?>

<button type='button' class='btn btn-icon btn-rounded btn-info' onclick="GetArtDetail(<?php echo
$row['art_id'].",".$row['art_name'].",".$row['category']."'");?>"> <i class='fas fa-edit' style='font-size:12px'></i>
</button>

<?php
echo "

<button type='button' class='btn btn-danger btn-icon btn-rounded btn-info' data-placement='top'
title='Remove' onclick='DeleteProduct(\".$row['art_id'].\")'> <i class='fas fa-trash' style='font-size:12px'></i>
</button>

</td>
</tr>
";//data-placement='top' title='Edit' href='#' data-toggle='modal'data-target='#update_art_model'
}echo "</tbody>

```

```

        </table>";
} else {
echo "data not available "
}
$con->close();
?>

        </div>
        </div>
        </div>
        </div>
        </div>
        <!-- content-wrapper ends -->
</div>
<!-- main-panel ends -->
</div>
<!-- page-body-wrapper ends -->
</div>
<!-- container-scroller -->
<!-- Modal for edit product-->
<div class="modal fade" id="update_art_model" tabindex="-1" role="dialog" aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<div class="modal-title" id="exampleModalLabel">UPDATE PRODUCT</h5>
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<div class="card">
<div class="card-body">
<form class="forms-sample" method="POST" id='update_form' action="updateart.php">
<div class="form-group">
<label for="update_name">update_name</label>
<input type='text' class='form-control' name='update_name' id='update_name'>
</div>
<div class="form-group">
<label for="update_category">update_category</label>
<br>
<!--<input type='text' class='form-control' name='update_category' id='update_category'-->
<select name='update_category' class='px-4'>
<option value="id='update_category'">choose category</option>
<option value='1' id='update_category'">Acrylic Paintings</option>
<option value='2' id='update_category'">watercolor Paintings</option>
<option value='3' id='update_category'">Oil Paintings</option>
<option value='4' id='update_category'">Charcol Paintings</option>
<option value='5' id='update_category'">Abstract Paintings</option>
<option value='6' id='update_category'">LandScape Paintings</option>
<option value='7' id='update_category'">Just Still Life</option>
<option value='8' id='update_category'">Buddha Paintings</option>
<option value='9' id='update_category'">Ganesh Paintings</option>
<option value='10' id='update_category'">Couple Paintings</option>
<option value='11' id='update_category'">Glass Paintings</option>
<option value='12' id='update_category'">Home Decore</option>
<option value='13' id='update_category'">Sculptuers</option>
<option value='14' id='update_category'">natural Paintings</option>
<option value='15' id='update_category'">shiva Paintings</option>

```

```

        </select>
    </div>
    <div class="form-group">
        <label for="update_price">update_price</label>
        <input type="number" class="form-control" id="update_price" name='update_price'>
        <input id='hidden_art_id' type='hidden' name='hidden_art_id'>
    </div>
    <div class="form-group">
        <label class='mr-2' for="update_image">update_image</label> &nbsp &nbsp &nbsp &nbsp
        <input type='file' id="update_image" name='update_image'>
    </div>
</form>
</div>
</div>
<div class="modal-footer">
    <button type="submit" class="btn btn-primary" name='update_art_submit' form='update_form'>Update</button>
    <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
</div>
</div>
<!-- plugins:js -->
<script src="vendors/js/vendor.bundle.base.js"></script>
<script src="vendors/js/vendor.bundle.addons.js"></script>
<!-- endinject -->
<!-- Plugin js for this page-->
<!-- End plugin js for this page-->
<!-- inject:js -->
<script src="js/off-canvas.js"></script>
<script src="js/misc.js"></script>
<!-- endinject -->
<!-- Custom js for this page-->
<script src="js/dashboard.js"></script>
<!-- End custom js for this page-->

<script href="https://code.jquery.com/jquery-3.5.1.js"></script>
<script href="https://cdn.datatables.net/1.10.21/js/jquery.dataTables.min.js"></script>

<script type="text/javascript">
$(document).ready(function() {
    $('#example').DataTable();
} );
</script>

<script type="text/javascript">
//delete product record using Ajax
function DeleteProduct(deleteart){
    var conf = confirm("ARE YOU SURE TO DELETE THIS PRODUCT");
    if(conf==true){
        $.ajax({
            url:"backend.php",
            type:'POST',
            data:{deleteart:deleteart},
            success:function(data,status){
                readRecords();
            }
        });
    }
}
</script>

```

```

}window.location.assign('product_list.php');
}
</script>
<script>
//product updation
function GetArtDetail(art_id,art_name,category){
$(document).ready(function(){//alert(art_id+" "+art_name);
$('#update_art_model').modal("show");
$('#update_name').val(art_name);
$('#update_category').val(category);
$('#hidden_art_id').val(art_id);
});
}
</script>
</body>
</html>

```

### **UpdateArt Product code( updateart.php)**

```

<?php
include_once("connection.php");
$con = new mysqli($hostname,$username,$password,$dbname);
$db=mysqli_select_db($con,'mycart');

//product updation
if(isset($_POST['update_art_submit'])){
    //echo 'submit success';
    $hidden_art_id = $_POST['hidden_art_id'];
    $proname =$_POST['update_name'];
    $proprice =$_POST['update_price'];
    $proccategory =$_POST['update_category'];
    $proimage =$_POST['update_image'];

    $query="UPDATE products_details SET art_name= '$proname', price='$proprice' ,
category=$proccategory WHERE art_id='$hidden_art_id'";

    if(mysqli_query($con,$query)){
        echo "
<script>
            window.alert('Successfully Updated');
            window.location.assign('product_list.php');
        </script> ";
    }else{
        //echo "sql error : ".$con->error;
        echo "
<script>
            window.alert('Connection Failed');
            window.location.assign('product_list.php');
        </script> ";
    }
}else{
    //die('Failed submit');
    echo "<script>
            window.alert('Submission Failed');
            window.location.assign('product_list.php');
        </script> ";
}
?>

```

### **Order Details records: (order.php)**

```

<?php
session_start();
if(!isset($_SESSION['admin_name'])){
header("location:loginadmin.php");
}
?>
<!DOCTYPE html>
<html lang="en">
<body>
<div class="container-scroller">
<div class="container-fluid page-body-wrapper">
<div class="main-panel">
<div class="content-wrapper">
<!-- crud table-->
<div class="row py-4 px-4">
<div class="col-sm-6">
<h3><i class="fa fa-th-list"></i> Order List</h3>
</div>
<div class="col-sm-6 d-flex flex-row-reverse py-2 pr-4">
<div class='btn-group' role='group' aria-label='Third group'>
<button type='button' class='btn btn-icons btn-dark' data-placement='top' title='View Address' > <a href="#"><i class='fas fa-book' style='font-size:15px;'></i> </a></button>
</div>
</div>
</div>
<div class="col-lg-12 grid-margin stretch-card">
<div class="card">
<div class="card-body">
<h4 class="card-title">Hi! Welcome Back</h4>
<div class="table-responsive">
<?php
include_once("connection.php");
$sql="SELECT * FROM orders WHERE status>=3";
$result=mysqli_query($con,$sql);
if(mysqli_num_rows($result)>0) {
echo "<table class='table table-hover' id='example1'>
<thead>
<tr>
<th>Email</th>
<th>Art ID</th>
<th>Quantity</th>
<th>Total Amount</th>
<th>Status</th>
<th>Address ID</th>

```

```

<th>Date</th>
<th>Actions</th>
</tr>
</thead>
<tbody> ";

while($row=mysqli_fetch_assoc($result)){
    $status=$row['status'];
    echo " <tr>
        <td>".$row['email']."'>
        <td>
            <a type='button' data-toggle='modal' title='View Art Details' data-target='#artid_model'
            onclick='GetArtDetail(<?php echo $row['art_id'];?>)'>
                <?php echo $row['art_id']; ?></a>
            </td>
            <?php echo " <td>".$row['quantity']."'>
            <td>".$row['amount']."'>
            <td>";
            switch($status)
            {
                case 1:
                    echo"<label class='badge badge-dark'>Add to wishlist</label>";
                    break;
                case 2:
                    echo"<label class='badge badge-primary'>Add to cart</label>";
                    break;
                case 3:
                    echo"<label class='badge badge-warning'>Order Confirmed</label>";
                    break;
                case 4:
                    echo"<label class='badge badge-dark'>Processing</label>";
                    break;
                case 5:

```

```

echo"<label class='badge badge-info'>Shipped</label>";

break;

case 6:

echo"<label class='badge badge-success'>Delivered</label>";

break;

case 7:

echo"<label class='badge badge-danger'>Cancel</label>";

break;

case 8:

echo"<label class='badge badge-primary'>Return processing</label>";

break;

case 9:

echo"<label class='badge badge-dark'>Returned</label>";

break;

default:

echo"Invalid"; }?>

<?php echo" </td>";?><td>
<a type="button" data-toggle="modal" title="View Customer Details" data-target="#addid_model"
onclick="GetAddressDetail('<?php echo $row['add_id'];?>')>
<?php echo $row['add_id']; ?></a>
</td>

<?php echo "<td>".$row['date']."</td>
<td>";?>

<button type='button' class='btn btn-icon btn-rounded btn-primary' onclick="GetStatus(<?php echo
$row['o_id'].",".$row['status'].?>")> <i class='fas fa-edit' style='font-size:12px'></i>

```

```

        </button>

<?php echo "</td></tr>

";//data-placement='top' title='Edit' href="#" data-toggle='modal'data-target='#update_art_model'
} echo "
</tbody>
</table> ";
} else {
echo "data not available ";
}

$con->close();
?>
        </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        <!-- content-wrapper ends -->
</div>
<!-- main-panel ends -->
</div>
<!-- page-body-wrapper ends -->
</div>
<!-- container-scroller -->

<!-- Modal for UPDATE STATUS -->
<div class="modal fade" id="update_status_model" tabindex="-1" role="dialog" aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLabel">UPDATE STATUS</h5>
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<div class="card">
<div class="card-body">
<form class="forms-sample" method="POST" id='update_form' action="updateorder.php">
<div class="form-group">
<label for="update_status">update_status</label>
<br>
<!--<input type='text' class='form-control' name='update_category' id='update_category'>-->
<select name='update_status' class='px-4'>

```

```

<option value="" id='update_status'>choose category</option>
<option value='3' id='update_status'>Processing</option>
<option value='2' id='update_status'>Shipped/Shipping</option>
<option value='5' id='update_status'>Deliverd</option>
<option value='7' id='update_status'>Returned</option>
</select>
<input id='hidden_order_id' type='hidden' name='hidden_order_id'>
</div>
</form>
</div>
</div>
</div>
<div class="modal-footer">
  <button type="submit" class="btn btn-primary" name='update_status_submit' form='update_form'>Update</button>
  <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
</div>
</div>
</div>
<div class="modal-dialog" role="document">
  <div class="modal-content">
    <div class="modal-header">
      <h5 class="modal-title" id="exampleModalLabel">UPDATE PRODUCT</h5>
      <button type="button" class="close" data-dismiss="modal" aria-label="Close">
        <span aria-hidden="true">&times;</span>
      </button>
    </div>
    <div class="modal-body">
      <div class="card">
        <div class="card-body">
          <form class="forms-sample" method="POST" id='update_form' action="updateart.php">
            <div class="form-group">
              <label for="update_name">update_name</label>
              <input type='text' class='form-control' name='update_name' id='update_name'>
            </div>
            <div class="form-group">
              <label for="update_category">update_category</label>
              <br>
              <!--<input type='text' class='form-control' name='update_category' id='update_category'-->
              <select name='update_category' class='px-4'>
                <option value="" id='update_category'>choose category</option>
                <option value='1' id='update_category'>Acrylic Paintings</option>
                <option value='2' id='update_category'>watercolor Paintings</option>
                <option value='3' id='update_category'>Oil Paintings</option>
                <option value='4' id='update_category'>Charcol Paintings</option>
              </select>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

<option value='5' id='update_category'>Abstract Paintings</option>
<option value='6' id='update_category'>LandScape Paintings</option>
<option value='7' id='update_category'>Just Still Life</option>
<option value='8' id='update_category'>Buddha Paintings</option>
<option value='9' id='update_category'>Ganesh Paintings</option>
<option value='10' id='update_category'>Couple Paintings</option>
<option value='11' id='update_category'>Glass Paintings</option>
<option value='12' id='update_category'>Home Decore</option>
<option value='13' id='update_category'>Sculptuers</option>
<option value='14' id='update_category'>natural Paintings</option>
<option value='15' id='update_category'>shiva Paintings</option>
</select>
</div>
<div class="form-group">
    <label for="update_price">update_price</label>
    <input type="number" class="form-control" id="update_price" name='update_price'>
    <input id='hidden_art_id' type='hidden' name='hidden_art_id'>
</div>
<div class="form-group">
    <label class='mr-2' for="update_image">update_image</label> &ampnbsp &ampnbsp &ampnbsp &ampnbsp
    <input type='file' id="update_image" name='update_image'>
</div>
</form>
</div>
</div>
<div class="modal-footer">
    <button type="submit" class="btn btn-primary" name='update_art_submit' form='update_form'>Update</button>
    <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
</div>
</div>
</div>

<!-- Modal for art id-->
<div class="modal fade" id="artid_model" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Artwork Details</h5>
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>

```

```

<div class="modal-body">
    <div class="list-group" id="viewmore"> </div>
    <?php //include_once('viewmore.php'); ?>
<script>
    function GetArtDetail(id){//alert();
        var xmlhttp = new XMLHttpRequest();
        xmlhttp.onreadystatechange = function() {

            if (this.readyState == 4 && this.status == 200) {
                getresult=this.responseText;
                document.getElementById('viewmore').innerHTML=getresult;
                //alert(getresult);
            }
        };
        xmlhttp.open("GET", "get_orderdetail.php?q="+id, true);
        //request send to php on page 'reg_validate.php'
        xmlhttp.send();
    }
</script>
</div>
<div class="modal-footer"> </div>
</div>
</div>
</div>

<!-- Modal for address id-->
<div class="modal fade" id="addid_model" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Address Details</h5>
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <div class="modal-body">
                <div class="list-group" id="viewmore_address"> </div>
                <?php //include_once('viewmore.php'); ?>
            <script>
                function GetAddressDetail(id){//alert();
                    var xmlhttp = new XMLHttpRequest();
                    xmlhttp.onreadystatechange = function() {

                        if (this.readyState == 4 && this.status == 200) {

```

```

getresult=this.responseText;
document.getElementById('viewmore_address').innerHTML=getresult;
//alert(getresult);
}
};

xmlhttp.open("GET", "get_order_add_detail.php?q="+id, true);
//request send to php on page 'reg_validate.php'
xmlhttp.send();
}

</script>
</div>
<div class="modal-footer"></div>
</div>
</div>
</div>

<script type="text/javascript">
//pagination $ search
$(document).ready(function() {
    $('#example').DataTable();
} );
</script>

<script>
//status update
function GetStatus(o_id,status){
    $(document).ready(function(){//alert(art_id+" "+art_name);
        $('#update_status_model').modal("show");

        $('#update_status').val(status);
        $('#hidden_order_id').val(o_id);
    });
}
</script>
</body>
</html>

```

### **Get Product Art Details in particular email / customer (get\_orderdetails.php):**

```

<?php
$id=$_REQUEST['q'];
include_once('connection.php');
if($con->connect_error){
die('connection Failed');
}

```

```

if($id==""){
    echo 'Empty data';
}else{
    $logid=$id;//$_SESSION['email'];
    $sql="SELECT * from products_details WHERE art_id=$id";
    $result=$con->query($sql);
    while($row=$result->fetch_assoc()){
        $art_id=$row['art_id'];
        $artname=$row['art_name'];
        $artcategory=$row['category'];
        $artphoto=$row['photo'];
        $artprice=$row['price'];
    }
    echo "
<div class='row'>
    <div class='col-sm-4 py-4'>
        <figure class='figure'>
            <img src='upload_image/".$artphoto."' class='figure-img img-fluid rounded' alt=' ' id='artphoto'>
        </figure>
    </div>
    <div class='col-sm-8 pl-3'>
        <div class='row py-1' class='form-control' name='artid' id='artid'>Art ID: ".$art_id."</div>
        <div class='row py-1' class='form-control' name='artname' id='artname'>Art Name: ".$artname."</div>
        <div class='row py-1' class='form-control' name='artprice' id='artprice'>Price:&#8377 ".$artprice."</div>
        <div class='row py-1' class='form-control' name='artcategory' id='artcategory'>Category: ".$artcategory."</div>
        <div class='row py-1'>Size: 300* 400 inches</div>
    </div>
    <div class='col-sm'></div>
    <input id='hidden_art_id' type='hidden' name='hidden_art_id'>
</div> ";
}
$con->close();
}
?>

```

### **Get Product Address Details in particular email / customer (get\_order\_add\_details.php):**

```

<?php
$id=$_REQUEST['q'];
include_once('connection.php');
if($con->connect_error){
    die('connection Failed');
}
if($id==""){
    echo 'Empty data';
}else{

```

```

$logid=$id;//$_SESSION['email'];
$sqladd="SELECT * from addresses WHERE add_id=$id ";
$result=$con->query($sqladd);
while($row=$result->fetch_assoc()){
    $addid=$row['add_id'];
    $addname=$row['name'];
    $addemail=$row['email'];
    $add_at=$row['at'];
    $add_post=$row['post'];
    $add_city=$row['city'];
    $add_state=$row['state'];
    $add_dist=$row['dist'];
    $add_pin=$row['pin'];
}
echo "
<div class='container'>
<div class='row'>
<div class='col-sm'>
<div class='row py-1'>Address Id :   <span>".$addid."</span></div>
<div class='row py-1'>Name :   <span>".ucwords ($addname)."</span></div>
<div class='row py-1'>Email :   <span>".$addemail."</span></div>
<div class='row py-1'><b>Address</b> :</span></div>
<div class='row py-1'>&nbsp; &nbsp;<span>".$add_at." ,&nbsp; ".$add_post." ,</span>
<div class='row py-1'>&nbsp; &nbsp;City :&nbsp; ".$add_city." , &nbsp; &nbsp; District : &nbsp; ".$add_dist."
</span></div>
<div class='row py-1'>&nbsp; &nbsp;State :&nbsp; ".$add_state." , &nbsp; &nbsp; Pin Code : &nbsp;
".$add_pin." </span></div>
</div>
</div> ";
}
$con->close();
?>

```

### **Update Order Status in particular email / customer (updateorder.php):**

```

<?php
include_once("connection.php");
$con = new mysqli($hostname,$username,$password,$dbname);
$db=mysqli_select_db($con,'mycart');

//order status updation
if(isset($_POST['update_status_submit'])){
    //echo 'submit success';
    $hidden_order_id = $_POST['hidden_order_id'];
    $prostatus =$_POST['update_status'];

```

```

$query="UPDATE orders SET status='$prostatus' WHERE o_id='$hidden_order_id'";
if(mysqli_query($con,$query)){
    echo "
<script>
    window.alert('Successfully Updated');
    window.location.assign('order.php');
</script> ";
} else{
    //echo "sql error : ".$con->error;
    echo"
<script>
    window.alert('Connection Failed');
    window.location.assign('order.php');
</script> ";
}
else{
    //die('Failed submit');
    echo"
<script>
    window.alert('Submission Failed');
    window.location.assign('product_list.php');
</script>";
}
?>

```

### **Exhibitions Notice: (notice.php)**

```

<?php
session_start();
date_default_timezone_set("Asia/Calcutta");
include('connection.php');
if(!isset($_SESSION['admin_name'])) {
    header ('Location: loginadmin.php');
}
?>

<html>
<body>
<?php

if(isset($_POST['save'])){
    $notice_heading=$_POST['notice_heading'];
    $notice_message=$_POST['notice_message'];
    $place=$_POST['place'];
    $dt=$_POST['start_date'];

```

```

$date=date_create($dt);
$start_date=date_format($date,'Y-m-d');
$dt=$_POST['end_date'];
$date=date_create($dt);
$end_date=date_format($date,'Y-m-d');

$sql="INSERT INTO notices
values(null,'".$notice_heading."','".$notice_message."','".$start_date."','".$end_date."','".$place."')";
if($con->query($sql)){
    echo "<script>alert('Notice updated successfully');</script>";
}else{
    echo "not entered";
}
?>

<div class="main-panel">
<div class="content-wrapper">

<!-- crud table-->
<div class="row py-4 px-4 mb-3">
    <div class="col-sm-6">
        <h3><i class="mdi mdi-book-multiple-variant"></i> Exhibition Notice</h3>
    </div>
    <div class="col-sm-6 d-flex flex-row-reverse py-0 pr-1">
        <div class="p-2">
            <a class="btn btn-danger p-0 mx-2' href="notices.php?page_cmd=change" ><div class="btn">
                <span class="fa fa-minus-circle">&ampnbsp Delete a notice</span>
            </div></a>
        </div>
    </div>
    <div class="p-2">
        <a class="btn btn-success p-0 mx-2' href="notices.php" ><div class="btn">
            <span class="fa fa-plus-circle">&ampnbsp Add a notice</span>
        </div></a>
    </div>
    </div>
</div>
<div class="col-md-12 grid-margin stretch-card">
    <div class="card">
        <div class="container-fluid p-0 m-0">
            <div class="container-fluid alert-info py-3" >
                <!--<div class="row1 d-flex w-100" style="white-space:nowrap;color:green;font-weight:bold;">

```

```

<div class="bottom-br d-flex w-100"></div>
</div>-->

<?php
if(isset($_GET['page_cmd'])){
    ?>
    <div class="container-fluid p-0 m-0">
        <div class="container-fluid alert-danger table-responsive p-2 m-0">
<?php
if($_GET['page_cmd']=='change'){
    if($con->connect_error){
        die("conection failed".$con->connect_error);
    }
    $sql="SELECT * FROM notices";
    if($result=$con->query($sql)) {

        // output data of each row
        echo "<table class='table table-striped'>
            <thead class='thead-dark'><tr>
                <th>S no</th><th>Notice heading</th><th>Start Date</th><th>End Date</th><th>Remove</th>
            </tr></thead>";
        $i=1;
        while($row = $result->fetch_assoc()) {
            echo "    <tr><td>". $i. "</td><td>". $row["notice_heading"]. "    </td><td>". $row["start_date"].

"    </td><td>". $row["end_date"]. "</td><td>
                <a class='btn btn-danger p-1 text-wrap' href='notices.php?page_cmd=remove&notice_id=". $row["notice_id"]. "'>
                    <span class='fa fa-minus-circle'>&nbsp; Remove</span>
                </a>
            </td>";
            $i++;
        }
        $i=1;
        echo "</table>";
    }
}

if($_GET['page_cmd']=='remove'){
    if($con->connect_error){
        die("conection failed".$con->connect_error);
    }
    $sql="DELETE FROM notices WHERE notice_id='". $_GET['notice_id']. "'";
    $result=$con->query($sql);
    // header("location:".$domain_url."notices.php?page_cmd=change");
}

```

```

echo
"
<script>
    window.alert('notice removed!!');
    window.location.assign('notices.php?page_cmd=change');
</script>
";
}
?>
</div>
</div><?php
}else{
?>
<div class="container-fluid p-0 m-0">
<div class="container-fluid p-3 alert-danger shadow">
<form action='<?php echo htmlspecialchars($_SERVER['PHP_SELF']);?>' method='POST'>
<div class='meal-input'><label>Notice heading</label><br><input class='form-control' type='text' placeholder='Notice Heading' name='notice_heading' required></div>

<div class='meal-input'><label>Message</label><br><textarea class='form-control' name='notice_message' required></textarea></div>

<div class='meal-input'><label>Notice Publish date</label><br><input class='form-control' type='date' name='start_date' required><p style='color:red;'>* Date on which it will be published</p></div>

<div class='meal-input'><label>Notice Expiry date</label><br><input class='form-control' type='date' name='end_date' required><p style='color:red;'>* Date after which it will be removed from notice board</p></div>

<div class='meal-input'><label>Place</label><br><input class='form-control' type='text' placeholder='exhibition place' name='place' required></div>

<div class='meal-input'><input class='btn btn-dark mt-4' type='submit' name='save' value='Put Notice'></div>
</form>
</div>
</div>

<?php
}
$con->close();
?>
</div>
</div>

```

```

        </div>
    </div>

</div>
<!-- content-wrapper ends -->
<!-- partial:partials/_footer.html -->
<footer class="footer">
    <div class="container-fluid clearfix">
        <span class="text-muted d-block text-center text-sm-left d-sm-inline-block">Copyright © 2018
            <a href="http://www.bootstrapdash.com/" target="_blank">Bootstrapdash</a>. All rights reserved.</span>
        <span class="float-none float-sm-right d-block mt-1 mt-sm-0 text-center">Hand-crafted & made with
            <i class="mdi mdi-heart text-danger"></i>
        </span>
    </div>
</footer>
<!-- partial -->
</div>
<!-- main-panel ends -->

</body>
</html>

```

## **Products entry : (product\_entry.php)**

```

<?php
session_start();
if(!isset($_SESSION['admin_name'])){
    header("location:loginadmin.php");
}
?>
<html lang="en">
<body>
    <div class="main-panel">
        <div class="content-wrapper">
<!-- crud table-->
    <div class="row py-4 px-4">
        <div class="col-sm-6">
            <h3><i class="fa fa-th-list"></i> Products Entry</h3>
        </div>
    <div class="col-sm-6 d-flex flex-row-reverse py-2 pr-4">
        <div class='btn-group' role='group' aria-label='Third group'>

```

```

<button type='button' class='btn btn-icons btn-dark' data-placement='top' title='Back' data-toggle='modal' data-target='.bd-example-modal-lg'> <a href="product_list.php"><i class='fas fa-reply-all' style='font-size:15px'></i></a></button>
</div>
<div class='btn-group' role='group' aria-label='Third group'>
<button type='button' class='btn btn-icons btn-warning' data-placement='top' title='Review' > <a href="#"><i class='fas fa-file-archive' style='font-size:15px;'></i> </a></button>
</div>
</div>
</div>
<div class="col-md-12 grid-margin stretch-card">
<div class="card">
<div class="card-body">
<?php
$error="";
if(!empty($_POST)) {
$art_name=$_POST['art_name'];
$price=$_POST['price'];
$cat=$_POST['cat'];
$filename=$_FILES['photos']['name'];
$filesize=$_FILES['photos']['size'];
$tmpname=$_FILES['photos']['tmp_name'];

$fileext=explode('.',$_FILES['photos']['name']);
// echo $fileext[1];
$ext=array("jpg","jpeg","png");
if(in_array($fileext[1],$ext)==false) {
$error.= "<li>invalid photo</li>";
}
// echo $filesize;
else if($filesize>2097152)
{
$error.= "<li>invalid image size</li>";
}
if($art_name==""){
$error.= "<li>Name is Mandetory Field!</li>";
}
if($price==""){
$error.= "<li>Mobile is Mandetory Field!</li>";
}
if($cat==""){
$error.= "<li>category is Mandetory Field!</li>";
}
}
if($error!=""){

```

```

echo"
<section>
<div class='container'>
<div class='row'>
    <div class='alert alert-danger' role='alert'>
        <ul>
            ".$error."
        </ul>
    </div>
</div>
</section> ";
}

else if(!empty($_POST) && $error=="")
{
$rand=rand(1000,9999)move_uploaded_file( $tmpname, "upload_image/".$rand.$filename);
include_once("connection.php");
$sql="INSERT INTO products_details(art_name,price,category,photo) VALUES
(\".$art_name.\",\".$price.\",\".$cat.\",\".$rand.$filename.\")";
if(mysqli_query($con,$sql))
{
echo"Data successfully submitted";
}
else
{
echo"something is error";
}
$con->close();
}
echo "
<form class='forms-sample' method='POST' action='".$SERVER['PHP_SELF']."' enctype='multipart/form-data'>
    <div class='form-group'>
        <label for='exampleInputName1'><h6>Product Name</h6></label>
        <input type='text' class='form-control' id='exampleInputName1' placeholder=' Product Name Enter' name='art_name' autocomplete='off'>
    </div>

    <div class='form-group'>
        <label for='exampleInputPassword4'><h6>Product Price</h6></label>
        <input type='number' class='form-control' id='exampleInputPassword4' placeholder='Product Price' name='price' autocomplete='off'>
    </div>
    <div class='form-group'>
        <label for='exampleInputCity1'><h5>Categories</h5></label>
        &nbsp &nbsp &nbsp &nbsp &nbsp &nbsp
    </div>
</form>

```

```

<select name='cat'>
    <option value="">choose category</option>
    <option value='1'>Acrylic Paintings</option>
    <option value='2'>watercolor Paintings</option>
    <option value='3'>Oil Paintings</option>
    <option value='4'>Charcol Paintings</option>
    <option value='5'>Abstract Paintings</option>
    <option value='6'>LandScape Paintings</option>
    <option value='7'>Just Still Life</option>
    <option value='8'>Buddha Paintings</option>
    <option value='9'>Ganesh Paintings</option>
    <option value='10'>Couple Paintings</option>
    <option value='11'>Glass Paintings</option>
    <option value='12'>Home Decore</option>
    <option value='13'>Sculptuers</option>
    <option value='14'>natural Paintings</option>
    <option value='15'>shiva Paintings</option>
</select>
</div>
<div class='form-group'>
    <div class='input-group col-xs-4'>
        <label class='mr-2'><h5>Image upload</h5></label> &nbsp &nbsp &nbsp
        <input type='file' placeholder='photo' name='photos' autocomplete='off'>
    </div>
</div>
<button type='submit' class='btn btn-success mr-3'>Submit</button>
<button class='btn btn-light'>Reset</button>
</form>
";
?>
</div>
<!-- content-wrapper ends -->
</div>
<!-- main-panel ends -->
<div class="content-wrapper">
    <div class="row py-4 px-4" > <!-- crud table-->
        <div class="col-sm-6">
            <h3><i class="fa fa-th-list"></i> Customers List</h3>
        </div>
        <div class="col-sm-6 d-flex flex-row-reverse py-2 px-4">
            <button type="button" class="btn btn-success btn-fw my-0 mx-1" data-toggle="modal" data-target="#exampleModal"><i class="fa fa-plus-circle"></i> Add New</button>

```

```

</div>
</div>

<div class="col-lg-12 grid-margin stretch-card">
<div class="card">
<div class="card-body">
<h4 class="card-title">Hi! Welcome Back</h4>
<div class="table-responsive">
<?php

include_once("connection.php");
$sql="SELECT * FROM users";

$result=mysqli_query($con,$sql);

if(mysqli_num_rows($result)>0)
{
echo "<table class='table table-hover example2' id='record_contants'>

<thead>
<tr>
<th>Name</th>
<th>Email</th>
<th>Mobile No.</th>
<th>Password</th>
<th>Actions</th>

</tr>
</thead>

<tbody> ";

while($row=mysqli_fetch_assoc($result)){
echo "<tr>

<td>".ucwords($row['name'])."</td>
<td>".$row['email']. "</td>
<td>".$row['mobile']. "</td>
<td>".$row['pwd']. "</td>
<td>

<button type='button' class='btn btn-icon btn-rounded btn-secondary' data-placement='top' title='View More'data-toggle='modal' data-target='.bd-example-modal-lg' onclick='viewMore(\".$row['user_id'].\")'>
<i class='mdi mdi-eye'></i></button>

```

```

<button type='button' class='btn btn-danger btn-icons btn-rounded btn-secondary' data-placement='top' title='Remove'data-
toggle='modal' onclick='DeleteUser("$.row['user_id']).'> <i class='mdi mdi-delete'></i></button>

</td>
</tr> ";
}

echo "</tbody>

</table>"; }

else {
    echo "data not available ";
}

//$con->close();

?>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- content-wrapper ends -->
<!-- partial:partials/_footer.html -->
<footer class="footer">
    <div class="container-fluid clearfix">
        <span class="text-muted d-block text-center text-sm-left d-sm-inline-block">Copyright © 2018
            <a href="http://www.bootstrapdash.com/" target="_blank">Bootstrapdash</a>. All rights reserved.</span>
        <span class="float-none float-sm-right d-block mt-1 mt-sm-0 text-center">Hand-crafted & made with
            <i class="mdi mdi-heart text-danger"></i>
        </span>
    </div>
</footer>
<!-- partial -->
</div>
</body>
</html>

```

### **Get Report code( reports.php):**

```

<?php
session_start();
if(!isset($_SESSION['admin_name'])){
    header("location:loginadmin.php");
}
?>
<html lang="en">
<body>

```

```

<!-- main-panel start -->
<div class="main-panel">
<div class="content-wrapper">
    <!-- crud table-->
<div class="row py-4 px-4">
    <div class="col-sm-6">
        <h3><i class="mdi mdi-widgets"></i> &nbsp; Get Report</h3>
    </div>
</div>

<div class="col-lg-12 grid-margin stretch-card">
    <div class='card' >
        <div class='card-body'>

            <div class='form-group col-md-6'>
                <label for='exampleInputName1'>Start Date</label>
                <input type="text" name="start_date" id="start_date" class="form-control" />
            </div>

            <div class='form-group col-md-6'>
                <label for='exampleInputName1'>End Date</label>
                <input type="text" name="end_date" id="end_date" class="form-control" />
            </div>

            <input type="button" name="search" id="search" value="Search" class="btn btn-primary ml-2" />
            <br>
            <br>

            <h4><i class="mdi mdi-widgets"></i> Order Details</h4>
            <div class='table-responsive'>
                <br/>
                <table id="order_data" class="table table-bordered table-hover">
                    <thead>
                        <tr>
                            <th>Order ID</th>
                            <th>Email</th>
                            <th>Art ID</th>
                            <th>Amount</th>
                            <th>Order Date</th>
                        </tr>
                    </thead>
                    <tbody>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
</div>

```

```

<!-- content-wrapper ends -->
</div>
<!-- main-panel ends -->
</div>

<!--report generation-->
<script type="text/javascript" language="javascript" >

$(document).ready(function(){

$('.input-daterange').datepicker({
todayBtn:'linked',
format: "yyyy-mm-dd",
autoclose: true
});

fetch_data('no');

function fetch_data(is_date_search, start_date="", end_date="")
{
var dataTable = $('#order_data').DataTable({
"processing" : true,
"serverSide" : true,
"order" : [],
"ajax" : {
url:"fetch.php",
type:"POST",
data:{
is_date_search:is_date_search, start_date:start_date, end_date:end_date
}
}
});
}

$('#search').click(function(){
var start_date = $('#start_date').val();
var end_date = $('#end_date').val();
if(start_date != "" && end_date != "")
{
$('#order_data').DataTable().destroy();
fetch_data('yes', start_date, end_date);
}
else
{
alert("Both Date is Required");
}
})
}

```

```

    }
});

});

</script>

```

```

</body>
</html>

```

### **Fetch date vise Sellining report: (fetch.php)**

```

<?php
require'connection.php';
$con = new mysqli($hostname,$username,$password,$dbname);
$columns = array('o_id', 'email', 'art_id', 'amount', 'date');

$query = "SELECT * FROM orders WHERE status=6 and ";

if($_POST["is_date_search"] == "yes"){
    $query .= 'date BETWEEN "'.$_POST["start_date"].'" AND "'.$_POST["end_date"].'" AND ';
}

if(isset($_POST["search"]["value"])){
    $query .= '
        o_id LIKE "%'.$_POST["search"]["value"].'%"
        OR email LIKE "%'.$_POST["search"]["value"].'%"
        OR art_id LIKE "%'.$_POST["search"]["value"].'%"
        OR amount LIKE "%'.$_POST["search"]["value"].'%"
    ';
}

if(isset($_POST["order"])){
    $query .= 'ORDER BY '.$columns[$_POST['order'][0]['column']].' '.$_POST['order'][0]['dir'].'';
}
else{
    $query .= 'ORDER BY o_id DESC ';
}

$query1 = "";

if($_POST["length"] != -1){
    $query1 = 'LIMIT ' . $_POST['start'] . ', ' . $_POST['length'];
}

$number_filter_row = mysqli_num_rows(mysqli_query($con, $query));
$result = mysqli_query($con, $query . $query1);
$data = array();
while($row = mysqli_fetch_array($result)){
    $sub_array = array();

```

```
$sub_array[] = $row["o_id"];
$sub_array[] = $row["email"];
$sub_array[] = $row["art_id"];
$sub_array[] = $row["amount"];
$sub_array[] = $row["date"];
$data[] = $sub_array;
}

function get_all_data($con){
$query = "SELECT * FROM orders";
$result = mysqli_query($con, $query);
return mysqli_num_rows($result);
}

$output = array(
"draw" => intval($_POST["draw"]),
"recordsTotal" => get_all_data($con),
"recordsFiltered" => $number_filter_row,
"data" => $data
);
echo json_encode($output);
?>
```

## 10.2 CUSROMER SIDE SOURCE CODE

### DATABASE Connectivity : (connection.php)

```
<?php
    //Database connection
    //variable declaration
    $hostname="localhost";
    $dbname="mycart";
    $username="admin";
    $password="1234";
    date_default_timezone_set('Asia/Calcutta');
    $date=date("y-m-d h:i:s A");
    //creating connection
    $con = new mysqli($hostname,$username,$password,$dbname);
    if ($con->connect_error)
    {
        die("connection Failed");
    }
?>
```

### Customer Register page: (signin.php)

```
<?php
$error="";
if(!empty($_POST))
{
    $name=$_POST['name'];
    $mobile=$_POST['mobile'];
    $email=$_POST['email'];
    $pwd=$_POST['pwd'];
    $salt="kalakriti";
    $pwd1=sha1($pwd.$salt);

    if($name==""){
        $error.=<li>Name is Mandatory Field!</li>;
    }
    if($mobile==""){
        $error.=<li>Mobile is Mandatory Field!</li>;
    }
    if($email==""){
        $error.=<li>E-Mail is Mandatory Field!</li>;
    }
    if($pwd==""){
        $error.=<li>Password is Mandatory Field!</li>;
    }
}
```

```

        }
    }
?>

<html>
<head>

<meta charset='utf-8'>
<meta name='viewport' content='width=device-width, initial-scale=1'>
<meta name='viewport' content='width=device-width, initial-scale=1,maximum-scale=1'>
<link href='//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css' rel='stylesheet' id='bootstrap-css'>
<link rel='stylesheet' href='https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.css'>
<link href='css/bootstrap.css' rel='stylesheet' type='text/css'>
<script src='//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js'></script>
<script src='//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js'></script>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>

<link rel="stylesheet" href="signin_login_style.css ">
<?php echo"
<!-- JS to check-availability-status-->

<script>

function checkemailAvailability() {
    $('#loaderIcon').show();
    jQuery.ajax({
        url: 'checkavailability.php',
        data:'email='+$('#email').val(),
        type: 'POST',
        success:function(data){
            $('#email-availability-status').html(data);
            $('#loaderIcon').hide();
        },
        error:function (){}
    });
}

function checkmobileAvailability() {
    $('#loaderIcon').show();
    jQuery.ajax({
        url: 'checkavailability.php',
        data:'mobile='+$('#mobile').val(),
        type: 'POST',
        success:function(data){
            $('#mobile-availability-status').html(data);
            $('#loaderIcon').hide();
        },
        error:function (){}
    });
}

```

```

    });
}

</script>

<script src='http://ajax.googleapis.com/ajax/libs/jquery/2.0.2/jquery.min.js'></script>
<script src='js/bootstrap.min_2.js'></script>
<script src='js/jquery.inputmask.js' type='text/javascript'></script>
<script src='js/jquery.inputmask.extensions.js' type='text/javascript'></script>
<script type='text/javascript'>
$(function() {
    //Datemask dd/mm/yyyy
    $('#datemask').inputmask('dd/mm/yyyy', {'placeholder': 'dd/mm/yyyy'});
    //Datemask2 mm/dd/yyyy
    $('#datemask2').inputmask('mm/dd/yyyy', {'placeholder': 'mm/dd/yyyy'});
    //Money Euro
    $('[data-mask]').inputmask();
});

</script>

<title>KALAKRITI Aty Galley || Register</title>
<!--Made with love by Mutiullah Samim -->
<!--Bootsrap 4 CDN-->
<link rel='stylesheet' href='https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css' integrity='sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO' crossorigin='anonymous'>
<!--Fontawesome CDN-->
<link rel='stylesheet' href='https://use.fontawesome.com/releases/v5.3.1/css/all.css' integrity='sha384-mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvIt+Y8vEf7N7fWAU' crossorigin='anonymous'>
<!--Custom styles-->
<link rel='stylesheet' type='text/css' href='style(login).css'>
</head>";
?>
<body>
<!-- The Modal -->
<div class="modal fade" id="myModal">
    <div class="modal-dialog">
        <div class="modal-content">
            <!-- Modal Header -->
            <div class="modal-header">
                <h4 class="modal-title">Register Message</h4>
                <button type="button" class="close" data-dismiss="modal">×</button>
            </div>
            <!-- Modal body -->
            <div class="modal-body text-dark">
                Successfully registered. &#128522;
            </div>

```

```

<!-- Modal footer -->
<div class="modal-footer">
    <button type="button" class="btn btn-danger" data-dismiss="modal">Close</button>
</div>
</div>
</div>
</div>

<div class='container'>
    <div class='d-flex justify-content-center h-100'>
        <div class='card'>
            <div class='card-header'>
                <h3>Sign Up</h3>
                <div class='d-flex justify-content-end social_icon'>
                    <span><i class='fab fa-facebook-square'></i></span>
                    <span><i class='fab fa-google-plus-square'></i></span>
                    <span><i class='fab fa-twitter-square'></i></span>
                </div>
            </div>
            <div class='card-body'>
                <?php
                if($error!="")
                {
                    echo"
                    <section>
                        <div class='container'>
                            <div class='row-xl-3' style='padding:20px;'>
                                <div class='alert alert-danger' role='alert'>
                                    <div class='alert'>
                                        <span class='closebtn'
onclic
k='this.parentElement.style.display='none';'>&times;</span>
                                    <strong>".$error."</strong>
                                </div>
                            </div>
                        </div>
                    </section>";
                }else if(!empty($_POST) && $error==""){
                    include_once("connection.php");
                    $sql="INSERT INTO users( name,mobile,email,pwd,date) VALUES ('".$name."','".$mobile."','".$email."','".$pwd1."','".$date."')";
                    if(mysqli_query($con,$sql)){
                        echo "<script>
                            $(document).ready(function(){
                                $('#myModal').modal();
                            });
                        </script>
";
                }
            </div>
        </div>
    </div>
</div>

```

```

        </script>";
    }
    $con->close();
}

//onkeyup='this.value = this.value.toUpperCase();'
echo"
<form method='POST' action='".$SERVER['PHP_SELF']."'>
<div class='input-group form-group'>
<div class='input-group-prepend'>
<span class='input-group-text'><i class='fas fa-user-alt'></i></span>
</div>
<input required type='text' class='form-control' placeholder='Name' name='name' autocomplete='off'>
</div>
<div class='input-group form-group'>
<div class='input-group-prepend'>
<span class='input-group-text'><i class='fas fa-envelope'></i></span>
</div>
<input required type='email' class='form-control' placeholder='Email' name='email' id='email' onBlur='checkemailAvailability()'>
<span id='email-availability-status'></span>

</div>
<div class='input-group form-group'>
<div class='input-group-prepend'>
<span class='input-group-text'><i class='fas fa-phone'></i></span>
</div>
<input required type='tel' class='form-control' placeholder='Enter your contact Number' name='mobile' id='mobile' onBlur='checkmobileAvailability()' title='Must contain 10-digit number' data-prompt-position='bottomLeft' data-inputmask="mask: '9999999999' data-mask"><span id='mobile-availability-status'> <span id='mobile-availability-status'></span>
</div>
<div class='input-group form-group'>
<div class='input-group-prepend'>
<span class='input-group-text'><i class='fas fa-key'></i></span>
</div>
<input type='password' class='form-control' placeholder='create password' name='pwd' >
</div>
<div class='input-group form-group'>
<div class='input-group-prepend'>
<span class='input-group-text'><i class='fas fa-key'></i></span>
</div>
<input type='password' class='form-control' placeholder='confirm password' name='cpwd' >
</div>
<div class='row align-items-center remember'>

```

```

<span><input required type='checkbox'>I agree with the <a href='privacy.html'>Privacy
Policy</a></span>
</div>
<div class='form-group'>
    <input type='submit' value='Sign In' class='btn float-right login_btn'>
</div>
</form>";
echo"</div>
<div class='card-footer'>
    <div class='d-flex justify-content-center links'>
        Already have an account?<a href='login1.php'>Log In</a>
    </div>
</div>
</div>
</div>
</body>
<script type='text/javascript'> //function to check if email, phone no is available or already registered..
function my(){
    var e="";
    var name=document.forms['myform']['name'].value;
    var phno=document.forms['myform']['phno'].value;
    if(name==" " || name.length<=3) {
        e+= '<li> enter username</li>';
    }
    if(phno=="") {
        e+= '<li>enter phone number</li>';
    }
    document.getElementById('alert').style.display='block';
    document.getElementById('alert').innerHTML=e;
    return false;
}
</script>
</html>
";
?>

```

### **Check Availability if email or phone no. is already exists or not (checkavailability.php)**

```

<?php
include_once("connection.php");
//code check email

```

```

if(!empty($_POST["email"])) {
    $result = mysqli_query($con,"SELECT count(*) FROM users WHERE email='$_POST[email]'");
    $row = mysqli_fetch_row($result);
    $email_count = $row[0];
    if($email_count>0) echo "<span style='color:red'> EmailId Exist..Try another one..</span>";
    else echo "<span style='color:white'> Email Available.</span>";
}
// End code check email//Code check mobile
if(!empty($_POST["mobile"])) {
    $result2 = mysqli_query($con,"SELECT count(*) FROM users WHERE mobile='$_POST[mobile]'");
    $row2 = mysqli_fetch_row($result2);
    $mobile_count = $row2[0];
    if($mobile_count>0) echo "<span style='color:red'> Mobile number already Exist..Try another one..</span>";
    else echo "<span style='color:white'> Mobile Available.</span>";
}
// End code check mobile
?>

```

### **Customer Login page: (login1.php)**

```

<?php
session_start();
$error="";
if(!empty($_POST))
{
    $email=$_POST['email'];
    $pwd=$_POST['pwd'];
    $salt="kalakriti";
    $pwd1=sha1($pwd.$salt);
    if($email==""){
        $error.=<li>Email is Mandatory Field!</li>;
    }
    if($pwd==""){
        $error.=<li>Password is Mandatory Field!</li>;
    }
}
?>
<html>
    <head>
        <meta charset='utf-8'>
        <meta name='viewport' content='width=device-width, initial-scale=1'>

```

```

<meta name='viewport' content='width=device-width, initial-scale=1,maximum-scale=1'>
<link href='//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css' rel='stylesheet' id='bootstrap-css'>
<link rel='stylesheet' href='https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.css'>
<link href='css/bootstrap.css' rel='stylesheet' type='text/css'>
<script src='//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js'></script>
<script src='//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js'></script>

<title>KALAKRITI Onkine Art Gallery || Login Page</title>
<!--Made with love by Mutiullah Samim -->

<!--Bootstrap 4 CDN-->
<link rel='stylesheet' href='https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css' integrity='sha384-MCw98/SFnGE8fJT3GXwEOngV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO' crossorigin='anonymous'>

<!--Fontawesome CDN-->
<link rel='stylesheet' href='https://use.fontawesome.com/releases/v5.3.1/css/all.css' integrity='sha384-mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvIt+Y8vEf7N7fWAU' crossorigin='anonymous'>
<link rel="stylesheet" href="signin_login_style.css">
    <!--Custom styles-->
    <link rel='stylesheet' type='text/css' href='style(login).css'>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
</style>
</head>
<body>
    <!-- The Modal -->
    <div class="modal fade" id="myModal">
        <div class="modal-dialog">
            <div class="modal-content">
                <!-- Modal Header -->
                <div class="modal-header">
                    <h4 class="modal-title text-dark">Login Message</h4>
                    <button type="button" class="close" data-dismiss="modal">x</button>
                </div>
                <!-- Modal body -->
                <div class="modal-body text-dark">
                    <?php echo $error;?>
                </div>
                <!-- Modal footer -->
                <div class="modal-footer">
                    <button type="button" class="btn btn-danger" data-dismiss="modal">Close</button>
                </div>

```

```

</div>
</div>
</div>

<div class='container'>
    <div class='d-flex justify-content-center h-100'>
        <div class='card'>
            <div class='card-header'>
                <h3>Log In</h3>
            <div class='d-flex justify-content-end social_icon'>
                <span><i class='fab fa-facebook-square'></i></span>
                <span><i class='fab fa-google-plus-square'></i></span>
                <span><i class='fab fa-twitter-square'></i></span>
            </div>
        </div>
        <div class='card-body'>

<?php
if($error!=""){
?>
<script>
$(document).ready(function(){
    //$('#msg-body').html("error");
    $('#myModal').modal();
});
</script>
<?php
}
else if(!empty($_POST) && $error=="")
{
    include_once("connection.php");
    $sql="SELECT * FROM users WHERE email = '$email' and pwd ='$pwd1'";
    $result=$con->query($sql);//mysqli_query($con,$sql);
    if($result->num_rows>0){
        while($row=$result->fetch_assoc()){
            $_SESSION['login']=true;
            $_SESSION['name']=$row['name'];
            $_SESSION['email']=$row['email'];
            $_SESSION['pwd']=$row['pwd'];
            $_SESSION['role']="users";
        }
        if(isset($_SESSION['login_redirect'])){
            $_LOGIN_REDIRECT=$_SESSION['login_redirect'];
            echo " <script> location.replace(\"".$_LOGIN_REDIRECT."\");</script>";
        }else{

```

```

        echo "<script> location.replace('index.php');</script>";
    }
} else{
    echo "wrong input";
}
}

echo"
<form method='POST' action=".$_SERVER['PHP_SELF'].">
<div class='input-group form-group'>
    <div class='input-group-prepend'>
        <span class='input-group-text'><i class='fas fa-user'></i></span>
    </div>
    <input type='email' class='form-control' placeholder='abc@gmail.com' name='email'>
</div>
<div class='input-group form-group'>
    <div class='input-group-prepend'>
        <span class='input-group-text'><i class='fas fa-key'></i></span>
    </div>
    <input type='password' class='form-control' placeholder='password' name='pwd'>
</div>
<div class='row align-items-center remember'>
    <input type='checkbox'>Remember Me
</div>
<div class='form-group'>
    <input type='submit' value='Login' class='btn float-right login_btn'>
</div>
</form>
";
?>
</div>
<div class='card-footer'>
    <div class='d-flex justify-content-center links'>
        Don't have an account?<a href='signin.php'>Sign Up</a>
    </div>
    <div class='d-flex justify-content-center'>
        <a href='forgot_pwd.php'>Forgot your password?</a>
    </div>
</div>
</div>
</div>
</body>
</html>

```

## **Register/Login Style Sheet (sign\_login\_style.css):**

```
<style type='text/css'>
@import url('https://fonts.googleapis.com/css?family=Numans');

html,body{
    background-repeat: no-repeat;height: 100%;font-family: 'Numans', sans-serif;
    background: linear-gradient(rgba(0,0,0,0.2),rgba(0,0,0,0.2)),url(images/wp2186239.jpg);
    background-size: cover;background-position: center;
    background-attachment: fixed;position: relative;z-index: 2;color: #fff;
}

.container{
    height: 100%;      align-content: center;
}

.card{
    height: 495px;margin-top:100px;margin-bottom: auto;      width: 400px;
    background-color: rgba(0,0,0,0.5) !important;
}

.social_icon span{
    font-size: 60px;margin-left: 10px;      color:#ccc;
}

.social_icon span:hover{
    color: #fff;cursor: pointer;      transform:scale(1.15);
    box-shadow:0px 0px 5px 2px #ccc;      box-shadow:none;
}

.card-header h3{color: white;}

.social_icon{
    position: absolute;right: 20px;top: -42px;
}

.input-group-prepend span{
    width: 50px;background-color: silver;  color: black; border:0 !important;
}

input:focus{
    outline: 0 0 0 0 !important; box-shadow: 0 0 0 0 !important;
}

.remember{color: white; }

.remember input{width: 20px;height: 20px;      margin-left: 15px; margin-right: 5px;
}

.login_btn{
    margin-top:18px;font-weight: 400; color: black;
    background-color: silver;      width: 120px;
}

.login_btn:hover{
```

```

        color: black;      background-color: white;
    }
.links{color: white;}

.links a{ margin-left: 4px; }

</style>

```

## **Loginout page: (loginout.php)**

```

<?php
session_start();
unset($_SESSION['login']);
unset($_SESSION['email']);
unset($_SESSION['name']);
unset($_SESSION['role']);
unset($_SESSION['login_redirect']);
header("Location:index.php");
?>

```

## **Home page: (index.php)**

```

<?php
session_start();
?>
<html>
<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1 ">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<title>KALAKRITI Online Art Gallery || Index Page</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<link href="/your-path-to-fontawesome/css/fontawesome.css" rel="stylesheet">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
    <link href="https://fonts.googleapis.com/css?family=Lacquer&display=swap" rel="stylesheet"/>
<link
href="https://fonts.googleapis.com/css?family=Quattrocento+Sans:400,700,400italic|Montserrat:400,700|Cardo:400italic|Ad
vent+Pro:100' rel='stylesheet' type='text/css'>
    <link href="https://fonts.googleapis.com/css2?family=Kalam&family=Playfair+Display:ital@1&display=swap"
rel="stylesheet">

```

```

<link
  href="https://fonts.googleapis.com/css2?family=Marck+Script&family=Playfair+Display:ital@1&family=Tangerine:wght@700&display=swap" rel="stylesheet">
<link href="index.css" rel="stylesheet">
<link
  href="https://fonts.googleapis.com/css2?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair+Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">
<style type="text/css">
  .navbar-brand { -webkit-font-smoothing: antialiased; text-rendering: optimizeLegibility;
    font-family: 'Limelight', cursive; letter-spacing: 0px; font-size: 25px; text-shadow: 0px 3px 5px #ccc;
    font-weight: 400; line-height: 34px; }

  li{list-style-type:none;
  }
  .dropdown-content{display:none;
  }
  show{display:auto;
  }

  @media all and (min-width:992px){
    .collapse-dropdown-sm{
      display:none;
    }
  }
  @media all and (max-width:992px){
    .collapse-dropdown-lg{
      display:none;
    }
  }
  @media all and (max-width:400px){
    .top{
      display: none;
    }
  }
</style>
<script>
  function hideDropDown(){
    var element = document.getElementById("outside-menu");
    element.classList.remove("show");
    element.classList.add("dropdown-content");
  }
  function toggleDropDown() {
    var element = document.getElementById("outside-menu");
    if (element.classList.contains('show')) {
      element.classList.remove("show");
    }
  }

```

```

element.classList.add("dropdown-content");
} else{
    element.classList.remove("dropdown-content");
    element.classList.add("show");
}
}

</script>
<script type="text/javascript">
$(function () {
    $('[data-toggle="tooltip"]').tooltip()
})
</script>
</head>

<body onclick="hideDropDown()" onresize="hideDropDown()">

<?php include_once("scrolltop.php");?>    <!-- include side scroll-->

<section>
    <div class="row bg-dark container-fluid m-0">    <!-- Top Area index.php-->
        <div class="col-lg-4 pl-0">
            <div class="top">
                <ul class="list-group list-group-horizontal justify-content-start">
                    <li class="list-group-item pl-0 bg-dark">
                        <a class="bg-dark btn-info" href="#"><i class="fa fa-phone text-wrap" style="font-size: 1em;">&ampnbsp (+91) 950447355</i><span class="sr-only">(current)</span></a>
                    </li>
                    <li class="list-group-item pr-0 bg-dark">
                        <a class="bg-dark btn-info" href="#"><i class="fa fa-envelope text-wrap" style="font-size: 1em;">&ampnbsp kalakritijsr@gmail.com</i></a>
                    </li>
                </ul>
            </div>
        </div>
        <div class="row col-lg-8 justify-content-end pr-0">
            <div class="col-xs-8">
                <ul class="list-group list-group-horizontal bg-dark">
                    <li class="list-group-item bg-dark"><a href="<?php if(isset($_SESSION['login'])){echo 'logout.php';}else{echo 'login1.php';}?>"><i class="fa fa-sign-in text-wrap" style="font-size: 1em;">&ampnbsp</i><span class="d-none d-md-inline-block">&ampnbsp <?php if(isset($_SESSION['login'])){echo 'Logout';}else{echo 'Login';}?></a></li>
                    <li class="list-group-item bg-dark"><a href="signin.php" class="bg-dark btn-info"><span class="d-none d-md-inline-block">&ampnbsp <?php if(isset($_SESSION['login'])){echo '';}else{echo '<i class="fa fa-user-plus text-wrap" style="font-size: 1em;">Sign Up';}?></span></i></a></li>
                </ul>
            </div>
        </div>
    </div>

```

```

<li class="list-group-item bg-dark"><a href="myaccount.php" class="bg-dark btn-info"><span class="d-none d-md-inline-block">&nbsp; <?php if(isset($_SESSION['login']) || isset($_SESSION['admin_name'])){echo '<i class="fa fa-user text-wrap"> My Account';}else{echo "</i>";}?></span></i></a></li>

<li class="list-group-item bg-dark"><a href="addtocart.php" class="bg-dark btn-info"><i class="fa fa-shopping-cart text-wrap"><span class="d-none d-md-inline-block">&nbsp; Cart</span></i></a></li>

<li class="list-group-item bg-dark"><a href="wishlist.php" class="bg-dark btn-info"><i class="fa fa-heart text-wrap" data-toggle="tooltip" data-placement="top" title="Wishlist"><span class="d-none d-md-inline-block"></span></i></a></li>

</ul>
</div>
<div class="col-xs-4">
<ul class="list-group list-group-horizontal bg-dark">
<li class="list-group-item bg-dark"><a href="#" class="bg-dark btn-info"><i class="fa fa-facebook"></i></a></li>
<li class="list-group-item bg-dark"><a href="#" class="bg-dark btn-info"><i class="fa fa-instagram"></i></a></li>
<li class="list-group-item bg-dark"><a href="#" class="bg-dark btn-info"><i class="fa fa-twitter"></i></a></li>
<li class="list-group-item bg-dark"><a href="#" class="bg-dark btn-info"><i class="fa fa-whatsapp"></i></a></li>
</ul>
</div>
</div>
</div>
</section>
<!-- Top Middle Logo index.php-->
<section>
<div class="container-fluid justify-content-center d-flex bg-light">
<div class='row p-4 '>

<div><h3 style="line-height:25px;word-spacing: 1.5px; font-family: 'Limelight', cursive; font-size: 35px; text-shadow: 0px 3px 5px #ccc; margin-bottom: 15px; font-weight: 400;">KALAKRITI</h3>
<h5 style="text-shadow: 0px 3px 5px #ccc; font-family: 'Cardo', serif;">&nbsp &nbsp Art Gallery</h5>
</div>
</div>
</div>
</div>
</section>
<!-- Navigation Bar index.php-->
<div class="sticky-top">
<nav class="navbar navbar-expand-lg bg-light navbar-light sticky-top shadow m-auto">
<!--Navigation bar toggled Menu lists-->
<a class="navbar-brand justify-content-START" href="index.php">KALAKRITI

```

```

</a>
<!--Navigation bar toggler-->
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarToggler" aria-controls="navbarToggler" aria-expanded="false" aria-label="Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse justify-content-end" id="navbarToggler">

<ul class="nav navbar-nav navbar-left">

  <li>
    <a href="index.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-home text-wrap mx-2 my-3">&ampnbsp Home</i></a>

  </li>
  <li>
    <a href="about_us.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-paw text-wrap mx-2 my-3">&ampnbsp About Us</i></a>

  </li>
  <li class="collapse dropdown-lg mdropbtn" >
    <a onclick="toggleDropDown()" href="javascript:void(0)" class="dropdown-toggle text-dark" data-toggle="dropdown" role="button" aria-expanded="false"><i class="fa fa-paint-brush text-wrap mx-2 my-3">&ampnbsp Artwork</i></a>
  </li>
  <li class="dropdown collapse dropdown-sm" >
    <a href="#" class="dropdown-toggle text-dark" data-toggle="dropdown" role="button" aria-expanded="false"><i class="fa fa-paint-brush text-wrap mx-2 my-3">&ampnbsp Artwork</i></a>
    <ul class="dropdown-menu p-3 overflow-auto" id="inside-menu" role="menu" style="height:200px;">
      <li>
        <div>
          <h5>BY TYPE</h5>
          <ul class='list-group'>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class="badge text-muted' href="all_paintings.php?cat=1">Acrylic Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class="badge text-muted' href="all_paintings.php?cat=2">Watercolor Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class="badge text-muted' href="all_paintings.php?cat=3">Oil Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class="badge text-muted' href="all_paintings.php?cat=4">Charcoal Paintings</a></li>
          </ul>
        </div>
      </li>
    </ul>
  </li>
</ul>

```

```

<div>
    <h5>BY SUBJECT</h5>
    <ul class='list-group'>
        <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=5">Abstract Paintings</a></li>
        <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=6">Landscape Paintings</a></li>
        <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=7">Just Still Life</a></li>
        <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=14">Natural Paintings</a></li>
    </ul>
    </div>
</li>
<li>
    <div>
        <h5>OTHERS</h5>
        <ul class='list-group'>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=8">Buddha's Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=9">Ganesha's Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=10">Couple's Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=15">Shiva's Paintings</a></li>
        </ul>
        </div>
    </li>
</ul>

</li>
<li>
    <a href="gallery.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-camera text-wrap mx-2 my-3">&nbsp; Gallery</i></a>
</li>
<li class="dropdown">
    <a href="#" class="dropdown-toggle text-dark" data-toggle="dropdown" role="button" aria-expanded="false"><i class="fa fa-pencil-square-o text-wrap mx-2 my-3">&nbsp; Handcrafts</i></a>
    <ul class="dropdown-menu p-1 mx-1" role="menu">
        <li><a class='p-1 m-1 text-left text-wrap btn btn-light' href="all_paintings.php?cat=11">Glass Paintings</a></li>
        <li><a class='p-1 m-1 text-left text-wrap btn btn-light' href="all_paintings.php?cat=12">Home Decores</a></li>
    
```

```

<li><a class='p-1 m-1 text-left text-wrap btn btn-light' href="all_paintings.php?cat=13">Sculptures</a></li>
</ul>
</li>
<li>
    <a href="exhibition.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-photo text-wrap mx-2 my-3">&ampnbsp Exhibition</i></a>

</li>
<li>
    <a href=<?php if(isset($_SESSION['admin_name'])&&!isset($_SESSION['name'])) { echo 'admin/index.php';} else echo 'contact_us.php';?>" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-envelope text-wrap mx-2 my-3">&ampnbsp <?php if(isset($_SESSION['admin_name'])&&!isset($_SESSION['name'])){echo 'Go To Admin';}else echo 'Contact Us';?> </i></a>
</li>
</ul>
<!--Navigation search bar-->
<div style='position: relative;display: inline-block;'>
    <input class="form-control mr-sm-2" type="text" onkeyup="showHint(this.value)" placeholder="Search an Art">
    <div id='txtHint' class='container table-responsive w-100 alert-light' style='position: absolute;z-index:1051;max-height:300px;'>
        </div>
    </div>
</div>
</nav>
<!-- Navigation Bar end index.php-->

<!-- mobile view Navigation bar-->
<div class="container w-90 bg-light rounded-sm shadow dropdown-content" id="outside-menu" style="border:1px solid rgba(190,190,190,0.3);position: absolute;left:0;right:0;z-index: inherit;margin: 0 auto;">
    <ul class="row p-3">
        <li class='col-md-4'>
            <div>
                <h5>&ampnbsp&ampnbspBY TYPE</h5>
                <ul class='list-group'>
                    <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=1">Acrylic Paintings</a></li>
                    <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=2">Watercolor Paintings</a></li>
                    <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=3">Oil Paintings</a></li>
                    <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=4">Charcoal Paintings</a></li>
                </ul>
            </div>
        </li>
    </ul>
</div>

```

```

</li>
<li class='col-md-4'>
    <div>
        <h5>&nbsp;&nbsp;BY SUBJECT</h5>
        <ul class='list-group'>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=5">Abstract Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=6">Landscape Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=7">Just Still Life</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=14">Natural Paintings</a></li>
        </ul>
    </div>
</li>
<li class='col-md-4'>
    <div>
        <h5>&nbsp;&nbsp;OTHERS</h5>
        <ul class='list-group'>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=8">Buddha's Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=9">Ganesha's Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=10">Couple's Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=15">Shiva's Paintings</a></li>
        </ul>
    </div>
</li>
<!-- banner-section-->
<section class="banner_section">
    <div class="container-fluid">
        <div class="row">
            <div id="center" class="img-fluid">
                <div id="a">BEST ONLINE GALLERY</div>
                <div id="b">ARTS REMINDS YOU THAT YOU HAVE A SOUL...</div>
            </div>
        </div>
    </div>
</section>

```

```

<!-- banner-section end-->

<!-- About-us-->
<section>
<div class="container-fluid about">
<div class="row jumbotron jumbotron-fluid bg-white">
<div class="col-md-8">
<div class="container">
<h2 class="display-4 text-center">A Few Words About Us</h2>
<p class="lead px-3 py-2">Welcome to KALAKRITI Art-Gallery, the one-stop destination for all the art lovers. Art has always been an integral part of society. Not just the photographic presentation of the shapes around, art also tends to depict and share the complete experience of the moment enveloped in those photographs. ArtGallery.com is the one-stop solution for all the artists and art lovers. I strongly believe that art is a global form of communication. It educates visually by either moving you, pleasing you, or even inspiring you.</p>
</div>
</div>
<div class="col-md-4">
<figure class="figure px-5">

<figcaption class="figure-caption text-shadow mt-1 text-center"></figcaption>
</figure>
</div>
</div>
</div>
</section>
<!-- About-us end-->

<!-- PORTFOLIO -->
<section>
<div class="container-fluid ">
<div class="row justify-content-center">
<div id="portfolio" class="content-section">
<div class="container">
<div class="row">
<div class="col-md-12">
<h1>EXPLORE BY COLLECTIONS</h1>
<p class="lead">Below you'll find some of my recent work.</p>
</div>
<div class="col-sm-6 col-md-4 mb-3">
<div class="thumbnail">

<div class="caption">
<h4><a href="all_paintings.php?cat=6">LANDSCAPE &nbsp PAINTINGS </a></h4>
<!-- <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit.</p>-->
</div>

```

```

</div>
</div>
<div class="col-sm-6 col-md-4 mb-3">
  <div class="thumbnail">
    
    <div class="caption">
      <h4><a href="all_paintings.php?cat=2">WATERCOLOR &nbsp PAINTING</a></h4>
      <!-- <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit.</p>-->
    </div>
  </div>
</div>
<div class="col-sm-6 col-md-4 mb-3">
  <div class="thumbnail">
    
    <div class="caption">
      <h4><a href="all_paintings.php?cat=8">CANVAS &nbsp PAINTING</a></h4>
      <!-- <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit.</p>-->
    </div>
  </div>
</div>
<div class="col-sm-6 col-md-3">
  <div class="thumbnail">
    
    <div class="caption">
      <h4><a href="all_paintings.php?cat=4"> BLACK &nbsp AND &nbsp WHITE </a></h4>
      <!-- <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit.</p>-->
    </div>
  </div>
</div>
<div class="col-sm-6 col-md-3">
  <div class="thumbnail">
    
    <div class="caption">
      <h4><a href="all_paintings.php?cat=5">FIGURATIVE &nbsp ART </a></h4>
      <!-- <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit.</p>-->
    </div>
  </div>
</div>
<div class="col-sm-6 col-md-3">
  <div class="thumbnail">
    
    <div class="caption">
      <h4><a href="all_paintings.php?cat=12"> HANDMADE &nbsp CRAFTS </a></h4>
      <!-- <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit.</p>-->
    </div>
  </div>
</div>

```



```

<div class="theam"><a href="shiva_paintings.php"></a></div>

<div class="thean_name"><a href="all_paintings.php?cat=15">SHIVA PAINTINGS</a></div>
</div>

</div>
</div>
</section>
<?php include_once("footer.php"); ?> //include footer
<script type="text/javascript" src="get_hint.js"></script> //For Searching
</body>
</html>

```

### **Index Stylesheet Code (index.css)**

```

body{
    margin: 0; padding: 0;
}

.top i{font-size: 19px; }

/*--- BANNER SECTION ---*/

.banner_section {
    display: flex; margin-top: 10px; padding: 60px 0px; justify-content: center;
    align-items: center; background: linear-gradient(rgba(0,0,0,0.5),rgba(0,0,0,0.5)),url(images/TNhZFy2.jpg);
    background-repeat: no-repeat; background-size: cover; background-attachment: fixed;
}
#center{
    background:none; padding:10px; margin:0 auto; margin-top:200px;
    margin-bottom:120px; color:white;
}
#a{
    background:none; font-family:Lacquer; padding:0; margin:0; margin-top:5px;
    text-align:center; font-size:80px; color:white; letter-spacing:.06em; position:relative;
}
#b{
    padding:0; margin:auto; margin-top:8px; font-size:18px; position:relative;
    text-align:center;
}

/*--- ABOUT US---*/

.about{margin: 0; }

```

```

.about h2{
    color: #800000;font-size: 40px;letter-spacing: 0.1em;text-shadow:1.3px 1px #708090;
    font-family:'Lacquer', serif; font-weight: bold;
}

.about p{font-weight:300;font-family: 'Kalam', cursive;text-align:justify; }

.content-section { min-height: auto; padding-top: 10px; padding-bottom: 20px; margin: 0; }
.content-section h1 { color: #9C9C9C; font-weight: 400; font-size: 30px; display: inline-block; }
.content-section h1:after { content: ""; display: block; border-bottom: 1px solid #DFDFDF; padding-top: 3px; }
.content-section p.lead { font-family: 'Cardo', serif; font-size: 20px; line-height: 1.35em; margin-bottom: 25px; }
.content-section p.lead em { font-size: 14px; }
.content-section p em { font-size: 14px; }
.content-section p mark em { font-size: inherit; }
.content-section img.pull-right { border:1px solid #DFDFDF; margin-top: 140px; }

@media screen and (min-width: 768px) {
    .content-section { padding-top: 130px; }
    .content-section h1 { font-size: 34px; }
    .content-section p.lead { margin-bottom: 30px; }
}

@media screen and (max-width: 600px){
    .content-section { padding-top: 50px; padding-left: 40px; padding-right: 40px; }
}

@media screen and (min-width: 992px) {
    .content-section { padding-top: 50px; }
    .content-section h1 { font-size: 38px; }
    .content-section h1:after { padding-top: 5px; }
    .content-section p.lead { font-size: 21px; margin-bottom: 35px; }
}

@media screen and (min-width: 1200px) {
    .content-section { padding-top: 90px; }
    .content-section h1:after { padding-top: 7px; }
    .content-section p.lead { font-size: 22px; margin-bottom: 35px; }
}

/*--- PORTFOLIO ---*/
.content-section .thumbnail { position: relative; overflow: hidden; cursor: pointer; margin-top: 15px;
    box-shadow: 0 5px 10px rgba(0,0,0,0.23), 0 5px 10px rgba(0,0,0,0.19); border-radius: 10px; }

.content-section .thumbnail * { transition: all .25s; }

.content-section .thumbnail p { line-height: 22px; }

.content-section .thumbnail:hover h4, .content-section .thumbnail:hover p { color: #AFAFAF; }

.content-section .thumbnail:hover img { opacity: 0.25; }

```

```

.content-section .thumbnail:after { font-family: 'FontAwesome'; content: '\f121'; color: #FFF; font-size: 48px; line-height: 80px; top: 70%; position: absolute; text-align: center; display: inline-block; width: 100%; transition: all .35s; opacity: 0; width: 86px; height: 86px; margin-left: auto; margin-right: auto; left: 0; right: 0; border-radius: 50%; background: transparent; border:3px solid transparent; }

.content-section .thumbnail img { width:100%;}

.content-section .thumbnail:hover:after { top: 25%; opacity: 0.5; color: #FFFFFF; background: #AF6204; border:3px solid #FFFFFF; }

.caption{ position: absolute; bottom: 10px; color: #fff; background:rgba(0,0,0,0.5); bottom:-10px;text-align: center; padding-top: 5px; border-radius: 20px 20px 0px 0px; width: 100%;}

.caption h4{font-family: 'Limelight', cursive; word-spacing: 1px;font-weight: 400; }

.caption a:link,a:visited{ display: inline-block;color:white; font-size: 18px; }

.caption a:hover{ color: #fff; font-size: 19px; }

/*--- THEME/SUBJECT COLLECTION ---*/

.thteam_contaner{ padding-top: 70px; padding-bottom: 20px; padding-right: 20px; padding-left: 20px; }

.thteam img{border-radius: 50%; box-shadow:0px 0px 5px 2px #ccc; padding: 0; }

.thteam{ margin-top:5px; background:none; padding: 3px 20px; }

.thteam_heading h1 { color: #696969; font-weight: bold; font-size: 40px; display: inline-block; font-family:Lacquer; }

.thteam_heading h1:after { content: ""; display: block; border-bottom: 1px solid #DFDFDF; padding-top: 3px; word-spacing: 5px; }

.thteam_heading p.lead { font-family: 'Cardo', serif; font-size: 20px; line-height: 1.35em; margin-bottom: 25px; }

.thteam_heading p.lead em { font-size: 14px; }

.thteam_heading p em { font-size: 14px; }

.thteam_heading p mark em { font-size: inherit; }

.thteam_heading{text-align: center; }

.thean_name{ box-shadow:0px 0px 5px 2px #ccc; margin-top:10px; padding-top: 5px; padding-bottom: 5px; padding-right:16px; padding-left: 16px; text-align:center; line-height:25px; word-spacing: 1px; font-family: 'Limelight', cursive, russo one; font-size:20px; }

.thean_name a:link,.thean_name a:visited{ text-decoration:none; color:black; display:block; font-weight: 300; }

.thean_name a:hover{ text-decoration:none; text-shadow: 2px 0px 0px 3px #696969; transform:translateY(-2px ); transition:transform 0.4s ease-out 0s; }

.border-about{ background: #e1e1e1; height: 3px; width: 90%; margin-top: 60px; margin-left: auto; margin-right: auto; margin-bottom: 5px; }

```

## **Header: (indexmenu2.php)**

```
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <title>navbar menu</title>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
    <link href="/your-path-to-fontawesome/css/fontawesome.css" rel="stylesheet">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
    <script src="https://kit.fontawesome.com/a076d05399.js"></script>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
    <link href="https://fonts.googleapis.com/css2?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair+Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">

    <style type="text/css">
        .navbar-brand { -webkit-font-smoothing: antialiased; text-rendering: optimizeLegibility; font-family: 'Limelight', cursive; letter-spacing: 0px; font-size: 25px; text-shadow: 0px 3px 5px #ccc; font-weight: 400; line-height: 34px; }

        li{list-style-type:none; }
        .dropdown-content{ display:none; }
        .show{ display:auto; }

        @media all and (min-width:992px){
            .collapse-dropdown-sm{
                display:none;
            }
        }
        @media all and (max-width:992px){
            .collapse-dropdown-lg{
                display:none;
            }
        }
        @media all and (max-width:500px){
            .top{
                display: none;
            }
        }
    </style>
```

```

</style>

<script>
    function hideDropDown(){
        var element = document.getElementById("outside-menu");
        element.classList.remove("show");
        element.classList.add("dropdown-content");
    }
    function toggleDropDown() {
        var element = document.getElementById("outside-menu");

        if (element.classList.contains('show')) {
            element.classList.remove("show");
            element.classList.add("dropdown-content");
        }else{
            element.classList.remove("dropdown-content");
            element.classList.add("show");
        }
    }
</script>
<script type="text/javascript">          //scripts for tooltip
$(function () {
    $('[data-toggle="tooltip"]').tooltip()
})
</script>
</head>
<body onclick="hideDropDown()" onresize="hideDropDown()">
    <!-- TOParea navigation-->
    <section>
        <div class="row bg-dark container-fluid m-0">
            <div class="col-lg-4 pl-0">
                <div class="top">
                    <ul class="list-group list-group-horizontal justify-content-start">
                        <li class="list-group-item pl-0 bg-dark">
                            <a class="bg-dark btn-info" href="#"><i class="fa fa-phone text nowrap">&nbsp; +91-950447355</i><span
                            class="sr-only">(current)</span></a>
                        </li>
                        <li class="list-group-item pr-0 bg-dark">
                            <a class="bg-dark btn-info" href="#"><i class="fa fa-envelope text nowrap">&nbsp;
                            kalakritijsr@gmail.com</i></a>
                        </li>
                    </ul>
                </div>
            </div>
            <div class="row col-lg-8 justify-content-end pr-0">

```



```

<!--Navigation bar toggler-->
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarToggler" aria-controls="navbarToggler" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse justify-content-end" id="navbarToggler">

    <ul class="nav navbar-nav navbar-left">

        <li>
            <a href="index.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-home text-wrap mx-2 my-3">&ampnbsp Home</i></a>

        </li>
        <li>
            <a href="about_us.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-paw text-wrap mx-2 my-3">&ampnbsp About Us</i></a>

        </li>
        <li class="collapse dropdown-lg mdropbtn" >
            <a onclick="toggleDropDown()" href="javascript:void(0)" class="dropdown-toggle text-dark" data-toggle="dropdown" role="button" aria-expanded="false"><i class="fa fa-paint-brush text-wrap mx-2 my-3">&ampnbsp Artwork</i></a>
        </li>
        <li class="dropdown collapse dropdown-sm" >
            <a href="#" class="dropdown-toggle text-dark" data-toggle="dropdown" role="button" aria-expanded="false"><i class="fa fa-paint-brush text-wrap mx-2 my-3">&ampnbsp Artwork</i></a>
            <ul class="dropdown-menu p-3 overflow-auto" id="inside-menu" role="menu" style="height:200px;">
                <li>
                    <div>
                        <h5>BY TYPE</h5>
                        <ul class='list-group'>
                            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=1">Acrylic Paintings</a></li>
                            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=2">Watercolor Paintings</a></li>
                            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=3">Oil Paintings</a></li>
                            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=4">Charcoal Paintings</a></li>
                        </ul>
                    </div>
                </li>
                <li>
                    <div>

```

```

<h5>BY SUBJECT</h5>
<ul class='list-group'>
    <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=5">Abstract Paintings</a></li>
    <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=6">Landscape Paintings</a></li>
        <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=7">Just Still Life</a></li>
        <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=14">Natural Paintings</a></li>
    </ul>
</div>
</li>
<li>
    <div>
        <h5>OTHERS</h5>
        <ul class='list-group'>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=8">Buddha`s Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=9">Ganesha`s Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=10">Couple`s Paintings</a></li>
            <li class='p-1 m-1 border-0 list-group-item btn-light'><a class='badge text-muted' href="all_paintings.php?cat=15">Shiva`s Paintings</a></li>
        </ul>
        </div>
    </li>
</ul>

</li>
<li>
    <a href="gallery.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-camera text-wrap mx-2 my-3" style="font-size: 1.5em; color: #007bff; margin-right: 10px;">&nbsp;</i> Gallery</a>
</li>
<li class="dropdown">
    <a href="#" class="dropdown-toggle text-dark" data-toggle="dropdown" role="button" aria-expanded="false"><i class="fa fa-pencil-square-o text-wrap mx-2 my-3" style="font-size: 1.5em; color: #007bff; margin-right: 10px;">&nbsp;</i> Handcrafts</a>
    <ul class="dropdown-menu p-1 mx-1" role="menu">
        <li><a class='p-1 m-1 text-left text-wrap btn-light' href="all_paintings.php?cat=11">Glass Paintings</a></li>
        <li><a class='p-1 m-1 text-left text-wrap btn-light' href="all_paintings.php?cat=12">Home Decores</a></li>
        <li><a class='p-1 m-1 text-left text-wrap btn-light' href="all_paintings.php?cat=13">Sculptures</a></li>
    </ul>
</li>

```

```

        </ul>
    </li>
    <li>
        <a href="exhibition.php" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-bell text-
nowrap mx-2 my-3">&nbsp; Exhibition</i></a>

    </li>
    <li>
        <a href=<?php if(isset($_SESSION['admin_name'])&&!isset($_SESSION['name'])) { echo 'admin/index.php';}
else echo 'contact_us.php';?>" class="active text-dark" role="button" aria-expanded="false"><i class="fa fa-envelope text-
nowrap mx-2 my-3">&nbsp; <?php if(isset($_SESSION['admin_name'])&&!isset($_SESSION['name'])){echo 'Go To
Admin';}else echo 'Contact Us';?> </i></a>
    </li>
</ul>
<!--Navigation search bar-->
<div style='position: relative;display: inline-block;'>
    <input class="form-control mr-sm-2" type="text" onkeyup="showHint(this.value)" placeholder="Search an Art">
    <div id='txtHint' class='container table-responsive w-100 alert-light' style='position: absolute;z-index:1051;max-height:
300px;'>
        </div>
    </div>
</div>

</div>
</nav>
<!-- navigation Bar end-->
<script type="text/javascript" src="get_hint.js"></script> <!--for searching-->
</body>
</html>

```

## Artworks page

### All Artworks or paintings show:(all\_paintings.php)

```

<?php
session_start();
//array for Artcategory
$category = array("1"=>"Acrylic Paintings", "2"=>"watercolor Paintings", "3"=>"Oil Paintings",
"4"=>"Charcol Paintings", "5"=>"Abstract Paintings", "6"=>"LandScape Paintings",
"7"=>"Just Still Life", "8"=>"Buddha Paintings","9"=>"Ganesh Paintings",
"10"=>"Couple Paintings", "11"=>"Glass Paintings","12"=>"Home Decore",
"13"=>"Sculptuers", "14"=>"natural Paintings", "15"=>"shiva Paintings");

if(isset($_GET['cat'])){
    $cat=(int)$_GET['cat'];
}
else{

```

```

$cat=1;
}

?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <link href="css/bootstrap-4.3.1.css" rel="stylesheet">
    <script src="https://cdnjs.cloudflare.com/ajax/libs/wow/1.1.2/wow.min.js"></script>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
    <link href="css/font-awesome.css" rel="stylesheet" type="text/css"/>
    <link href="https://fonts.googleapis.com/css?family=Lacquer&display=swap" rel="stylesheet"/>
    <script src="http://code.jquery.com/jquery-1.11.1.min.js"></script>
    <link
        href="https://fonts.googleapis.com/css2?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair
+Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">
    <link href="productshow.css" rel="stylesheet">
    <b><title><?php echo $category[$cat];?> page</title> //Category wise title appears
</head>
<body>
    <!-- LogIn Modal Box Pop up when customer Not login and they want to add a product in a cart/wishlist-->

    <div class="modal fade" id="exampleModal1" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-
hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">Login</h5>
                    <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <form method='POST' action="login1.php">
                        <div class='input-group form-group'>
                            <div class='input-group-prepend'>
                                <span class='input-group-text'><i class='fa fa-user'></i></span>
                            </div>
                            <input type='email' class='form-control' placeholder='abc@gmail.com' name='email'>
                        </div>
                        <div class='input-group form-group'>
                            <div class='input-group-prepend'>

```

```

        <span class='input-group-text'><i class='fas fa-key'></i></span>
    </div>
    <input type='password' class='form-control' placeholder='password' name='pwd'>
</div>
<hr>
<div class='form-group px-3'>
    <input type='submit' value='Login' class='btn btn-secondary float-right login_btn'>
</div>
</form>
</div>
<div class='card-footer'>
    <div class='d-flex justify-content-center links'>
        Don't have an account?<a href='signin.php'>Sign Up</a>
    </div>
    <div class='d-flex justify-content-center'>
        <a href='forgot_pwd.php'>Forgot your password?</a>
    </div>
    </div>
</div>
</div>
<?php include_once('indexmenu2.php'); //include header menu
include_once("scrolltop.php"); //include side scroll
?>
<!--banner section show paintings category-->
<section class="banner_section">
    <div class="container-fluid">
        <div class="row">
            <div id="center">
                <div id="a"><?php echo strtoupper($category[$cat]);?></div>
                <div id="b">ART SPEAKES WHERE WORDS ARE UNABLE TO EXPLAIN..</div>
            </div>
        </div>
    </div>
</section>
<div class="alert alert-success clicke shadow mx-4" role="alert" >
    <a href="index.php" class="alert-link">Home</a> >>
    <a href="index.php" class="alert-link">Artwork</a> >>
    <a href="all_paintings.php?cat=<?php echo $cat;?>" class="alert-link"><?php echo $category[$cat];?></a> <!--show
category links change category wise-->
</div>
<section>
    <div class="container-fluid demo">
        <div class="row justify-content-md-center px-4 py-4">

```

```

<?php

include_once("connection.php");
$sql="SELECT * FROM products_details WHERE category='".$cat."' and status=1";
$result=mysqli_query($con,$sql);
if(mysqli_num_rows($result)>0)
{
while($row=mysqli_fetch_assoc($result)){
echo"
<div class='col-md-3 col-sm-6 my-2'>
<div class='product-grid5'>
<div class='product-image5'>
<a href='#>
<img class='pic-1 img-fluid' src='admin/upload_image/".$row['photo']."'>
<img class='pic-2 img-fluid' src='admin/upload_image/".$row['photo']."'>
</a>
<ul class='social'>?>
<?php
        include_once("check_if_added_wish.php");      //when add to WISHLIST
        include_once("check_if_added.php");           //when add to CART
        if(!isset($_SESSION['email'])) {
                $_SESSION['login_redirect']= $_SERVER['REQUEST_URI'];
        ?>
        <li>
        <a href='#' data-tip='Add to Wishlist' data-toggle='modal' data-target='#exampleModal1'><i
class='fa fa-heart'></i></a>
        </li>
        <li>
        <a href='#' data-tip='Add to Cart' data-toggle='modal' data-target='#exampleModal1'><i
class='fa fa-heart'></i></a>
        </li>
        <?php } else {
                unset($_SESSION['back_nav']);
                unset($_SESSION['login_redirect']);
                if(check_if_added_to_wish($row['art_id'])){
                        echo "
                        <li><a href='wishlist.php' data-tip='Add to Wishlist'><i class='fa fa-heart' title='View
wishlist'></i></a></li>";
                }else{
                        $_SESSION['back_nav']= $_SERVER['REQUEST_URI'];
                        echo "<li>
                        <a href='wish_item.php?art_id='".$row['art_id']."' data-tip='Add to Wishlist'><i class='fa fa-
heart'></i></a>
                        </li>";
                }
}

```

```

if(check_if_added_to_cart($row['art_id'])){
echo "<li>
    <a href='addtocart.php' data-tip='Add to Cart'><i class='fa fa-shopping-cart'></i></a>
</li>";
}else{
$_SESSION['back_nav'] = $_SERVER['REQUEST_URI'];
echo "<li>
    <a href='add_item.php?art_id=".$row['art_id']."'&page=main&price='".$row['price']."' data-tip='Add to Cart'><i class='fa fa-shopping-cart'></i></a>
</li> ";
}
}?
<?php echo "</ul>
    <a href='productShow_detail2.php?art_id='".$row['art_id']."' class='select-options'><i class='fa fa-arrowright'></i>More Details</a>
</div>
<div class='product-content'>
    <h3 class='title'><a href='#'>".$row['art_name']."'</a></h3>
    div class='price'>Price: &#8377 ".$row['price']."'</div>
    </div>
    </div>
</div>";
}
} else { echo "data not available "; }
$con->close();
?>
</div>
</div>
</section>
<?php include_once("footer.php"); //include footerArea ?>
</body>
</html>

```

## All Artworks or paintings show -CSS Code :-(products.css)

```

<style>
body{
    margin: 0;padding: 0;
}

/***************** category show *****/
section.banner_section {
    display: flex;padding-top: 100px;padding-bottom: 50px;

```

```

height:auto;margin: 20px 20px 30px 20px;justify-content: center;
align-items: center;
background: linear-gradient(rgba(0,0,0,0.5),rgba(0,0,0,0.5)),url(photo.jpg);
background-repeat: no-repeat;background-size: cover;
}

#center{background:none;padding:10px;margin:0 auto;color:white; }

#a{
background:none;font-family:Lacquer;padding:0;
margin:0;margin-top:5px;text-align:center; font-size:70px; color:white;
letter-spacing:.06em;position:relative;
}

#b{
font-family: 'Cardo';padding:0;margin:auto;
margin-top:8px;font-size:20px;position:relative; text-align:center;
}

@media screen and (max-width: 600px){

section.banner_section {background: linear-gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)),url(images/about_pic.jpg);}

#a {font-size: 50px;text-align: center;}
#b{ font-size: 15px;text-align: center; }

}

@media screen and (max-width: 600px){

.clicke a{ font-size: 14px; text-align: center; }

.clicke{
opacity: 0.6;
text-align: center;margin: 0px;padding: 0px;
}

.clicke a{
text-decoration: none;font-size: 15px;
}

}

/****************** Shopping Demo-5 ******************/

.demo{background:none;width: 100%; }

.product-image5 .pic-1,.product-image5 .pic-2{backface-visibility:hidden;transition:all .5s ease 0s}

.product-grid5{font-family:Poppins,sans-serif;position:relative; box-shadow: 0px 15px 35px rgba(0,0,0,0.5);
margin-bottom: 20px; border-bottom: 4px solid #fff; }

.product-grid5 .product-image5{ width: 100%; overflow:hidden;position:relative; }

.product-grid5 .product-image5 a{display:block }

.product-grid5 .product-image5 img{height: auto; max-width: 100%; }

.product-grid5:hover{border-bottom: 3px groove #696969;transition:all .5s;transform:translateY(300px 200px); }

.product-image5 .pic-1{opacity:1}

```

```

.product-grid5:hover .product-image5 .pic-1{opacity:0}
.product-image5 .pic-2{width:100%;height:100%;opacity:0;position:absolute;top:0;left:0}
.product-grid5:hover .product-image5 .pic-2{opacity:1}
.product-grid5 .social{padding:0;margin:0;position:absolute;top:10px;right:10px}
.product-grid5 .social li{display:block;margin:0 0 10px;transition:all .5s}
.product-grid5 .social li:nth-child(2){opacity:0;transform:translateY(-50px)}
.product-grid5:hover .social li:nth-child(2){opacity:1;transform:translateY(0)}
.product-grid5 .social li:nth-child(3){opacity:0;transform:translateY(-50px)}
.product-grid5:hover .social li:nth-child(3){opacity:1;transform:translateY(0);transition-delay:.2s}
.product-grid5 .social li a{color:#696969;background:#fff;font-size:14px;text-align:center;line-height:40px;height:40px;width:40px;border-radius:50%;display:block;transition:.5s ease 0s}
.product-grid5 .social li a:hover{color:#fff;background:#1e3799}
.product-grid5 .select-options{color:#777;background-color:#fff;font-size:13px;font-weight:400;text-align:center;text-transform:uppercase;padding:15px 5px;margin:0 auto;opacity:0;display:block;position: absolute; width: 92%; left: 0; bottom: -100px; right: 0; transition: .5s ease 0s}
.product-grid5 .select-options:hover{color:#fff;background-color:#1e3799;text-decoration:none}
.product-grid5:hover .select-options{ opacity: 1; bottom: 10px }
.product-grid5 .product-content{padding:20px 25px}
.product-grid5 .title{font-family: 'Limelight', cursive,russo one;font-size:15px;font-weight:400;word-spacing: 0.6px; text-transform:capitalize;margin:0 0 10px;transition:all .3s ease 0s;}
.product-grid5 .title a{color:#222}
.product-grid5 .title a:hover{color:#1e3799}
.product-grid5 .price{color:#222;font-size:13px;font-weight:500;letter-spacing:1px}

@media only screen and (max-width:990px){
    .product-grid5{margin-bottom:30px;}
}

</style>

```

## **Paintings/products Details Show : (productShow\_details.php)**

```

<?php
session_start();
$art_id=$_GET['art_id'];
include_once("connection.php"); //DATABASE CONNECTIVITY

//array for Art category
$category = array("1"=>"Acrylic Paintings", "2"=>"watercolor Paintings", "3"=>"Oil Paintings",
"4"=>"Charcol Paintings", "5"=>"Abstract Paintings", "6"=>"LandScape Paintings",
"7"=>"Just Still Life", "8"=>"Buddha Paintings","9"=>"Ganesh Paintings",
"10"=>"Couple Paintings", "11"=>"Glass Paintings", "12"=>"Home Decore",

```

```

    "13"=>"Sculptuers", "14"=>"natural Paintings", "15"=>"shiva Paintings");
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<link href="css/bootstrap-4.3.1.css" rel="stylesheet">
<script src="https://cdnjs.cloudflare.com/ajax/libs/wow/1.1.2/wow.min.js"></script>
<link href="https://fonts.googleapis.com/css?family=Lacquer&display=swap" rel="stylesheet"/>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="http://code.jquery.com/jquery-1.11.1.min.js"></script>
<title>KALAKRITI Online Art Gallery || product show</title>
<style type="text/css">
    body{margin: 0;padding: 0; background-image: url("https://subtlepatterns.com/patterns/sativa.png");}

    /**** category show ****/

    @media screen and (max-width: 600px){
        .clicke a{
            font-size: 14px;
            text-align: center;
        }
    }

    .clicke{opacity: 0.6;text-align: center;margin: 0px 10px;padding: 0; }
    .clicke a{text-decoration: none;font-size: 15px; }
    .card_container{ font-family: 'open sans'; overflow-x: hidden; background: none; }
    .artinfo{padding: 25px 30px;/background:linear-gradient(to right,#91eae4,#84a8e7,#7f7fd5); }
    .card img {background: #fffafa;max-width: 100%; padding: 20px 8px; margin-top: 8px;
    margin-bottom: 5px; border-radius: 3px; box-shadow: 0 3px 6px rgba(0,0,0,0.16), 0 3px 6px
    rgba(0,0,0,0.23); }
    .card img { box-shadow: 0 2px 5px rgba(c,c,c,0.12), 0 1px 2px rgba(0,0,0,0.24); transition: all 0.3s cubic-
    bezier(.25,.8,.25,1); }
    .card img:hover { box-shadow: 0 14px 28px rgba(0,0,0,0.25), 0 10px 10px rgba(0,0,0,0.22); }
    .preview { display: -webkit-box; display: -webkit-flex; display: -ms-flexbox; display: flex;
    -webkit-box-orient: vertical; -webkit-box-direction: normal; -webkit-flex-direction: column; -ms-flex-direction: column; flex-direction: column; }

        @media screen and (max-width: 996px) {.preview { margin-
        bottom: 20px; } }

        @media screen and (max-width: 600px){ .preview{ margin: 0px
        5px; } }

```

```

.card_container preview-thumbnail tab-contant{ border: none;
margin-top: 15px; }

.preview-thumbnail.nav-tabs li { width: 18%;
margin-right: 2.5%;
}

.preview-thumbnail.nav-tabs li img { max-width: 100%;display: block; }

.preview-thumbnail.nav-tabs li a{ padding: 0; margin: 0; }

.preview-thumbnail.nav-tabs li:last-of-type { margin-right: 0; }

/*
.tab-content { overflow: hidden; }*/


.tab-content img { width: 100%;-webkit-animation-name: opacity;animation-name: opacity;
-webkit-animation-duration: .3s; animation-duration: .3s;
}

.card { margin-top: 10px;background: none;padding: 1em;line-height: 1em; border: none; }

.details {
display: -webkit-box;display: -ms-flexbox;display: -webkit-flex; display: flex;
-webkit-box-orient: vertical;-webkit-box-direction: normal;
-webkit-flex-direction: column;-ms-flex-direction: column;
flex-direction: column;
}

.product-title, .price, .sizes, .colors {
text-transform: UPPERCASE;font-weight: 550;font-family: georgia;
padding-top: 10px;

letter-spacing: 0.6px;text-shadow: 0px 2px 5px #ccc;
}

.color:first-of-type { margin-left: 20px; }

.add-to-cart, .like {
background: #696969;padding: 1.2em 1.5em; border: none; box-shadow:1px 0 2px 5px rgba(c,c,c,0.12),
0 1px 2px rgba(0,0,0,0.24); text-transform: UPPERCASE;font-weight: bold; color: #fff;-webkit-transition: background .3s
ease; transition: background .3s ease;
}

.add-to-cart:hover, .like:hover{background: #808080;color: #fff; }

.not-available { text-align: center; line-height: 2em; }

.not-available:before { font-family: fontawesome;content: "\f00d"; color: #fff; }

.orange { background: #ff9f1a; }

.blue { background: #0076ad; }

.tooltip-inner { padding: 1.3em; }

@-webkit-keyframes opacity
{
0% {

```

```

        opacity: 0;
        -webkit-transform: scale(3);
        transform: scale(3); }

    100% {
        opacity: 1;
        -webkit-transform: scale(1);
        transform: scale(1); }

}

@keyframes opacity
{
    0% {
        opacity: 0;
        -webkit-transform: scale(3);
        transform: scale(3); }

    100% {
        opacity: 1;
        -webkit-transform: scale(1);
        transform: scale(1); }

}

.metatial
{
    word-spacing: 0.6;
    font-size: 15px;
}

.checked {
    color: orange;
}

@media
/* Footer ****/

/* Footer end ****/


</style>
</head>
<body>
<?php include_once('indexmenu2.php');?>
<?php include_once("scrolltop.php");?>

<section class="banner_section">
    <div class="container-fluid">
        <div class="row">
            <div id="center">
                <div id="a">Artwork Details..</div>
                <div id="b">ARTS REMINDS YOU THAT YOU HAVE A
SOUL...</div>
            </div>

```

```

        </div>
    </div>
</section>
<?php

$sql="SELECT * FROM products_details WHERE art_id='".$art_id."'; //fetching products details from database
$result=mysqli_query($con,$sql);
if(mysqli_num_rows($result)>0) {

    $row=mysqli_fetch_assoc($result);

} else{
    echo "data not available ";
}

?>
<!-- detail box for paintings -->
<section class="artinfo">
    <div class="container-fluid card_container">
        <div class="card" style="background: none; border:none;">
            <!--<div class="container-fliud">-->
            <div class="wrapper row">
                <div class="preview col-md-7">
                    <div class="preview-pic tab-content">
                        <div class="tab-pane active" id="pic-1">" /></div> //fetch the image from DATABASE
                    </div>
                </div>
                <div class="details col-md-5 "> //fetch the Art Name from DATABASE
                    <h3 class="product-title"><?php echo $row['art_name']; ?></h3>
                    <div class="rating">
                        <?php
                            include_once("check_if_added_wish.php"); //check when add product to wishlist
                            if(!isset($_SESSION['email'])) {
                                $_SESSION['login_redirect']= $_SERVER['REQUEST_URI'];
                                $login=false;
                            }
                        ?>
                        <a href="#">
                            <span class='float-right'> <button type='button' class='like btn btn-danger btn btn-default' data-toggle='modal' data-
target='#exampleModal1'><i class='fa fa-heart-o' title='Add to Wishlist'></i></button></span>
                        </a>
                        <?php
                            } else {
                                unset($_SESSION['back_nav']);
                                unset($_SESSION['login_redirect']);
                                $login=true;
                                if(check_if_added_to_wish($row['art_id'])) {

```

```

echo "
<a href='wishlist.php'>
    <span class='float-right'> <button type='button' class='like btn btn-primary btn btn-danger'><i class='fa fa-heart' title='View wishlist'></i></button></span>
</a>";
}else{
    $_SESSION['back_nav'] = $_SERVER['REQUEST_URI'];
    echo "<a href='wish_item.php?art_id=".$row['art_id']."'>
        <span class='float-right'> <button type='button' class='like btn btn-danger'><i class='fa fa-heart-o' 'fa fa-heart-o' wishlist'></i></button></span></a>";
}
?>
<?php } ?>
<span class="review-no"><h5>Ref Id : &nbsp;<?php echo $row['art_id']; ?></h5></span>
    <span class="fa fa-star checked"></span>
    <span class="fa fa-star checked"></span>
    <span class="fa fa-star checked"></span>
    <span class="fa fa-star "></span>
    <span class="fa fa-star"></span>
</div>
<p class="product-description">
    <strong>Art is somthing that makes you Breath with diffrent kind of Happiness..</strong>
</p>
<h4 class="price"><b>current price :</b> <span style="font-weight: 200;font-family: Montserrat">&#8377 <?php echo $row['price']; ?></span></h4>
<p class="vote"><strong>91%</strong> of buyers enjoyed this product! </strong></p>
<h5 class="sizes"><b>sizes :</b> <span class="size" data-toggle="tooltip" title="small" style="font-weight: 200;font-family: Montserrat">300*400 inches</span></h5>
<h5 class="colors"><b>Category :</b> <span class="size" data-toggle="tooltip" title="small" style="font-weight: 200;font-family: Montserrat"><?php echo $category[$row['category']];?></span></h5>

<?php
    echo"
        <form method='POST' action='add_item.php?art_id=".$row['art_id']."'&gt;".$row['price']."
        <h5 class='colors'>Quantity :
            <select name='quantity' title='Please select quantity' class='mx-3' style='background-color:#faf0e6;font-family: Montserrat' >
                <option value='1' selected>select quantity</option>      <SELECT QUANTITY AND
REFRESH>
                <option value='2'>1</option>
                <option value='3'>2</option>
                <option value='4'>3</option>
                <option value='5'>4</option>
                <option value='6'>5</option>
            <select></h5>

```

```

        ";
<p class="metarial shadow" style="font-weight: none;">
    <h6><span>PAINTING ON CANVAS.</span> </h6>
</p>
<div class="action">
<?php
if(!isset($_SESSION['email'])){



    $_SESSION['login_redirect']= $_SERVER['REQUEST_URI'];
?>
<!--WHEN NOT LOGIN THEN LOGIN BOX APPEAR-->
<button type='button' class='like btn btn-danger btn btn-default' data-toggle='modal' data-
target='#exampleModal1'>Buy Now</button> <!--BUY NOW BUTTON-->

<button type='button' class='like btn btn-primary btn btn-default' data-toggle='modal' data-
target='#exampleModal1'>Add to cart</button> <!--ADD TO CART BUTTON-->
<?php
} else {
    unset($_SESSION['login_redirect']);
    unset($_SESSION['back_nav']);
    /*WHEN LOGIN THEN LOGIN BOX NOT APPEAR*/
include("check_if_added.php");
if(check_if_added_to_cart($row['art_id']))
{
echo "<a class='like btn btn-primary btn btn-default' href='addtocart.php'>View Cart</a>           /*WHEN PAINTING
ADDED IN CART*/
<a class='like btn btn-danger btn btn-default' href='checkout.php?art_id=".$art_id."'>buy now</a>";
}
else{
$_SESSION['back_nav']= $_SERVER['REQUEST_URI'];
echo "
<button type='submit' class='like btn btn-danger btn btn-default' name='buy' value='submit'>buy now</button>
<button type='submit' class='like btn btn-primary btn btn-default' name='cart' value='submit'>Add to
cart</button> /*WHEN PAINTING NOT IN CART THEN CLICK BUTTON*/
</form>
";
}
?>
<?php } ?>
</div>
</div>
</div>
</div>
</div>
</section>
<!-- detail box for paintings -->

```

```

<!-- footer -->
<?php include_once("footer.php");?> //Include Footer
<!-- ./footer -->
</body>
<script src="http://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<script src="//code.jquery.com/jquery-1.11.1.min.js"></script>
</html>

```

### **Paintings/products Add into a Cart code: (add\_item.php)**

```

<?php
require 'connection.php'; //DATABASE CONNECTION
session_start();
if(isset($_GET['page'])){
$quantity=1;
$url=$_SESSION['back_nav'];
echo $_GET['price'];
}else if(isset($_POST['buy'])){
$url="";
$quantity=$_POST['quantity'];
}else if(isset($_POST['cart'])){
$url=$_SESSION['back_nav'];
$quantity=$_POST['quantity'];
}
else{
die("<p style='font-size:40;color:red'>Access forbidden</p>");
}
$art_id=$_GET['art_id'];

$email=$_SESSION['email'];

// $size=$_POST['size'];

$amount=$_GET['price']*$quantity;
//sql syntax query to insert in order table with all user detail and the status will be 2
$sql_add="INSERT INTO orders (art_id, email, quantity, amount, status, date ) VALUES (
".$art_id.",','".$email."','".$.$quantity."','".$.$amount."',2,'".$date."')";
if(mysqli_query($con,$sql_add))
{
if($url!=""){
echo
"<script>
window.alert('Item added to cart');
window.location.assign(\"".$url."\");
</script>";
}
}

```

```

}else{
    header('location:checkout.php?art_id='.$art_id.");
}
}else{
echo "<script>
    window.alert('connection failed');
    window.location.assign('productShow_detail2.php?art_id='".$art_id."');
</script> ";
}
?>

```

**Check Paintings/products already added into a Cart code:  
(check\_if\_added.php)**

```

<?php
function check_if_added_to_cart($art_id)
{
//session_start();
require "connection.php" ;
$email=$_SESSION['email'];
$sql_check="select * from orders where art_id='$art_id' and email='$email' and status=2";
$result_check=mysqli_query($con,$sql_check);
if(mysqli_num_rows($result_check)>=1)return 1;
return 0;
}
?>

```

**View Cart code: (addtocart.php)**

```

<?php
session_start();
require 'connection.php'; //database connectivity
//array for Artcategory
$category = array("1"=>"Acrylic Paintings", "2"=>"watercolor Paintings", "3"=>"Oil Paintings",
"4"=>"Charcol Paintings", "5"=>"Abstract Paintings", "6"=>"LandScape Paintings",
"7"=>"Just Still Life", "8"=>"Buddha Paintings", "9"=>"Ganesh Paintings",
"10"=>"Couple Paintings", "11"=>"Glass Paintings", "12"=>"Home Decore",
"13"=>"Sculptuers", "14"=>"natural Paintings", "15"=>"shiva Paintings");

if(!isset($_SESSION['email']))
{
    header('location: login1.php');
}

```

```

$email=$_SESSION['email'];
$totalprice=0;
//INNER JOIN WITH ORDER TABLE AND PRODUCTS DETAIL TABLE
$order_query="SELECT * FROM orders INNER JOIN products_details ON orders.art_id = products_details.art_id
WHERE email=".$_SESSION['email']."' and orders.status=2";
$order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
$no_of_order_products= mysqli_num_rows($order_result);

if($no_of_order_products==0)
{
    //echo "Add items to cart first.";
    echo
    "
<script>
    window.alert('No items in the cart!!');
    window.location.assign('index.php');
</script>
";
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset='utf-8'>
<meta name='viewport' content='width=device-width, initial-scale=1'>
<meta name='viewport' content='width=device-width, initial-scale=1,maximum-scale=1'>
<link href='css/bootstrap.css' rel='stylesheet' type='text/css'>
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="http://code.jquery.com/jquery-1.11.1.min.js"></script>
<script src="https://use.fontawesome.com/c560c025cf.js"></script>
<title>KALAKRITI Art Gallery || View Cart</title>

<style type="text/css">
    body{margin: 0;padding: 0;}
    .quantity { font-size: 15px; float: left; margin-right: 15px; position: relative; width: 80px;
        overflow: hidden
    }
    .shopping-cart { margin-top: 20px; }
</style>
<script type="text/javascript">      /*javascript onChange function when change the product Quantity */
    function change_quantity(x,art_id,email){
//alert();
    var quantity=x.value
    var xmlhttp=new XMLHttpRequest();
    xmlhttp.onreadystatechange = function() {

```

```

if (this.readyState == 4 && this.status == 200) {
    resptxt=this.responseText;
    if(resptxt!='failed'){
        //alert(resptxt);
        location.replace('addtocart.php');
    }
}
};

xmlhttp.open("GET", "update_quantity.php?q="+quantity+"&p="+art_id+"&email="+email, true);
//request send to php on page 'getdaymeal.php'
xmlhttp.send();
}

</script>
</head>
<body>

<?php include_once("indexmenu2.php");?> /*include header menu*/
<?php include_once("scrolltop.php");?> /*include side scroll*/
<section>
<div class="container">
    <div class="card shopping-cart">
        <div class="card-header bg-dark text-light">
            <i class="fa fa-shopping-cart" aria-hidden="true"></i>
            View cart
            <a href="shipping-add.php" class="btn btn-outline-info btn-sm pull-right">Continue shopping</a>
            <div class="clearfix"></div>
        </div>
        <div class="card-body">
<?php
    $order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
    $no_of_order_products= mysqli_num_rows($order_result);
    while($row=mysqli_fetch_array($order_result)){
        $totalprice=$totalprice+$row['amount'];           /*fetch and show all related data in perticuler user via email*/
        ?>
<div class="row">
    <div class="col-12 col-sm-12 col-md-2 text-center"> //image show
        <a <?php echo "href='./productShow_details2.php?art_id=".$row['art_id']."'"; ?>>" class="img-responsive rounded" alt="prewiew" width="120" height="90"/></a>
    </div>
    <div class="col-12 text-sm-center col-sm-12 text-md-left col-md-6">
        <h5 class="product-name" style="font-family: georgia; letter-spacing: 0.15px; word-spacing: 2px;"><?php echo $row['art_name'];?> </h5> //PAINTING NAME fetch

```

```

<strong>CATEGORY: </strong><span><?php echo $category[$row['category']];?></span><br>
<strong>SIZE: </strong><span>300*400 inches </span><br>
</div>
<div class="col-12 col-sm-12 text-sm-center col-md-4 text-md-right row">
    <div class="col-3 col-sm-3 col-md-6 text-md-right" style="padding-top: 5px">
        <strong class="mb-1">Price :<br/> &nbsp <?php echo $row['price']; ?><span class="text-muted">x</span></strong>
    </div>
    <div class="col-4 col-sm-4 col-md-4" style="font-size: 15px;">
        <div class="quantity" style="padding-top: 5px">
            <strong class="mb-3">Quantity :</strong> /*ON CHANGE function define*/
            <input type="number" step="1" min='1' max='10' value="<?php echo $row['quantity']; ?>" onchange="change_quantity(this,<?php echo $row['art_id'];?>,'<?php echo $email;?>')" title="Qty" class="qty" size="4">
        </div>
    </div>
    <div class="col-2 col-sm-2 col-md-2 text-right mt-2">
        <a href='cart_remove.php?art_id=<?php echo $row['art_id'] ?>'> /*REMOVE FROM CART*/
        <button type="button" class="btn btn-outline-danger" aria-disabled="true" data-toggle="tooltip" title="Remove!"><i class="fa fa-trash" aria-hidden="true"></i></button></a>
    </div>
    </div>
    <hr>
<?php }?>
<!-- END PRODUCT -->
/*TOTAL PRICE*/
<div class="pull-right" style="margin: 10px">
    <a href="checkout.php" class="btn pull-right checkoutbtn" style="background: #c0c0c0; border-radius: 0px; font-size: 18px; color: #000; font-family: georgia; font-weight: bold; box-shadow: 2px 3px 0px #696969">Place Order</a>
    <div class="pull-right" style="margin: 8px">
        Total price: <b>&nbsp; <?php echo $totalprice; ?>&nbsp;</b>
    </div>
    </div>
    </div>
</div>
</section>
<?php include_once("footer.php"); ?> /*include footer*/
</body>
</html>

```

## **Update Quantity in cart : (update\_quantity.php)**

```

/**Update quantity and change quantity field in order table**/

<?php
include_once('connection.php');
$art_id=$_REQUEST['p'];
$quantity=$_REQUEST['q'];
$email=$_REQUEST['email'];
$sql="SELECT price from products_details WHERE art_id='".$art_id."'";
$result=$con->query($sql);
if($result->num_rows>0){
    $row=$result->fetch_assoc();
    $price= $row['price']*$quantity;
    $sql_i="UPDATE orders SET quantity='".$quantity."',amount ='".$price."' WHERE art_id='".$art_id."'"
    and email='".$email."'";
    if($rslt=$con->query($sql_i)){
        echo $price;
    }else{
        echo "failed";
    }
}
?>

```

### **Item Remove From Cart code: (cart\_remove.php)**

```

<?php
require 'connection.php'; //database connectivity
session_start();
$art_id=$_GET['art_id'];
$email=$_SESSION['email'];
/*Query of Remove or delete from Cat*/
$delete_query="delete from orders where email='".$email' and art_id='".$art_id."'";
$delete_query_result=mysqli_query($con,$delete_query) or die(mysqli_error($con));
echo "
<script>
    window.alert('Item removed!!');
    window.location.assign('addtocart.php');
</script>
";
?>

```

### **Paintings/products Add into a Wishlist code: (wish\_item.php)**

```

<?php
session_start();
require 'connection.php'; //database connection
$art_id=$_GET['art_id'];
$email=$_SESSION['email']; //session E-mail
//SQL Query to Add item in Wishlist
$sql_wish="INSERT INTO orders (art_id,email,status,date ) VALUES ( ".$art_id.",'$email.',1,'$date.')";
if(mysqli_query($con,$sql_wish))
{
echo "
<script>
window.alert('Items added to wishlist!!');
window.location.assign('".$_SESSION['back_nav'].");
</script> ";
}
else{
echo" <script>
window.alert('connection failed!!!');
</script> ";
}
?>

```

### **Check Paintings/products already added into a Wishlist code:**

#### **(check\_if\_added\_wish.php)**

```

<?php
//$art_id=$_GET['art_id'];
function check_if_added_to_wish($art_id)
{
//session_start();
require "connection.php" ;
$email=$_SESSION['email'];
$sql_check="select * from orders where art_id='$art_id' and email='$email' and status=1";
$result_check=mysqli_query($con,$sql_check);
if(mysqli_num_rows($result_check)>=1)return 1;
return 0;
}
?>

```

#### **View Wishlist: (wishlist.php)**

```

<?php
session_start();

```

```

require 'connection.php'; //DATABASE CONNECTIVITY
if(!isset($_SESSION['email']))
{
    header('location: login1.php');
}
$email=$_SESSION['email'];
/*Query to show Order table detail & Product table details.. INNER JOIN Query with status 1*/
$order_query="SELECT * FROM orders INNER JOIN products_details ON orders.art_id = products_details.art_id
WHERE email=".$_SESSION['email']."' and orders.status=1";
$order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
$no_of_order_products= mysqli_num_rows($order_result);
$sum=0;
$sum1=0;
if($no_of_order_products==0)
{
    echo "          //echo "Add items to cart first.";
    <script>
        window.alert('No items in the wishlist!!');
        window.location.assign('index.php');
    </script> ";
}
else {
    while($row=mysqli_fetch_array($order_result)) /* Fetch product detail with price whose STATUS 1 */
    {
        $sum=$sum+($row['price']*$row['quantity']); /*While Loop Start*/
    }
}
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset='utf-8'>
    <meta name='viewport' content='width=device-width, initial-scale=1'>
    <meta name='viewport' content='width=device-width, initial-scale=1,maximum-scale=1'>
    <link href='css/bootstrap.css' rel='stylesheet' type='text/css'/>
    <script src="http://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
    <script src="http://code.jquery.com/jquery-1.11.1.min.js"></script>
    <title>Add To Wishlist</title>
</head>
<body>
    <?php include_once("indexmenu2.php"      /*include header menu*/
    php include_once("scrolltop.php");?>           /*include side scroll*/
    <section>
        <div class="container">
            <div class="card shopping-cart">
                <div class="card-header bg-dark text-light">

```

```

<i class="fa fa-shopping-cart" aria-hidden="true"></i>
Wishlist
<a href="shipping-add.php" class="btn btn-outline-info btn-sm pull-right"></a>
<div class="clearfix"></div>
</div>
<div class="card-body">
<!-- PRODUCT --&gt;
&lt;?php
$order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
$no_of_order_products= mysqli_num_rows($order_result);
while($row=mysqli_fetch_array($order_result)){
    // while loop start
?
&lt;div class="row"&gt;
    &lt;div class="col-12 col-sm-12 col-md-2 text-center"&gt;
        &lt;a &lt;?php echo "href='./productShow_details2.php?art_id='".$row['art_id']."'"; ?&gt;&gt;&lt;img src="&lt;?php echo
"admin/upload_image/".$row['photo']."'"; ?&gt;"class="img-responsive" alt="prewiew" width="120"
height="90"/&gt;&lt;/a&gt;
    &lt;/div&gt;
    &lt;div class="col-12 text-sm-center col-sm-12 text-md-left col-md-6"&gt;
        &lt;h5 class="product-name"&gt;&lt;?php echo $row['art_name'];?&gt; &lt;/h5&gt;
        &lt;strong&gt;SIZE: &lt;/strong&gt;&lt;span&gt; 300*400 inches &lt;/span&gt;&lt;br&gt;
        &lt;span style="font-weight: 500;"&gt;PAINTING ON CANVAS.&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class="col-12 col-sm-12 text-sm-center col-md-4 text-md-right row"&gt;
        &lt;div class="col-3 col-sm-3 col-md-6 text-md-right" style="padding-top: 5px"&gt;
            &lt;strong class="mb-1"&gt;Price : &lt;br/&gt; &ampnbsp; &lt;?php echo $row['price']; ?&gt; &lt;span class="text-
muted"&gt;&lt;/span&gt;&lt;/strong&gt;
        &lt;/div&gt;
        &lt;div class="col-2 col-sm-2 col-md-2 text-right mt-2"&gt;
            &lt;a href='wish_remove.php?art_id=&lt;?php echo $row['art_id'] ?&gt;'&gt;
                &lt;button type="button" class="btn btn-outline-danger" aria-disabled="true" data-toggle="tooltip"
title="Remove!"&gt;&lt;i class="fa fa-trash" aria-hidden="true"&gt;&lt;/i&gt;&lt;/button&gt;
            &lt;/a&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    &lt;hr&gt;
&lt;?php }?&gt; /*while loop end*/
<!-- END PRODUCT --&gt;
&lt;div class="pull-right"&gt;
    &lt;a href="#" class="btn btn-outline-secondary pull-right"&gt;
        Show more
    &lt;/a&gt;
&lt;/div&gt;
</pre>

```

```

        </div>
    </div>
</div>
</section>
<?php include_once("footer.php"); ?> /*include footerarea*/
</body>
</html>

```

### **Item Remove From Wishlist: (wish\_remove.php)**

```

<?php
    require 'connection.php';
    session_start();
    $art_id=$_GET['art_id'];
    $email=$_SESSION['email'];
    /*Delete Query whose status 1*/
    $delete_query="delete from orders where email='".$email' and art_id='".$art_id' and status=1";
    $delete_query_result=mysqli_query($con,$delete_query) or die(mysqli_error($con));
    echo "
        <script>
            window.alert('Item removed!!');
            window.location.assign('wishlist.php');
        </script> ";
    ?>

```

### **Searching Product/Painting: (gethint.php) // navigation searchbar**

```

<?php
    // Array with names - Fetch All Product
    include("connection.php"); //include database connection
    $sql="SELECT * FROM products_details "; //Database Select Query from prodict_details table
    $result=mysqli_query($con,$sql);

    $q = $_REQUEST["q"]; // get the q parameter from URL
    $hint = "";

    if ($q !== "") { // lookup all hints from array if $q is different from ""
        $q = strtolower($q);
        $len=strlen($q);
        foreach($result as $data) {
            if (stristr($q, substr($data['art_name'], 0, $len))) {
                if ($hint === "") {
                    $hint = "<table class='table'><tr>";
                    /*Fetch searching related product's image*/

```

```

                <td><a href='all_paintings.php?cat='".$data['category']."'><img
src='admin/upload_image/".$data['photo']."' height='30px' width='30px'/></a></td>
/*Fetch searching related product`s */
<td><a href='all_paintings.php?cat='".$data['category']."'>".$data['art_name']. "</a></td>
</tr>";
} else {
$hint .= "<tr>
                <td><a href='all_paintings.php?cat='".$data['category']."'><img
src='admin/upload_image/".$data['photo']."' height='30px' width='30px'/></a></td>
                <td><a href='all_paintings.php?cat='".$data['category']."'>".$data['art_name']. "</a></td>
                </tr>";
}
}
$hint.'</table>';
}
echo $hint === "" ? "no suggestion" : $hint; // Output "no suggestion" if no hint was found or output correct values
?>

```

## **Searching Product/Painting- js file: (get\_hint.js)**

```

function showHint(str) { *onKeyup Function call declear in search bar*
if (str.length == 0) {
    document.getElementById("txtHint").innerHTML = "";
    return;
} else {
    var xmlhttp = new XMLHttpRequest();
    xmlhttp.onreadystatechange = function() {
        if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
            document.getElementById("txtHint").innerHTML = xmlhttp.responseText;
        }
    }
    xmlhttp.open("GET", "gethint.php?q=" + str, true);
    xmlhttp.send();
}
}

```

## **Checkout code: (checkout.php)**

```

<?php
session_start();
include_once("connection.php");

```

```

//array for Artcategory
$category = array("1"=>"Acrylic Paintings", "2"=>"watercolor Paintings", "3"=>"Oil Paintings",
"4"=>"Charcol Paintings", "5"=>"Abstract Paintings", "6"=>"LandScape Paintings",
"7"=>"Just Still Life", "8"=>"Buddha Paintings", "9"=>"Ganesh Paintings",
"10"=>"Couple Paintings", "11"=>"Glass Paintings", "12"=>"Home Decore",
"13"=>"Sculptuers", "14"=>"natural Paintings", "15"=>"shiva Paintings");

if(!isset($_SESSION['email']))
{
echo " <script>
    window.alert('PLEASE LOG IN BEFORE YOU PROCEED TO CHECKOUT');
    window.location.assign('login1.php');
</script> ";
}

else if (isset($_SESSION['email'])) {
$error="";
if(!empty($_POST['checkout']))
{
$add=$_POST['add'];
if($add==""){
$error.="selection is Mandatory Field!";
}
}
if($error!=""){
echo " <script>
    window.alert(\".$error.\");
</script> ";
}
}
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge" > <!-- mobile responsive meta -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://kit.fontawesome.com/a076d05399.js"></script>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<link
href="https://fonts.googleapis.com/css?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair
+Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">

```

```

<title>KALAKRITI Online Art Gallery|| Checkout </title>
<style type="text/css">
    body{margin: 0;padding:0;}
    #label-product {
        padding-top: 5px;padding-bottom: 2px;font-weight: bold;
    }
    .media{padding: 8px 20px;}
    .media-body{padding-left: 40px; background: none; justify-content: center; }
    .media-body h5{padding-bottom: 0px; font-size: 15px;}
    .content-container{padding: 20px 30px;}
    * { box-sizing: border-box; }

    .row {
        display: -ms-flexbox; /* IE10 */
        display: flex;
        -ms-flex-wrap: wrap; /* IE10 */
        flex-wrap: wrap;
        margin: 0 -16px;
    }
    .panel-heading{background: linear-gradient(145deg,#eee,#fff); }
    .col-50 {-ms-flex: 50%; /* IE10 */ flex: 50%; }
    .col-25,.col-50,.col-75 {padding: 0 16px;}
    .addrs{
        padding: 5px 20px 15px 20px; border: 1px solid lightgrey; border-radius: 3px;
    }
    .addrs p{text-align: justify;}
    .addrs input[type=text] ,input[type=number],input[type=email], select {
        background: linear-gradient(145deg,#fff,#eee,#ccc); width: 100%;
        margin-bottom: 20px; padding: 10px;font-size: 16px;
        border: 1px solid #ccc; border-radius: 3px;
    }
    label {margin-bottom: 10px;display: block;}
    .btn:hover { background-color: #f4a460; }

</style>
<body>
    <?php include("indexmenu2.php"      //include header menu
    php include_once("scrolltop.php");?>           //include side scroll
<section>
    <div class="container">
        <div class="row content-container">
            <br>
            <div class="col-md-12 justify-content-md-center d-flex row">
/* SINGLE PRODUCT CHECKOUT PROCESS*/
<?php
    if(isset($_SESSION['email']) && isset($_GET['art_id'])){
```

```

$art_id=$_GET['art_id'];
if(isset($_POST['checkout']) && $error==""){

    $add=$_POST['add'];
    $email=$_SESSION['email'];

    $sqlord="UPDATE orders set add_id='".$add."',status=3,date='".$date."' where email='".$email."' and status=2 and
    art_id='".$art_id."'";
    /*Update Query – when checkout done then status will be 3*/
    if(mysqli_query($con,$sqlord))
    {
        echo "
<script>
    window.alert('Order Confirmed!!');           /Order confirmation alert/
    window.location.assign('thanku.php');
</script> ";
    }else{
        echo " <script>
            window.alert('connection faild!!');
            window.location.assign('checkout.php?art_id='".$art_id."');           /*single product checkout*/
        </script> ";
    }
}
?>
<!--SHIPPING METHOD-->
<div class='col-md-8 col-sm-6'>
    <div class='panel panel-default'>
        <div class='panel-heading text-center'><h4>Shipping and billing addresses</h4></div>
        <div class='panel-body-content'>
            <div class='col-50 addrs'>
                <form id='shipping-form' <?php echo "action='".$_SERVER['PHP_SELF']."'?>
method='POST'>          //submit form with Art Id
                <section class='row'>
                    <div class='col-md-8 mt-2'>
                        <h5><i class='fa fa-home' aria-hidden='true'></i> Choose Shipping Address</h5>
                    </div>
                    <div class='col-md-4'>
                        <div class='btn-group float-right mt-2' role='group'>
                            <a class='btn btn-secondary btn-sm' href='#' data-toggle='modal' data-target='#address_modal' title='Add
new address'>
                                <i class='fa fa-plus' aria-hidden='true'></i>&ampnbspAdd New</a>
                            </div>
                        </div>
                    </section>
                    <br>
                    <div class='list-group'>
<?php

```

```

$email=$_SESSION['email'];
$sql="SELECT * FROM addresses WHERE email= '".$email."'";
$result=mysqli_query($con,$sql); /* fetch customer all address from address table*/
if(mysqli_num_rows($result)>0)
{
    echo ucwords($_SESSION['name']);
    while($row=mysqli_fetch_assoc($result))
    { /*SHOW ADDRESSES*/
        echo "<a href='#" class='list-group-item form-check list-group-item-action flex-column'>
            <div class='form-check w-100 justify-content-between'>
                <input checked='checked' class='form-check-input' type='radio' name='add' id='"
        value='".$row['add_id']."'">
                <label class='form-check-label' for='#">
                    <p class='mb-1'>
                        ".$row['at'].", ".$row['post'].", ".$row['city'].", ".$row['state'].", ".$row['dist']."' - ".$row['pin']."'"
                    </p>
                </label>
            </div>
        </a> ";
    }
} else{
    echo "
        <h3 style='color:black;font-size:20px;font-weight:bold;float:right;'>
            Insert Address
        </h3>";
}
?>
</div>
</form>
</div>
</div>
</div>
</div>
<!--SHIPPING METHOD END for cart buying-->
<?php
$totalprice=0;
/*SHOW ALL DETAILS from Order table & Products details table*/
$order_query="SELECT * FROM orders INNER JOIN products_details ON orders.art_id = products_details.art_id
WHERE email='".$SESSION['email']."' and orders.status=2 and orders.art_id='".$art_id."'";
$order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
$no_of_order_products= mysqli_num_rows($order_result);
while($row=mysqli_fetch_array($order_result)){
    $totalprice=$totalprice+$row['amount'];
    echo "
        <!--REVIEW ORDER for cart-->

```

```

<br>
<div class='col-md-4 col-sm-6'>
  <div class='panel panel-default border'>
    <div class='panel-heading text-center'><h4>Your Cart</h4></div>
    <div class='panel-body border-top'>
      <tbody>
        <tr>
          <td class='col-md-3'>
            <div class='media'>
              <a class='thumbnail pull-left' href="#">
                <img class='media-object' src='admin/upload_image/".$row['photo']."' style='width: 100px; height: 100px;'>
              </a>
              <div class='media-body'>
                <h5 class='media-heading' id='label-product'>".$row['art_name']."'</h5>
                <h5 class='media-heading'>Art Id : ".$row['art_id']."'</h5>
                <h5 class='media-heading'>Size : 300*400 inch</h5>
                <h5 class='media-heading'>Type : ".$category[$row['category']]']."'</h5>
              </div>
            </div>
            <h5 class='media-heading' style='font-weight: bold;'>Quantity &ampnbsp<span><?php echo $row['quantity']?></span></h5>
            <?php echo"
              <h5 class='media-heading' style='font-weight: bold;'>Price &ampnbsp<span><i class='fa fa-rupee'>
              ".$row['price']."'</i></span></h5>
            </div>
            </div>
          </td>
        </tr>
        <hr>
      </tbody>
    <div class='col-md-12'>
      <strong>Subtotal (1 item)</strong>
      <div class='pull-right'><span><i class='fa fa-rupee'></i></span><span>".$row['amount']. ".00</span></div>
    </div>
    <div class='col-md-12'>
      <strong>DELIVERY COSTS</strong>
      <div class='pull-right'><span>Free of charge</span></div>
    </div>
    <div class='col-md-12'>
      <small></small>
      <div class='pull-right'><span></span></div>
      <hr>
    </div>
    <div class='col-md-12 pb-2'>
      <strong>Order Total</strong>
      <div class='pull-right'><span><i class='fa fa-rupee'></i></span><span>".$totalprice.".00</span></div>
    
```

```

<hr>
<button type='submit' class='btn btn-info btn-block' form='shipping-form' name='checkout'>CONTINUE
</button>
</div>
</div>
</div>
</div>
<!--REVIEW ORDER END for cart-->
";
}?
//end if condition /*SINGLE PRODUCT SHIPPING PROCESS END*/



/* MULTIPLE PRODUCT SHIPPING PROCESS START*/
<?php }else if(isset($_SESSION['email']) && !isset($_GET['art_id'])){



if(isset($_POST['checkout']) && $error==""){

$add=$_POST['add'];
$email=$_SESSION['email'];
$sqlord="UPDATE orders set add_id='".$add."',status=3,date='".$date."' where email='".$email."' and status=2 ";
if(mysqli_query($con,$sqlord))
{
                                //Update query- when checkout done status will be change 3
echo "
<script>
    window.alert('Your Order has been placed !!');          //Order confirmation alert
    window.location.assign('thanku.php');
</script> ";
}
else{ echo "
    window.alert('connection faild!!');
    window.location.assign('checkout.php');
</script> ";
}
}
?>
<!--SHIPPING METHOD-->
<div class='col-md-8 col-sm-6'>
<div class='panel panel-default'>
<div class='panel-heading text-center'><h4>Shipping and billing addresses</h4></div>
<div class='panel-body-content'>
<div class='col-50 addrs'>
<form id='shipping-form' <?php echo "action='".$SERVER['PHP_SELF']."'";?> method='POST'>
//submit form without Art Id
<section class='row'>
<div class='col-md-8 mt-2'>

```

```

<h5><i class='fa fa-home' aria-hidden='true'></i> Choose Shipping Address</h5>
</div>
<div class='col-md-4'>
<div class='btn-group float-right mt-2' role='group'>
<a class='btn btn-secondary btn-sm' href="#" data-toggle='modal' data-target='#address_modal' title="Add
new address">
<i class='fa fa-plus' aria-hidden='true'></i>&ampnbspAdd New</a>
</div>
</div>
</section>
<br>
<div class='list-group'>
<?php
$email=$_SESSION['email'];
$sql="SELECT * FROM addresses WHERE email= '".$email."'";
$result=mysqli_query($con,$sql); /* fetch customer all address from address table*/
if(mysqli_num_rows($result)>0)
{
echo ucwords($_SESSION['name']);
while($row=mysqli_fetch_assoc($result))
{
/*SHOW ADDRESSES*/
echo "<a href="#" class='list-group-item form-check list-group-item-action flex-column'>
<div class='form-check w-100 justify-content-between'>
<input checked='checked' class='form-check-input' type='radio' name='add' id='"
value='".$row['add_id']."'>
<label class='form-check-label' for='#>
<p class='mb-1'>
".$row['at'].",".$row['post'].",".$row['city'].",".$row['state'].",".$row['dist']."' - ".$row['pin']."'".'
</p>
</label>
</div>
</a> ";
}
} else{
echo "
<h3 style='color:black;font-size:20px;font-weight:bold;float:right;'>
Insert Address
</h3>";
} ?>
</div>
</form>
</div>
</div>
</div>
</div>

```

```

<!--SHIPPING METHOD END for cart buying-->
<!--REVIEW ORDER for cart-->
<br>
<div class='col-md-4 col-sm-6'>
    <div class='panel panel-default border'>
        <div class='panel-heading text-center'><h4>Your Cart</h4></div>
        <div class='panel-body border-top'>
            <tbody>
                <!-- foreach ($order->lineItems as $line) or some such thing here -->
                <?php
                    $totalprice=0;
                    $order_query="SELECT * FROM orders INNER JOIN products_details ON orders.art_id =
products_details.art_id WHERE email='".$_SESSION['email']."' and orders.status=2";
                    $order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
                    $no_of_order_products= mysqli_num_rows($order_result);

                    if($no_of_order_products==0)
                    {
                        echo "<script>
                            window.alert('No items in the cart!!');
                            window.location.assign('index.php');
                        </script>";
                    } else{
                        while($row=mysqli_fetch_array($order_result))
                        {
                            $art1=$row['art_id'];
                            $totalprice=$totalprice+$row['amount'];
                        }
                    }
                ?>

                <?php
                    $order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
                    $no_of_order_products= mysqli_num_rows($order_result);
                    while($row=mysqli_fetch_array($order_result)){
                        /*fetch all data whose status is 2 i.e Add to cart */
                    ?>
<tr>
    <td class="col-md-3">
        <div class="media">
            <a class='thumbnail pull-left' href="#">
                <?php echo $row['art_name']; ?></h5>
<h5 class='media-heading'>Art Id : <?php echo $row['art_id']; ?></h5>
<h5 class='media-heading'> Size : 300*400 inch</h5>
<h5 class='media-heading'>Type : <?php echo $category[$row['category']]; ?></h5>
<h5 class='media-heading' style='font-weight: bold;'> Quantity &nbsp <span><?php echo
$row['quantity']?></span></h5>
<h5 class='media-heading' style='font-weight: bold;'> Price &nbsp <span><i class='fa fa-rupee'>
<?php echo $row['amount']; ?></i></span></h5>
</div>
</div>
</td>
</tr>
<hr>
<?php }?> /*while loop close*/
</tbody>
<div class="col-md-12">
<strong>Subtotal (1 item)</strong>           /*subtotal amount*/
<div class="pull-right"><span><i class='fa fa-rupee'></i></span><span><?php echo
$totalprice;?>.00</span></div>
</div>
<div class="col-md-12">
<strong>DELIVERY COSTS</strong>
<div class="pull-right"><span>Free of charge</span></div>
</div>
<div class="col-md-12">
<small></small>
<div class="pull-right"><span></span></div>
<hr>
</div>
<div class="col-md-12 pb-2">
<strong>Order Total</strong>
<div class="pull-right"><span><i class='fa fa-rupee'></i></span><span><?php echo
$totalprice;?>.00</span></div>
<hr>
<button type='submit' class='btn btn-info btn-block' form='shipping-form' name='checkout'>CONTINUE
</button>      // COUNTINUE BUTTON Click
</div>
</div>
</div>
</div>
</div>
<!--REVIEW ORDER END-->
<?php
} //end elseif
/* MULTIPLE PRODUCT SHIPPING PROCESS END*/

```

```

?> </div>
</div>
</section>
<?php include_once("address_modal.php"); ?> /*include ADD NEW ADDRESS */
<?php include("footer.php"); ?> /*include Footerarea*/
$con->close();
?>
</body>
</html>

```

## **Forget Password: (forget\_pwd.php)**

```

<?php
session_start();

$error="";
if(!empty($_POST)) {
    $email=$_POST['email'];
    if($email==""){
        $error.=<li>E-Mail is Mandatory Field!</li>;
    }
}
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1 ">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <title>KALAKRITI Online Art Gallery Website | forgot password</title>
    <link href="http://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-css">
<style type="text/css">
    body{
        background:#f3c538; padding: 0; margin: 0;
    }
    .forget-pwd > a{
        color: #dc3545;font-weight: 500;
    }
    .forget-password .panel-default{padding: 31%; margin-top: -27%;}
    .forget-password .panel-body{
        padding: 15%;margin-bottom: -50%; background: #fff; border-radius: 5px;
        -webkit-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
    }
    .forget-password img{ width:40%; margin-bottom:10%; }
    .btnForget{ background: #c0392b; border:none; }
</style>

```

```

</head>

<body>
<?php
if($error!=""){
echo "<section>
<div class='container'>
<div class='row' >
<div class='alert alert-danger' role='alert'>
<ul>
    ".$error."
</ul>
</div>
</div>
</div>
</section>";

}else if(!empty($_POST) && $error==""){
    include_once("connection.php");      //Database connection
    $sql="SELECT * FROM users WHERE email= '".$email."'";
    $result=mysqli_query($con,$sql);
    if(mysqli_num_rows($result)>0) {
$_SESSION['email']=$email;                      /*Session email layout & working process coding*/
}

$from="info@kunalitechnology.in";                  /* MAIL SIDE CODING Admin*/
$headers = 'MIME-Version: 1.0' . "\r\n";
$headers .= 'Content-type: text/html; charset=iso-8859-1' . "\r\n";
// Create email headers
$headers .= 'From: '.$from."\r\n".
'Reply-To: '.$from."\r\n".
'X-Mailer: PHP/' . phpversion();
$mailto="kalakritijsr@gmail.com";
$subject="Regarding forgotten password";
$message="<!DOCTYPE html>
<html>
<head>
<meta http-equiv='Content-Type' content='text/html; charset=utf-8' />
<meta name='viewport' content='width=device-width' />
<!-- NOTE: external links are for testing only -->
<link href='//cdn.muicss.com/mui-0.1.2/email/mui-email-styletag.css' rel='stylesheet' />
<link href='//cdn.muicss.com/mui-0.1.2/email/mui-email-inline.css' rel='stylesheet' />
<link href='//maxcdn.bootstrapcdn.com/bootstrap/3.3.0/css/bootstrap.min.css' rel='stylesheet' id='bootstrap-css'>
<script src='//maxcdn.bootstrapcdn.com/bootstrap/3.3.0/js/bootstrap.min.js'></script>
<script src='//code.jquery.com/jquery-1.11.1.min.js'></script>
</head>

```

```

<body>
<table class='mui-body' cellpadding='0' cellspacing='0' border='0'>
<tr>
<td style='padding:50px;' class='mui-panel'>
<center>

<!--[if mso]><table><tr><td class='mui-container-fixed'><![endif]-->
<div style='text-align:center;' class='mui-container'>

<div class='mui-divider-bottom'>
<img style='width:125px' src='http://http://komal.kunalitechnology.in/images/brand-inverse-big-854x245.png' height='55px' lass='img-responsive' float-left'>
<h3 style='margin-top: -5px!important; margin-bottom: 16px!important; color: #808080!important; text-shadow: #696969!important;'>KALAKRITI Art Gallery</h3>
<div class='mui-divider-bottom'></div>

<p style='padding:20px; text-align:left;'>
User Email": ".$email." <br><br>
Please send me my password!! I have forgotten it..!!</p>
<a class='mui-btn mui-btn-primary mui-btn-lg' href='http://komal.kunalitechnology.in/admin'>Check</a>
<br><br>
</div>

</div>
<!--[if mso]></td></tr></table><![endif]-->
</center>
</td>
</tr>
</table>
</body>
</html>";

mail($mailto,$subject,$message,$headers);
echo "
<script>
    window.alert('Message send successfully!! Check your mail'); // INPUT SUCCESS EMAIL ALERT
    window.location.assign('login1.php');
</script> ";
} else if(mysqli_num_rows($result)==0) {
echo" <script>
    window.alert('Wrong Email Id'); // INPUT WRONG EMAIL ALERT
</script> ";
}
} $con->close();
}

echo "<div class='container forget-password'> /*customer side send email layout*/
<div class='row'>

```

```

<div class='col-md-12 col-md-offset-4'>
    <div class='panel panel-default'>
        <div class='panel-body'>
            <div class='text-center'>
                <img src='https://usa.afsglobal.org/SSO/SelfPasswordRecovery/images/send_reset_password.svg?v=3'
                alt='car-key' border='0'>
                <h2 class='text-center'>Forgot Password?</h2>
                <p>You can reset your password here.</p>
                <form id='shipping-zip-form' role='form' autocomplete='off' class='form' method='POST'
method='POST' action='".$SERVER['PHP_SELF']."'>
                    <div class='form-group'>
                        <div class='input-group'>
                            <span class='input-group-addon'><i class='glyphicon glyphicon-envelope color-
blue'></i></span>
                            <input required id='forgetAnswer' name='email' placeholder='Enter Your Email Address' class='form-control' type='email'>
                        </div>
                    </div>
                    <div class='form-group' style='text-align: right; margin-top: 10px;'> /* submit button */
                        <input name='submit' class='btn btn-lg btn-primary btn-block btnForget' value='Reset Password' type='submit'>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>";
?>
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js"></script>
<script src="http://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
</body>
</html>

```

## **Customer Account : (myaccount.php)**

```

<?php
session_start();
?>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

```

```

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<script src='https://kit.fontawesome.com/a076d05399.js'></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>

        <title>KALAKRITI Online Art Gallery || My Account</title>
</head>
<body>
    <?php include("indexmenu2.php");?>
    <div class="alert alert-success clicke shadow mx-4 my-4" role="alert" >          /*Links- task performed*/
        <a href="index.php" class="alert-link">Home</a> >>
        <a href="index.php" class="alert-link">My Account</a> >>
    </div>
    <section>
        <div class="container box">
            <div class="row p-0 m-0">
                <div class="col-md-12 justify-content-md-center d-flex row my-4 ">
                    <!--SHOE MY ACCOUNT DETAIL-->
                    <div class="col-md-9 col-sm-6 mb-2">
                        <div class="panel panel-default">
                            <div class="panel-body-content">
                                <div class="row">
                                    <div class="col-md-12">
                                        <div class="heading">
                                            
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                    <?php
                        include_once('connection.php');      //Database connectivity
                        $email=$_SESSION['email'];         //session email set
                        $sql="SELECT * FROM users WHERE email= '".$email."'";
                        $result=mysqli_query($con,$sql);      //Fetch Query from user table to show user personal details
                        if(mysqli_num_rows($result)>0)
                        {
                            while($row=mysqli_fetch_assoc($result))
                            {
                                <div class='bio-info'>
                                    <div class='row'>
                                        <div class='col-md-6 col-sm-4'>
                                            <div class='row'>
                                                <div class='col-md-12'>
                                                    <div class='bio-image'>
                                                        <img src='images/img.jpg' alt='image' />
                                                    </div>
                                                </div>
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            }
                        }
                    </?php>
                </div>
            </div>
        </div>
    </section>
</body>

```

```

        </div>
        </div>
        </div>
        <div class='col-md-6 col-sm-4'>
            <div class='bio-content pt-4'>
                <div class='table-responsive'>
                    <table class='table table-borderless'>
                        <tbody>
                            <tr>
                                <th><i class='fa fa-user'></i> Customer Name :</th>
                                <td>".$row['name']."'</td>
                            </tr>
                            <tr>
                                <th><i class='fa fa-envelope'></i> Email-ID :</th>
                                <td>".$row['email']."'</td>
                            </tr>
                            <tr>
                                <th><i class='fa fa-phone'></i> Contact Number:</th>
                                <td>(+91) ".$row['mobile']."'</td>
                            </tr>
                        </tbody>
                    </table>
                </div>
                <a href='account-info.php'> <button type='button' class='btn btn-outline-dark btn-lg float-right px-4 py-2 mr-3 mt-2'> <i class='fa fa-edit' aria-hidden='true'> EDIT</i></button></a>
            </div>
            </div>
            </div>;
        } //while loop close
    }else { echo "<script>
        window.alert('Unable to fetch your data!!');
        window.location.assign('index.php');
    </script> ";
    }
    $con->close();
?>      </div>
    </div>
</div> <!-- SHOE MY ACCOUNT DETAIL END-->

<!--ACCOUNT MENU-->
<br>
<div class="col-md-3 col-sm-6">
    <div class="panel panel-default">
        <div class="panel-heading text-center"><h4>Account</h4></div>

```

```

<div class="panel-body border-top">
    <div class="list-group"/*Account related all menu*/
        <a href="account-info.php" class="list-group-item list-group-item-action "><i class="fa fa-edit">
            Account Information</i></a>
        <a href="myaccount.php" class="list-group-item list-group-item-action active "><i class="fa fa-edit"> &nbsp My
            Account</i></a>
        <a href="changepwd.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp Change
            Password</i></a>
        <a href="account_address.php" class="list-group-item list-group-item-action"><i class="fa fa-edit"> &nbsp
            Address Detail</i></a>
        <a href="order_history.php" class="list-group-item list-group-item-action"><i class="fa fa-edit"> &nbsp Order
            History</i></a>
    </div>
</div>
</div>
</div>
</div>
<!--ACCOUNT MENU END-->
</div>
</div>
</section>
<?php include("footer.php"); ?>
</body>
</html>

```

## **Customer Account Layout code: (account\_layout.php)**

```

<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge" > <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
    href="https://fonts.googleapis.com/css2?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair
    +Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">
    <link href="https://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-css">

    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/umd/popper.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
    <script src="https://kit.fontawesome.com/a076d05399.js"></script>

```

```
<title>KALAKRITI Online Art Gallery || Account</title>
```

```
<style type="text/css">

body{margin: 0;padding:0;}
#label-product { padding-top: 5px;padding-bottom: 2px; font-weight: bold; }
.media{padding: 8px 20px;}
.media-body{padding-left: 40px; background: none; justify-content: center; }
.media-body h5{padding-bottom: 0px; font-size: 15px; }
.content-container{padding: 20px 30px; }
* { box-sizing: border-box; }
.row { display: -ms-flexbox; /* IE10 */
      display: flex;ms-flex-wrap: wrap; /* IE10 */flex-wrap: wrap; margin: 0 -16px;
}
.panel-heading{background: linear-gradient(145deg,#eee,#fff,#696969); }

.col-50 {-ms-flex: 50%; /* IE10 */ flex: 50%; }

.col-25,.col-50,.col-75 {padding: 0 16px;}
```

```
@media screen and (max-width: 600px){

.clicke a{ font-size: 14px; text-align: center; }
.clicke{opacity: 0.6; text-align: center; margin: 0px; padding: 0px; }
.clicke a{text-decoration: none;font-size: 15px; }
.heading{ background: #fff; padding: 1%;text-align: left;
          box-shadow: 0px 0px 4px 0px #545b62; }
.heading img{width: 10%; }
.heading h5{float: left; }

@media only screen and (max-width: 600px) {
.heading h5 {font-size: 18px; }
.heading{max-height: 50px;box-shadow: none;padding: 8px 5px; }

}

.bio-info{width: 100%; padding: 4%; background:#fff; box-shadow: 0px 0px 4px 0px #b0b3b7; }

.form-sample input[type=text] ,input[type=number]{width: 100%;border: 1px solid #ccc; height: 40px; border-radius: 3px; }

.pass_show{position: relative; }

.pass_show .ptxt { position: absolute; top: 50%; right: 10px; z-index: 1; color: #f36c01;
margin-top: -10px; cursor: pointer; transition: .3s ease all; }

.pass_show .ptxt:hover{color: #333333; }

label {text-align: left;
margin-bottom: 10px;
display: block; }
```

```

        }
    </style>
</head>
<body>
<div class="alert alert-success clicke shadow mx-4 my-4" role="alert" >
    <a href="index.php" class="alert-link">Home</a> >>
    <a href="index.php" class="alert-link">My Account</a> >>
</div>

<section>
    <div class="container">
        <div class="row">
            <div class="col-md-12 justify-content-md-center d-flex row my-4 ">

                <!--CHANGE PERSONAL DETAILS-->

                /* Here Includes some Account detail or update related files */

                <!--CHANGE PERSONAL DETAILS END-->

                <!--ACCOUNT MENU-->

                /* Here Includes Account Menu and change Action Position via change menu*/

                <!--ACCOUNT MENU END-->
            </div>
        </div>
    </section>
    <?php include("footer.php"); ?> /*Include footerarea*/
</body>
</html>

```

### **Customer Account Update code: (account\_info.php)**

```

<?php
session_start();
include_once('connection.php'); //DATABASE CONNECTIVITY
$error="";
if(!empty($_POST)) {
    $name=$_POST['name'];
    $mobile=$_POST['mobile'];

    if($name==""){
        $error.= "<li>Name is Mandatory Field!</li>";           //error alest of name
    }
}

```

```

if($mobile==""){
    $error.= "<li>Mobile is Mandatory Field!</li>";           //error alest of mobile number
}
}

?>

<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <title>KALAKRITI Online Art Gallery || Account details Update</title>
</head>
<body>
<?php include("account_layout.php");?>           //include account layout
<section>
    <div class="container">
        <div class="row">
            <div class="col-md-12 justify-content-md-center d-flex row my-4 ">

                <!--CHANGE PERSONAL DETAILS-->
                <div class="col-md-9 col-sm-6">
                    <div class="panel panel-default">
                        <div class="panel-body-content">
                            <div class="heading mb-2">
                                <h5>Change your Personal Details.</h5> 
                            </div>
                            <div class='bio-info'>
                                <div class='col-sm-4 col-md-9'>
<?php
if($error!="")
{
    echo" <section>
        <div class='container'>
            <div class='row' >
                <div class='alert alert-danger' role='alert'>
                    <ul>
                        ".$error."
                    <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                        <span aria-hidden='true'> &times;</span>
                    </button>
                </ul>
            </div>
        </div>
    </div>
"
}

```

```

        </section> ";
    } else if(!empty($_POST) && $error==""){
        $email=$_SESSION['email'];
        $sql="UPDATE users SET name= '$name', email= '$email', mobile= '$mobile'WHERE email= ".$email."'";
        if(mysqli_query($con,$sql))      //Customer user detail Updation Query
        {
            echo " <section>
                    <div class='container'>
                        <div class='row-xl-6'>
                            <div class='alert alert-success' role='alert'>          /*Updation Success alert*/
                                <ul>
                                    Your Personal details are updated successfully
                                    <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                                        <span aria-hidden='true'>&times;</span>
                                    </button>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            </section>";
        }else {echo"
            <script>
                window.alert('Updation failed...Please try again!!');    /*Updation Failed alert*/
                <meta http-equiv='refresh' content='1;url='cng-pw.php' />;
            </script>";
        }
        $con->close();
    }
    echo "      /*Change Critaria*/
<form method='POST' action='".$_SERVER['PHP_SELF']."' class='form-sample'>
    <div class='row'>
        <div class='col-md-12'>
            <div class='form-group row'>
                <label class='col-sm-3 col-form-label'>Name :</label>          /*Customer Name Update*/
                <div class='col-sm-9'>
                    <input type='text' class='form-control' name='name' autocomplete='off' />
                </div>
            </div>
        </div>
    </div>
    <div class='row'>
        <div class='col-md-12'>
            <div class='form-group row'>
                <label class='col-sm-3 col-form-label'>E-Mail :</label>

```

```

<div class='col-sm-9'>
    <input type='text' class='form-control' name='email' autocomplete='off'
        value="" . $_SESSION['email']."'/* Session set email show */>
</div>
</div>
</div>
</div>
<div class='row'>
    <div class='col-md-12'>
        <div class='form-group row'>
            <label class='col-sm-3 col-form-label'>Contact Number :</label>      /*Customer Number Update*/
            <div class='col-sm-9'>
                <input type='tel' class='form-control' name='mobile' autocomplete='off' />
            </div>
        </div>
        </div>
        </div>
    </div>
    <a href="#"><button type='submit' class='btn btn-outline-dark btn-lg px-4 py-2 ml-4'><i class='fa fa-paper-plane' aria-hidden='true'> Save Change</button></i></a>
</form>
";
?>
</div>
</div>
</div>
</div>
</div>
</div>
<!--CHANGE PERSONAL DETAILS END-->
<!--ACCOUNT MENU-->
<br>
<div class="col-md-3 col-sm-6 mt-1">
    <div class="panel panel-default">
        <div class="panel-heading text-center"><h4>Account</h4></div>
        <div class="panel-body border-top">
            <div class="list-group">
                <a href="account-info.php" class="list-group-item list-group-item-action active"><i class="fa fa-edit"> Account Information</i></a>
                <a href="myaccount.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp My Account</i></a>
                <a href="changepwd.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp Change Password</i></a>
                <a href="account_address.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp Address Detail</i></a>
                <a href="order_history.php" class="list-group-item list-group-item-action"><i class="fa fa-edit"> &ampnbsp Order History</i></a>
            </div>
        </div>
    </div>
</div>

```

```
</div>
</div>
</div>
</div>
<!--ACCOUNT MENU END-->
</div>
</div>
</div>
</body>
</html>
```

## **Customer Account Address Detail: (account\_address.php)**

```
<?php
session_start();
if(!isset($_SESSION['email']))
{
echo "<script>
    window.location.assign('login1.php');
</script> ";
}
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge" > <!-- mobile responsive meta -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<title>KALAKRITI Online Art Gallery || Account Address details</title>
</head>
<body>
<?php include("account_layout.php");?>           //include account layout
<section>
<div class="container">
<div class="row">
<div class="col-md-12 justify-content-md-center d-flex row my-4 ">
<!--SHOE MY ACCOUNT ADDRESS DETAIL-->
<div class="col-md-9 col-sm-6 mb-2">
<div class="panel panel-default">
<div class="panel-body-content">
<div class="row">
```

```

<div class="col-md-12 ">
    <div class="heading">
        <a href='add_account_address.php'><button class="btn btn-secondary" type="button" id="button-addon2">Add New Address</button></a>      /*Address add button*/
    </div>
</div>
</div>

<?php
$email=$_SESSION['email'];
include_once('connection.php'); //Database Connection
$sql="SELECT * FROM addresses WHERE email= '".$email."'";
$result=mysqli_query($con,$sql);
if(mysqli_num_rows($result)>0)
{
    while($row=mysqli_fetch_assoc($result))
    {
        echo "
<div class='bio-info'>
<div class='card text-white bg-light mb-3' style='max-width: 50rem;font-size: 16px;text-align:justify;'>
<a href='address_remove.php?add_id='".$row['add_id']."' class='m-1'>
<span class='float-right'><button type='button' class='like btn btn-light' data-toggle='tooltip' title='Remove
Address !!'> &ampnbsp<i class='fa fa-trash'> &ampnbsp</i></button></span>
</a>
<div class='card-body text-center'> /*Here Show Addresses*/
<h6><strong>Address line 1 :</strong>&ampnbsp <span>".ucwords($row['at'])."</span></h6>
<h6><strong>Address line 2 :</strong>&ampnbsp <span>".ucwords($row['post'])."</span></h6>
<h6><strong>City :</strong>&ampnbsp <span>".ucwords($row['city'])."</span></h6>
<h6><strong>State :</strong>&ampnbsp <span>".ucwords($row['state'])."</span></h6>
<h6><strong>District :</strong>&ampnbsp <span>".ucwords($row['dist'])."</span></h6>
<h6><strong>Pin Code :</strong>&ampnbsp <span>".ucwords($row['pin'])."</span></h6>
</div>
</div>
</div> ";
    }
}
else{
    echo"<script>
        window.alert('You have not added any Address !!');
    </script>";
}
$con->close();
?>
</div>
</div>
</div>

<!-- SHOE MY ACCOUNT ADDRESS DETAIL END-->
<!--ACCOUNT MENU-->

```

```

<br>
<div class="col-md-3 col-sm-6">
  <div class="panel panel-default">
    <div class="panel-heading text-center"><h4>Account</h4></div>
    <div class="panel-body border-top">
      <div class="list-group">
        <a href="account-info.php" class="list-group-item list-group-item-action "><i class="fa fa-edit">
          Account Information</i></a>
        <a href="myaccount.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp My
          Account</i></a>
        <a href="changepwd.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp Change
          Password</i></a>
        <a href="account_address.php" class="list-group-item list-group-item-action active"><i class="fa fa-edit">
          &nbsp Address Detail</i></a>
        <a href="order_history.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp Order
          History</i></a>
      </div>
    </div>
  </div>
</div>
<!--ACCOUNT MENU END-->
</div>
</div>
</div>
</section>
</body>
</html>

```

### **Customer – Insert New Address Detail: (add\_account\_address.php)**

```

<?php
session_start();
if (isset($_SESSION['email'])) {
$error="";
if(!empty($_POST))
{
$at=$_POST['at'];
$post=$_POST['post'];
$city=$_POST['city'];
$state=$_POST['state'];
$dist=$_POST['dist'];
$pin=$_POST['pin'];

if($at==""){

```

```

$error.=<li>address is Mandatory Field!</li>";
}

if($post==""){
$error.=<li>address is Mandatory Field!</li>";
}

if($city==""){
$error.=<li>city is Mandatory Field!</li>";
}

if($state==""){
$error.=<li>state is Mandatory Field!</li>";
}

if($dist==""){
$error.=<li>district is Mandatory Field!</li>";
}

if($pin==""){
$error.=<li>pin is Mandatory Field!</li>";
}

}

}else if(!isset($_SESSION['email'])){

echo "
<script>
window.location.assign('login1.php');
</script>
";
}

?>

<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge" > <!-- mobile responsive meta -->
<meta name="viewport" content="width=device-width, initial-scale=1 ">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<title>KALAKRITI Online Art Gallery || Account Add Address details</title>
</head>
<body>
<?php include("account_layout.php");?> //include account layout

<?php
$error="";
if($error!="")
{
echo"

```

```

<section>
<div class='container'>
<div class='row'>
<div class='alert alert-danger col-12' role='alert'>
<ul>
    ".$error."          /*SHOW ERROR Alert*/
    <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
        <span aria-hidden='true'>&times;</span>
    </button>
</ul>
</div>
</div>
</div>
</div>
</section>

";
}

else if(!empty($_POST) && $error=="")
{
    include_once('connection.php');      //DATABASE CONNECTION
    $email=$_SESSION['email'];         //session E-mail Address
    $name=$_SESSION['name'];           //session Name

/*Insert query – Customer Address Details in which shipping is done */
    $sql="INSERT INTO addresses( email,name,at,post,city,state,dist,pin ) VALUES
    ('".$email."','".$name."','".$at."','".$post."','".$city."','".$state."','".$dist."','".$pin."')";
    if(mysqli_query($con,$sql))
    {
        echo "<section>
<div class='container'>
<div class='row'>
<div class='alert alert-primary col-12' role='alert'>
    Your Address is successfully submitted .                  /*SUCCESS ALERT */
    <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
        <span aria-hidden='true'>&times;</span>
    </button>
</div>
</div>
</div>
</section>";
    }
    $con->close();
}

?>

```

```

<section>
<div class="container">
  <div class="row">
    <div class="col-md-12 justify-content-md-center d-flex row my-4 ">
      <!--Add Address-->
      <div class="col-md-9 col-sm-6">
        <div class="panel panel-default">
          <div class="panel-body-content">
            <div class="heading mb-2"> <h5> &nbsp;Insert Address Details.</h5> 
          </div>
          <div class='bio-info'>
            <div class='col-sm-4 col-md-12'>
              <form class="form-sample" <?php echo" action=".$_SERVER['PHP_SELF']." "?> method="POST">
                <div class="row m-0">
                  <div class="col-md-12">
                    <div class="form-group row">
                      <label class="col-sm-3 col-form-label">Country</label>
                      <div class="col-sm-9 text-uppercase">
                        <input type="text" class="form-control" value="INDIA" />
                      </div>
                    </div>
                    </div>
                  </div>
                </div>
                <div class="row">
                  <div class="col-md-12"> /*Input Address-House no.*/
                    <div class="form-group row">
                      <label class="col-sm-3 col-form-label">Address 1 <em>*</em></label>
                      <div class="col-sm-9">
                        <input required type="text" class="form-control" name="at" />
                      </div>
                    </div>
                    </div>
                  </div>
                </div>
                <div class="row">
                  <div class="col-md-12"> /*Input Address-Street .*/
                    <div class="form-group row">
                      <label class="col-sm-3 col-form-label">Address 2 <em>*</em></label>
                      <div class="col-sm-9">
                        <input required type="text" class="form-control" name="post" />
                      </div>
                    </div>
                    </div>
                  </div>
                </div>
                <div class="row">

```

```

<div class="col-md-6"/*Input City-chossing these options*/
<div class="form-group row">
<label class="col-sm-3 col-form-label">City <em>*</em></label>
<select name='city' class="col-sm-8" style="border-radius: 3px;">
    <option value="">Choose city</option>
    <option value='JAMSHEDPUR'>JAMSHEDPUR</option>
    <option value='RANCHI'>RANCHI</option>
    <option value='CHAIBASA'>BOKARO</option>
    <option value='DHANBAD'>DHANBAD</option>
    <option value='PATNA'>PATNA</option>
    <option value='BHAGALPUR'>BHAGALPUR</option>
    <option value='RAJENDRA NAGAR'>RAJENDRA NAGAR</option>
    <option value='GUMLA'>GUMLA</option>
    <option value='HAWRA'>HAWRA</option>
    <option value='KOLKATTA'>KOLKATTA</option>
</select>
<!--<div class="col-sm-9">
    <input type="text" class="form-control" name="city" />
</div>-->
</div>
</div>

<div class="col-md-6"/*Input State-chossing these options*/
<div class="form-group row">
<label class="col-sm-3 col-form-label">State <em>*</em></label>
<!-- <div class="col-sm-9">
    <input type="text" class="form-control" name="state" />-->
<select name='state' class="col-sm-8" style="border-radius: 3px;">
    <option value="">Choose state</option>
    <option value='JAMSHEDPUR'>JHARKHAND</option>
    <option value='RANCHI'>BIHAR</option>
    <option value='CHAIBASA'>ODISHA</option>
    <option value='KOALKATTA'>WEST BENGAL</option>
</select>
</div>
</div>
</div>

<div class="row">
<div class="col-md-6"/*Input District */
<div class="form-group row">
<label class="col-sm-3 col-form-label">District <em>*</em></label>
<div class="col-sm-9">
    <input required type="text" class="form-control" name="dist" />
</div>
</div>
</div>

```

```

<div class="col-md-6" */>
<div class="form-group row">
<label class="col-sm-3 col-form-label">Zip <em>*</em></label>
<div class="col-sm-9">
<input required type="text" class="form-control" name="pin" autocomplete='off' placeholder='Enter your
6-digit pin code' data-prompt-position='bottomLeft' data-inputmask="" mask": "999999" data-mask/>
</div>
</div>
</div>
<center>
<a href='account_address.php'><button type='button' class='btn btn-outline-dark btn-lg px-3 py-2 ml-4'><i
class="fa fa-arrow-left" aria-hidden="true"> Back</i></button></a> //Back Button to go Address View page
<a href='#'><button type='submit' class='btn btn-outline-dark btn-lg px-3 py-2 ml-4'><i class="fa fa-paper-
plane" aria-hidden="true"> Submit</i></button></a> //Submit Button to submit the Form
</center>
</div>
</form> //Form Close
</div>
</div>
</div>
</div>
</div>
</div>
<!--ADD ADDRESS END-->
<!--ACCOUNT MENU-->
<br>
<div class="col-md-3 col-sm-6 mt-1">
<div class="panel panel-default">
<div class="panel-heading text-center"><h4>Account</h4></div>
<div class="panel-body border-top">
<div class="list-group">
<a href="account-info.php" class="list-group-item list-group-item-action "><i class="fa fa-edit">
Account Information</i></a>
<a href="myaccount.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp My
Account</i></a>
<a href="changepwd.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp Change
Password</i></a>
<a href="account_address.php" class="list-group-item list-group-item-action active"><i class="fa fa-edit">
&nbsp Address Detail</i></a>
<a href="order_history.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &nbsp Order
History</i></a>
</div>
</div>
</div>
</div> <!--ACCOUNT MENU END-->
</div>

```

```
</div>
</div>
</section>
</body>
</html>
```

## **Customer Change Password : (changepwd.php)**

```
<?php
session_start();
$error="";
if(!empty($_POST))
{
    $pwd=$_POST['pwd'];           //Current Password
    $pwd1=$_POST['pwd1'];         //New Password
    $cpwd=$_POST['cpwd'];         //Confirm Password

    if($pwd==""){
        $error.=<li>Current Password is Mandatory Field!</li>;
    }
    if($pwd1==""){
        $error.=<li>Password is Mandatory Field!</li>;
    }
    if($cpwd==""){
        $error.=<li>Confirm Password is Mandatory Field!</li>;
    }
}
?>

<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <title>KALAKRITI Online Art Gallery || Account Password Change</title>
    <style type="text/css">

        body{margin: 0;padding:0;}
        #label-product {
            padding-top: 5px;
            padding-bottom: 2px;
            font-weight: bold;

```

```

        }
.media{padding: 8px 20px;}
.media-body{padding-left: 40px; background: none; justify-content: center; }
.media-body h5{padding-bottom: 0px; font-size: 15px;}
.content-container{padding: 20px 30px;}
* {
    box-sizing: border-box;
}

/* .row {
    display: -ms-flexbox; /* IE10 */
    display: flex;
    -ms-flex-wrap: wrap; /* IE10 */
    flex-wrap: wrap;
    margin: 0 -16px;
}

.col-50 {-ms-flex: 50%; /* IE10 */ flex: 50%; }

.col-25,.col-50,.col-75 {padding: 0 16px;}

@media screen and (max-width: 600px){
.click a{ font-size: 14px;
    text-align: center; }

.bio-info{width: 100%;
    padding: 4%;
    background:#fff;
    box-shadow: 0px 0px 4px 0px #b0b3b7;
}

.pass_show{position: relative; }

.pass_show .ptxt { position: absolute; top: 50%; right: 10px; z-index: 1; color: #f36c01;
margin-top: -10px; cursor: pointer; transition: .3s ease all; }

.pass_show .ptxt:hover{color: #333333; }

label {text-align: left;
margin-bottom: 10px;
display: block;
}

</style>
</head>

```

```

<body>
<?php include("account_layout.php");?> //include account layout
<section>
<div class="container">
<div class="row">
<div class="col-md-12 justify-content-md-center d-flex row my-4 ">
<!--CHANGE PASSWORD-->
<div class="col-md-9 col-sm-6">
<div class="panel panel-default">
<div class="panel-body-content">
<div class="heading mb-2">
<h5>Change your Password.</h5> 
</div>
<div class='bio-info'>
<div class='col-sm-4 col-md-8 '>
<?php
if($error!="")
{
echo "
<section>
<div class='container'>
<div class='row' >
<div class='alert alert-danger' role='alert'>
<ul>
\".$error." /*SHOW ERRORS*/
<button type='button' class='close' data-dismiss='alert' aria-label='Close'>
<span aria-hidden='true'>&times;</span>
</button>
</ul>
</div>
</div>
</div>
</section> ";
}
else if(!empty($_POST) && $error==""){
include_once('connection.php');
$email=$_SESSION['email'];
/*UPDATE QUERY WHRERE NEW PWD=pwd1 & OLD PWD=pwd*/
$sql="UPDATE users SET pwd=\"$pwd1.\" WHERE pwd=\"$pwd.\" AND email='$email'";
if(mysqli_query($con,$sql))
{
echo "
<section>
<div class='container'>
<div class='row-xl-6'>

```

```

<div class='alert alert-success' role='alert'>
    <ul>
        Password updated successfully          /*SUCCESS ALERT*/
        <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
            <span aria-hidden='true'>&times;</span>
        </button>
    </ul>
</div>
</div>
</div>
</section>
";
}

{
echo
"
<script>
    window.alert('Updation failed...Please try again!!');           /*UNSUCCESS ALERT*/
<meta http-equiv='refresh' content='1;url='cng-pw.php' />;
</script>";
}
$con->close();
}

echo
"          /*PASSWORD CHANGE FEILDES*/
<form method='POST' action='".$SERVER['PHP_SELF']."' onSubmit ='return check(this)'>
    <div class='form-group'>
        <label>Current Password*</label>
        <div class='form-group pass_show'>
            <input type='password' value="" name='pwd' class='form-control' placeholder='Current Password'>
        </div>
        <label>New Password*</label>
        <div class='form-group pass_show'>
            <input type='password' value="" name='pwd1' class='form-control' placeholder='New Password'>
        </div>
        <label>Confirm Password*</label>
        <div class='form-group pass_show'>
            <input type='password' value="" name='cpwd' class='form-control' placeholder='Confirm Password'>
        </div>
    </div>
    <button type='submit' class='btn btn-outline-dark btn-sm float-center px-4 py-1 mr-3 mt-1'>Update</button>
</form>
</div>

```

```

        </div>
        ";
    ?>
        </div>
        </div>
    </div>
<!--CHANGE PASSWORD END-->
<!--ACCOUNT MENU-->
<br>
<div class="col-md-3 col-sm-6">
    <div class="panel panel-default">
        <div class="panel-heading text-center"><h4>Account</h4></div>
        <div class="panel-body border-top">
            <div class="list-group">
                <a href="account-info.php" class="list-group-item list-group-item-action "><i class="fa fa-edit">
                    Account Information</i></a>
                <a href="myaccount.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp My
                    Account</i></a>
                <a href="changepwd.php" class="list-group-item list-group-item-action active"><i class="fa fa-edit"> &ampnbsp
                    Change Password</i></a>
                <a href="account_address.php" class="list-group-item list-group-item-action"><i class="fa fa-edit"> &ampnbsp
                    Address Detail</i></a>
                <a href="order_history.php" class="list-group-item list-group-item-action"><i class="fa fa-edit"> &ampnbsp
                    Order
                    History</i></a>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</section>
/* TO SHOW AND HIDE PASSWORD*/
<script type="text/javascript">
$(document).ready(function(){
    $('.pass_show').append('<span class="ptxt">Show</span>');
});
$(document).on('click','.pass_show .ptxt', function(){
    $(this).text($(this).text() == "Show" ? "Hide" : "Show");
    $(this).prev().attr('type', function(index, attr){return attr == 'password' ? 'text' : 'password'; });
});

```

```

    });
</script>
<script src="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js"></script>
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
</body>
</html>

```

## **Order History shows : (order\_history.php)**

```

<?php
session_start();
include_once('connection.php'); //Database connection

//array for Artcategory
$category = array("1"=>"Acrylic Paintings", "2"=>"watercolor Paintings", "3"=>"Oil Paintings",
"4"=>"Charcol Paintings", "5"=>"Abstract Paintings", "6"=>"LandScape Paintings",
"7"=>"Just Still Life", "8"=>"Buddha Paintings", "9"=>"Ganesh Paintings",
"10"=>"Couple Paintings", "11"=>"Glass Paintings", "12"=>"Home Decore",
"13"=>"Sculptuers", "14"=>"natural Paintings", "15"=>"shiva Paintings");

if(!isset($_SESSION['email']))
{
    echo
    "
    <script>
        window.alert('Please Login to view your order history');
        window.location.assign('login1.php'); //redidect to loginpage
    </script>
    ";
}
$email=$_SESSION['email'];

/**INNER JOIN- products table and order table –Show all data whose status is between and equal 3 to 7*/
$order_query="select p.art_id,p.art_name,p.price,p.photo,p.category,o.quantity,o.amount,o.o_id,o.date,o.status from
orders o inner join products_details p on p.art_id=o.art_id where o.email='$email' and o.status>=3 and o.status<=7";
/* after order confirm */
$order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
$no_of_order_products= mysqli_num_rows($order_result);
if($no_of_order_products==0)
{
    echo
    "
    <script>
        window.alert('No items ordered!!'); /* If user not place any order*/
    </script>

```

```

        window.location.assign('myaccount.php');
    </script>
    ";
}
?>
<!DOCTYPE html>
<html>
<head>
    <title> Order history</title>
    <link rel="stylesheet" href="https://allyoucan.cloud/cdn/icofont/1.0.1/icofont.css" integrity="sha384-
jbCTJB16Q17718YM9U22iJkhuGbS0Gd2LjaWb4YJEZToOPmnKDjySVa323U+W7Fv" crossorigin="anonymous">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <link href="css/font-awesome.css" rel="stylesheet" type="text/css"/>
    <link href="css/bootstrap-4.3.1.css" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Rock+Salt&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Reenie+Beanie&family=Rock+Salt&display=swap"
rel="stylesheet">
<style type="text/css">
    body{
        margin-top:20px; background:#eee;
    }

/* My Account Order */
.payments-item img.mr-3 {
    width: 47px;
}
.order-list .btn {
    border-radius: 2px; min-width: 121px;font-size: 13px;padding: 7px 0 7px 0;
}
.osahan-account-page-left .nav-link {
    padding: 18px 20px; border: none; font-weight: 600; color: #535665;
}
.osahan-account-page-left .nav-link i {
    width: 28px; height: 28px; background: #535665; display: inline-block;
    text-align: center; line-height: 29px; font-size: 15px;
    border-radius: 50px; margin: 0 7px 0 0px; color: #fff;
}
.osahan-account-page-left .nav-link.active {
    background: #f3f7f8; color: #282c3f !important;
}
.osahan-account-page-left .nav-link.active i {
    background: #282c3f !important;
}
.osahan-user-media img {
    width: 90px;

```

```

}

.card offer-card h5.card-title {
    border: 2px dotted #000;
}

.card.offer-card h5 {
    border: 1px dotted #daceb7; display: inline-table;
    color: #17a2b8; margin: 0 0 19px 0; font-size: 15px; position: relative;
    padding: 6px 10px 6px 6px; border-radius: 2px; background: #fffae6;
}

.card.offer-card h5 img {
    height: 22px; object-fit: cover; width: 22px; margin: 0 8px 0 0; border-radius: 2px;
}

.card.offer-card h5:after {
    border-left: 4px solid transparent; border-right: 4px solid transparent;
    border-bottom: 4px solid #daceb7; content: "";
    left: 30px; position: absolute; bottom: 0;
}

.order-list img.mr-4 {
    width: 70px; height: 70px; object-fit: cover;
    box-shadow: 0 .125rem .25rem rgba(0, 0, 0, .075) !important;
}

.osahan-cart-item p.text-gray.float-right {
    margin: 3px 0 0 0; font-size: 12px;
}

.osahan-cart-item .food-item {
    vertical-align: bottom;
}

.shadow-sm {
    box-shadow: 0 .125rem .25rem rgba(0, 0, 0, .075) !important;
}

.panel-heading { background: linear-gradient(145deg, #eee, #fff, #696969); }

</style>
</head>
<?php include_once('indexmenu2.php');?>      //include header menu
<?php include_once("scrolltop.php");?>        //include side scroll

<div class="container">
    <div class="row mt-3">
        <div class="col-md-9">
            <div class="osahan-account-page-right shadow-sm bg-white p-4 h-100">
                <div class="tab-content" id="myTabContent">
                    <div class="tab-pane fade active show" id="orders" role="tabpanel" aria-labelledby="orders-tab">
                        <h4 class="font-weight-bold mt-0 mb-4">Order History</h4>
                        <div class="bg-white card mb-4 order-list shadow-sm">

```

```

<div class="gold-members p-4">
    <a href="#">
    </a>
<?php
    $order_result=mysqli_query($con,$order_query) or die(mysqli_error($con));
    $no_of_order_products= mysqli_num_rows($order_result);
    while($row=mysqli_fetch_array($order_result))          /*fetch all order confirm data whose status =3*/
    {
        $status=$row['status'];
        echo"
            <div class='media'>
                <a href='#'>           /*fetch ordered product image*/
                    <img class='mr-4' src= 'admin/upload_image/".$row['photo']."' alt='Generic placeholder image'>
                </a>
                <div class='media-body'>
                    <a href='#'>           /*show product ordered Id*/
                        <span class='float-right text-info'>ORDER ID : AOD.$row['o_id'].<i class='icofont-check-circled text-success'></i></span>
                    </a>
                    <h6 class='mb-2'>
                        <a href='#'>           /*show product ordered Name*/
                            <a href="#" class='text-black'> ".$row['art_name']. "</a>
                        </h6>"?>
                    <p class='text-dark mb-1'><i class='icofont-location-arrow'></i> <b>Art type:&nbsp;<?php echo
$category[$row['category']]; ?></b>           /*show product ordered Category */
                    </p>
                    <?php echo " <p class='text-dark mb-1'><i class='icofont-location-arrow'></i> <b>Price:&nbsp;" . $row['price']. "</b>           /*show product ordered Price */
                    </p>
                    <p class='text-dark mb-1'><i class='icofont-location-arrow'></i> <b>Quantity:&nbsp;" . $row['quantity']. "</b>           /*show product ordered Quantity */
                    </p>
                    <p class='text-gray mb-3'><i class='icofont-list'></i> ".$row['date']. "<i class='icofont-clock-time ml-2'></i>
                </p>
                <p class='text-dark'>
                    </p> <p class='mb-0 text-black text-primary pt-2'><span class='text-black font-weight-bold'>Total Paid:</span> &#8377;&nbsp;" . $row['amount']. "           /*show product Paid amount*/
                </p>

                <div class='float-right'>"?>
            /*Button to show track status */
<?php
    if($status==3 || $status==4 || $status==5)
    {
        echo"           /*status 3,4,5- Still order confirmed status*/
    }

```

```

<a class='btn btn-sm btn-outline-success' data-toggle='modal' data-target='#' href="#"><i class='icofont-headphone-alt'></i>Track Status</a> ";
}

else if($status==6)
{
    echo"          **status 6- Still order successfully deliver**/
    <a href="#" class='btn btn-sm btn-outline-success' data-toggle='modal' data-
target='#'">DELIVERED</a> ";
}

else if($status=7)
{
    echo"          **status 7- Still order is cancel**/
    <a href="#" class='btn btn-sm btn-outline-success'">CANCELLED </a>
";
}

?>

<?php
if($status==3 || $status==4 || $status==5){?>
    <a <?php echo "href='cancel_order.php?art_id=". $row['art_id']."'."?> class='btn btn-sm btn-
success'><i class='fa fa-refresh'></i>CANCLE ORDER</a>      /*link to cancel order page*/
    <?php } elseif($status==6) {?>
        <a <?php echo "href='return_order.php?art_id=". $row['art_id']."'."?> class='btn btn-sm btn-
success'><i class='fa fa-refresh'></i> RETURN ORDER</a>      /*link to return order page*/
    <?php }?>

    <?php if($status==6 || $status==7){?>
        <a <?php echo "href='productShow_detail2.php?art_id=". $row['art_id']."'."?> class='btn btn-sm
btn-success'><i class='fa fa-refresh'></i> RE ORDER</a>      /*link perticular art id to re order*/
    <?php } ?>

```

</div>

<?php } ?>

</div>

<br>

<div class="col-md-3 col-sm-6">

```

<div class="panel panel-default">
    <div class="panel-heading text-center"><h4>Account</h4></div>
    <div class="panel-body border-top">
        <div class="list-group">
            <a href="account-info.php" class="list-group-item list-group-item-action "><i class="fa fa-edit">
                Account Information</i></a>
            <a href="myaccount.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp My
                Account</i></a>
            <a href="changepwd.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp Change
                Password</i></a>
            <a href="account_address.php" class="list-group-item list-group-item-action "><i class="fa fa-edit"> &ampnbsp
                Address Detail</i></a>
            <a href="order_history.php" class="list-group-item list-group-item-action active"><i class="fa fa-edit"> &ampnbsp
                Order History</i></a>
        </div>
    </div>
</div>
<!--ACCOUNT MENU END-->
</div>
</div>
<?php include_once("footer.php");?>           //include footerarea
</body>
</html>

```

### **Order Cancel code : (cancel\_order.php)**

```

<?php
    require 'connection.php';
    session_start();
    $art_id=$_GET['art_id'];
    $email=$_SESSION['email'];
    //sql syntax
    $sql_cancel="UPDATE orders SET date='".$date."',status=7 WHERE email='".$email' and art_id='".$art_id' and status>=3
    and status<=6"; /*Update order status whose status is 3*/
    if(mysqli_query($con,$sql_cancel))
    {
        echo
        " <script>
            window.alert('Order cancelled');           //ORDER CANCEL ALERT
            window.location.assign('order_history.php'); //redirect to order page
        </script> ";
    } else{
        echo"
        <script>

```

```

        window.alert('connection failed');
        window.location.assign('order_history.php');
    </script> ";
}
?>

```

### **Order Return code : (return\_order.php)**

```

<?php
require 'connection.php';
session_start();
$art_id=$_GET['art_id'];
$email=$_SESSION['email'];
//sql syntax
$sqlr="UPDATE orders SET date='".$date."',status=8 WHERE email='$email' and art_id='$art_id' and status=6";
/*Update order status whose status is 3*/
if(mysqli_query($con,$sqlr))
{
echo "
<script>
    window.alert('Item processed for return');           //ORDER RETURN ALERT
    window.location.assign('order_history.php');          //redirect to order page
</script>
";
}
else {
echo"
<script>
    window.alert('connection failed');
    window.location.assign('order_history.php');
</script>
";
}
?>

```

### **Footer-area code : (footer.php)**

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<link
href="https://fonts.googleapis.com/css2?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair+Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">

```

```

<link
  href='https://fonts.googleapis.com/css?family=Quattrocento+Sans:400,700,400italic|Montserrat:400,700|Cardo:400italic|Ad
vent+Pro:100' rel='stylesheet' type='text/css'>

<style type="text/css">
<title></title>
<style type="text/css">
  /***** Footer *****/
.footer{ margin-top: 50px; }
.footer body { -webkit-font-smoothing: antialiased; text-rendering: optimizeLegibility; font-family: 'Source Sans
Pro', sans-serif; letter-spacing: 0px; font-size: 17px; color: #6d767a; font-weight: 400; }
.footer h1, h2, h3, h4, h5, h6 { color: #161f23; margin: 0px 0px 15px 0px; font-family: 'Source Sans Pro', sans-serif;
font-weight: 700; }
  .footer h1 { font-size: 42px; }
  .footer h2 { font-size: 32px; }
  .footer h3 { font-size: 24px; }
  .footer h4 { font-size: 20px; }
  .footer h5 { font-size: 14px; }
  .footer h6 { font-size: 12px; }
.footer p { margin: 0 0 20px; line-height: 1.7; }
  .footer p:last-child { margin: 0px; }
.footer ul, ol { }
.footer a { text-decoration: none; color: #6d767a; -webkit-transition: all 0.3s; -moz-transition: all 0.3s; transition: all
0.3s; }
  .footer a:focus, a:hover { text-decoration: none; color: #235f83; }
.footer hr { border-top: 1px solid #e4e7e9; margin-bottom: 50px; margin-top: 50px; }

.click { font-family: 'Source Sans Pro', sans-serif; font-size: 16px; text-transform: capitalize; font-weight: 700;
padding: 12px 24px; letter-spacing: 0px; border-radius: 3px; line-height: 2; -webkit-transition: all 0.5s; -moz-transition: all
0.5s; transition: all 0.5s; word-wrap: break-word; white-space: normal !important; }

.form-foot { border-radius: 0px; font-size: 14px; font-weight: 700; width: 100%; height: 64px; padding: 16px 20px; line-
height: 1.42857143; border: 1px solid #d6dad; background-color: #fff; text-transform: capitalize; letter-spacing: 0px;
margin-bottom: 30px; -webkit-box-shadow: inset 0 0px 0px rgba(0, 0, 0, 0); box-shadow: inset 0 0px 0px rgba(0, 0, 0, 0);
-webkit-appearance: none; color: #011c28; }

.form-foot:focus { color: #011c28; outline: 0; box-shadow: 0 0 0 0.5rem rgb(255, 255, 255); border-color: #c9cdd0;
background-color: #f0f4f6; }

.footer { background: linear-gradient(rgba(0,0,0,0.9),rgba(0,0,0,0.9)),url(images/wp2186239.jpg); padding-top: 80px;
color: #636e74; font-weight: 400; font-size: 17px;
}
  .footer-line { border-color: #152e3d; }
  .footer-widget { padding-bottom: 50px; }
  .footer-title { font-size: 24px; font-weight: 400; margin-bottom: 44px; color: #fff; font-family: 'Limelight',
cursive, russo one; }

```

```

.footer-widget ul li a { text-transform: capitalize; font-size: 18px; color: #636e74; display: block; font-weight: 600; margin: 4px 0px; }

.footer-widget ul li a:hover { color: #fff; }

.newsletter-form { padding-top: 15px; }

.newsletter-form .form-foot { background-color: #1e2e38; border-color: #1e2e38; }

.newsletter-form .form-foot:focus { color: #fff; }

.newsletter-form input::-webkit-input-placeholder { color: #fff !important; }

.newsletter-form input:focus::-webkit-input-placeholder { color: #fff !important; }

.social1{ font-size: 25px; float: left ;padding-left: 10px; padding-right: 10px; box-shadow:0px 0px 2px 2px #ccc; border-radius:3px; margin-left: 10px; margin-bottom: 10px; align-items: center; transition: 0.5s ease-out 0s}

.social1 a:hover{ color: #fff; }

.social1:hover { color: #fff; transform:scale(1.15); box-shadow:0px 0px 5px 2px #ccc; }

@media screen and (max-width: 600px){

    .social1{font-size: 20px; padding:0px 5px ; }

}

.ft-logo{font-size: 30px; font-family: 'Limelight', cursive;

color: #fff; font-weight: 400; }

</style>

</head>

<body>

<!-- footer -->

<div class="footer mt-5">

<div class="container">

<div class="row ">

<div class="col-xl-12 col-lg-12 col-md-12 col-sm-12 col-12 ">

<div class="ft-logo"> KALAKRITI</div>

</div>

</div>

<hr class="footer-line">

<div class="row ">

<!-- footer-about -->

<div class="col-xl-3 col-lg-3 col-md-4 col-sm-6 col-6 ">

<div class="footer-widget ">

<div class="footer-title">Website Menu</div>

<ul class="list-unstyled">

<li><a href="index.php"><i class="fa fa-dot-circle-o"> &nbsp &nbsp Home</i></a></li>

<li><a href="about_us.php"><i class="fa fa-dot-circle-o" aria-hidden="true"> &nbsp &nbsp About Us</i></a></li>

<li><a href="myaccount.php"><i class="fa fa-dot-circle-o" aria-hidden="true"> &nbsp &nbsp My Account</i></a></li>

<li><a href="gallery.php"><i class="fa fa-dot-circle-o" aria-hidden="true"> &nbsp &nbsp Gallery</i></a></li>

<li><a href="home_decore.php"><i class="fa fa-dot-circle-o" aria-hidden="true"> &nbsp &nbsp Handcrafts</i></a></li>


```

```

        </ul>
    </div>
</div>
<!-- /.footer-about -->
<!-- footer-links -->
<div class="col-xl-3 col-lg-3 col-md-4 col-sm-6 col-6 ">
    <div class="footer-widget ">
        <div class="footer-title">Quick Links</div>
        <ul class="list-unstyled">
            <li><a href="login1.php"><i class="fa fa-sign-in mb-1">&nbsp &nbsp Register/LogIn</i></a></li>
            <li><a href="contact_us.php"><i class="fa fa-dot-circle-o mb-1">&nbsp &nbsp Contact us</i></a></li>
            <li><a href="#" data-toggle="modal" data-target=".bd-example-modal-lg"><i class="fa fa-dot-circle-o mb-1" aria-hidden="true">&nbsp &nbsp Terms and Conditions</i></a></li>
            <li><a href="privacy_policy.php"><i class="fa fa-dot-circle-o mb-1" aria-hidden="true">&nbsp &nbsp Privacy Policy</i></a></li>
        </ul>
    </div>
</div>
<!-- /.footer-links -->
<!-- footer-links -->
<div class="col-xl-3 col-lg-3 col-md-4 col-sm-6 col-6 ">
    <div class="footer-widget">
        <div class="footer-title">Conect With Us</div>
        <div class="social1 py-1 px-2"><a href="#"><i class="fa fa-facebook"></i></a></div>
        <div class="social1 py-1 px-2"><a href="#"><i class="fa fa-twitter"></i></a></div>
        <div class="social1 py-1 px-2"><a href="#"><i class="fa fa-instagram"></i></a></div>
        <div class="social1 py-1 px-2"><a href="#"><i class="fa fa-whatsapp"></i></a></div>
    </div>
</div>
<!-- /.footer-links -->
<!-- footer-links -->
<div class="col-xl-3 col-lg-3 col-md-12 col-sm-6 col-6 ">
    <div class="footer-widget ">
        <h3 class="footer-title">Subscribe Now..</h3>
        <form>
            <div class="newsletter-form">
                <input class="form-control form-foot" placeholder="Enter Your Email address" type="text">
                <button class="btn btn-default btn-sm click btn btn-info" type="submit">Subscribe</button>
            </div>
        </form>
    </div>
</div>
<!-- /.footer-links -->
<!-- tiny-footer -->
</div>

```

```

<div class="row ">
    <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12 col-12 text-center ">
        <div class="tiny-footer">
            <p>Copyright © All Rights Reserved 2020 | Design & Development by <a href="developer_profile.php" style="color: white;">Komal Kumari.</a></p>
        </div>
    </div>
    <!-- /. tiny-footer -->
</div>
</div>
<!-- /.footer -->
</body>
</html>

```

## **Side Scroll bottom to top : (scrolltop.php)**

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Scroll to top</title>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.5.0/css/font-awesome.min.css">
    <link href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.0/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-css">
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.0/js/bootstrap.min.js"></script>
    <script src="https://code.jquery.com/jquery-3.3.1.min.js"></script>

    <style type="text/css">
        body{
            margin: 0;
            padding: 0;
        }
        .scroll-top-wrapper {
            position: fixed; opacity: 0; visibility: hidden; overflow: hidden; text-align: center; z-index: 99999999;
            background-color: #ff4500; color: #eeeeee; width: 50px; height: 48px; line-height: 48px; right: 30px; bottom: 30px;
            padding-top: 2px; border-top-left-radius: 10px; border-top-right-radius: 10px; border-bottom-right-radius: 10px;
            border-bottom-left-radius: 10px;
            -webkit-transition: all 0.5s ease-in-out;
            -moz-transition: all 0.5s ease-in-out;
            -ms-transition: all 0.5s ease-in-out;
            -o-transition: all 0.5s ease-in-out; transition: all 0.5s ease-in-out;
        }
        .scroll-top-wrapper:hover {
    
```

```

background-color: #888888;
}

.scroll-top-wrapper.show {
    visibility:visible; cursor:pointer; opacity: 1.0;
}

.scroll-top-wrapper i.fa {line-height: inherit; }

</style>
</head>
<body>

<div class="scroll-top-wrapper ">
<span class="scroll-top-inner">
    <i class="fa fa-2x fa-arrow-circle-up"></i>
</span>
</div>

<script type="text/javascript">
$(document).ready(function(){

$(function(){

$(document).on( 'scroll', function(){

    if ($(window).scrollTop() > 100) {
        $('.scroll-top-wrapper').addClass('show');
    } else {
        $('.scroll-top-wrapper').removeClass('show');
    }
});

$('.scroll-top-wrapper').on('click', scrollToTop);
});

function scrollToTop() {
    verticalOffset = typeof(verticalOffset) != 'undefined' ? verticalOffset : 0;
    element = $('body');
    offset = element.offset();
    offsetTop = offset.top;
    $('html, body').animate({ scrollTop: offsetTop}, 1500, 'linear');
}

});

</script>
</body>
</html>

```

## **Exhibition Notice: (exhibition.php)**

```
<?php
    session_start();
    include('connection.php');

?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1 ">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <title>Exhibition Notices</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
    <style type="text/css">
        @import
url('https://fonts.googleapis.com/css?family=Raleway:100,200,300,400,500,600,700,800,900&display=swap');

.thankyou-page ._header {
    margin-top: 30px; padding: 100px 30px; text-align: center;
    background: linear-
gradient(rgba(0,0,0,0.5),rgba(0,0,0,0.5)),url(images/1156786.jpg)center/cover no-repeat;
}

.thankyou-page ._header h1 {
    font-size: 60px; font-family: 'Limelight', cursive; font-weight: 500; word-spacing: 5px;
    color: white; text-shadow: 4px 5px 3px #696969;
    margin: 0px;
}

.thankyou-page ._body {
    margin: -70px 0 30px; font-family: 'Montserrat',cursive;
}

.thankyou-page ._footer {
    text-align: center;
    padding: 50px 30px;
}

.thankyou-page ._footer .btn {
    background: #ba55d3;
    color: white; border: 0; font-size: 14px; font-weight: 600;
    border-radius: 0; letter-spacing: 0.8px; padding: 20px 33px; text-transform: uppercase;

</style>
</head>
<body>
    <?php include_once("indexmenu2.php");?>
```

```

<?php include_once("scrolltop.php");?>
<section>
    <div class="thankyou-page">
        <div class="_header">
            <div class="logo">
                
            </div>
            <h1>KALAKRITI Art Exhibtion !!</h1>
        </div>
        <div class="_body">
            <div class="_box">
                <h2>
                    <strong class="align-center"><u>NOTICE</u></strong>
                </h2>
            <?php
                date_default_timezone_set("Asia/Calcutta");
                /*echo date("H") . "<br>";
                echo date("H:i:s") . "<br>"*/
            &gt;
            $getday=strtolower(Date('l'));
            /*echo $getday;*/

            if($con->connect_error){
                die("conection failed".$con->connect_error);
            }
            $n=0;
            $sql="SELECT * FROM notices ";
            $result=$con->query($sql);
            if($result->num_rows > 0){
                while($row = $result->fetch_assoc()){
                    $end_date=$row['end_date']; //end date
                    $n_end_date=strtotime($end_date); //echo $n_end_date=strtotime($end_date). "<br>";
                    $current_date=strtotime(date('y-m-d'))
                    //echo $current_date=strtotime(date('y-m-d')). "<br>".date('y-m-d'). "<br>";
                    if($current_date < $n_end_date){
                        echo "
                            <h4 class='text-center notice-contents mt-4
                            <span> ".$row['notice_heading']. "</span>
                            </h4>
                            <p><b>Date</b> : &nbsp; &nbsp; ".$row['start_date']. "</p>
                            <p><b>Venue</b> : &nbsp; &nbsp; ".$row['place']. "</p>
                            <p>".$row['notice_message']. "</p> //message contents
                        ";
                }
            }
        &gt;
    </div>
</section>

```

```

        $n++;
    }
}

} if($n==0){
    echo "No active notices.";
}else{
    echo "<p><b>E-mail</b> : &nbsp; &nbsp;kalakritijsr@gmail.com </p>
<p><b>Website</b> : &nbsp; &nbsp;
<a href='http://komal.kunalitechnology.in'>komal.kunalitechnology.in</a> </p>
<p><h6> Thank you</h6></p>
<p><h6> Team KALAKRITI </h6></p>
";
}
?>      </div>
</div>
<div class="_footer">
    <p>Having trouble? <a href="contact_us.php">Contact us</a> </p>
    <a class="btn" href="index.php">Back to homepage</a>
</div>
</div>
</section>
<?php include_once("footer.php");?>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/jquery@3.2.1/dist/jquery.min.js"></script>
</body>
</html>

```

## Contact Us : ([contact\\_us.php](#))

```

<?php
session_start();
$error="";
if(!empty($_POST))
{
    $name=$_POST['name'];
    $mobile=$_POST['mobile'];
    $email=$_POST['email'];
    $message=$_POST['message'];
    if($name==""){

```

```

$error.=<li>User Name is Mandetory Field!</li>";
}

if($mobile==""){
    $error.=<li>Phone number is Mandatory Field!</li>";
}

if($email==""){
    $error.=<li>Email is Mandatory Field!</li>";
}

if($message==""){
    $error.=<li>Query is Mandatory Field!</li>";
}

}

?>

<!doctype html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="Mark Otto, Jacob Thornton, and Bootstrap contributors">
<meta name="generator" content="Jekyll v3.8.6">
<title>contact us</title>
<link href="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-css">
<link rel="canonical" href="https://getbootstrap.com/docs/4.4/examples/album/">
<link href="css/bootstrap-4.3.1.css" rel="stylesheet">
<script src="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js"></script>
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<style>
body{
    background: -webkit-linear-gradient(left, #0072ff, #00c6ff);
}
.contact-form{
    background: #fff; margin-top: 10%;margin-bottom: 5%;width: 70%;
}
.contact-form .form-control{border-radius:1rem;
}
.contact-image{text-align: center; }
.contact-image img{
    border-radius: 6rem; width: 11%;margin-top: -3%;transform: rotate(29deg);
}
.contact-form form{padding: 14%;}
.contact-form form .row{margin-bottom: -7%;}

</style>
</head>

```

```

<body>
    <?php include_once('indexmenu2.php');?>

    <?php include_once("scrolltop.php");?>

    <?php

        if($error!="")
        {
            echo"
                <section>
                    <div class='container'>
                        <div class='row'>

                            <div class='alert alert-danger col-12' role='alert'>
                                <ul>
                                    ".$error."
                                <button type='button' class='close' data-
dismiss='alert' aria-label='Close'>
                                    <span aria-hidden='true'>&times;</span>
                                </button>
                            </ul>
                        </div>
                    </div>
                </section>";
        }

        else if(!empty($_POST) && $error=="") {
            include_once("connection.php");
            $sql="INSERT INTO customer_query( name,mobile,email,message ) VALUES
            ('".$name."','".$mobile."','".$email."','".$message."')";
            if(mysqli_query($con,$sql))
            {
                echo "<section>
                    <div class='container'>
                        <div class='row'>
                            <div class='alert alert-primary col-12' role='alert'>
                                Thanks for contacting us.
                                <button type='button' class='close' data-dismiss='alert'
aria-label='Close'>
                                    <span aria-hidden='true'>&times;</span>
                            </div>
                        </div>
                    </section>";
            }
        }
    }

```

```

                </button>
            </div>
        </div>
    </div>;
}

$con->close();
}

echo "
<div class='container contact-form'>
    <div class='contact-image'>
        <img src='https://image.ibb.co/kUagtU/rocket_contact.png' alt='rocket_contact'/>
    </div>
    <form method='POST' action='".$SERVER['PHP_SELF']."'>
        <h3>Drop Us a Message</h3>
        <div class='row'>
            <div class='col-md-6 contact-info'>
                <div class='form-group'>
                    <input type='text' name='name' class='form-control' placeholder='Your Name *' required/>
                </div>
                <div class='form-group'>
                    <input type='email' name='email' class='form-control' placeholder='Your Email *' required/>
                </div>
                <div class='form-group'>
                    <input type='number' name='mobile' class='form-control' placeholder='Your Phone Number *' required/>
                </div>
                <div class='form-group'>
                    <input type='submit' name='btnSubmit' class='btnContact' value='Send Message' />
                </div>
            </div>
            <div class='col-md-6'>
                <div class='form-group'>
                    <textarea name='message' class='form-control' placeholder='Your Message *' style='width: 100%; height: 150px;'></textarea>
                </div>
            </div>
        </div>
    </form> ";
?>
</div>
<?php include_once("footer.php"); ?> //include footer
</body>
</html>

```

## About Us : (about\_us.php)

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <!-- mobile responsive meta -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <link href="css/bootstrap-4.3.1.css" rel="stylesheet">
    <link href="http://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-
css">
    <link href="css/font-awesome.css" rel="stylesheet" type="text/css"/>
    <link rel="shortcut icon" href="images/favicon.ico"/>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-awesome.min.css">
    <link href="https://fonts.googleapis.com/css?family=Roboto" rel='stylesheet'>
    <link href="https://fonts.googleapis.com/css?family=Lacquer&display=swap" rel="stylesheet"/>

    <link href="http://maxcdn.bootstrapcdn.com/font-awesome/4.1.0/css/font-awesome.min.css" rel="stylesheet">

    <script src="http://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js"></script>
    <script src="http://code.jquery.com/jquery-1.11.1.min.js"></script>

//online link for Google fonts
<link
href="https://fonts.googleapis.com/css?family=Quattrocento+Sans:400,700,400italic|Montserrat:400,700|Cardo:400italic|Ad
vent+Pro:100' rel='stylesheet' type='text/css'>
<link href="https://fonts.googleapis.com/css2?family=Kalam&family=Playfair+Display:ital@1&display=swap"
rel="stylesheet">
<title>KALAKRITI Online Art Gallery || About Us</title>
<style type="text/css">
    body{margin: 0;padding: 0;}
    .blue{background:linear-gradient(to right,#91eae4,#84a8e7,#7f7fd5); color: white; font: 6vw 'Lato',
sans-serif !important; padding: 15px;}
    .blue{url(images/f811 copy.jpg);height: 400px;margin-top: 10px;}
    .blue h2{ width: 100%; color: #fff;text-shadow:0px 0px 5px 2px #ccc;font-size: inherit;
text-align: center; position: absolute; top: 50%; left: 50%;
transform: translate(-50%, -50%);}
}
```

```

[class^=char]{display: inline-block !important; position: relative; text-align: center;
font-weight: bold;}
@media screen and (max-width: 600px){
    .blue{width: 100%;height: 200px;padding: 50px 10px;justify-content: center; }
    .blue h2{width: 100%;position: relative;font-size: 25px;text-align: center; }
}

.about {padding: 50px 30px;margin-top: 10px; }
.about_video{padding: 30px 40px; background: none; }
.about p { background: none;font-size: 15px;padding: 10px;font-family: 'Montserrat',cursive;
line-height: 26px;text-align:justify; }

.about_text h1{ background:none;color:#800000;text-align: center;font-family:Lacquer;
letter-spacing:.04em;font-weight: bold;font-size: 40px;text-shadow:1.3px 1px #708090; }

.about a{text-decoration: none;color: #fff;font-size: 15px;border-radius: 50px;padding: 15px 30px;
margin-top: 10px; margin-left: 250px;background: #800000;opacity: 0.7;font-family:
arial;
text-align:justify;text-transform: uppercase;display: inline-block;
box-shadow: 0 2px 5px rgba(0,0,0,0.9), 0 1px 2px rgba(0,0,0,0.12);}

.about a:hover {
background: #800000;opacity: 0.6; border: 1px solid #000;color: white;
transform:scale(1.15);
}

@media screen and (max-width: 600px){
    .about a,.about p{justify-content: center;align-items: center;padding: 10px; }
}

.border-about{
background: #e1e1e1; height: 3px; width: 90%; margin-top: 60px; margin-left: auto;
margin-right: auto; margin-bottom: 5px; }

/* CTA CSS */

.cta-padding35 {
padding: 35px 0 35px 0; background-color: #b40028;color:#fff;
}

/* Buttons */
.site-btn {
font-size: 14px; padding: 13px 30px; border-radius: 5px; border: 1px solid #b40028 ;
min-width: 200px; display: inline-block; text-align: center; position: relative;
z-index: 1; color: #b40028 ; background-color: transparent;
transition: all .25s ease-in-out; margin: 10px 0px 10px 0px;
}

.site-btn:hover {
background: #b40028 ; border: 1px solid #fff; font-weight:700px;
}

/* Social Icons */

```

```

.social-icons{margin: 0; padding: 0px 6px; font-size : 10px; }
.social { margin:7px 7px 7px 0px; color:#232323; }
#social-fb:hover { color: #3B5998; transition:all .25s; }
#social-tw:hover { color: #4099FF; transition:all .25s; }
#social-gp:hover { color: #d34836; transition:all .25s; }
#social-em:hover { color: #f39c12; transition:all .25s; }

/* Site Heading */

.site-heading h3{font-size : 50px; margin-bottom: 18px; font-weight: 530;text-shadow:1.3px 1px
#708090; font-family:Lacquer;letter-spacing:.04em;
}

.site-heading p{ font-weight: 100; }

.site-text {padding:5px;justify-content: center; }

.border {
background: #e1e1e1; height: 1px; width: 28%; margin-left: auto;
margin-right: auto; margin-bottom: 45px;
}

.paddingTB60 {padding-top:60px; padding-bottom:60px; }

.paddingTB60 {
font-family: 'Roboto';line-height: 24px; letter-spacing: 0.5px; font-weight: 400;
font-style: normal; color: #494949; font-size: 16px;
}

.paddingTB60 a:hover { color: #465cff; }

h1 { font-size: 35px; line-height: 40px; letter-spacing: 0px; font-weight: 600;color: #000; }

.paddingTB60 h2 {font-size: 30px; letter-spacing: 0px;font-weight: 600; color: #000; }

h3 { line-height: 26px; font-size: 20px; letter-spacing: 0px; font-weight: 600;
font-style: normal; color: #000; }

.paddingTB60 h4 { font-size: 20px; letter-spacing: 0px; font-weight: 600;
font-style: normal; color: #000;padding-left: 5px;
}

p { font-weight: 400;font-style: normal; color: #494949; padding-left: 5px;
padding-right: 5px;text-align:justify;=}

@media screen and (max-width: 600px){.paddingTB60{padding: 5px 15px;} }

.paddingTB60 a { color: #494949; }

.capital {text-transform:uppercase; }

.team-box{ margin-top: 10px; }

.team-img { border:1px solid #ccc; padding: 5px;box-shadow: 0px 5px 8px 3px #ccc; }

.about-img{justify-content: center;padding: 20px 40px;
/*background:linear-gradient(to right,#91eae4,#84a8e7,#7f7fd5);*/}

.about-me h1{ background:none;color:#800000;padding-left: 60px;padding-top: 10px;
text-align:inherit;font-family:Lacquer;letter-spacing:.04em;font-weight: bold;
font-size: 40px;text-shadow:1.3px 1px #708090;
}

.about-me p { background: none;font-size: 18px;padding: 10px 25px;

```

```

font-family: 'Kalam', cursive;line-height: 25px;text-align:justify; }

.about-map{ max-width: 100%;padding: 5px 10px;}

</style>
</head>
<body>

<?php include_once("indexmenu2.php"); // include header menu
include_once("scrolltop.php");?> // include scrolltop

/****topslide animation area****/
<section>
<div class="container-fluid blue">
<div class="row ani">
<h2><div data-splitting>A Few Words About Us &nbsp!!</div></h2>
</div>
</div>
</section>

/**** ABOUT US AND OUR GALLERY FEATURES****/
<section>
<div class="container-fluid about">
<div class="row">
<div class="col-md-6 about_video">
<iframe width="100%" height="380"
src="https://www.youtube.com/embed/LN82ohIQ17Q" frameborder="0" allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-picture" allowfullscreen class="figure-img"></iframe>
</div>
<div class="col-md-6 about_text pt-3">
<div class="a"><h1>A Few Words About Us &nbsp !!</h1></div><br>
<p>My name is Komal Kumari, and I have been a fine artist since my youth. I find inspiration from the innovative styles of contemporary and urban art, such as graphic around graffiti illustrations.</p>
<p>Welcome to <strong>KALAKRITI Art Gallery</strong>, the one-stop destination for all the art lovers. Art has always been an integral part of society. Not just the photographic presentation of the shapes around, art also tends to depict and share the complete experience of the moment enveloped in those photographs. ArtGallery.com is the one-stop solution for all the artists and art lovers. I strongly believe that art is a global form of communication. It educates visually by either moving you, pleasing you, or even inspiring you.</p>
<!--<a href="#" class="view"> View More.</a>-->
</div>
<div class="border-about"></div>
</div>
</div>
</section>

/**** ABOUT US AND OUR TEAM MEMBERS PROFILE ****/
<section>

```

```

<div class="container team-sektion paddingTB60">
    <div class="row site-text">
        <div class="site-heading text-center">
            <h3>Our Team</h3>
            <p>"Unity is strength. . . when there is teamwork and collaboration, wonderful things can be achieved."</p>
            <div class="border"></div>
        </div>
    </div>
    <div class="row">
        <div class="col-md-4 team-box">
            <div class="team-img thumbnail">
                
                <div class="team-content py-2 px-2">
                    <h4>Mr.Kunal Mahato</h4>
                    <div class="border-team"></div>
                    <p>Guide of the Online Art Gallery website.This website is made under the guidance of Mr. Kunal Mahato. <br/><a href="http://kunalitechnology.in/">&nbsp &nbsp&nbsp<i class="fa fa-globe" aria-hidden="true"> Kunal i technology</i> </a></p>
                    <div class="social-icons">
                        <a href="https://www.facebook.com/iamkunal"><i id="social-fb" class="fa fa-facebook-square fa-3x social"></i></a>
                        <a href="https://twitter.com/kunalkr4u"><i id="social-tw" class="fa fa-twitter-square fa-3x social"></i></a>
                        <a href="https://plus.google.com/"><i id="social-gp" class="fa fa-google-plus-square fa-3x social"></i></a>
                        <a href="https://www.kunalitechnology@gmail.com"><i id="social-em" class="fa fa-envelope-square fa-3x social"></i></a>
                    </div>
                </div>
            </div>
        </div>
        <div class="col-md-4 team-box">
            <div class="team-img thumbnail">
                
                <div class="team-content py-2 px-2">
                    <h4>Varsha Kumari Sah</h4>
                    <div class="border-team"></div>
                    <p>Developer of this Online Art Gallery Website.This website is maintained using thought of Miss Varsha Kumari Sah.</p>
                    <div class="social-icons">
                        <a href="#"><i id="social-fb" class="fa fa-facebook-square fa-3x social"></i></a>
                        <a href="#"><i id="social-tw" class="fa fa-twitter-square fa-3x social"></i></a>
                        <a href="#"><i id="social-gp" class="fa fa-google-plus-square fa-3x social"></i></a>
                        <a href="#"><i id="social-em" class="fa fa-envelope-square fa-3x social"></i></a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
        </div>
        </div>
    </div>
<div class="col-md-4 team-box">
    <div class="team-img thumbnail">
        
    <div class="team-content py-2 px-2">
        <h4>Pooja Gupta</h4>
        <div class="border-team"></div>
        <p>Sponser and also Designer of this Online Art Gallery website.This website is sponsered by one of my colleague Miss Pooja Gupta.</p>
        <div class="social-icons">
            <a href="#"><i id="social-fb" class="fa fa-facebook-square fa-3x social"></i></a>
            <a href="#"><i id="social-tw" class="fa fa-twitter-square fa-3x social"></i></a>
            <a href="#"><i id="social-gp" class="fa fa-google-plus-square fa-3x social"></i></a>
            <a href="#"><i id="social-em" class="fa fa-envelope-square fa-3x social"></i></a>
        </div>
        </div>
    </div>
    <div class="border-about" style="width: 100%"></div>
</div>
</div>
</section>

```

**\*\*\*\*\* ABOUT US AND OUR LOCATION MAP\*\*\*\*\***

```

<section class="about-and-map">
    <div class="container-fluid">
        <div class="row about-img">
            <div class="col-md-6 about-me">
                <div class="a"><h1> About Us</h1></div><br>
                <p>&nbsp &nbsp &nbsp I am an upcoming artist at Jamshedpur, and this is my first website. I love to create art, and enjoy sharing my creations to all. I truly hope you enjoy and love my art as much as I do, and there will be more to come.<br/>

```

Any product you receive damaged or don't want please send product to PO BOX 23832, KALAKRITI, Jamshedpur 831013 for a full refund.</p>

```

        </div>
        <div class="col-md-6 container-fluid">
            <div class="about-map map-responsive"> /* location map added */
            <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3678.427003170032!2d86.15205281491485!3d22.786636485072997!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x39f5e57d871b6e3d%3A0xb00ff3eb72cf180f!2sKunal%20i%20Technology!5e0!3m2!1sen!2sin!4v1585777169419!5m2!1sen!2sin" width="100%" height="300" frameborder="0" style="border:0;" allowfullscreen="" aria-hidden="false" tabindex="0"></iframe>

```

```

        </div>
    </div>
</div>
</div>
</section>
<?php include_once("footer.php"); ?> // include footer
</body>
/** add some online scripts for animatios & designing */
<script src="https://cdnjs.cloudflare.com/ajax/libs/gsap/1.20.3/TweenMax.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<script src="https://unpkg.com/splitting/dist/splitting.min.js"></script>

<script>          /** for top slidearea word animaton */
// split text
Splitting(); // => letters are '<div>' wrapped!

// ref obj
var OBJ = 'h2 > div span';

// total nr of letters
var ntCh = OBJ.length;

// cos (index) => y
function curveY(i){
    var n = i / ntCh * 6.24;
    return (Math.cos(n)) * -200;
}

// sin (index) => x
function curveX(i){
    var n = i / ntCh * 6.24;
    return (Math.sin(n)) * -200;
}

// new timeline ref
var tl = new TimelineMax({delay:.5, repeat:-1 });

// color array helper
var arr = ["#008954", "#0077be", "#a9d046", "#00b0f0", "#a93056", "#ee3338", "#f89734", "#ffd925", "#973989", "#cb92a6"];

// ZIGZAG letters
tl.staggerFrom( OBJ , 1, {
    cycle:{
        y:curveY,
    },

```

```
x:-100, opacity:0
```

```
}, .03);
```

```
// ZIPPER letters
```

```
tl.staggerTo( OBJ , 3, {
```

```
cycle:{
```

```
y:[-80, 80],
```

```
color: arr,
```

```
skewY:[ 20, -20],
```

```
skewX:[ -20, 20],
```

```
},
```

```
}, .05, "+=1" );
```

```
// sin curve out
```

```
tl.staggerTo( OBJ , 2, {
```

```
cycle: {
```

```
x: curveY,
```

```
y: curveX,
```

```
},
```

```
color: "#fff"
```

```
}, .03, "+=1" );
```

```
</script>
```

```
</html>
```

## Gallery : (gallery.php)

```
<?php
session_start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge" > <!-- mobile responsive meta -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<link href="css/bootstrap-3.3.1.css" rel="stylesheet">
<link href="css/bootstrap-4.3.1.css" rel="stylesheet">
<link href="css/font-awesome.css" rel="stylesheet" type="text/css"/>
<link href="https://fonts.googleapis.com/css?family=Oswald:700,300' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-awesome.min.css">
<link href="https://maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-css">
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link
href="https://fonts.googleapis.com/css2?family=Bungee+Shade&family=Limelight&family=Marck+Script&family=Playfair+Display:ital@1&family=Rye&family=Sigmar+One&family=Tangerine:wght@700&display=swap" rel="stylesheet">
<title>KALAKRITI Online Art Gallery || gallery page</title>
```

```

<style type="text/css">

    *
    {
        margin:0px;
        padding:0px;
    }

    body
    {
        margin:0px;
        padding:0px;
    }

    /***** top iconarea *****/

```

```

    /***** slide show show *****/
    .carousel-inner{background: #ccc; max-height: 500px; margin-top: 5px;
    opacity:0.8;justify-content: center;text-align:justify;text-shadow: 0px 2px 5px #000;
    }

    @media screen and (max-width:600px) {
        .carousel-inner {
            max-height: 500px; margin-top: 5px;
        }
        .carousel-inner img{max-height: 500px;}
    }

    /***** boxes images *****/

```

```

    /*.box-back {
        background-image: url("https://subtlepatterns.com/patterns/sativa.png");
    }*/

```

```

    .title {
        text-align: center; font-family: 'Oswald'; font-weight: 120; font-size: 3.55rem;
        letter-spacing: 5px; background: linear-gradient(rgba(255, 0, 0, 0), #444, rgba(255, 0, 0, 0));
        -webkit-background-clip: text; -webkit-text-fill-color: transparent; margin-bottom: 0;
    }

    @media screen and (min-width: 37.5em) {
        .title {
            font-size: 3.2rem;
        }
    }

    .case-study-gallery p {
        margin: 0 auto 2rem; text-align: center; font-family: 'oswald'; font-size: 1.2rem; color: #444; font-weight: 100; width: 90%;
    }

    @media screen and (min-width: 37.5em) {

```

```

.case-study-gallery p {
    height: 70%;
}
}
.case-study-gallery {
    margin-top: 50px; width: 100%; padding: 0; background: none;
}
.case-study-grid{padding: 2px 40px;}
.grid figure {
    position: relative; float: left; margin: 0; box-shadow: 0px 3px 8px rgba(0,0,0,0.5); padding: 10px 4px 10px 4px;
    background: #3085a3; text-align: center; cursor: pointer;
}

.grid figure img {
    position: relative; display: block; min-height: 100%;max-width: 100%;opacity: 0.9; margin: 0;
}
.grid figure figcaption {
    padding: 2em; color: #fff; ext-transform: uppercase; font-size: 15px;
    -webkit-backface-visibility: hidden; backface-visibility: hidden;
}
@media screen and (max-width: 600px){
    .grid figure figcaption{
        font-size: 12px;
    }
}
.grid figure figcaption::before,
.grid figure figcaption::after {
    pointer-events: none;
}
.grid figure figcaption,
.grid figure figcaption>a {
    position: absolute; top: 0; left: 0; width: 100%; height: 100%;
}
.grid figure figcaption>a {
    z-index: 1000; text-indent: 200%; white-space: nowrap; font-size: 0; opacity: 0;
}
.grid figure h2 { word-spacing: -0.15em; font-weight: 300; color: #fff; }
.grid figure h2 span { font-weight: 800; }
.grid figure h2,.grid figure p { margin: 0; }
.grid figure p {letter-spacing: 1px; font-size: 68.5%; }
figure.effect-ravi { background: none; margin: 0; }
.grid [class^="col"] { padding: 2px; }
figure.effect-ravi h2 {
    font-size: 158.75%;
}

```

```

figure.effect-ravi h2,figure.effect-ravi p { position: absolute; top: 50%; left: 50%; -webkit-transition: opacity 0.35s, -webkit-transform 0.35s; transition: opacity 0.35s, transform 0.35s;-webkit-transform: translate3d(-50%, -50%, 0); transform: translate3d(-50%, -50%, 0); -webkit-transform-origin: 50%; transform-origin: 50%; }
figure.effect-ravi figcaption::before {
    position: absolute; top: 50%; left: 50%; width: 120px; height: 120px; border: 2px solid #fff; content: "";
    opacity: 0; -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
    transition: opacity 0.35s, transform 0.35s;
    -webkit-transform: translate3d(-50%, -50%, 0) rotate3d(0, 0, 1, -45deg) scale3d(0, 0, 1);
    transform: translate3d(-50%, -50%, 0) rotate3d(0, 0, 1, -45deg) scale3d(0, 0, 1);
    -webkit-transform-origin: 50%; transform-origin: 50%;
}
figure.effect-ravi p {
    width: 100px; text-transform: none; font-size: 121%; line-height: 2;
}
figure.effect-ravi p a { color: #fff; }
figure.effect-ravi p a:hover,
figure.effect-ravi p a:focus {
    opacity: 0.6;
}
figure.effect-ravi p a i {
    opacity: 0; -webkit-transition: opacity 0.35s, -webkit-transform 0.35s; transition: opacity 0.35s, transform 0.35s;
}
figure.effect-ravi p a:first-child i {
    -webkit-transform: translate3d(-60px, -60px, 0);
    transform: translate3d(-60px, -60px, 0);
}
figure.effect-ravi p a:nth-child(2) i {
    -webkit-transform: translate3d(60px, -60px, 0); transform: translate3d(60px, -60px, 0);
}
figure.effect-ravi p a:nth-child(3) i {
    -webkit-transform: translate3d(-60px, 60px, 0); transform: translate3d(-60px, 60px, 0);
}
figure.effect-ravi p a:nth-child(4) i {
    -webkit-transform: translate3d(60px, 60px, 0); transform: translate3d(60px, 60px, 0);
}
figure.effect-ravi:hover figcaption::before {
    opacity: 1;
    -webkit-transform: translate3d(-50%, -50%, 0) rotate3d(0, 0, 1, -45deg) scale3d(1, 1, 1);
    transform: translate3d(-50%, -50%, 0) rotate3d(0, 0, 1, -45deg) scale3d(1, 1, 1);
}
figure.effect-ravi:hover h2 {
    opacity: 0;
    -webkit-transform: translate3d(-50%, -50%, 0) scale3d(0.8, 0.8, 1);
    transform: translate3d(-50%, -50%, 0) scale3d(0.8, 0.8, 1);
}

```

```

figure.effect-ravi:hover p i:empty {
    -webkit-transform: translate3d(0, 0, 0); transform: translate3d(0, 0, 0);
    /* just because it's stronger than nth-child */ opacity: 1;
}
</style>
</head>
<body>

<?php include_once('indexmenu2.php');?>
<?php include_once("scrolltop.php");?>

<section>
    <div class="container-fluid">
        <div id="carouselExampleCaptions" class="carousel slide" data-ride="carousel">
            <ol class="carousel-indicators">
                <li data-target="#carouselExampleCaptions" data-slide-to="0" class="active"></li>
                <li data-target="#carouselExampleCaptions" data-slide-to="1"></li>
                <li data-target="#carouselExampleCaptions" data-slide-to="2"></li>
            </ol>
            <div class="carousel-inner">
                <div class="carousel-item active">
                    
                    <div class="carousel-caption d-block d-md-block">
                        <h5>Our Art Gallery</h5>
                        <p>Art has a power to transform,to illuminate,to educate,inspire and motivate..</p>
                    </div>
                </div>
                <div class="carousel-item">
                    
                    <div class="carousel-caption d-block d-md-block">
                        <h5>Our Art Gallery</h5>
                        <p>Art has a power to transform,to illuminate,to educate,inspire and motivate..</p>
                    </div>
                </div>
                <div class="carousel-item">
                    
                    <div class="carousel-caption d-block d-md-block">
                        <h5>Our Art Gallery</h5>
                        <p>Art has a power to transform,to illuminate,to educate,inspire and motivate..</p>
                    </div>
                </div>
            </div>
            <a class="carousel-control-prev" href="#carouselExampleCaptions" role="button" data-slide="prev">
                <span class="carousel-control-prev-icon" aria-hidden="true"></span>

```

```

<span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleCaptions" role="button" data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
</div>
<section>
  <div class="container-fluid box-back">
    <div class="row">
      <div class="case-study-gallery">
        <h1 class="title" >PORTFOLIO</h1>
        <p>This is a KALAKRITIS Portfolio Gallery. It has some simple and creative artworks.</p>
        <div class="border1"></div>
      </div>
      </div>
      <div class="grid">
        <div class="row case-study-grid">
          <div class="col-md-4">
            <figure class="effect-ravi">
              
              <figcaption>
                <h2 style="text-shadow: 0px 8px 10px #000;">Figurative &nbsp;&nbsp;&nbsp;<span>Art</span></h2>
                <p>
                  <a href="#"><i class="fa fa-search"></i></a>
                </p>
              </figcaption>
            </figure>
          </div>
          <div class="col-md-4">
            <figure class="effect-ravi">
              
              <figcaption>
                <h2 style="text-shadow: 0px 8px 10px #000;">WaterColor &nbsp;&nbsp;&nbsp;
                <span>Painting</span></h2>
                <p>
                  <a href="#"><i class="fa fa-search"></i></a>
                </p>
              </figcaption>
            </figure>
          </div>
          <div class="col-md-4">

```

```

<figure class="effect-ravi">
  
  <figcaption>
    <h2 style="text-shadow: 0px 8px 10px #ccc;">Charcoal
    &nbsp;&nbsp;&nbsp;<span>Painting</span></h2>
    <p>
      <a href="#"><i class="fa fa-search"></i></a>

    </p>
  </figcaption>
</figure>
</div>
</div>
<div class="row case-study-grid">
  <div class="col">
    <figure class="effect-ravi">
      
      <figcaption>
        <h2 style="text-shadow: 0px 8px 10px #000;">Abstract
        &nbsp;&nbsp;&nbsp;<span>Painting</span></h2>
        <p>
          <a href="#"><i class="fa fa-search"></i></a>

        </p>
      </figcaption>
    </figure>
  </div>
  <div class="col">
    <figure class="effect-ravi">
      
      <figcaption>
        <h2 style="text-shadow: 0px 8px 10px #000;">Landscape &nbsp;&nbsp;&nbsp;
        <span>Painting</span></h2>
        <p>
          <a href="#"><i class="fa fa-search"></i></a>

        </p>
      </figcaption>
    </figure>
  </div>
</div>
<div class="row case-study-grid">
  <div class="col">
    <figure class="effect-ravi">

```

```

<figcaption>
    <h2 style="text-shadow: 0px 8px 10px #000;">Home &nbsnbsp;&nbsnbsp;&nbsnbsp; <span>Decore</span></h2>
    <p>
        <a href="#"><i class="fa fa-search"></i></a>
    </p>
</figcaption>
</figure>

</div>
</div>
    </div>
</div>
</div>
</div>
</div>
</section>
<?php include_once("footer.php");?> //include footer
</body>
<script src="http://code.jquery.com/jquery-1.11.1.min.js"></script>
</html>
```

## **11. TESTING:**

Without testing any system does not have a feel of completeness. We also have applied some sort of testing to our project

Testing is vital for the success of any software. No system design is even perfect. Testing is also carried in two phases:-

- a. First, phase is during the software engineering that is during the module creation.
- b. Second phase, is after the completion of software this is system testing which verifies that the whole set of programs hanged together.


Also, Testing is the process of detecting errors. Testing performs a very critical role for quality assurance and for ensuring the reliability of software. The results of testing are used later on during maintenance also.

### **11.1 Objectives:**

- To identify Testing Requirements (Scope):
  - to identify the software to be tested
  - to identify the testing objectives
  - to identify the test phases (testing coverage) within the testing life cycle that is required
- To compile Testing Estimates:
  - to identify the budgetary estimate for each identified phase of software testing.
- To determine Testing Schedules:
  - to identify the start and end date for each phase of software testing
  - to identify all testing phase overlaps in the schedule
  - to identify delivery dates for all document deliverables
- To identify Test Team Roles and Responsibilities:
  - to identify the overall testing management responsibility and for each test phase
  - to identify client roles and responsibilities

## 11.2. Levels of Testing

In order to uncover the errors present in different phases we have the concept of levels of testing. The basic levels of testing are as shown below...



**Fig: 12.2. Levels of Testing**

### 11.2.1 Code Testing:

This strategy examines the logic of the program. To follow this method we developed some test data that resulted in executing every instruction in the program and module i.e. every path is tested. Systems are not designed as entire nor are they tested as single systems.

### 11.2.2 Unit Testing:

The goal of unit testing is to assure that all functions and features of a single compliable unit of code perform as specified in the Design Specification.

A unit test covers the testing of a software unit, or a group of closely related units, as a single entity. Unit testing is performed in isolation, using test drivers to simulate higher level units, and/or stubs to simulate lower level units.

The steps involved during the Unit Testing:

- Creating a Unit Test Plan
- Creating test data, preparation of possible test data with all the validations check
- Conducting tests according to the Unit Test Plan
- Actual testing done Manually.
- Modifications done for the error found during the testing.
- Reporting and reviewing the results of the test

These procedures are performed by the team member responsible for programming and testing of the unit.

The Unit Testing done included the testing of the following items:

- Functionality of the entire module/forms.
- Validations of user input.
- Checking the Coding standards to be maintained during coding.
- Testing the modules with all the possible test data.
- Testing of functionality involving all type of calculation etc.
- Commenting standard in the source file.

After completing the Unit Testing of all the modules, the whole system is integrated with all its dependencies in that module. While system integration the integrated the modules one by one and tested the system at each step. This helped in reduction of errors at the time of the system testing.

#### **11.2.3 Integration Testing:**

The goal of integration testing is to ensure that all interacting subsystems in a system interface correctly with one another to produce the desired results. Furthermore, in trying to attain this goal, integration tests will ensure that the introduction of one or more subsystems into the system does not have an adverse affect on existing functionality.

An integration test covers the testing of interface points between subsystems. Integration testing is performed once unit testing has been completed for all units contained in the subsystems being tested.

The steps involved during the Integration Testing:

- Creating and integration test plan
- Creating test data
- Conducting tests according to the integration test plan
- Reporting and reviewing the results of the test

This phase is sometimes combined with the system test phase as per the client's request.

#### **11.2.4 System Testing:**

The goal of System Testing is to ensure that the system performs as per the functional requirements specified by client.

A system test covers the testing of functions within the system. System testing is performed once integration testing has been completed. System Testing procedures consist of:

The steps involved during the Unit Testing:

- Creating Test Plans
- Integration of all the modules/forms in the system
- Creating test data, preparation of all possible test data with all the validation checks
- Actual testing done manually
- Conducting tests according to the System Test Plan
- Recording of all the reproduced error
- Modifications done for the errors found during testing.
- Reporting and reviewing & Prepared the test result scripts after rectification of the errors

The Unit Testing done included the testing of the following items:

- Functional Requirements
- Functionality of entire system as a whole
- User interface of the system
- Testing the dependent modules together with all the possible test data scripts.  
Depending on the project, any regression tests deemed necessary .
- Verification and validation tested

After the completion of system testing, the next following phase was Acceptance Testing. Clients at their end did this and accepted the system with appreciation. Thus, we reached the final phase of the project delivery.

**11.2.5 Acceptance Testing:**

A final procedural review demonstrate a system and secure user approval before a system becomes operational. Acceptance Test is performed with realistic data of the client to demonstrate that the software is working satisfactorily. Testing here is focused on external behavior of the system; the internal logic of program is not emphasized..

Test cases should be selected so that the largest number of attributes of an equivalence class is exercised at once. The testing phase is an important part of software development. It is the process of finding errors and missing operations and also a complete verification to determine whether the objectives are met and the user requirements are satisfied.

# **12. INPUT AND OUTPUT SCREENS OF THE PROJECT**


## **ONLINE ART GALLERY**




**KALKRITI..**

## **12.1. ADMIN SIDE SCREENSHOTS :**

### **12.1.1 Admin Login Page (loginadmin.php)**



## 12.1.2 Index Page (index.php)



## 12.1.3 Customer Detail Page (customer.php)

The screenshot shows a web-based administration interface for managing customers. The top navigation bar includes a user profile for 'Komal Kumari' (Manager), a 'Goto Website' button, and a 'HelloKomal Kumari' greeting. The main content area is titled 'Customers List' and displays a table of customer entries. The columns in the table are Name, Email, Mobile No., and Password. Each row contains a set of actions (Edit and Delete). The table shows four entries:

Name	Email	Mobile No.	Password
AMIT KUMAR	amit@gmail.com	9999999999	0000
Gourav	g@gmail.com	7096541236	be4dd0f19610828ae47fecb2320544a05ecd9254
Komal Kumari	komal@gmail.com	748809168	komal023
Komal Kumari	komal00@gmail.com	9570447344	9cfde70333c730ff530fffb330fe62876a5d0d3

Below the table, a message says 'Showing 1 to 4 of 4 entries'. At the bottom of the page, there are copyright and hand-crafted notices.

The screenshot shows a web-based administration interface for adding new products. The top navigation bar includes a user profile for 'Komal Kumari' (Manager), a 'Goto Website' button, and a 'HelloKomal Kumari' greeting. The main content area is titled 'Products Entry' and displays a form with fields for Product Name, Product Price, Categories, and Image upload. The 'Categories' field has a dropdown menu labeled 'choose category'. Below the form are 'Submit' and 'Reset' buttons. The bottom of the page includes copyright and hand-crafted notices.

## 12.1.4 Products Enter Page (products\_entry.php)

## 12.1.5 Products Detail Page (products\_list.php)

The screenshot shows a dashboard interface for managing products. On the left, there's a sidebar with navigation links for Dashboard, Catalog (selected), Categories, Products, Customers, Order, Exhibition Notice, Customers Queries, Reports, and System. The main content area is titled "Products List" and displays a table of products. The table has columns for Art ID, Image, Art Name, Category, Price, Status, and Actions. The status column contains green buttons labeled "In Stock". The actions column contains purple and red circular icons. The table shows 10 entries out of 154 total. At the bottom, there are copyright and license information.

Art ID	Image	Art Name	Category	Price	Status	Actions
23		Krishna Painting	Watercolor Painting	₹ 559.00	In Stock	
24		Couple Art	Watercolor Painting	₹ 699.00	In Stock	
26		VillageHut_WaterPoint	Watercolor Painting	₹ 699.00	In Stock	
27		Gree-parrot	Watercolor Painting	₹ 890.00	In Stock	
29		Lotus Oilpointing	Watercolor Painting	₹ 780.00	In Stock	
37		Flower Art	Watercolor Painting	₹ 1500.00	In Stock	
38		Creative Eye	Landscape Painting	₹ 799.00	In Stock	
44		Buddha_art	Buddha Painting	₹ 3000.00	In Stock	
45		Buddha_wall Art	Buddha Painting	₹ 4000.00	In Stock	
46		Buddha_watercolor Art	Buddha Painting	₹ 5000.00	In Stock	

Showing 1 to 10 of 154 entries

Copyright © 2018 Bootstrapdash All rights reserved.

Hand-crafted & made with ❤

## 12.1.5 Order Detail Page (order.php)

The screenshot shows a web-based administration interface for managing orders. On the left is a sidebar with a user profile for 'starAdmin' (Komal Kumar Manager) and links to various sections: Dashboard, Catalog, Customers, Order, Exhibition Notice, Customers Queries, Reports, and System.

The main content area is titled 'Order List' and displays a table of 20 entries. The columns are: Email, Art ID, Quantity, Total Amount, Status, Address ID, Date, and Actions. The 'Status' column uses color-coded buttons to indicate the order's status: 'Return processing' (blue), 'Cancel' (red), 'Delivered' (green), and 'Order Confirmed' (orange). The 'Actions' column contains small blue circular icons with icons like edit, delete, and info.

At the bottom of the table, it says 'Showing 1 to 10 of 20 entries'. The footer of the page includes copyright information for Bootstrapdash and a note about hand-crafted & made with ❤️.

Email	Art ID	Quantity	Total Amount	Status	Address ID	Date	Actions
komal00@gmail.com	144	1	₹ 150	Return processing	69	2020-06-09 05:44:09	
komal00@gmail.com	90	2	₹ 180	Return processing	74	2020-06-09 05:41:35	
komal00@gmail.com	165	2	₹ 860	Cancel	74	2020-06-09 05:43:35	
komal00@gmail.com	188	3	₹ 1497	Delivered	34	2020-06-09 05:34:06	
komal00@gmail.com	104	2	₹ 1680	Order Confirmed	24	2020-06-09 02:10:32	
komal00@gmail.com	68	3	₹ 2700	Cancel	29	2020-06-09 05:32:10	
komal00@gmail.com	68	4	₹ 3600	Order Confirmed	47	2020-06-10 05:46:58	
KomalKumar@gmail.com	46	1	₹ 5000	Order Confirmed	57	2020-05-21 10:23:17	
mani@abc	121	3	₹ 3750	Delivered	37	2020-06-03 07:35:08	
mani@abc	175	2	₹ 1200	Order Confirmed	4	2020-06-04 12:28:27	

## 12.1.6 Exhibition Notice Page (notice.php)

The screenshot shows a web application interface for creating an exhibition notice. On the left, there is a sidebar with a user profile for 'starAdmin' (Komal Kumar) and a navigation menu with links like Dashboard, Catalog, Customers, Order, Exhibition Notice (which is currently selected), Customers Queries, Reports, and System.

The main content area has a teal header bar with the title 'Exhibition Notice'. Below it is a form for entering notice details:

- Notice heading:** A text input field labeled 'Notice Heading'.
- Message:** A text input field labeled 'Message'.
- Notice Publish date:** A date input field labeled 'mm/dd/yyyy' with the placeholder 'Date on which it will be published'.
- Notice Expiry date:** A date input field labeled 'mm/dd/yyyy' with the placeholder 'Date after which it will be removed from notice board'.
- Place:** A text input field labeled 'exhibition place'.

At the bottom right of the form are two buttons: a green 'Add a notice' button and a red 'Delete a notice' button.

At the very bottom of the page, there are copyright and credit notices: 'Copyright © 2018 Bootstrapdash All rights reserved.' and 'Hand-crafted & made with ❤'.

## Delete Notice

The screenshot shows a list of existing exhibition notices. The interface is similar to the creation page, with the same sidebar and teal header bar.

The main content area displays a table of notices:

S no	Notice heading	Start Date	End Date	Remove
1	To notice inviting students to participate art exhibition English	2020-06-01	2020-06-03	
2	Exhibition of Figurative Artwork.	2020-06-10	2020-06-11	

At the bottom right of the table are two buttons: a green 'Add a notice' button and a red 'Delete a notice' button.

At the very bottom of the page, there are copyright and credit notices: 'Copyright © 2018 Bootstrapdash All rights reserved.' and 'Hand-crafted & made with ❤'.

## 12.1.7 Customer queries Page (customer\_query.php)

The screenshot shows a dashboard titled "Customer Queries". On the left, there's a sidebar with navigation links: Dashboard, Catalog, Customers, Order, Exhibition Notice, Customers Queries (which is selected and highlighted in blue), Reports, and System. The main content area has a header "Hi! Welcome Back" and a table with columns: Customer Name, Customer Email, Contact Number, Customer Queries, Date/Time, and Actions. Two entries are listed:

Customer Name	Customer Email	Contact Number	Customer Queries	Date/Time	Actions
anita sinha	anita12@gmail.com	2147483647	Home decor item will increase.	0000-00-00 00:00:00	
gourav kumar	gourav258@gmail.com	2147483647	awesome paintings.	0000-00-00 00:00:00	

At the bottom, there are copyright and hand-crafted notices.

## 12.1.8 Selling Report Page (reports.php)

The screenshot shows a dashboard titled "Get Report". The sidebar includes: Dashboard, Catalog, Customers, Order, Exhibition Notice, Customers Queries, Reports (selected), and System. The main content area has a "Start Date" input set to "2020-03-07" and an "End Date" input set to "2020-09-07". A "Search" button is below these inputs. The next section, "Order Details", contains a table with columns: Order ID, Email, Art ID, Amount, and Order Date. Four entries are shown:

Order ID	Email	Art ID	Amount	Order Date
183	salonikri395@gmail.com	49	2400	2020-06-07 06:49:29
170	salonikri395@gmail.com	90	2040	2020-06-07 07:25:00
148	komal00@gmail.com	188	1497	2020-06-09 05:40:06
147	moni@abc	121	3750	2020-06-03 07:35:08

Below the table, it says "Showing 1 to 4 of 4 entries (filtered from 33 total entries)". At the bottom, there are "Previous" and "Next" buttons, and copyright notices.

## 12.1.9 View customer details (customer.php)

A screenshot of a web application showing customer details. The title bar says "Customer Details!". The form fields include:

- Customer ID: 17
- Customer Name: Amit Kumar
- Email-ID: amit@gmail.com
- Contact Number: +91 9895577728
- Address: road no-24,block no-3a/4/4/4
- City: Jamshedpur
- State: Jharkhand
- Pin Code: 831004

At the bottom left is a "Back to list" button.

## 12.1.10 Update product details (product\_list.php)


A screenshot of a web application showing a modal for updating product details. The modal has the following fields:

- update\_name: couple art
- update\_category: choose category (dropdown menu)
- update\_price: 559.00
- update\_image: Choose File (button) - No file chosen

The background shows a "Products List" table with columns: Art ID, Image, Art Name, Price, Status, and Actions. The table contains 154 entries. The "Actions" column includes edit and delete icons.

## **12.2. CUSTOMER SIDE SCREENSHOTS :**

### **12.2.1 CUSTOMER REGISTER SCREEN**



### **12.2.2 CUSTOMER LOGIN SCREEN**



### **12.2.3 HOME SCREEN (index.php)**

(+91) 950447355    [kalakritijar@gmail.com](mailto:kalakritijar@gmail.com)

[Logout](#)    [My Account](#)    [Cart](#)

 **KALAKRITI**  
Art Gallery

[Home](#)    [About Us](#)    [Artwork](#)    [Gallery](#)    [Handicrafts](#)    [Exhibition](#)    [Go To Admin](#)   



## BEST ONLINE GALLERY

ARTS REMINDS YOU THAT YOU HAVE A SOUL...

**A FEW WORDS ABOUT US**

Welcome to KALAKRITI Art-Gallery, the one-stop destination for all the art lovers. Art has always been an integral part of society. Not just the photographic presentation of the shapes around, art also tends to depict and share the complete experience of the moment enveloped in those photographs. ArtGallery.com is the one-stop solution for all the artists and art lovers. I strongly believe that art is a global form of communication. It educates visually by either moving you, pleasing you, or even inspiring you.



**EXPLORE BY COLLECTIONS**  
*Below you'll find some of my recent work.*



**ART BY THEME/SUBJECT**  
*Below you'll find some of my recent work.*





- Website Menu**
- [Home](#)
- [About Us](#)
- [My Account](#)
- [Gallery](#)
- [Handicrafts](#)
- [Register/Login](#)
- [Contact Us](#)
- [Terms And Conditions](#)
- [Privacy Policy](#)

- Quick Links**
- [Connect With Us](#)
- [Subscribe Now..](#)

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

+91-950447355    kalakriti@gmail.com

**KALAKRITI**

Home About Us Artwork Gallery Handcrafts Exhibition Contact Us Search an Art

## A few words about us

**A FEW WORDS ABOUT US !!**

My name is Komal Kumari, and I have been a fine artist since my youth. I find inspiration from the innovative styles of contemporary and urban art, such as graphic around graffiti illustrations.

Welcome to **KALAKRITI Art Gallery**, the one-stop destination for all the art lovers. Art has always been an integral part of society. Not just the photographic presentation of the shapes around, art also tends to depict and share the complete experience of the moment enveloped in those photographs. ArtGallery.com is the one-stop solution for all the artists and art lovers. I strongly believe that art is a global form of communication. It educates visually by either moving you, pleasing you, or even inspiring you.

---

## OUR TEAM

"Unity is strength... when there is teamwork and collaboration, wonderful things can be achieved."

**Mr.Kunal Mahato**  
Guide of the Online Art Gallery website.This website is made under the guidance of Mr. Kunal Mahato.  
Kunal i technology

[Facebook](#) [Twitter](#) [Instagram](#) [Email](#)

**Varsha Kumari Sah**  
Developer of this Online Art Gallery Website.This website is maintained using thought of Miss Varsha Kumari Sah.

[Facebook](#) [Twitter](#) [Instagram](#) [Email](#)

**Pooja Gupta**  
Sponsor and also Designer of this Online Art Gallery website.This website is sponsored by one of my colleague Miss Pooja Gupta.

[Facebook](#) [Twitter](#) [Instagram](#) [Email](#)

---

## ABOUT US

I am an upcoming artist at Jamshedpur, and this is my first website. I love to create art, and enjoy sharing my creations to all. I truly hope you enjoy and love my art as much as I do, and there will be more to come.

Any product you receive damaged or don't want please send product to PO BOX 23832, KALAKRITI, Jamshedpur 831013 for a full refund.

**KALAKRITI**

---

<b>Website Menu</b>	<b>Quick Links</b>	<b>Connect With Us</b>	<b>Subscribe Now..</b>
<ul style="list-style-type: none"> <li><a href="#">Home</a></li> <li><a href="#">About Us</a></li> <li><a href="#">My Account</a></li> <li><a href="#">Gallery</a></li> <li><a href="#">Handcrafts</a></li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Register/Login</a></li> <li><a href="#">Contact Us</a></li> <li><a href="#">Terms And Conditions</a></li> <li><a href="#">Privacy Policy</a></li> </ul>	<a href="#"></a> <a href="#"></a> <a href="#"></a> <a href="#"></a>	<input type="text" value="Enter Your Email Address"/> <input type="button" value="Subscribe"/>

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

### 12.2.3 ABOUT US SCREEN (about\_us.php)

+91-950447355    kalakritijar@gmail.com

 KALAKRITI

Home About Us Artwork Gallery Handcrafts Exhibition Contact Us Search an Art



## PORTFOLIO


This is a KALAKRITI Portfolio Gallery. It has some simple and creative artworks.



FIGURATIVE ART



WATERCOLOR PAINTING



CHARCOAL PAINTING



ABSTRACT PAINTING



LANDSCAPE PAINTING



HOME DECORE



---

 KALAKRITI

**Website Menu**

- [Home](#)
- [About Us](#)
- [My Account](#)
- [Gallery](#)
- [Handcrafts](#)

**Quick Links**

- [Register/Login](#)
- [Contact Us](#)
- [Terms And Conditions](#)
- [Privacy Policy](#)

**Connect With Us**






**Subscribe Now..**

Enter Your Email Address

Subscribe

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari

## 12.2.4 GALLERY PAGE (gallery.php)

+91-950447355    kalakritijr@gmail.com

**KALAKRITI**

Home About Us Artwork Gallery Handcrafts Exhibition Contact Us Search an Art

# ABSTRACT PAINTINGS

ART SPEAKS WHERE WORDS ARE UNABLE TO EXPLAIN..

Home >> Artwork >> Abstract Paintings

<b>Abstract Waterpaint</b> Price: ₹ 599.00	<b>Flower Art</b> Price: ₹ 499.00	<b>Figurative Art</b> Price: ₹ 850.00	<b>Cultural Dance</b> Price: ₹ 699.00
<b>Maa Saraswati</b> Price: ₹ 499.00	<b>Figurative Abstract</b> Price: ₹ 250.00	<b>Footpath View On Canvas</b> Price: ₹ 1250.00	<b>Latest Abstract Artwork</b> Price: ₹ 599.00
<b>Untitled</b> Price: ₹ 499.00	<b>Figurative Work</b> Price: ₹ 599.00	<b>Pastel Color Work</b> Price: ₹ 699.00	<b>Women In Frame</b> Price: ₹ 499.00

**KALAKRITI**

---

**Website Menu**

- Home
- About Us
- My Account
- Gallery
- Handcrafts

**Quick Links**

- Register/Login
- Contact Us
- Terms And Conditions
- Privacy Policy

**Connect With Us**

[Facebook](#) [Twitter](#) [Instagram](#) [WhatsApp](#)

**Subscribe Now..**

Enter Your Email Address

Subscribe

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.5 PRODUCTS SCREEN CATEGORY(all\_paintings.php)

+91-950447355    kalakritijr@gmail.com

**KALAKRITI**

Home About Us Artwork Gallery Handcrafts Exhibition Contact Us Search an Art

# NATURAL PAINTINGS

ART SPEAKS WHERE WORDS ARE UNABLE TO EXPLAIN..

Home >> Artwork >> natural Paintings

<b>Autumn Leaves Painting</b> Price: ₹ 550.00	<b>Nature's Wild Life</b> Price: ₹ 599.00	<b>Nature's Texture Painting</b> Price: ₹ 799.00	<b>Nature's Watercolor Art</b> Price: ₹ 699.00
<b>Wild Life Painting II</b> Price: ₹ 899.00	<b>Fall With Nature.</b> Price: ₹ 599.00	<b>Village's Natural Scene</b> Price: ₹ 660.00	<b>Beren Bird</b> Price: ₹ 499.00
<b>Untitled I</b> Price: ₹ 750.00	<b>Nature's Pencil Art</b> Price: ₹ 499.00	<b>Fall With Nature II</b> Price: ₹ 699.00	

**KALAKRITI**

---

**Website Menu**

- Home
- About Us
- My Account
- Gallery
- Handcrafts

**Quick Links**

- Register/Login
- Contact Us
- Terms And Conditions
- Privacy Policy

**Connect With Us**

[f](#) [t](#) [i](#) [w](#)

**Subscribe Now..**

Enter Your Email Address

Subscribe

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.6 PRODUCTS SCREEN (all\_paintings.php)

The screenshot shows a product details page for a painting titled "NATURE'S WATERCOLOR ART". The main image is a vibrant watercolor painting of a forest path. To the right of the image, product information is displayed:

- Ref Id :** 184
- Ratings :** ★★★★☆
- Description :** Art is something that makes you Breath with different kind of Happiness..
- Current Price :** ₹ 699.00
- Sizes :** 300\*400 INCHES
- Category :** NATURAL PAINTINGS
- Quantity :**
- Painting On :** CANVAS.

At the bottom of the page, there are two buttons: "BUY NOW" and "ADD TO CART".

**Website Footer:**

- Website Menu:**
  - Home
  - About Us
  - My Account
  - Gallery
  - Handerrafts
- Quick Links:**
  - Register/Login
  - Contact Us
  - Terms And Conditions
  - Privacy Policy
- Connect With Us:** Social media icons for Facebook, Twitter, Instagram, and YouTube.
- Subscribe Now..**: A form with an "Enter Your Email Address" input field and a "Subscribe" button.

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.7 PRODUCT DETAILS SCREEN

(productShowdetails2.php)



**KALAKRITI**

Home >> My Account >>



**Customer Name :** Komal Kumari  
**Email-ID :** komal00@gmail.com  
**Contact Number:** (+91) 9570447344


[EDIT](#)

#### Account

- Account Information
- My Account**
- Change Password
- Address Detail
- Order History



## 12.2.8 ACCOUNT DETAILS SCREE(MYaccount.php)



**KALAKRITI**

Home >> My Account >>


**Insert Address Details.** ● ● ●

Country	<input type="text" value="INDIA"/>
Address 1 *	<input type="text"/>
Address 2 *	<input type="text"/>
City *	<input type="text" value="Choose city"/> State * <input type="text" value="Choose state"/>
District *	<input type="text"/>
Zip *	<input type="text" value="Enter your 6-digit pin code"/>

[Back](#) [Submit](#)

#### Account

- Account Information
- My Account**
- Change Password
- Address Detail**
- Order History



## 12.2.9 INSERT ADDRESS DETAILS (add\_address.php)

+91-950447355    kalakritijsr@gmail.com

[Logout](#)    [My Account](#)    [Cart](#)

 **KALAKRITI**

[Home](#)    [About Us](#)    [Artwork](#)    [Gallery](#)    [Handcrafts](#)    [Exhibition](#)    [Contact Us](#)

[View cart](#)    [Continue shopping](#)

	<b>Beautyful scenery of Full Moon</b>	Price : ₹ 450.00 x	Quantity : <input type="text" value="2"/>	<a href="#"></a>
	<b>still-life art</b>	Price : ₹ 500.00 x	Quantity : <input type="text" value="1"/>	<a href="#"></a>
	<b>Natkhata Ganesh ji</b>	Price : ₹ 630.00 x	Quantity : <input type="text" value="3"/>	<a href="#"></a>
	<b>Buddha Wall Hanging painting</b>	Price : ₹ 800.00 x	Quantity : <input type="text" value="1"/>	<a href="#"></a>
	<b>Nature's Watercolor Art</b>	Price : ₹ 699.00 x	Quantity : <input type="text" value="2"/>	<a href="#"></a>

[Update shopping cart](#)

   [Use cupone](#)

Total price: ₹ 5488    [Place Order](#)



---

**Website Menu**

- [Home](#)
- [About Us](#)
- [My Account](#)
- [Gallery](#)
- [Handcrafts](#)

**Quick Links**

- [Register/Login](#)
- [Contact Us](#)
- [Terms And Conditions](#)
- [Privacy Policy](#)

**Connect With Us**

[!\[\]\(0c974c9db5e0d1a5c7db42fd6821bddb\_img.jpg\)](#) [!\[\]\(c595fb42547a91a1200842b784421639\_img.jpg\)](#) [!\[\]\(75fadc3e5a08447f443d9416875af20a\_img.jpg\)](#) [!\[\]\(e0509136e0a4554d95e163b325794207\_img.jpg\)](#)

**Subscribe Now..**

   [Subscribe](#)

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.10 VIEW CART SCREEN (addtocart.php)

**Wishlist**

	<b>Bal-Ganesh</b> SIZE: 300x400 inches PAINTING ON CANVAS.	Price : ₹ 840.00	
	<b>Buddha Wall Hanging painting</b> SIZE: 300x400 inches PAINTING ON CANVAS.	Price : ₹ 800.00	
	<b>untitled</b> SIZE: 300x400 inches PAINTING ON CANVAS.	Price : ₹ 150.00	

Show more

---

**KALAKRITI**

---

**Website Menu**

- [Home](#)
- [About Us](#)
- [My Account](#)
- [Gallery](#)
- [Handcrafts](#)

**Quick Links**

- [Register/Login](#)
- [Contact Us](#)
- [Terms And Conditions](#)
- [Privacy Policy](#)

**Connect With Us**

**Subscribe Now..**

Enter Your Email Address


Subscribe

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.11 WISHLIST SCREEN (wishlist.php)

The screenshot shows the KALAKRITI Art Exhibition website. At the top, there is a navigation bar with links for Logout, My Account, Cart, and social media icons. Below the navigation is a banner featuring a marbled artwork with the text "KALAKRITI Art Exhibition !!". A central white box contains the word "NOTICE" in orange and "Exhibition of Figurative Artwork.." in bold black. Below this, there is event information: Date: 2020-06-11, Venue: G-town Ground, bilstupur,Jamshedpur, and a note about the exhibition running from July 1st to August 31st. It also includes contact details: E-mail: kalakritijr@gmail.com, Website: komal.kunalitechnology.in, and a "Thank you" message from the Team KALAKRITI. At the bottom of the notice box, there is a link to Contact us and a purple "BACK TO HOMEPAGE" button. The footer features the KALAKRITI logo, a navigation menu with links to Home, About Us, My Account, Gallery, and Handcrafts, a Quick Links section with Register/Login, Contact Us, Terms And Conditions, and Privacy Policy, a Connect With Us section with social media icons for Facebook, Twitter, Instagram, and YouTube, and a Subscribe Now.. section with an input field for email and a yellow "Subscribe" button. The footer also includes a copyright notice: Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.12 VIEW EXHIBITION NOTICE (notice.php)



## 12.2.13 CONTACT US PAGE (contact\_us.php)

The screenshot shows the KALAKRITI website's checkout process. At the top, there are navigation links for '+91-950447355' and 'kalakritijsr@gmail.com', 'Logout', 'My Account', 'Cart', and social media icons. The main content area has two sections: 'Shipping and billing addresses' and 'Your Cart'. The 'Shipping and billing addresses' section shows a list of saved addresses, with the first one selected. The 'Your Cart' section displays a single item: a Buddha painting with details like Art ID: 44, Size: 300\*400 inch, Type: Buddha Paintings, Quantity: 1, and Price: ₹3000.00. Below the cart, there are summary boxes for Subtotal (₹3000.00), Delivery Costs (Free of charge), and Order Total (₹3000.00). A 'CONTINUE' button is at the bottom right.

## 12.2.14 CHECKOUT PAGE (checkout.php)

**Shipping Address:**

Full Name \*  
Komal

Email \*  
KomalKumari@gmail.com

Address Line 1 \*  
542 W. 15th Street

Address Line 2 \*  
542 W. 15th Street

City \*  
Choose city

District \*  
New York

State \*  
Choose...

Zip \*  
Enter your 6-digit pin code

**SUBMIT**

**Website Menu**

- Home
- About Us
- My Account
- Gallery
- Handicrafts

**Quick Links**

- Register/Login
- Contact Us
- Terms And Conditions
- Privacy Policy

**Connect With Us**

[Facebook](#) [Twitter](#) [Instagram](#) [Soci](#)

**Subscribe Now..**

Enter Your Email Address

Subscribe

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.14 CHECKOUT PAGE-ADD NEW ADDRESS (address\_model.php)



## 12.2.15 PASSWORD CHANGE SCREEN(changepwd.php)

## 12.2.16 ACCOUNT UPDATE SCREEN (account-info.php)


The screenshot shows the 'Order History' section of the KALAKRITI website. On the left, there is a list of five orders with details like title, art type, price, quantity, and date. Each order entry has buttons for 'CANCELLED', 'RE ORDER', 'DELIVERED', 'RETURN ORDER', 'Track Status', and 'CANCELL ORDER'. On the right, there is a sidebar titled 'Account' with checkboxes for Account Information, My Account, Change Password, Address Detail, and Order History (which is selected).

Order ID	Title	Art Type	Price	Quantity	Date	Status	Action Buttons
AOD111	Sculpture-II	Sculptures	430.00	2	2020-06-09 05:43:35	CANCELLED	RE ORDER
AOD148	Heron Bird	natural Paintings	499.00	3	2020-06-09 05:34:06	DELIVERED	RETURN ORDER RE ORDER
AOD217	Beautiful scenery of Full Moon	Charcoal Paintings	450.00	2	2020-06-11 04:48:38	Track Status	CANCELL ORDER
AOD220	still-life art	Just Still Life	500.00	1	2020-06-11 04:48:38	Track Status	CANCELL ORDER
AOD225	Radhe-krishna	Glass Paintings	900.00	4	2020-06-10 01:46:58	Track Status	CANCELL ORDER


The footer contains links for Website Menu (Home, About Us, My Account, Gallery, Handcrafts), Quick Links (Register/Login, Contact Us, Terms And Conditions, Privacy Policy), Connect With Us (social media icons for Facebook, Twitter, Instagram, WhatsApp), and a Subscribe Now.. section with an input field for email address and a 'Subscribe' button.

Copyright © All Rights Reserved 2020 | Design & Development by Komal Kumari.

## 12.2.17 ORDER SCREEN (account-info.php)



## 12.2.18 ORDER CONFIRMATION PAGE(thanku.php)



## 12.2.19 FORGET PASSWORD PAGE(thanku.php)

## **13. IMPLEMENTATION OF SECURITY FOR ONLINE ART**

### **GALLERY-**

All Form submission is done through HTTP POST method Login password is hash encoded.

For securing customer registered password we can use different type of secure function such as:

- MD5
- SHA
- HASH FUNCTION

Here, I had used sha-1 to secure user registered password by which no one can view their password using which they have registered on the website also when they access their database or from anywhere else.

### **SHA (Secure Hash Algorithms)**

SHA-1 or Secure Hash Algorithm 1 is a cryptographic hash function which takes an input and produces a 160-bit (20-byte) hash value. This hash value is known as a message digest. This message digest is usually then rendered as a hexadecimal number which is 40 digits long. It is a U.S. Federal Information Processing Standard and was designed by the United States National Security Agency.

All of these secure hash algorithms are part of new encryption standards to keep sensitive data safe and prevent different types of attacks. Although some of these were developed by agencies like the National Security Agency, and some by independent developers, all of them are related to the general functions of hash encryption that shields data in certain database and network scenarios, helping to evolve cybersecurity in the digital age.

## **14. LIMITATIONS OF THE PROJECT-**

E-Commerce has become one of the most popular mediums of transactions in the recent years. While it does offer quite a lot of benefits to both buyers and sellers, it is not totally free from disadvantages.

The following are some of the limitations or disadvantages of e-commerce online gallery.

### **Some of the limitations of the project:**

- User must have good internet connection.
- Payment cannot be done as payment gateway is not embedded.
- Also, tracking of any order cannot be done as tracking API is also not embedded.
- Now, only admin can make any changes to this website.

- Technical Limitations such as lack of proper domain, network and software issues and so on can affect the seamless performance of an eCommerce site.
- This is post payment-based Art Gallery system.
- Only Admin can change the contact personal details

## **15. FUTURE ENHANCEMENT:**

We think that not a single project is ever considered as complete forever because over mind always think new & our necessities also are growing day by day.

We always want something more than what we have. Our application also, if you see at the first glance that you find is to be completed but we want to make it still mature and fully automatic.

### **Future Scope:**

- This system being Web-Based and an undertaking of Cyber Security Division, needs to be thoroughly tested to find out any security gaps.
- This project **Online Art Gallery System** can gives more advance software in future with includes more facilities.
- The product creation part is to done in a more elaborate manner.
- Implements backup mechanism for taking backup of database.

## **16. CONCLUSION:**

In short, online art galleries are the future scope of selling, exhibiting the art works market. Gradually it will be more and more improved and grow throughout the world.

At the last I should say that technology is the future of everything so as soon the artists adapt it will be beneficial for art world. The Information era also gives opportunity to virtual art gallery to flourish

## **17. BIBLIOGRAPHY:**

### **Websites:**

- Google for problem solving
- <http://www.tutorialspoint.com/mysql>
- [https://en.wikipedia.org/wiki/Online\\_art\\_gallery](https://en.wikipedia.org/wiki/Online_art_gallery)
- [www.scribd.com](http://www.scribd.com)
- [https://www.w3schools.com/php/php\\_mysql\\_intro.asp](https://www.w3schools.com/php/php_mysql_intro.asp)
- <https://www.w3school.com/jquery/>
- [www.programmer2programmer](http://www.programmer2programmer)
- [www.studentprojectguide.com](http://www.studentprojectguide.com)
- <https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js>
- <https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css>

### **BOOKS:**

PHP with MySQL

Java script, css. Website development using php.

