

DOM Manipulation Methods



@_codevalley



@_codevalley

Content Manipulation Method

innerHTML:

It is used to gets or sets the HTML content within an element.



```
let element = document.getElementById("myElement");  
element.innerHTML = "New content";
```





@_codevalley

Content Manipulation Method

innerText:

It is used to gets or sets the text content within an element.



```
let paragraph = document.getElementById("myParagraph");  
paragraph.innerText = "New text";
```





@_codevalley

Content Manipulation Method

textContent:

It is similar to innerText, gets or sets the text content within an element.



```
let paragraph = document.getElementById("myParagraph");  
paragraph.textContent = "New text";
```





@_codevalley

Attribute Manipulation Method

setAttribute(name, value):

It is used to sets the value of an attribute on an element.



```
let image = document.getElementById("myImage");  
image.setAttribute("src", "new.jpg");
```





@_codevalley

Attribute Manipulation Method

removeAttribute(name):

It is used to removes a specified attribute from an element.



```
let image = document.getElementById("myImage");  
image.removeAttribute("src");
```





@_codevalley

Style Manipulation Method

style:

It is used to access or modifies the inline styles of an element.



```
let element = document.getElementById("myElement");  
element.style.color = "blue";
```





@_codevalley

Style Manipulation Method

classList:

It is used to manipulates the classes of an element.



```
let element = document.getElementById("myElement");  
element.classList.add("newClass");  
element.classList.remove("oldClass");
```



Did you find it **Useful?**

Leave a **comment!**



Alamin CodePapa

@CodePapa360

FOLLOW FOR MORE

Like



Comment



Repost

