





The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.




NOTES:

1. MATERIAL:
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC LCP, UL94V-0,
COLOR: BLACK.
CAP: HIGH TEMPERATURE THERMAL PLASTIC LCP, UL94V-0,
COLOR: BLACK.
TERMINAL: COPPER ALLOY.
SHELL: STAINLESS
2. FINISH:
TERMINAL:
CONTACT AREA: SELECTIVE GOLD PLATING.;
SOLDERING AREA: GOLD FLASH PLATING.;
UNDER PLATING: NICKEL PLATING 50 μ " THICKNESS MIN.OVERALL.
SHELL:
MATTE TIN PLATING 100 μ " THICKNESS MIN. OVERALL.
UNDER PLATING: NICKEL PLATING 50 μ " THICKNESS MIN.OVERALL.
3. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS
PER DIRECTIVE 2011/65/EU FOR RoHS COMPLIANT.
4. PRODUCT SPECIFICATION REFER TO : PS-7395






PART NUMBER:
 GMCB05B X X 124 X H1EU
 CONTACT FINISH ———— CURRENT OPTIONS
 1: 15μ" GOLD BLANK: 1.8A
 2: 30μ" GOLD 1: 3.0A

COLOR / DIM L
1: BLACK /1.7mm
3: BLACK /2.3mm



RECOMMEND PCB LAYOUT (TOP VIEW)

THK=1.6MM, TOLERANCE:±0.05MM

TOLERANCE		APPROVALS	DATE	TITLE		Amphenol® Amphenol Corporation Amphenol Taiwan Corporation	
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10		DRAWN Debby Hung	07/24/2017	MICRO USB, B TYPE 5 POS. RECEPTACLE VERTICAL, SMT TYPE			
		CHECKED Sandy Wu	07/24/2017				
		APPROVED Arron Lin	07/24/2017				
ANGULAR ±1°					UNIT mm	SIZE A3	PART No. GMCB05BXX124XH1EU
UNLESS OTHERWISE SPECIFIED	DWG TYPE CUST DWG	PROJECT CODE OTHER		SCALE NA	SHEET 1 OF 2	DWG No. GMCB05BXX124XH1EU	REV. B

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.



The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.




ORIGINAL




REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-16202	RELEASE TO PRODUCTION	08/30/2016	Arron Lin
B	NE-17200	UPDATE PACKING	07/24/2017	Arron Lin





① 500PCS/REEL



② 10 REEL(5000PCS)/Bundle



③ PLACE 2 CARTON BOARDS ON BOTTOM AND TOP OF INNER BOX




④ CARTON BOX SIZE: 35X35X31CM

NOTE:

- 500PCS PER REEL,
- 10 REELS PER CARTON (5000PCS/CARTON)
- CARTON SIZE: 35X35X31 CM
- PEELING FORCE OF COVER TAPE: 30~120G

PACKAGING BY T&R	4.8	1.6	500	10	5000	GMCB05BXX124XH1EU
	G/W KG	N/W KG	PCS/ REEL	REELS/ BOX	QUANTITY (PCS)	PART NUMBER

TOLERANCE		APPROVALS		DATE	TITLE			Amphenol®		
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10		DRAWN Debby Hung	07/24/2017		MICRO USB, B TYPE 5 POS. RECEPTACLE VERTICAL, SMT TYPE			Amphenol Corporation Amphenol Taiwan Corporation		
		CHECKED Sandy Wu	07/24/2017							
		APPROVED Arron Lin	07/24/2017							
ANGULAR ±1°						UNIT mm	SIZE A3	PART No. GMCB05BXX124XH1EU		
UNLESS OTHERWISE SPECIFIED		DWG TYPE CUST DWG	PROJECT CODE OTHER			SCALE NA	SHEET 2 OF 2	DWG No. GMCB05BXX124XH1EU		REV. B