

# Solid State Relay KSJ100(068) Series DC Output




- With IP20 Touch-Safe Cover
- Ratings:20A, 40A,80A@100VDC
- 4-32VDC Control Input
- Dielectric Strength ≥ 2500VACrms
- Opto-isolation
- Panel Mounted
- RoHS Compliant

### **Product Description**

KSJ100(068) series is DC output panel mounted solid state relay. Control voltage is 4-32VDC, load voltage is 0-100VDC, output current is 20A,40A or 80A. Opto-isolation between input and output, dielectric strength  $\geq$  2500VACrms.

#### **Product Selection**



Description	20A	40A	80A	
D:4-32VDC	KSJ100D20-L(068)	KSJ100D40-L(068)	KSJ100D80-L(068)	


<b>Technical Specification</b>		
Input Circuit		
Control Voltage Range		4-32VDC
Minimum Turn-On Voltage		4VDC
Minimum Turn-Off Voltage		1VDC
Maximum Input Current		28mA @32VDC
Output Circuit		
Load Voltage Range		0-100VDC
_	20A	0.001 - 20A
Load Current Range	40A	0.001 - 40A
	80A	0.001 - 80A
Mariania Oraș	20A	80A
Maximum Surge — Current(@10ms) —	40A	120A
	80A	200A
Maximum Turn-On Time		100µs
Maximum Turn-Off Time		100µs
Maximum Off-State Leakage Current [@ Rated Voltage]		0.1mA



Max. on-state resistance -	20A,40A	13mΩ max.( @TA=25℃)	
iviax. Oil-state resistance	80A	6.5mΩ max.( @TA=25℃)	
General Information			
Dielectric Strength, Input/Output/Base (50/60Hz)		≥2500Vrms	
Ambient Operating Temperature Range		-30℃ ~ +80℃	
Ambient Storage Temperature Range		-30℃ ~ +100℃	
Weight (typical)		90q	
Application			


Suitable for DC heating, DC power, DC valve, DC motor, Solar Energy and so on.

# Installation



#### All dimensions are in millimeters


# **Wiring Diagram**





\*Inductive loads must be diode suppressed.



# Thermal Curve







## **Important Notice**

- 1. Suppression circuit should be added when the relay is used for inductive load.
- 2. Control polarity shall be correct, otherwise it may damage the product.
- 3. Load current performance will be reduced when the ambient temperature is more than  $40^{\circ}$ C.

### **Product Certification**





@Kudom Electronics Technology, All Right Are Reserved