Intro to Java Week 6 Coding Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document, with your Java project code, to the repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

For the final project you will be creating an automated version of the classic card game WAR.

- 1. Create the following classes.
 - a. Card
 - i. Fields
 - 1. **value** (contains a value from 2-14 representing cards 2-Ace)
 - 2. **name** (e.g. Ace of Diamonds, or Two of Hearts)
 - ii. Methods
 - 1. Getters and Setters
 - 2. **describe** (prints out information about a card)
 - b. Deck
 - i. Fields
 - 1. **cards** (List of Card)
 - ii. Methods
 - 1. **shuffle** (randomizes the order of the cards)
 - 2. **draw** (removes and returns the top card of the Cards field)

- 3. In the constructor, when a new Deck is instantiated, the Cards field should be populated with the standard 52 cards.
- c. Player
 - i. Fields
 - 1. **hand** (List of Card)
 - **2. score** (set to 0 in the constructor)
 - 3. name
 - ii. Methods
 - 1. **describe** (prints out information about the player and calls the describe method for each card in the Hand List)
 - 2. **flip** (removes and returns the top card of the Hand)
 - 3. **draw** (takes a Deck as an argument and calls the draw method on the deck, adding the returned Card to the hand field)
 - 4. **incrementScore** (adds 1 to the Player's score field)
- 2. Create a class called App with a main method.
- 3. Instantiate a Deck and two Players, call the shuffle method on the deck.
- 4. Using a traditional for loop, iterate 52 times calling the Draw method on the other player each iteration using the Deck you instantiated.
- 5. Using a traditional for loop, iterate 26 times and call the flip method for each player.
 - a. Compare the value of each card returned by the two player's flip methods. Call the incrementScore method on the player whose card has the higher value.
- 6. After the loop, compare the final score from each player.
- 7. Print the final score of each player and either "Player 1", "Player 2", or "Draw" depending on which score is higher or if they are both the same.

Screenshots of Code:

```
Player.java
                                           App.java
 package week6FinalProject;
        private int value;
        private String name;
        public Card(int value, String name) {
 80
            this.value = value;
            this.name = value + " of " + name;
130
        public Card() {
170
        public void setName(String name) {
           this.name = value + " of " + name;
210
        public String getName() {
           return name;
        public void setValue(int value) {
25€
        public int getValue() {
290
           return value;
        public String describe() {
    return name + " which is worth " + value;
33●
```

```
Card.java
              App.java
 package week6FinalProject;
 2 import java.util.ArrayList;
 3 import java.util.Collections;
   import java.util.List;
        public List<Card> cards = new ArrayList<Card>();
 90
        public Deck(){
            for(int i = 0; i < 4; i++) {
                switch(i){
                    for(int j = 2; j \le 14; j++){
                        Card card1 = new Card(j, "Hearts");
                        cards.add(card1);
                    break;
                    for(int j = 2; j <= 14; j++){
                        Card card2 = new Card(j, "Clubs");
                        cards.add(card2);
                    for(int j = 2; j <= 14; j++){
                        Card card3 = new Card(j, "Spades");
                        cards.add(card3);
                    for(int j = 2; j <= 14; j++){
    Card card4 = new Card(j, "Diamonds");</pre>
                        cards.add(card4);
                    break;
46
        public void shuffle() {
            Collections.shuffle(cards);
500
        public Card draw() {
            return cards.remove(0);
```

```
Card.java
              Deck.java
                            Player.java X
App.java
 package week6FinalProject;
 30 import java.util.ArrayList;□
        private List<Card> hand = new ArrayList<Card>();
        private int score = 0;
        private String name;
130
        public Player(String name) {
            this.name = name;
            setScore(0);
        public void describe() {
180
            System.out.println(name + " has the following cards:");
            for(Card cards : hand) {
                System.out.println(cards.describe());
250
        public Card flip() {
            return hand.remove(0);
29€
        public void draw(Deck deck) {
            hand.add(deck.draw());
33⊜
        public void incrementScore() {
            setScore(getScore() + 1);
37●
        public String getName() {
            return name;
400
        public void setName(String name) {
            this.name = name;
        public int getScore() {
440
           return score;
48€
        public void setScore(int score) {
            this.score = score;
```

```
☑ Card.java

                 Deck.java
                                  Player.java
                                                    package week6FinalProject;
public class App {
          public static void main(String[] args) {
 40
              Deck deck = new Deck();
              Player player1 = new Player("Player1");
System.out.println("Welcome, " + player1.getName());
Player player2 = new Player("Player2");
              System.out.println("Welcome, " + player2.getName());
               deck.shuffle();
               for(int i = 1; i <= 52; i++) {
                   if(i % 2 != 0) {
                        player1.draw(deck);
                        player2.draw(deck);
26
27
28
29
               int flip1 = 0;
int flip2 = 0;
for(int i = 1; i <= 26; i++) {</pre>
                   flip1 = player1.flip().getValue();
                   flip2 = player2.flip().getValue();
if(flip1 > flip2) {
                        player1.incrementScore();
                   else if(flip2 > flip1) {
                        player2.incrementScore();
39
40
               if(player1.getScore() > player2.getScore()) {
                   System.out.println("Player 1 wins!");
43
44
               else if(player2.getScore() > player1.getScore()) {
                   System.out.println("Player 2 wins!");
47
48
                    System.out.println("It's a draw!");
 53 }
```

Screenshots of Running Application:

```
☐ Console X Problems ☐ Debug Shell

<terminated> App (1) [Java Application] C:\Users\Andrew F

Welcome, Player1

Welcome, Player2

Player 2 wins!
```

URL to GitHub Repository: https://github.com/AFarmer94/Week6FinalProject.git