



BeeCon 2016


2 years of Aikau

How is it faring and what do we want from it?

Axel Faust, Senior IT-Consultant / Software Architect


The Aikau history minute*

(* in more or less a minute)



BeeCon 2016

What is Aikau?



BeeCon 2016

What is Aikau?

- „Just“ a library
 - Widgets / services
 - Tests suite during build
- Dev / customization model
 - Modular components
 - Publication / subscription
 - Declarative page model
 - Post-processing
 - Dependency collection / aggregation

Frameworks behind the „framework“



(to a limited extent)



BeeCon 2016

What is Aikau?

(Very simple) Examples

```
var services, widgets;

widgets = [{
  name : 'alfresco/lists/AlfList',
  config : {
    loadDataPublishTopic : 'LOAD_SIMPLE_LIST',
    widgets : [{
      name : 'alfresco/lists/views/AlfListView',
      config : {
        widgets : [{
          name : 'alfresco/lists/views/layouts/Row',
          config : {
            widgets : [{
              name : 'alfresco/lists/views/layouts/Cell',
              config : {
                widgets : [{
                  name : 'alfresco/renderers/Property',
                  config : {
                    propertyToRender : 'id'
                  }
                ]
              }
            ]
          }
        ]
      }
    ]
  }
}];

services = ['test/SimpleListService'];

model.jsonModel = {
  rootNodeId : 'simpleList',
  services : services,
  widgets : widgets
};
```

```
define(["dojo/_base/declare", "dijit/_WidgetBase", "dijit/_TemplatedMixin", "dojo/text!./templates/Label.html",
  "alfresco/core/Core", "dojo/_base/lang", "dojo/dom-construct"],
  function(declare, _WidgetBase, _TemplatedMixin, template, AlfCore, lang, domConstruct) {
    return declare([_WidgetBase, _TemplatedMixin, AlfCore], {
      i18nRequirements: [{i18nFile: "./i18n/Label.properties"}],
      cssRequirements: [{cssFile: "./css/Label.css"}],
      templateString: template,

      label: "",
      subscriptionTopic: null,
      subscriptionPayloadProperty: "label",

      postMixInProperties: function alfresco_html_Label_postMixInProperties() {
        this.label = this.message(this.label);
        if (this.subscriptionTopic && lang.trim(this.subscriptionTopic) !== "")
        {
          this.alfSubscribe(this.subscriptionTopic, lang.hitch(this, this.onLabelUpdate));
        }
      },

      onLabelUpdate: function alfresco_html_Label_onLabelUpdate(payload) {
        var update = lang.getObject(this.subscriptionPayloadProperty, false, payload);
        if (update !== null && typeof update !== "undefined")
        {
          domConstruct.empty(this.labelNode);
          var textNode = document.createTextNode(update);
          this.labelNode.appendChild(textNode);
        }
      }
    });
  });
```





2 years of Aikau

Use cases from trivial to complex



BeeCon 2016



Use cases / scope of applicability

- Simple customizations
 - Modifying, adding or removing elements of a pre-existing page
- Custom features / enhancements
 - Extending, adding or replacing key components in pre-existing pages
- Custom pages / apps
 - Simple, stand-alone feature pages
 - Solutions consisting of dozens of custom pages



Simple customizations

Example: Faceted search result

Search in: All Sites ▾

Q .pdf Search

Filter by:

▼ Creator

Alice Beecher 1

▼ File Type

Adobe PDF Document 1

▼ Size

100KB to 1MB 1

1 - results found



Project Contract.pdf (Project Contract for Green Energy) ⓘ
Modified over 4 years ago by Administrator
Contract for the Green Energy project
Site: Sample: Web Site Design Project
In folder: Agency Files/Contracts
Size: 373 KB

Search in: All Sites ▾

Q .pdf Search

Filter by:

▼ Creator

Administrator 2

Alice Beecher 1

▼ File Type

Microsoft Word 1

Adobe PDF Document 2

3 - results found



Project Contract.pdf (Project Contract for Green Energy) ⓘ

Modified over 4 years ago by Administrator

Contract for the Green Energy project

Site: Sample: Web Site Design Project

In folder: Agency Files/Contracts

Size: 373 KB

Created on: Tue 15 Feb 2011 22:26:54

Source: <http://www.contezza.nl/blog/customizing-the-search-results-widget-alfresco-50d>

Credits: Sureka Govindaraj Gnanasekaran, Contezza



BeeCon 2016

Simple customizations

- Pretty straightforward
 - Extension module + custom JS
 - widgetUtils for traversal / manipulation
 - IDs from base JS file
- See Aikau jsdoc for widgets / params
<http://dev.alfresco.com/resource/docs/aikau-jsdoc>

```
var headerMenuBar, widgets = model.jsonModel.widgets;

widgetUtils.deleteObjectFromArray(widgets, 'id', 'HEADER_MY_FILES');
widgetUtils.deleteObjectFromArray(widgets, 'id', 'HEADER_SHARED_FILES');
widgetUtils.deleteObjectFromArray(widgets, 'id', 'HEADER_SITES_MENU');
widgetUtils.deleteObjectFromArray(widgets, 'id', 'HEADER_TASKS');
widgetUtils.deleteObjectFromArray(widgets, 'id', 'HEADER_PEOPLE');
widgetUtils.deleteObjectFromArray(widgets, 'id', 'HEADER_REPOSITORY');

headerMenuBar = widgetUtils.findObject(widgets, 'id', 'HEADER_APP_MENU_BAR');

headerMenuBar.config.widgets.splice(1, 0, {
  id : 'HEADER_POC_ORG_CONFIG',
  name : 'alfresco/menus/AlfMenuBarItem',
  config : {
    label : 'page.poc-supplier-meta.title',
    targetUrl : '<url>'
  }
});

var searchHeader = widgetUtils.
  findObject(model.jsonModel.widgets, 'id', 'HEADER_SEARCH');
searchHeader.name = 'prodyna-search/header/SearchBox';
searchHeader.config.popupMenuWidgets =
  searchHeader.config.popupMenuWidgets || [];
if (page.url.templateArgs.site)
{
  searchHeader.config.popupMenuWidgets.splice(0, 0,
  {
    name : 'prodyna-search/header/SearchInputAwareMenuItem',
    config :
    {
      label : '<label>',
      targetUrl : '<url>',
      inputAwareTargetUrl : '<url>'
    }
  });
}
```





Simple customizations

Limitations / issues

- Customizability of (new) pages
 - E.g. no widget IDs in faceted search until 5.0.2
 - Changes to key widgets + services
- Customizability of complex / composite widgets
 - Partial / no JSON sub-model
- JSDoc = terse + developer-focussed + unversioned

```
documentAndFolderActions :string[]
```

This can be configured to override the default filter for the actions that are applicable to folder and document nodes. Actions need to be filtered as Aikau does not currently support all of the actions that can be configured in Alfresco Share. However, if custom actions are provided by an extension or further filtering is required then they can be configured using this attribute.

Type:

- string[]


Default Value: null

Source: [search/AlfSearchResult.js, line 124](#)



Custom features / enhancements

Example: Form enrichment





Custom features / enhancements

- Basic patterns for custom services
 - pubSub (Core) + ReST (CoreXhr)
 - Service lifecycle (Aikau 1.0.32+)
- pubSub (inter-)action flow
 - Composition / orchestration
 - Unique, dynamic pubSubScope
- Support of common features
 - Feature aspect mixins
 - Feature base widgets

```
define(['dojo/_base/declare','alfresco/services/BaseService','alfresco/core/topics',
'dojo/_base/lang','dojo/_base/array'],
function(declare, BaseService, topics, lang, array) {
    return declare([BaseService], {
        /* ... */

        onCreateEntryRequest : function (payload) {
            var dialogRequest, rqId = this.generateUuid(), handles, reqCB;
            dialogRequest = this._buildDialogRequest(payload);
            reqCB = [...];
            handles = [];
            array.forEach(reqCB, function(cb){
                handles.push(this.alfSubscribe(
                    rqId + '/' + cb.suffix, lang.hitch(
                        this, cb.fn, rqId, payload, handles), true));
            }, this);
            this.alfPublish(topics.CREATE_FORM_DIALOG, dialogRequest, true);
        },

        onCreateEntrySubmit : function (rqId, originalPayload, handles, payload) {
            var createPayload;
            createPayload = this._buildPayloadFromForm(originalPayload, payload);
            handles.push(this.alfSubscribe(rqId + '/CREATED', lang.hitch(
                this, this.onCreateEntryCreated, rqId, originalPayload, handles), true));
            createPayload.successTopic = rqId + '/CREATED';
            this.alfPublish(this.createEntryTopic, createPayload, true);
        },

        onCreateEntryCreated : function (rqId, originalPayload, handles, payload) {
            this.alfUnsubscribe(handles);
            this.alfPublish(originalPayload.alfResponseTopic, payload, false, false,
                payload.alfResponseScope);
        }
    });
});
```





Custom features / enhancements

Limitations / issues

- Learning curve for „citizen developers“
 - AMD, pubSub, „how module X works“
 - Tutorials partially outdated

„I hate subscription model already“

„looks like I start loving YUI2“

- Limited ability to redirect / intercept standard pubSub
 - (Virtually) hard-coded topics / constants
 - Service sub-classing problematic
- Few defined extension points (1.0.60 => 18)
 - Only config params guaranteed



Custom pages / apps

Example: Complex page prototype

Navigation into different sub-apps
(i.e. master data management, dynamically loaded menu contents)

The screenshot shows a web application interface with a red header bar containing navigation links: Home, Ausschreibungen, Einkaufspreismanagement, Profil-/Stammdaten, and Aufgaben. A user profile 'Axel Faust' is in the top right. Below the header is a red bar with a dynamic alphabet menu 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'. The main content area has a tabbed interface with 'Allgemein' selected. It displays a form with fields for 'Schlüssel', 'Name', 'Version', 'Status', and 'Statusvermerk', each with a value and a 'Bearbeiten' button. Below the form is a table with columns: Los, Art-nr., Art-name, WG, WG St. 1, WG St. 2, Kategorie, Geb.-einheit, Geb.-inh., Inh.-einheit, Erw. Preisgütt, CPV, EK-Vol., Einhei Neu, Alt. erf., Anbr. erw., Zielpreis, and Währung. The table contains 10 rows of data. To the right of the table is a vertical list of 'Aktionen' (Actions) for each row. The interface includes various controls like checkboxes, dropdowns, and buttons for 'Hinzufügen', 'Massenänderung', and 'Ausgewählte Elemente...'.

Los	Art-nr.	Art-name	WG	WG St. 1	WG St. 2	Kategorie	Geb.-einheit	Geb.-inh.	Inh.-einheit	Erw. Preisgütt	CPV	EK-Vol.	Einhei Neu	Alt. erf.	Anbr. erw.	Zielpreis	Währung
2	10049	MIXED PICKLES 0.37...	34	105	205	Grundsoriment	GL	1	GL	14 Tage	1	GL	Ja	Nein	Nein		EUR
2	10050	BOHNEN SALAT 2.6...	34	105	205	Grundsoriment	KTN	2	GL	14 Tage	1	KTN	Ja	Nein	Nein		EUR
1	10051	SCHNITTKÄSE PFEF...	12	103	203	Grundsoriment	PCK	0,5	KG	14 Tage	1	PCK	Ja	Nein	Nein		EUR
1	10052	SCHNITTKÄSE TOM...	12	103	203	Grundsoriment	PCK	0,5	KG	14 Tage	1	PCK	Ja	Nein	Nein		EUR
1	10053	HERREN KUCHEN	47	108	207	Grundsoriment	KTN	3,2	KG	14 Tage	1	KTN	Ja	Nein	Nein		EUR
1	10054	BAGUETTE GASTR...	21	104	204	Grundsoriment	KTN	5,28	KG	14 Tage	1	KTN	Ja	Nein	Nein		EUR
2	10055	PETERSILIE GLATT	8	102	202	Grundsoriment	ST	0,2	KG	14 Tage	1	ST	Ja	Nein	Nein		EUR
2	10055	PETERSILIE GLATT	8	102	202	Grundsoriment	DS	1	DS	14 Tage	1	DS	Ja	Nein	Nein		EUR
1	10064	MANDARIN ORANG...	38	105	205	Grundsoriment	KTN	4	KG	14 Tage	1	KTN	Ja	Nein	Nein		EUR
1	10063	KARTOFFEL PÖRRE...	32	105	205	Grundsoriment	DS	1	DS	14 Tage	1	DS	Ja	Nein	Nein		EUR
1	10067	FRUCHTCOCKTAIL...	38	105	205	Grundsoriment	DS	1	DS	14 Tage	1	DS	Ja	Nein	Nein		EUR

Dynamic tabs with simple or semi-complex controls (secondary lists; DMS)

- Nested, semi-scrollable data list
- complex inline editing
- Up to 200 dynamic columns
- bulk export / import

Custom pages / apps

- Common use case modules / mixins
 - DnD, upload, charts, a11y, prototyping...
- Easy to add productivity tooling
 - Runtime model processing / generation
 - Modelling + model-to-text transformation





Custom pages / apps

Limitations / issues

- Ramp-up and productivity
 - Learning curve + dev optimization
- Performance and scalability
 - Heap (ACE-5049), page load (ACE-4812), rendition times (Aikau #958)
- Missing key features
 - Forms framework / doclib
- Rich feature extensions vs. easy lib update





2 years of Aikau

Where are we at / What do we want?






Where are we at?

- GitHub
 - 3.300+ commits, 80+ releases, 15 contributors (primarily Alfresco)
 - Pillars of Aikau: Dave Draper, Martin Doyle
- Product
 - 5 active + 4 prototype pages + header component
 - Individual components in RM and other (?)
- Community
 - 1 „real“ project (<https://github.com/EisenVault>) + several tutorial runs
 - (Partially) adopted by 3 – 5 in #alfresco
 - Unknown adoption by customers / partners



Discussing low adoption within the community





Discussing low adoption within the community

Not always as productive as hoped

- [„The Sad State of Entitled Web Developers“](#)
 - „Etiquette does not end where your keyboard begins.“
 - “No developer tries to build a bad product on purpose.”
- Same issues with ANY other UI library
 - Simplification vs. expert expectations
 - Custom scaffolding / abstraction always required
- Consensus about best web UI dev approach? – Madness!!!





What do we want?

- Clear strategy / timeframe for „updated Share UI“
 - Defined lib + target of X years
 - Eliminate YUI / competing UI libs
- Priority for key functionality / components
 - Who adopts niche UI?
 - Find + fix scalability issues early/earlier
- Extended documentation
 - Architectural / design concepts
 - Implied / expected conventions



Try & adopt Aikau
Provide feedback / requests
(Build utilities if necessary)

Consistent + flexible UI layer
in 5.3 / 6.0?



Dismiss Aikau / discourage its use
Use / push alternative UI library

Increased UI fragmentation
Repeat of Aikau growing pains?
Share replaced with multiple,
isolated clients?



I, for one, welcome our (new) Aikau overlord



* Edward Ryon Makuahana Aikau

No alternatives with net benefits

Conceptionally sound

Org. / tech. Issues easy to address

Thank you



BeeCon 2016