Must haves:

- conditionals
- loops
- functions
- classes
- code comments
- 5+ meaningful commits
- 600 x 800 or 800 x 600

Design a 2D toy with no win or lose conditions, can possibly be a game

Ideas?

- Circus tent?
- Emotion interaction?
- Bubble machine?
-

How would 'Bubble Machine' work?

→When player interacts with the machine, bubbles float up from the machine. Player can even pop the bubbles too!

How do I MAKE this???

```
if=(   )=true(?)=
{
    bubbles!
}
else
{
   no
}
```

~~1. How would making a wheel turn work?~~

~~2~~ Need another Conditional for Poping the bubbles

↳ Mouse drag rotation for the wheel to generate the bubbles! That could be done!

- if conditionals for the bubbles and the wheel

-classes for the bubbles

- ~~looping~~ for the bubbles floating up??? (Ask)

-how do code the Popping when interacting with the bubbles? (Ask)

-finished concept work!

↳ start drawing then code! 1/5 pushes

-Public class Game

↳ Color color = Random.color();
↳ (refrence for all bubbles?)

-Add additional circle for handle

↳ handle code does not look chem? (check)

class for the bubbles where???

-if conditionals for the wheel and bubble generation

↳ if can't do mouse drag, then mase (left click?)?

215 - Need to include

~~3~~ Functions x4 Commit x5

~~5~~ ~~classes x3~~ (two is good enough)

~~*@$#!~~

For loops x2 → asethic only (okay...)

How tf can I do

Bubbles (class) 1

↳ if clicked, popped
GetMouseInput?

- Cart movement → object / fenction

-handle → function???

-Cart itself? → class? 2

Bubbles

~~Cart Movement~~

Cart

Bubble generation?

loops

-scrap cart, use the loops to fake movement!

→bubble ~~object~~ class

↳ void Bubble ( )

{

any code written for bubble

}

→ Public void = BubbleColor = Random.Color;

~~Vector2 speed = new Vector2;~~

0.01

-use float for the speed of the bubbles

speed = Random.Float(min, max);

-class objects don't need to be in two cs's!

-objects moves along the y axis!

↳ y += speed * Time.DeltaTime

Postioning

```
if (y > 650)
{
    y = -50;?
}
```

```
void RandomizeNewBubble(); // Function1
speed = Random.float(); // object?
BubbleColor = Random.Color();
X = Random.Float(350, 550);?
```

new bubble spawn

for Bubble -> class

Setting up new bubbles

Bubble1 -> object + new Bubble();

Don't forget to do the same with Setup and Update in the Game.cs!

Ex- Bubble1.Setup/Update();

TO-DO

-Bubbles
- Bubbles aren't moving
- The if operator? ✓

-background boats

-Process work

-for loop clouds and Sun(???)

if (Input.IsMouseButtonPressed(MouseButton.Left) == true
{

??? ... y=0;

}

```
for (int i=0; i<4, i++)
{
    int x = i * 60 + 40 * Time.SecondsElapsed
}
```

- Add additional Bubble objects ✓


```
Void DrawCloud();
{
    draw code x, y w, h
}
```


function


Add for Loop for bubbles?

Cloud not showing up... (fixed that!)

- How to declare function???
  - Declare outside the update, then place the function where ever!


50
100
150
200
250
300
350
400
450
500
550
600
Pixel Paper - 800 x 600
Graph Paper for Screen Coordinates


50
100
150
200
250
300
350
400
450
500
550
600
250, 400
Pixel Paper - 800
Graph Paper for Screen Co


1-150,350
2-220,350
3-220,370
4-150,370
carriage handle
200,350
1x
2x
4x
3x
handle?
wheel for bubbles
carriage
350,300
550,300
chute for bubbles
400,350
500,350
550,350
250,500
500,500
wheels

- Possibly a function!
  - Add carriage as class (this is an object!)
  - Add Mountains as ~~for loop~~ class! + function
  - .
  - for loops are just drawings!
    - x Need one more class!
      - Grass for loop?
      - Sun Class??? → for loop!
        ...
    - x draws can be in classes and for loops!

Mountains = class +1 + function ~~+for loop~~

Clouds = ~~for loop + function~~ ✓

Grass = for loop +1 + function +1

Sun = ~~for loop~~ +1 ~~+ class~~ ✓

~~Bubbles = + class~~ ✓