

3D Pomodoro Timer – Roadmap

WHAT IS POMODORO?

The pomodoro technique is a popular time-management method designed to help people stay focused and avoid mental fatigue. It was developed in the late 1980s by **Francesco Cirillo**, a university student at the time who was struggling to stay productive.

The name comes from the Italian word for “Tomato” (pomodoro).

❖ How it works:

1. **Choose a task** you want a simple, repetitive cycle.
2. **Set a timer for 25 minutes** (This interval is called one pomodoro)
3. **Work exclusively on the task until the timer rings.** If a distraction pops up, write it down and immediately get back to the task.
4. **Take a short 5-minute break after each pomodoro.** Step away from your desk, stretch, or grab water.
5. **Repeat the cycle.** After completing **4 Pomodoro's**, take a long break of 15 to 20 minutes.
6. **The Pomodoro is Indivisible.** If you finish a task early, use the remaining time for "overlearning" or reviewing. If you get interrupted, you must either end the Pomodoro there or postpone the distraction.

❖ Objective of this technique:

1. **Combats Procrastination:** It's easier to commit to just 25 minutes of work than an indefinite "afternoon of studying."
2. **Maintains "Flow":** By scheduling breaks before you get tired, you keep your mental energy high throughout the day.
3. **Reduces Burnout:** The mandatory breaks prevent that "fried" feeling after long hours of work.
4. **Tracks Time:** You start to learn exactly how many "Pomodoro's" a certain task actually takes.

Project Idea

Create a visually engaging Pomodoro timer where a 3D object (apple, orange, tomato) represents the countdown. Users can focus on tasks while tracking time in a fun and interactive way, without unnecessary stats or distractions.

Target Users

1. Students studying or preparing for exams
2. Office workers / freelancers needing focused sessions
3. Anyone using the Pomodoro technique

Core Features (MVP)

1. 3D Timer Object
2. Rotates to 0 from the described time by the user or by default.
3. Timer Controls
4. Start / Pause / Reset
5. Configurable focus and break durations
6. Optional Sound Cue
7. Gentle alarm when session ends
8. Minimal UI
9. Clean, distraction-free layout\
10. Report of the usage and no of pomodoro

Tech Stack

1. Frontend: HTML + Three.js (for 3D visualization)
2. Backend (optional): Python (FastAPI) if you want session tracking or login later
3. Storage (optional): SQLite
4. Deployment: Free cloud hosting (GitHub Pages for frontend-only, PythonAnywhere / Render / Railway for backend)

My visualization

Memo No. _____
Date ____/____/____

Mo Tu We Th Fr Sa Su

My vision on how the project will look and function.

1. Looks:

It's a website with 3D pomodoro that works like a time. The website is modern, the 3D object is realistic.

Background: Plain or black with particle moving.

3D-object: Floating in the background.

2. Working:

Pomodoro should be interactive. To set the time users can rotate the timer to their preferred time (standard is 25 min). Like a counter counts in backward, here the pomodoro should rotate to signify the timer movement.

3. 3D-Pomodoro:

I have imagined pomodoro like apple that is split and in between is the timer. The upper part is the one rotating and moving.

Memo No. _____
Date ____/____/____

Mo Tu We Th Fr Sa Su

My image of 3D-Pomodoro:

Note: The user don't have to log-in to use the pomodoro.

Note: The analytics part is just in case or we can say future updates. But we can have something similar.

3D Pomodoro can be other than apple. E.g. for a car

This mean a student can look at time he has taken into Per subied.

Success Criteria

1. Timer visually represents time clearly
2. Timer runs accurately (focus and break durations)
3. Easy for users to start a session without instructions
4. Engaging enough that users prefer it over existing block-style timers

Optional Future Enhancements

1. Theme customization (colors / shapes)
2. Track streaks and sessions locally or in the cloud
3. Mobile-friendly version
4. Rewards for no of Pomodoro's user collect.