+ aluc	PWM_CONTROL	Header, 6-Pin	HDR1X6	Quantity
		C0805C104K8RACTU.	A I I NAME OF	
0.047μF	10V	Ceramic Capacitor X7R 0805 (2012	C0805	
		C0805C104K8RACTU. 0.1µF ±10% 10V		
1μF	10V	Ceramic Capacitor	C0805	
		Metric)		
		C0805C103K8RAC7800 10000pF +10% 10V		
		Ceramic Capacitor		
0.1uF		, C0805C104K8RACTU.	C0805	
		0.1µF ±10% 10V Coramic Canacitor		
		X7R 0805 (2012		
		Metric)		
		C0805C104K8RACTU.		
		0.1μF ±10% 10V		
1000pF		X7R 0805 (2012	C0805	
4.7uF		Ceramic Capacitor	C0805	
4.70				
		0.1µF ±10% 10V		
		Ceramic Capacitor		
		Metric)		
1uF		, CL21B105KPFNNNE.	C0805	
		Ceramic Capacitor		
		X7R 0805 (2012		
		·		
100uF	100V	(Surface Mount)	C0805	<u></u>
		C0805C225K8RACAUT		
2 2uF	10V	Ceramic Capacitor	C0805	
z.zur	104	X7R 0805 (2012	CU0U3	
				<u></u>
		C0805C104K8RACTU.		
10.5	1001		CORDE	
IUUF	IUV	X7R 0805 (2012	LU805	
		C0805C104K8RACTU.		
0.4.5	4001	Ceramic Capacitor	00005	
0.1uF	10V	X7R 0805 (2012	C0805	
		Metric)		
10uF	100V	Polarized Capacitor	C0805	
		C0805C104K8RACTU.		
		0.1µF ±10% 10V		
0.1μF	10V	Ceramic Capacitor X7R 0805 (2012	C0805	
		Metric)		
		C0805C103K8RAC7800		
		. 10000pF ±10% 10V		
10nF		Ceramic Capacitor X7R 0805 (2012	C0805	
		Metric)		
		C0805C104K8RACTU.		
		0.1µF ±10% 10V		
2200pF	10V	Ceramic Capacitor X7R 0805 (2012	C0805	
		Metric)		
		C0805C104K8RACTU.		
		0.1μF ±10% 10V		
C30, C31 28pF	10V		C0805	
		Metric)		
		C0805C104K8RACTU.		
		0.1µF ±10% 10V		
47nF	10V	Ceramic Capacitor X7R 0805 (2012	C0805	
		Metric)		ı
	i .			
		Typical RED, GREEN,		
	RED	YELLOW, AMBER	3.2X1.6X1.1	
	RED TMUX1208PWR	YELLOW, AMBER GaAs LED	3.2X1.6X1.1 SOP65P640X120-16N	
		YELLOW, AMBER GaAs LED Integrated Circuit WP-THRBU REDCUBE		
		YELLOW, AMBER GaAs LED Integrated Circuit WP-THRBU REDCUBE THR internal through- hole thread,		
	TMUX1208PWR	YELLOW, AMBER GaAs LED Integrated Circuit WP-THRBU REDCUBE THR internal through- hole thread, 10x10mm, M4x3mm,	SOP65P640X120-16N	
	TMUX1208PWR M4x3mm CAN	YELLOW, AMBER GaAS LED Integrated Circuit WP-THRBU REDCUBE THR internal through- hole thread, 10x10mm, Mtx3mm, 8 pins, 85A Header, 4-Pin	SOP65P640X120-16N 74650094 HDR1X4	
	TMUX1208PWR M4x3mm CAN PROGRAMMING	YELLOW, AMBER GAS LED Integrated Circuit WP-THRBU REDCUBE THR internal through- hole thread, 10x10mm, M4x3mm, 8 pins, 85A	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7	
	TMUX1208PWR M4x3mm CAN	YELLOW, AMBER GAS LED Integrated Circuit WP-THRBU REDCUBE THR Internal through- hole thread, 10x 10mm, M4x3mm, 8 pins, 85A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DM3D-SF-MFG	
	TMUX1208PWR M4x3mm CAN PROGRAMMING	YELLOW, AMBER GAS LED Integrated Circuit WP-THRBU REDCUBE THR internal through- hole thread, 10x 10mm, Mx3mm, 8 pins, 85A Header, 4-Pin Header, 7-Pin CONN MICRO SD	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7	
	TMUX1208PWR M4x3mm CAN PROGRAMMING DM3D-SF NMOS-2	YELLOW, AMBER GAS LED Integrated Circuit WP-THRBU REDCUBE THR Internal through- hole thread, 10x 10mm, Mx3mm, 8 pins, 854 Header, 4-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47 0-3	
	TMUX1208PWR M4x3mm CAN PROGRAMMING DM3D-SF	YELLOW, AMBER GAS LED Integrated Circuit WP-THRBU REDCUBE THR Internal through- hole thread, 10x10mm, M4x3mm, 8 pins, 85A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power	74650094 HDR1X4 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47	
	TMUX1208PWR Mix2mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330	VELLOW, AMBER GAA' LED Integrated Circuit WP-1HRBU RED-UBE HPRI Internal Through-hole thread, 10t 10mm, Mkd.Smm, 8 pins, 85A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor 0603 - Resistor	
	TMUX1208PWR Mix2mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u	VELLOW, AMBER GAA's LED Integrated Circuit WP-THRBU REDCUBE THR Internal Through-hole thread, 10ts 10mm, Mkd Smm, 8 pins, 85A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor Resistor Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DM3B0-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor 0603 - Resistor 0603 - Resistor	1
	TMUX1288PWR Mix3mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2x 100	VELLOW, AMBER GAAS-LED Integrated Circuit WPT-HRBRU REDCLEE THR Internal through- hole thread. 10st Iomn, Mkr.3mm, Spins, BSA Header, 4-Pin Header, 7-Pin Header, 7-Pin Header, 5-Pin Resistor Resistor Resistor Resistor Resistor Resistor Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	
	TMUX1208PWR Mix2mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u	VELLOW, AMBER GAAS-LED Integrated Circuit PMP-THRBU REDCUBE THR Internal through- hole thread, 10s 10mm, Mrk.2mm, 8 pins, 854, Header, 4-Pin Header, 7-Pin CONN MICRO SD. CONN MICRO SD. Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DM3B0-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor 0603 - Resistor 0603 - Resistor	1
	TMUX1288PWR Mix3mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2x 100	VELLOW, AMBER GAAS-LED Integrated Circuit WP-THRBU REDCUBE THR Internal through-hole thread, 10x 10mm, Mrk 3mm, 8 pins, 88A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
120	TMUD/1208PWR M4x3mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2x 100 50k	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Proposition That Integrated Circuit That Internal through- hole thread, Too timm, Makchma Too t	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
120	TMUX1288PWR Mix3mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2x 100	VELLOW, AMBER GAAS-LED Integrated Circuit PMP-THRBU REDCUBE THR Internal through- hole thread, 10x 10mm, Mrk.2mm, 8 pins, 65A Beader, 4-Pin Header, 7-Pin CONN MICRO SD CORR PUSH-PULL N-Charnel Power MOSFET Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
120	TMUD/1208PWR M4x3mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2x 100 50k	VELLOW, AMBER GAAS-LED Integrated Circuit PMP-THRBU REDCUBE THR Internal through- hole thread, 10x 10mm, Mrk.3mm, 8 pins, 65A Byans, 65A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
120	TMUX1208PWR M4x3mm M4x3mm CAN PROCRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2k 100 55k	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit PNP-THRBU REDCUSE THR Internal through-hole thread, 10x 10mm, Mrk.Zhm, 8 pins, 85A By B	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
120	TMUD/1208PWR M4x3mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2x 100 50k	VELLOW, AMBER GAAS-LED Integrated Circuit PMP-THRBU REDCUBE THR Internal through- hole thread, 10x 10mm, Mrk.3mm, 8 pins, 65A Byans, 65A Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
120	TMUX1208PWR M4x2mm M4x2mm AMx2mm AMx2mm PROGRAMMING DMSD-SF NIMOS-2 10k 330 500u 2.28 100 50k 5%	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Integrated Circuit PRE Internal through- hole thread. Header, 4-Pin Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47 0603 - Resistor	1
120	TMUX120SP-WR M4x2mm M4x2mm CAN PROGRAMMING DMSD-SF NMOS-2 10k 330 500u 2.2k 100 50k 5%	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit PNP-THRBU REDCUSE THR Internal through-hole thread, 10x 10mm, Mrk.Zhm, 8 pins, 85A By 10s, 85A By 10s	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47 0603 - Resistor	1
120	TMUX1208PWR M4x3mm CAN PROCRAMMING DMSD-SF NMOS-2 10k 20 509u 508 506 10k	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Integrated Circuit PRE Internal through- hole thread. Header, 4-Pin Header, 4-Pin Header, 7-Pin CONN MICRO SD CARD PUSH-PULL N-Channel Power MOSFET Resistor	SOP65P640X120-16N 74650094 HORTIXA HORTIXA HORTIXA FP-DMSD-SF-MFG TO254P1651X1067X47 0603 - Resistor	1
120	TMUX1208PWR M4x2mm M4x2mm AMx2mm AMx2mm PROGRAMMING DMSD-SF NIMOS-2 10k 330 500u 2.28 100 50k 5%	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit PNP-THRBU REDCUSE THR Internal through-hole thread, 10x 10mm, Mrk.Zhm, 8 pins, 85A By 10s, 85A By 10s	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG T0254P1651X1067X47 0603 - Resistor	1
120	TMUX1208PWR M4x3mm CAN PROCRAMMING DMSD-SF NMOS-2 10k 20 509u 508 506 10k	VELLOW, AMBER GAAS, LED Integrated Circuit Integrated Circuit Integrated Circuit This Internal through- hole thread, Tok Internal through- Header, 7-Pin CONN MIGROS D CARP DYSH-PULL N-Channel Power MOSFET Resistor R	SOP65P640X120-16N 74650094 HORTIXA HORTIXA HORTIXA FP-DMSD-SF-MFG TO254P1651X1067X47 0603 - Resistor	1
120	TMUX1208PWR M4x3mm CAN PROCRAMMING DMSD-SF NMOS-2 10k 20 509u 508 506 10k	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Integrated Circuit PRE-Integrated Circuit PRE-Integrated Circuit PRE-Integrated Circuit PRE-Integrated Circuit PRE-Integrated Circuit Resident Alpha Septimes Addition Splins SRS-Addition PRE-Integrated Program MOSFET PRE-Integrated Program Resistor Res	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG TO254P1651X1067X47 0603 - Resistor	1
	TMUX120SPWR M4x2mm M4x2mm CAN PROGRAMMING DM05-2 10k 330 500u 2.2k 100 50k 50k SW-PB	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit PNP-THRBU REDCUBE THRR Internal through- hole thread, No. Idom, McKdmm, No. Idom, McKdmm, No. Idom, McKdmm, Header, A-Pin CONN MicRo SD CARD PUSH-PULL N-Channel Power MOSFET Resistor Re	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG TO254P1651X1067X47 0603 - Resistor	1
	TMUX1208PWR M4x3mm M4x3mm CAN PROCRAMMING DMSD-SF NMOS-2 10k 330 500 50k 5% 5% SW-PB SW-PB	vELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit PWP-THRBU REDCUSE THR Internal through-hole thread, 10x 10mm, MikcZimm, 8 pins, 85A By 10s, 85A By 10	SOP6-SP640X120-16N 74650094 HDR1XA HDR1XA HDR1XY FP-DM3D-SF-MFG T0254P1651X1067X47 0-3 0603 - Resistor	1
	TMUX120SPWR M4x2mm M4x2mm CAN PROGRAMMING DM05-2 10k 330 500u 2.2k 100 50k 50k SW-PB	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit WPP-THRBU REDCUSE THR Internal through-hole thread, 10x 10mm, Mrk.2mm, 8 pins, 85A Bonn, 85A Bo	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 FP-DM3D-SF-MFG TO254P1651X1067X47 0603 - Resistor	1
	TMUX120SPWR M4x2mm M4x2mm CAN PROGRAMMING DM05-2 10k 330 500u 2.2k 10o 50k 50k 50k 50k 50k 50k 50k 5	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Property of the Committee of t	SOP6-SP-640X120-16N 74650094 HDR1X4 HDR1X7 HDR1X7 T0254P1651X1067X47 0-3 T0254P1651X1067X47 0-3 G003 - Resistor 0603 - Resistor	1
	TMUX1208PWR M4x3mm M4x3mm M4x3mm M5x3mm M	VELLOW, AMBER GAAS, LED Integrated Circuit Integrated Circuit Properties THR Internal through- hole thread, 10x 10mm, MikiCamp, 10x 10mm, 10x 10mm	SOP6-SP-640X120-16N 74650094 HDR11X4 HDR1X7 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0003 - Resistor 0603 - Resistor 11-0603 PTS-0603 T0504 - T050	1
	TMUX1208PWR M4x3mm CAN PROCRAMMING DMSD-SF NIMOS-2 10k 330 500u 2.26 500u 500 10k 500u 50u 500u 50u 50	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit PNP-THRBU REDCUBE THR Internal through- hole thread, hole thread, Resider, APIn Header, APIn Header	SOP6-SP6-40X120-16N 74650094 HDR1X4 HDR1X4 HDR1X7 FD-DMID-SF-MFG T025-91-961-X1067-X47 0603 - Resistor 11 - NORTH	1
	TMUX1208PWR M4x3mm M4x3mm M4x3mm M5x3mm M	VELLOW, AMBER GAAS, LED Integrated Circuit Integrated Circuit Properties THR Internal through- hole thread, 10x 10mm, MikiCamp, 10x 10mm, 10x 10mm	SOP6-SP-640X120-16N 74650094 HDR11X4 HDR1X7 HDR1X7 FP-DMSD-SF-MFG T0254P1651X1067X47 0-3 0003 - Resistor 0603 - Resistor 11-0603 PTS-0603 T0504 - T050	1
	TMUR1208PWR M4x3mm M4x3mm M4x3mm DM60-SF NMOS-2 10k 30 30 30 30 50h 50h 50h 50h 50	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Integrated Circuit Personal Circuit Personal Circuit Resistor Resist	SOP65P640X120-16N 74650094 HDR1X4 HDR1X7 FP-DM3D-SF-MFG TO254P1651X1067X47 0-3 6603 - Resistor 0603 - Resistor 11-0603 OFFINITE OFFIN	1
	TMUX1208PWR M4x3mm M4x3mm CAN PROCRAMMING DMSD-SF NMOS-2 10k 330 500u 200 50k 500 50k 500 50c 50c 50c 5	VELLOW, AMBER GAAS LED Integrated Circuit Integrated Circuit Integrated Circuit Personal Circuit Personal Circuit Resistor Resist	SOP6-SP640X120-16N 74650094 HDR1X4 HDR1X4 HDR1X7 HDR1X6	1
	1µF 100pF 100pF 4.7uF 100uF 10uF 10uF 10uF 2.2uF 10uF	PWM. CONTROL USERTIT	PMM_CONTROL Header 6-Pin USSDHIP Considerometer	PMM_CONTROL USSIDHTR Considermenter USSIDHTR CORREST-ONE-REALTU USSIDHTR USSIDHTR











