

ASSIGNMENT 02

SUBMITTED BY – VIDHAN AGARWAL

B.tech

CSE

1ST YEAR

Create Professional Calculator Sample Interface should be as shown below?

```
=====
PROFESSIONAL CALCULATOR
=====

1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Modulus
6. Square
7. Cube
8. Power
9. Percentage
10. Exit
=====

Enter Your Choice : 1
```

Enter First Number : 50

Enter Second Number : 20

Result = 70.00

=====

Do you want to use this Professional Calculator Again? Press (Y/N): Y

If Y it should start again from the beginning otherwise program should stopped?

CREATED BY VIDHAN AGARWAL

SOLUTION

```
#include <stdio.h>
```

```
int main() {
```

```
    int a,b,ch,ans=1;
```

```
    char more;
```

```
    printf("WELCOME TO THE PROFESSIONAL  
CALCULATOR !!\n");
```

```
    printf("THIS CALCULATOR IS CREATED BY VIDHAN  
AGARWAL !!\n");
```

```
    do{
```

```
        printf("WHICH OPERATION DO YOU WANT TO  
PERFORM?\nSELECT THE OPERATION NUMBER(1 TO  
10) FROM THE LIST GIVEN BELOW :-\n");
```

```
        printf("1. ADDITION\n");
```

```
        printf("2. SUBTRACTION\n");
```

```
        printf("3. MULTIPLICATION\n");
```

```
        printf("4. DIVISION\n");
```

```
printf("5. MODULUS\n");

printf("6. SQUARE\n");

printf("7. CUBE\n");

printf("8. POWER\n");

printf("9. PERCENTAGE\n");

printf("10. EXIT\n");

scanf("%d",&ch);

if(ch==1){

    printf("ENTER FIRST NUMBER:");

    scanf("%d",&a);

    printf("ENTER SECOND NUMBER:");

    scanf("%d",&b);

    printf("THE ADDITION OF %d AND %d IS

%d",a,b,a+b);

}
```

```
else if(ch==2){

    printf("ENTER FIRST NUMBER:");

    scanf("%d",&a);

    printf("ENTER SECOND NUMBER:");

    scanf("%d",&b);

    printf("THE SUBTRACTION OF %d AND %d IS
%d",a,b,a-b);

}

else if(ch==3){

    printf("ENTER FIRST NUMBER:");

    scanf("%d",&a);

    printf("ENTER SECOND NUMBER:");

    scanf("%d",&b);

    printf("THE MULTIPLICATION OF %d AND %d IS
%d",a,b,a*b);

}
```

```
else if(ch==4){

    printf("ENTER FIRST NUMBER:");

    scanf("%d",&a);

    printf("ENTER SECOND NUMBER:");

    scanf("%d",&b);

    printf("THE DIVISION OF %d AND %d IS
%d",a,b,a/b);

}

else if(ch==5){

    printf("ENTER FIRST NUMBER:");

    scanf("%d",&a);

    printf("ENTER SECOND NUMBER:");

    scanf("%d",&b);

    printf("THE REMAINDER IS %d",a%b);

}
```

```
else if(ch==6){
```

```
    printf("ENTER NUMBER:");
```

```
    scanf("%d",&a);
```

```
    printf("THE SQUARE OF %d IS %d",a,a*a);
```

```
}
```

```
else if(ch==7){
```

```
    printf("ENTER NUMBER:");
```

```
    scanf("%d",&a);
```

```
    printf("THE CUBE OF %d IS %d",a,a*a*a);
```

```
}
```

```
else if(ch==8){
```

```
    printf("ENTER BASE NUMBER:");
```

```
    scanf("%d",&a);
```

```
    printf("ENTER POWER NUMBER:");
```

```
    scanf("%d",&b);
```

```
for(int i=1;i<=b;i++){  
    ans*=a;  
}  
  
printf("THE VALUE OF %d RAISED TO THE  
POWER %d IS %d",a,b,ans);  
  
}  
  
else if(ch==9){  
    printf("ENTER FIRST NUMBER:");  
    scanf("%d",&a);  
    printf("ENTER SECOND NUMBER:");  
    scanf("%d",&b);  
    printf("THE PERCENTAGE OF %d IN %d IS  
%.2f%%",a,b,((float)a/b)*100);  
}  
  
else{  
    printf("BYE BYE !!!\nVISIT US SOON");
```



```
        break;

    }

    printf( "\nDO YOU WANT TO PERFORM MORE
OPERATIONS? PRESS(Y/N):");

    scanf(" %c",&more);

}while (more == 'y' || more == 'Y');

printf("BYE BYE !!!\nVISIT US SOON");

return 0;

}
```

CREATED BY VIDHAN AGARWAL