



IUS
INSTITUT
UNIVERSITAIRE
DES SCIENCES

Institut Universitaire des Sciences – IUS

Faculté des Sciences et Technologie – FST

TD_1

Cours : *Sécurité informatique et Cybersécurité*

Soumis au Chargé de cours : Ismael SAINT AMOUR

Niveau : L4_Sciences_Informatiques



Parcours : Informatique et Gestion



Préparé par Robaldo BADIO



Le 09/11/2025



Travaux Dirigés



1. Créez une nouvelle machine virtuelle dans VirtualBox ou VMware.
2. Installez Kali Linux en suivant les étapes d'installation graphique.
3. Mettez à jour le système après l'installation.
4. Créer une structure de dossiers :










































```
Kali-Cyber [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
ius@Cyber: ~
Session Actions Éditer Vue Aide
(ius@Cyber)-[~]
$ sudo apt update
[sudo] Mot de passe de ius :
Réception de : 1 http://kali.download/kali kali-rolling InRelease [34,0 kB]
Réception de : 2 http://kali.download/kali kali-rolling/main amd64 Packages [20,9 MB]
Réception de : 3 http://kali.download/kali kali-rolling/main amd64 Contents (deb) [52,3 MB]
Ign : 3 http://kali.download/kali kali-rolling/main amd64 Contents (deb)
Réception de : 4 http://kali.download/kali kali-rolling/contrib amd64 Packages [114 kB]
Réception de : 5 http://kali.download/kali kali-rolling/contrib amd64 Contents (deb) [259 kB]
Err : 3 http://http.kali.org/kali kali-rolling/main amd64 Contents (deb)
Le fichier a une taille incohérente (52230183 ≠ 52276441). Le miroir est peut-être en cours d
: 104.17.254.239 80]
Réception de : 6 http://kali.download/kali kali-rolling/non-free amd64 Packages [186 kB]
Err : 3 http://http.kali.org/kali kali-rolling/main amd64 Contents (deb)
Le fichier a une taille incohérente (52230183 ≠ 52276441). Le miroir est peut-être en cours d
: 104.17.254.239 80]
404 Not Found [IP : 54.39.128.230 80]
Réception de : 7 http://kali.download/kali kali-rolling/non-free amd64 Contents (deb) [893 kB]
Réception de : 8 http://kali.download/kali kali-rolling/non-free-firmware amd64 Packages [11,3 k
Réception de : 9 http://kali.download/kali kali-rolling/non-free-firmware amd64 Contents (deb) [
22,5 Mo réceptionnés en 22s (1 040 ko/s)
Erreur : Impossible de récupérer http://http.kali.org/kali/dists/kali-rolling/main/Contents-amd6
P : 54.39.128.230 80]
Erreur : Le téléchargement de certains fichiers d'index a échoué, ils ont été ignorés, ou les an
és à la place.
(ius@Cyber)-[~]
$ sudo apt upgrade -y
Sommaire :
Mise à niveau de : 0. Installation de : 0Supprimé : 0. Non mis à jour : 0
```


```
(ius@Cyber)~]$ sudo apt dist-upgrade -y
Sommaire :
  Mise à niveau de : 0. Installation de : 0 Supprimé : 0. Non mis à jour : 0

(ius@Cyber)~]$ sudo apt update
Réception de : 1 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling InRelease
[34,0 kB]
Réception de : 2 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Packages [20,9 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
Réception de : 3 http://us.mirror.ionos.com/linux/distributions/kali/kali kali-rolling/main amd64
4 Contents (deb) [52,3 MB]
65% [3 Contents-amd64 20,3 MB/52,3 MB 39%] 151 kB/s 3min 31s
```

Créez un dossier cybersec avec trois sous-dossiers :scan, logs, scripts.

Afficher la structure du répertoire cybersec avec tree.

Ajoutez un fichier notes.txt dans scan et logs.



```
ius@Cyber: ~/Bureau/cybersec
Session Actions Éditer Vue Aide
cd: aucun fichier ou dossier de ce nom: bureau

(ius@Cyber)-[~]
$ rm -r cybersec

(ius@Cyber)-[~]
$ mkdir desktop cybersec

(ius@Cyber)-[~]
$ rm -r desktop cybersec

(ius@Cyber)-[~]
$ cd desktop
cd: aucun fichier ou dossier de ce nom: desktop

(ius@Cyber)-[~]
$ cd
$ ls
Bureau Documents Images Modèles Musique Public Téléchargements Vidéos

(ius@Cyber)-[~]
$ cd Bureau

(ius@Cyber)-[~/Bureau]
$ mkdir cybersec

(ius@Cyber)-[~/Bureau]
$ ls
cybersec

(ius@Cyber)-[~/Bureau]
$ cd cybersec


(ius@Cyber)-[~/Bureau/cybersec]
$ mkdir scan logs scripts

(ius@Cyber)-[~/Bureau/cybersec]
$ tree
.
├── logs
├── scan
└── scripts

4 directories, 0 files

(ius@Cyber)-[~/Bureau/cybersec]
$
```


Ajoutez du contenu dans les fichiers textes (notes.txt), puis affichez le contenu des fichiers.



```
Kali-Cyber [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
ius@Cyber: ~/Bureau/cybersec/scan
Session Actions Éditer Vue Aide
(ius@Cyber)-[~/Bureau/cybersec/scan]
$ echo "Bonsoir, ceci c'est un teste dans le cadre du cours de l'etique IA" notes.txt
Bonsoir, ceci c'est un teste dans le cadre du cours de l'etique IA notes.txt
(ius@Cyber)-[~/Bureau/cybersec/scan]
$ echo "Bonsoir, ceci c'est un teste dans le cadre du cours de l'etique IA"> notes.txt
(ius@Cyber)-[~/Bureau/cybersec/scan]
$ cat notes.txt
Bonsoir, ceci c'est un teste dans le cadre du cours de l'etique IA
(ius@Cyber)-[~/Bureau/cybersec/scan]
$ cp notes.txt ../scripts
(ius@Cyber)-[~/Bureau/cybersec/scan]
$ cd ..
(ius@Cyber)-[~/Bureau/cybersec]
$ cd scripts
(ius@Cyber)-[~/Bureau/cybersec/scripts]
$ ls
notes.txt
(ius@Cyber)-[~/Bureau/cybersec/scripts]
$ cp note.txt ../scan/notescopie.txt
cp: impossible d'évaluer 'note.txt': Aucun fichier ou dossier de ce nom
(ius@Cyber)-[~/Bureau/cybersec/scripts]
$ cd ..
```

Copiez le fichier (notes.txt) dans le sous-dossier scripts.

Vérifier si le fichier a été copié.

Déplacez le fichier (notes.txt) dans le sous-dossier scan.

Supprimez le fichier (notes.txt) dans le sous-dossierscripts.

Vérifier si le fichier a été supprimé.

Supprimez les sous-dossiers : scan, logs, scripts. Vérifier si les sous-dossiers ont été supprimés.

```
Session Actions Éditer Vue Aide
(ius@Cyber) - [~/Bureau/cybersec/scripts]
$ cd ..
(ius@Cyber) - [~/Bureau/cybersec]
$ cd scan
(ius@Cyber) - [~/Bureau/cybersec/scan]
$ ls
notescopie.txt  notes.txt
(ius@Cyber) - [~/Bureau/cybersec/scan]
$ cd ..
(ius@Cyber) - [~/Bureau/cybersec]
$ cd scripts
(ius@Cyber) - [~/Bureau/cybersec/scripts]
$ mv notes.txt ../scan
(ius@Cyber) - [~/Bureau/cybersec/scripts]
$ cd ..
(ius@Cyber) - [~/Bureau/cybersec]
$ cd scan
(ius@Cyber) - [~/Bureau/cybersec/scan]
$ ls
notescopie.txt  notes.txt
(ius@Cyber) - [~/Bureau/cybersec/scan]
$ cd ..
(ius@Cyber) - [~/Bureau/cybersec]
$ cd scripts
(ius@Cyber) - [~/Bureau/cybersec/scripts]
$ ls
(ius@Cyber) - [~/Bureau/cybersec/scripts]
$ cd ..
(ius@Cyber) - [~/Bureau/cybersec]
$ rm -r scan logs scripts
(ius@Cyber) - [~/Bureau/cybersec]
$ ls
(ius@Cyber) - [~/Bureau/cybersec]
$
```

5. Scanner un réseau :

ifconfig ou ip a : Affiche les informations réseau.

6. Exécuter ces commandes

```
Session Actions Éditer Vue Aide
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host noprefixroute
valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen
1000
link/ether 08:00:27:89:48:01 brd ff:ff:ff:ff:ff:ff
inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0
valid_lft 82413sec preferred_lft 82413sec
inet6 fd00::3c74:2605:43ea:55f7/64 scope global temporary dynamic
valid_lft 85538sec preferred_lft 13538sec
inet6 fd00::a00:27ff:fe89:4801/64 scope global dynamic mngtmpaddr noprefixroute
valid_lft 85538sec preferred_lft 13538sec
inet6 fe80::a00:27ff:fe89:4801/64 scope link noprefixroute
valid_lft forever preferred_lft forever

(ius@Cyber)-[~/Bureau/cybersec]
$ ifconfig
La commande « ifconfig » n'a pas été trouvée, voulez-vous dire :
commande « ifconfig » du deb net-tools
commande « iconfig » du deb ipmiutil
commande « hipconfig » du deb hipcc
commande « iwconfig » du deb wireless-tools
Essayez : sudo apt install <nom du deb>

(ius@Cyber)-[~/Bureau/cybersec]
$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
inet6 fd00::3c74:2605:43ea:55f7 prefixlen 64 scopeid 0<global>
inet6 fd00::a00:27ff:fe89:4801 prefixlen 64 scopeid 0<global>
inet6 fe80::a00:27ff:fe89:4801 prefixlen 64 scopeid 0<link>
ether 08:00:27:89:48:01 txqueuelen 1000 (Ethernet)
RX packets 60433 bytes 78039635 (74.4 MiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 15583 bytes 943422 (921.3 KiB)
TX errors 0 dropped 19 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0<host>
loop txqueuelen 1000 (Boucle locale)
RX packets 8 bytes 480 (480.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 8 bytes 480 (480.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

(ius@Cyber)-[~/Bureau/cybersec]
$
```

```

ix errors 0 dropped 0 overruns 0 carrier 0 collisions 0

(ius@Cyber)-[~/Bureau/cybersec]
$ df -h
Sys. de fichiers Taille Utilisé Dispo Uti% Monté sur
udev                1,9G      0  1,9G   0% /dev
tmpfs               393M    996K 392M   1% /run
/dev/sda1            28G     15G  13G  54% /
tmpfs               2,0G    4,0K  2,0G   1% /dev/shm
tmpfs               5,0M      0  5,0M   0% /run/lock
tmpfs               1,0M      0  1,0M   0% /run/credentials/systemd-journald.service
tmpfs               2,0G    24K  2,0G   1% /tmp
tmpfs               1,0M      0  1,0M   0% /run/credentials/getty@tty1.service
tmpfs               393M    120K 393M   1% /run/user/1000

(ius@Cyber)-[~/Bureau/cybersec]
$ du -sh
4,0K .

(ius@Cyber)-[~/Bureau/cybersec]
$ free -h
              total        utilisée        libre       partagé  tamp/cache    disponible
Mem:          3,8Gi          806Mi          2,5Gi          18Mi          834Mi          3,0Gi
Échange:       1,6Gi              0B          1,6Gi

(ius@Cyber)-[~/Bureau/cybersec]
$ ps aux
USER          PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root             1  0.0  0.3  23840 14428 ?        Ss   15:22   0:02 /sbin/init splash
root             2  0.0  0.0      0     0 ?        S    15:22   0:00 [kthreadd]
root             3  0.0  0.0      0     0 ?        S    15:22   0:00 [pool_workqueue_release]
root             4  0.0  0.0      0     0 ?        I<   15:22   0:00 [kworker/R-kvfree_rcu_reclai
root             5  0.0  0.0      0     0 ?        I<   15:22   0:00 [kworker/R-rcu_gp]
root             6  0.0  0.0      0     0 ?        I<   15:22   0:00 [kworker/R-sync_wq]
root             7  0.0  0.0      0     0 ?        I<   15:22   0:00 [kworker/R-slub_flushwq]
root             8  0.0  0.0      0     0 ?        I<   15:22   0:00 [kworker/R-netns]
root            12  0.0  0.0      0     0 ?        I    15:22   0:00 [kworker/u8:0-ipv6_addrconf]
root            13  0.0  0.0      0     0 ?        I<   15:22   0:00 [kworker/R-mm_percpu_wq]
root            14  0.0  0.0      0     0 ?        I    15:22   0:00 [rcu_tasks_kthread]
root            15  0.0  0.0      0     0 ?        I    15:22   0:00 [rcu_tasks_rude_kthread]
root            16  0.0  0.0      0     0 ?        I    15:22   0:00 [rcu_tasks_trace_kthread]
root            17  0.0  0.0      0     0 ?        S    15:22   0:00 [ksoftirqd/0]
root            18  0.0  0.0      0     0 ?        I    15:22   0:01 [rcu_preempt]
root            19  0.0  0.0      0     0 ?        S    15:22   0:00 [rcu_exp_par_gp_kthread_work
root            20  0.0  0.0      0     0 ?        S    15:22   0:00 [rcu_exp_gp_kthread_worker]
root            21  0.0  0.0      0     0 ?        S    15:22   0:00 [migration/0]
root            22  0.0  0.0      0     0 ?        S    15:22   0:00 [idle_inject/0]
root            23  0.0  0.0      0     0 ?        S    15:22   0:00 [cpuhp/0]

```

```

root            41330  0.0  0.0      0     0 ?        I    16:43   0:00 [kworker/0:2-ata_sff]
ius            43066  200  0.1  9660  4272 pts/0    R+   16:47   0:00 ps aux

(ius@Cyber)-[~/Bureau/cybersec]
$ lspci
00:00.0 Host bridge: Intel Corporation 440FX - 82441FX PMC [Natoma] (rev 02)
00:01.0 ISA bridge: Intel Corporation 82371SB PIIX3 ISA [Natoma/Triton II]
00:01.1 IDE interface: Intel Corporation 82371AB/EB/MB PIIX4 IDE (rev 01)
00:02.0 VGA compatible controller: VMware SVGA II Adapter
00:03.0 Ethernet controller: Intel Corporation 82540EM Gigabit Ethernet Controller (rev 02)
00:04.0 System peripheral: InnoTek Systemberatung GmbH VirtualBox Guest Service
00:05.0 Multimedia audio controller: Intel Corporation 82801AA AC'97 Audio Controller (rev 01)
00:06.0 USB controller: Apple Inc. KeyLargo/Intrepid USB
00:07.0 Bridge: Intel Corporation 82371AB/EB/MB PIIX4 ACPI (rev 08)
00:0b.0 USB controller: Intel Corporation 82801FB/FBM/FR/FW/FRW (ICH6 Family) USB2 EHCI Control
ler
00:0d.0 SATA controller: Intel Corporation 82801HM/HEM (ICH8M/ICH8M-E) SATA Controller [AHCI mo
de] (rev 02)

(ius@Cyber)-[~/Bureau/cybersec]
$ sudo apt install traceroute
[sudo] Mot de passe de ius :
traceroute est déjà la version la plus récente (1:2.1.6-1).
Sommaire :
  Mise à niveau de : 0. Installation de : 0Supprimé : 0. Non mis à jour : 1021

(ius@Cyber)-[~/Bureau/cybersec]
$ traceroute google.com
traceroute to google.com (142.250.64.142), 30 hops max, 60 byte packets
 1  10.0.2.2 (10.0.2.2)  1.829 ms  1.782 ms  1.617 ms
 2  * * *
 3  * * *
 4  * * *
 5  * * *
 6  * * *
 7  *

```

```

(ius@Cyber)-[~/Bureau/cybersec]
$ netstat -tuln
Connexions Internet actives (seulement serveurs)
Proto Recv-Q Send-Q Adresse locale Adresse distante Etat

(ius@Cyber)-[~/Bureau/cybersec]
$ ss tuln
Error: an inet prefix is expected rather than "tuln".
Cannot parse dst/src address.

(ius@Cyber)-[~/Bureau/cybersec]
$ ss -tuln
Netid State Recv-Q Send-Q Local Address:Port Peer Address:Port

(ius@Cyber)-[~/Bureau/cybersec]
$ journalctl
nov 10 09:15:31 Cyber kernel: Linux version 6.12.38+kali-amd64 (devel@kali.org) (x86_64-linux->
nov 10 09:15:31 Cyber kernel: Command line: BOOT_IMAGE=/boot/vmlinuz-6.12.38+kali-amd64 root=U>
nov 10 09:15:31 Cyber kernel: BIOS-provided physical RAM map:
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009fbff] usable
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x000000000009fc00-0x000000000009ffff] reserved
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x00000000000f0000-0x00000000000fffff] reserved
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000000100000-0x00000000000dffff] usable
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x00000000000dffff-0x00000000000dffff] ACPI data
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000000fec00000-0x0000000000fec0ffff] reserved
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000000fee00000-0x0000000000fee0ffff] reserved
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000000fffc0000-0x0000000000ffffffff] reserved
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000100000000-0x000000011fffffff] usable
nov 10 09:15:31 Cyber kernel: NX (Execute Disable) protection: active
nov 10 09:15:31 Cyber kernel: APIC: Static calls initialized
nov 10 09:15:31 Cyber kernel: SMBIOS 2.5 present.
nov 10 09:15:31 Cyber kernel: DMI: innotek GmbH VirtualBox/VirtualBox, BIOS VirtualBox 12/01/2>
nov 10 09:15:31 Cyber kernel: DMI: Memory slots populated: 0/0
nov 10 09:15:31 Cyber kernel: Hypervisor detected: KVM
nov 10 09:15:31 Cyber kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
nov 10 09:15:31 Cyber kernel: kvm-clock: using sched offset of 15153473073 cycles
nov 10 09:15:31 Cyber kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1>
nov 10 09:15:31 Cyber kernel: tsc: Detected 2893.310 MHz processor
nov 10 09:15:31 Cyber kernel: e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
nov 10 09:15:31 Cyber kernel: e820: remove [mem 0x000a0000-0x000fffff] usable
nov 10 09:15:31 Cyber kernel: last_pfn = 0x120000 max_arch_pfn = 0x400000000
nov 10 09:15:31 Cyber kernel: MTRR map: 6 entries (3 fixed + 3 variable; max 35), built from 1>
nov 10 09:15:31 Cyber kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
nov 10 09:15:31 Cyber kernel: e820: update [mem 0x00000000-0xffffffff] usable ==> reserved

```

```

nov 10 09:15:31 Cyber kernel: NODE_DATA(0) allocated [mem 0x11ffd1680-0x11fffbfff]
nov 10 09:15:31 Cyber kernel: Zone ranges:
nov 10 09:15:31 Cyber kernel: DMA [mem 0x000000000001000-0x00000000000fffff]
nov 10 09:15:31 Cyber kernel: DMA32 [mem 0x0000000001000000-0x00000000000fffff]
nov 10 09:15:31 Cyber kernel: Normal [mem 0x0000000010000000-0x000000011fffffff]
nov 10 09:15:31 Cyber kernel: Device empty
nov 10 09:15:31 Cyber kernel: Movable zone start for each node
nov 10 09:15:31 Cyber kernel: Early memory node ranges
nov 10 09:15:31 Cyber kernel: node 0: [mem 0x0000000000001000-0x000000000009efff]
nov 10 09:15:31 Cyber kernel: node 0: [mem 0x0000000000100000-0x00000000000dffff]
nov 10 09:15:31 Cyber kernel: node 0: [mem 0x0000000010000000-0x000000011fffffff]
nov 10 09:15:31 Cyber kernel: Initmem setup node 0 [mem 0x000000000001000-0x000000011fffffff]
nov 10 09:15:31 Cyber kernel: On node 0, zone DMA: 1 pages in unavailable ranges
nov 10 09:15:31 Cyber kernel: On node 0, zone DMA: 97 pages in unavailable ranges
nov 10 09:15:31 Cyber kernel: On node 0, zone Normal: 16 pages in unavailable ranges
nov 10 09:15:31 Cyber kernel: ACPI: PM-Timer IO Port: 0x4008
nov 10 09:15:31 Cyber kernel: IOAPIC[0]: apic_id 2, version 32, address 0xfec00000, GSI 0-23
nov 10 09:15:31 Cyber kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 0 global_irq 2 dfl dfl)
nov 10 09:15:31 Cyber kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 low level)
nov 10 09:15:31 Cyber kernel: ACPI: Using ACPI (MADT) for SMP configuration information
nov 10 09:15:31 Cyber kernel: CPU topo: Max. logical packages: 1

(ius@Cyber)-[~/Bureau/cybersec]
$ journalctl -f
nov 10 16:39:01 Cyber CRON[38820]: pam_unix(cron:session): session closed for user root
nov 10 16:39:05 Cyber systemd[1]: Starting phpsessionclean.service - Clean php session files...
nov 10 16:39:06 Cyber systemd[1]: phpsessionclean.service: Deactivated successfully.
nov 10 16:39:06 Cyber systemd[1]: Finished phpsessionclean.service - Clean php session files.
nov 10 16:45:01 Cyber CRON[41884]: pam_unix(cron:session): session opened for user root(uid=0)
by root(uid=0)
nov 10 16:45:01 Cyber CRON[41886]: (root) CMD (command -v debian-sa1 > /dev/null && debian-sa1
1 1)
nov 10 16:45:01 Cyber CRON[41884]: pam_unix(cron:session): session closed for user root
nov 10 16:49:27 Cyber sudo[44014]: ius : TTY=pts/0 ; PWD=/home/ius/Bureau/cybersec ; USER=
root ; COMMAND=/usr/bin/apt install traceroute
nov 10 16:49:27 Cyber sudo[44014]: pam_unix(sudo:session): session opened for user root(uid=0)
by ius(uid=1000)
nov 10 16:49:28 Cyber sudo[44014]: pam_unix(sudo:session): session closed for user root

^C

(ius@Cyber)-[~/Bureau/cybersec]
$ journalctl -b
nov 10 09:15:31 Cyber kernel: Linux version 6.12.38+kali-amd64 (devel@kali.org) (x86_64-linux->
nov 10 09:15:31 Cyber kernel: Command line: BOOT_IMAGE=/boot/vmlinuz-6.12.38+kali-amd64 root=U>
nov 10 09:15:31 Cyber kernel: BIOS-provided physical RAM map:
nov 10 09:15:31 Cyber kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009fbff] usable

```

```

nov 10 09:15:31 Cyber kernel: ACPI: SSDT 0x00000000DFF02A0 00036C (V01 VBOX - VBOXLP01 000000
nov 10 09:15:31 Cyber kernel: ACPI: Reserving FACP table memory at [mem 0xdfff00f0-0xdfff01e3]
nov 10 09:15:31 Cyber kernel: ACPI: Reserving DSDT table memory at [mem 0xdfff0610-0xdfff2962]
nov 10 09:15:31 Cyber kernel: ACPI: Reserving FACS table memory at [mem 0xdfff0200-0xdfff023f]
nov 10 09:15:31 Cyber kernel: ACPI: Reserving FACS table memory at [mem 0xdfff0200-0xdfff023f]
nov 10 09:15:31 Cyber kernel: ACPI: Reserving APIC table memory at [mem 0xdfff0240-0xdfff029b]
nov 10 09:15:31 Cyber kernel: No NUMA configuration found
nov 10 09:15:31 Cyber kernel: Faking a node at [mem 0x0000000000000000-0x00000001ffffff]

(ius@Cyber) - [~/Bureau/cybersec]
$ journalctl -n 10
nov 10 16:39:06 Cyber systemd[1]: Finished phpsessionclean.service - Clean php session files.
nov 10 16:45:01 Cyber CRON[41884]: pam_unix(cron:session): session opened for user root(uid=0)>
nov 10 16:45:01 Cyber CRON[41886]: (root) CMD (command -v debian-sa1 > /dev/null 66 debian-sa1>
nov 10 16:45:01 Cyber CRON[41884]: pam_unix(cron:session): session closed for user root
nov 10 16:49:27 Cyber sudo[44014]: ius : TTY=pts/0 ; PWD=/home/ius/Bureau/cybersec ; USER>
nov 10 16:49:27 Cyber sudo[44014]: pam_unix(sudo:session): session opened for user root(uid=0)>
nov 10 16:49:28 Cyber sudo[44014]: pam_unix(sudo:session): session closed for user root
nov 10 16:55:01 Cyber CRON[46837]: pam_unix(cron:session): session opened for user root(uid=0)>
nov 10 16:55:01 Cyber CRON[46839]: (root) CMD (command -v debian-sa1 > /dev/null 66 debian-sa1>
nov 10 16:55:01 Cyber CRON[46837]: pam_unix(cron:session): session closed for user root

(ius@Cyber) - [~/Bureau/cybersec]
$ date
lun 10 nov 2025 16:55:47 EST

(ius@Cyber) - [~/Bureau/cybersec]
$ timedatectl
Local time: lun 2025-11-10 16:58:55 EST
Universal time: lun 2025-11-10 21:58:55 UTC
RTC time: lun 2025-11-10 15:51:30
Time zone: America/Port-au-Prince (EST, -0500)
System clock synchronized: no
NTP service: inactive
RTC in local TZ: no

(ius@Cyber) - [~/Bureau/cybersec]
$ hostnamectl
Static hostname: Cyber
Icon name: computer-vm
Chassis: vm
Machine ID: 347d06a8fbd44ac3baeeb08841ee3b79
Boot ID: 144b5773dec24e7bab610cf82c9a6ca4
Virtualization: oracle
Operating System: Kali GNU/Linux Rolling
Kernel: Linux 6.12.38+kali-amd64

```

```

ius@Cyber: ~/Bureau/cybersec
Session Actions Éditer Vue Aide

(ius@Cyber) - [~/Bureau/cybersec]
$ date
lun 10 nov 2025 16:55:47 EST

(ius@Cyber) - [~/Bureau/cybersec]
$ timedatectl
Local time: lun 2025-11-10 16:58:55 EST
Universal time: lun 2025-11-10 21:58:55 UTC
RTC time: lun 2025-11-10 15:51:30
Time zone: America/Port-au-Prince (EST, -0500)
System clock synchronized: no
NTP service: inactive
RTC in local TZ: no

(ius@Cyber) - [~/Bureau/cybersec]
$ hostnamectl
Static hostname: Cyber
Icon name: computer-vm
Chassis: vm
Machine ID: 347d06a8fbd44ac3baeeb08841ee3b79
Boot ID: 144b5773dec24e7bab610cf82c9a6ca4
Virtualization: oracle
Operating System: Kali GNU/Linux Rolling
Kernel: Linux 6.12.38+kali-amd64
Architecture: x86-64
Hardware Vendor: innotek GmbH
Hardware Model: VirtualBox
Firmware Version: VirtualBox
Firmware Date: Fri 2006-12-01
Firmware Age: 18y 11month 1w 3d

(ius@Cyber) - [~/Bureau/cybersec]
$ sudo hostnamectl set-hostname Kalitest

(ius@Cyber) - [~/Bureau/cybersec]
$ cat /etc/os-release
PRETTY_NAME="Kali GNU/Linux Rolling"
NAME="Kali GNU/Linux"
VERSION_ID="2025.3"
VERSION="2025.3"
VERSION_CODENAME=kali-rolling
ID=kali
ID_LIKE=debian
HOME_URL="https://www.kali.org/"
SUPPORT_URL="https://forums.kali.org/"
BUG_REPORT_URL="https://bugs.kali.org/"
ANSI_COLOR="1;31"

```

En conclusion, j'ai appris qu'il ne faut jamais négliger quelques choses qu'on a déjà appris dans des cours précédents parce qu'en appliquant les commandes qu'on a déjà utilisé, j'ai pu créer un dossier avec des sous dossiers, supprimer des sous dossiers avec des commandes dans le terminal.

J'ai appris des nouvelles connaissances en faisant ce td Kali.